

# Energy Levels of Light Nuclei $A = 16$

F. Ajzenberg-Selove

*University of Pennsylvania, Philadelphia, Pennsylvania 19104-6396*

**Abstract:** An evaluation of  $A = 16-17$  was published in *Nuclear Physics A375* (1982), p. 1. This version of  $A = 16$  differs from the published version in that we have corrected some errors discovered after the article went to press. Figures and introductory tables have been omitted from this manuscript. [Reference](#) key numbers have been changed to the NNDC/TUNL format.

(References closed July 1, 1981)

The original work of Fay Ajzenberg-Selove was supported by the US Department of Energy [DE-AC02-76-ER02785]. Later modification by the TUNL Data Evaluation group was supported by the US Department of Energy, Office of High Energy and Nuclear Physics, under: Contract No. DEFG05-88-ER40441 (North Carolina State University); Contract No. DEFG05-91-ER40619 (Duke University).

## Table of Contents for $A = 16$

*Below is a list of links for items found within the PDF document. Figures from this evaluation are not included in the PDF document but have been scanned in and are available on this website or via the link below.*

A. Nuclides:  [\$^{16}\text{He}\$](#) ,  [\$^{16}\text{Be}\$](#) ,  [\$^{16}\text{B}\$](#) ,  [\$^{16}\text{C}\$](#) ,  [\$^{16}\text{N}\$](#) ,  [\$^{16}\text{O}\$](#) ,  [\$^{16}\text{F}\$](#) ,  [\$^{16}\text{Ne}\$](#)

B. Tables of Recommended Level Energies:

[Table 16.1](#): Energy levels of  $^{16}\text{C}$

[Table 16.4](#): Energy levels of  $^{16}\text{N}$

[Table 16.11](#): Energy levels of  $^{16}\text{O}$

[Table 16.25](#): Energy levels of  $^{16}\text{F}$

[Table 16.27](#): Energy levels of  $^{16}\text{Ne}$

C. [References](#)

D. Figures:  [\$^{16}\text{C}\$](#) ,  [\$^{16}\text{N}\$](#) ,  [\$^{16}\text{O}\$](#) ,  [\$^{16}\text{F}\$](#) , [Isobar diagram](#)

E. Erratum to this Publication: [PS](#) or [PDF](#)

$^{16}\text{He}$ 

(Not illustrated)

This nucleus has not been observed. See also (1978NA07; theor.).

 $^{16}\text{Be}$ 

(Not illustrated)

This nucleus has not been observed. Its atomic mass excess is calculated to be 59.22 MeV. It is then unstable with respect to breakup into  $^{14}\text{Be} + 2n$  by 2.4 MeV (1974TH01). See also (1981SE06; theor.).

 $^{16}\text{B}$ 

(Not illustrated)

This nucleus has not been observed in the 4.8 GeV proton bombardment of a uranium target: it is particle unstable (1974BO05). Its mass excess is predicted to be 37.97 MeV: it would then be unstable with respect to decay into  $^{15}\text{B} + n$  by 0.9 MeV [mass excess calculated using the transverse form of the mass equation] (1974TH01, 1975JE02). See also (1981SE06; theor.).

 $^{16}\text{C}$ 

(Figs. 1 and 5)

GENERAL: See also (1977AJ02).

*Experimental work:* (1977AR06, 1981CH1U).

*Theoretical work:* (1979AL22).

*Mass of  $^{16}\text{C}$ :* The atomic mass excess of  $^{16}\text{C}$  based on the  $^{14}\text{C}(t, p) Q_0$  measurements of (1977FO09, 1978SE04) and on the (1977WA08) masses for  $^{14}\text{C}$ , t and p is  $13694 \pm 4$  keV.

1.  $^{16}\text{C}(\beta^-)^{16}\text{N}$   $Q_m = 8.012$

The half-life of  $^{16}\text{C}$  is  $0.747 \pm 0.008$  sec: it decays to  $^{16}\text{N}^*(3.34, 4.32)$  [both  $J^\pi = 1^+$ ] with branchings of 84% and 16% respectively [ $\log ft = 3.55, 3.83$ ]; see Table 16.2 (1976AL02). See also (1978FO10).

Table 16.1: Energy levels of  $^{16}\text{C}$

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau_{1/2}$ (sec) or $\Gamma$ (keV)	Decay	Reactions
0	$0^+; 2$	$\tau_{1/2} = 0.747 \pm 0.008$	$\beta^-$	1, 2, 3
$1.766 \pm 10$	$2^+$		$\gamma$	2
$3.027 \pm 12$	$(0^+)$		$(\gamma)$	2
$3.986 \pm 7$	2		$\gamma$	2
$4.088 \pm 7$	$3^{(+)}$		$\gamma$	2
$4.142 \pm 7$	$4^+$		$\gamma$	2
$6.109 \pm 15$	$(2^+, 3^-, 4^+)$	$\Gamma \leq 25$		2

Table 16.2: The  $\beta^-$  decay of  $^{16}\text{C}$  <sup>a</sup>

Decay to $^{16}\text{N}^*$ (MeV)	$J^\pi$	Branch (%)	$\log ft$
0.120	$0^-$	$< 0.5^b$	$> 6.85$
0.297	$3^-$	$< 0.5^b$	$> 6.83$
0.398	$1^-$	$< 0.7^b$	$> 6.64$
3.36	$1^+$	$84.4 \pm 1.7$	$3.551 \pm 0.012$
4.32	$1^+$	$15.6 \pm 1.7$	$3.83 \pm 0.05$

<sup>a</sup> (1976AL02).

<sup>b</sup> The combined branching to  $^{16}\text{N}^*(0.120, 0.297, 0.398)$  is  $< 1.2\%$  (1976AL02).

Table 16.3: States of  $^{16}\text{C}$  from  $^{14}\text{C}(t, p)$

$E_x$ (keV)		$L^a$	$J^b$
(1977FO09)	(1978SE04)		(1977BA59)
0	0	0	
$1766 \pm 10$	$1.77^e$	2	2
$3020 \pm 15$	$3039 \pm 20$	(0) <sup>c</sup>	
$3983 \pm 10$	$3990 \pm 10$	(2) <sup>c</sup>	2 <sup>f</sup>
$4083 \pm 10$	$4094 \pm 10$	(3) <sup>c</sup>	3 <sup>g</sup>
$4136 \pm 10$	$4194 \pm 10$	4	4
$6109 \pm 15^d$		2, 3, 4	

<sup>a</sup> From angular distribution measurements analyzed by DWBA  $E_t = 18$  MeV (1977FO09) and 23 MeV (1978SE04).

<sup>b</sup> From  $\gamma\gamma$  correlation measurements at  $E_t = 12$  MeV (1977BA59).

<sup>c</sup> This state is weakly excited.

<sup>d</sup>  $\Gamma \leq 25$  keV.

<sup>e</sup> State observed but  $E_x$  not determined.

<sup>f</sup> (1978SE04) suggest that the state is  $2^-$  by comparison with the transition to  $^{14}\text{C}^*(7.38)$ .

<sup>g</sup> The very low intensity of the proton group to  $^{16}\text{C}^*(4.14)$  suggests  $J^\pi = 3^+$ : see e.g. (1978SE04).

2.  $^{14}\text{C}(t, p)^{16}\text{C}$

$$Q_m = -3.013$$

$$Q_0 = -3015 \pm 8 \text{ keV (1977FO09);}$$

$$Q_0 = -3013 \pm 4 \text{ keV (1978SE04).}$$

Observed proton groups are displayed in Table 16.3 (1977FO09, 1978SE04), together with the angular correlation results of (1977BA59). The similarities in the spectra of  $^{14}\text{C}$  and  $^{16}\text{C}$  are discussed by (1978FO06, 1978SE04). See also (1977FO1E, 1978FO10).

3.  $^{14}\text{C}(^{18}\text{O}, ^{16}\text{O})^{16}\text{C}$

$$Q_m = 6.720$$

See (1977AJ02).

<sup>16</sup>N  
(Figs. 2 and 5)

GENERAL: See also (1977AJ02).

*Model calculations:* (1979RO1J, 1980HA35).

*Reactions involving muons:* (1977BO23, 1977ER04, 1977NA1N, 1978GU07, 1978PA1F, 1978RO1P, 1979ER07, 1979GU06, 1979GU08, 1979HO07, 1979KI1G, 1979RH1A, 1979ST1Q, 1979WU10, 1980BR1A, 1980CH03, 1980GR05, 1981EI1A).

*Reactions involving pions:* (1977AL1W, 1977BA1Q, 1977BE2L, 1977ER04, 1977HO13, 1977SH1C, 1977SU1L, 1978FU09, 1978NA1N, 1978OH03, 1979BO21, 1979DE1W, 1979ER07, 1979KN1G, 1979NA1J, 1979PE1C, 1979SR1B, 1979TR1B, 1979WI1E, 1979WI1A, 1980BO1B, 1980BO24, 1980DE29, 1980GR05, 1980ST15, 1980WU01, 1981YA1A).

*Other topics:* (1976LE1F, 1977AR06, 1977BA22, 1977BR03, 1977HA1L, 1978BU1B, 1978FO10, 1978GA1C, 1978GE1C, 1978HE1C, 1978KO01, 1978LE15, 1979AB04, 1979AL22, 1981GR08).

1. <sup>16</sup>N( $\beta^-$ )<sup>16</sup>O  $Q_m = 10.418$

The half-life of <sup>16</sup>N is  $7.13 \pm 0.02$  sec: see Table 16.3 in (1971AJ02). See also (1975SA1D). From the character of the beta decay [see Table 16.21] it is concluded that <sup>16</sup>N<sub>g.s.</sub> has  $J^\pi = 2^-$ : see <sup>16</sup>O. The beta decay of <sup>16</sup>N\*(0.12) [ $J^\pi = 0^-$ ,  $\tau_{1/2} = 5.26 \pm 0.06$   $\mu$ sec] to <sup>16</sup>O<sub>g.s.</sub> has been studied: the  $\beta$ -decay rate  $\lambda_\beta = 0.43 \pm 0.10$  sec<sup>-1</sup> (1975PA01). See also (1977AK1B; applications) and (1977BO23, 1978GU07, 1979GU08, 1979KO39, 1979MU1B, 1979RH1A, 1980CH03, 1981CH1B, 1981TO1J; theor.).

2. (a) <sup>9</sup>Be(<sup>7</sup>Li, t)<sup>13</sup>C  $Q_m = 8.181$   $E_b = 20.575$   
 (b) <sup>9</sup>Be(<sup>7</sup>Li,  $\alpha$ )<sup>12</sup>B  $Q_m = 10.462$   
 (c) <sup>9</sup>Be(<sup>7</sup>Li, <sup>8</sup>Li)<sup>8</sup>Be  $Q_m = -17.613$

The yields of  $t_0$  and of  $\alpha_0$ ,  $\alpha_1$  and  $\alpha_2$  have been measured for  $E(^7\text{Li}) = 4$  to 14 MeV at 0°: several broad peaks are observed (1971WY01). The yields of  $\alpha_0$  and  $\alpha_2$  have also been studied for  $E(^7\text{Li}) = 3.3$  and 5.0 to 6.2 MeV (1969SN02). The cross section for reaction (c) rises monotonically for  $E(^7\text{Li}) = 1.1$  to 4 MeV (1957NO17, 1959NO40).

3. <sup>10</sup>B(<sup>7</sup>Li, p)<sup>16</sup>N  $Q_m = 13.989$

Table 16.4: Energy levels of  $^{16}\text{N}$ 

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau$ or $\Gamma_{c.m.}$ (keV)	Decay	Reactions
0	$2^-; 1$	$\tau_{1/2} = 7.13 \pm 0.02$ sec	$\beta^-$	1, 3, 10, 12, 13, 14, 15, 18, 19, 24, 25, 26, 28, 29
$0.1201 \pm 0.5$	$0^-$	$\tau_m = 7.58 \pm 0.09$ $\mu\text{sec}$	$\gamma, \beta^-$	10, 12, 13, 14, 18, 21, 24, 28, 29
$0.2970 \pm 0.7$	$3^-$	a	$\gamma$	5, 10, 12, 13, 14, 18, 19, 24, 26, 28, 29
$0.3975 \pm 0.7$	$1^-$	$\tau_m = 5.6 \pm 0.3$ psec $ g  = -18.3 \pm 0.13$	$\gamma$	5, 10, 11, 12, 13, 14, 18, 21, 24, 28, 29
$3.355 \pm 5$	$1^+$	$\Gamma = 15 \pm 5$	n	3, 10, 12, 16, 18, 20, 28
$3.519 \pm 5$	$2^+$	3	n	3, 10, 12, 16, 18, 28
$3.960 \pm 5$	$3^+$	$\leq 2$	n	3, 7, 10, 11, 12, 16, 18, 28
$4.319 \pm 5$	$1^+$	$20 \pm 5$	n	3, 10, 12, 16, 18, 19, 28
$4.387 \pm 6$	$1^-$	$82 \pm 20$	n	3, 10, 12, 16, 18, 28
$4.76 \pm 50$	$1^-$	$250 \pm 50$	n	12, 16, 18
$4.776 \pm 10$	$2^+$	$59 \pm 8$	n	10, 12, 16, 18, 28
( $4.90 \pm 10$ )				18
$5.050 \pm 6$	$2^-$	$19 \pm 6$	n	10, 12, 16, 18, 28
$5.130 \pm 7$	$\geq 2$	$\leq 7 \pm 4$	n	10, 12, 16, 18
$5.150 \pm 7$	( $2, 3$ ) $^-$	$\leq 7 \pm 4$	n	12, 16, 18, 28
$5.232 \pm 5$	$3^+$	$\leq 4$	n	10, 12, 16, 18, 28
5.24	$1^+$	260	n	16
$5.25 \pm 70$	$2^-$	$320 \pm 80$	n	12, 18
$5.518 \pm 6$	$3^+$	$\leq 7 \pm 4$	n	10, 12, 16, 18, 28
$5.730 \pm 6$	( $5^+$ )	$\leq 7 \pm 4$	n	7, 10, 11, 12, 16, 18, 28
$6.009 \pm 10$	$1^-$	$270 \pm 30$	n	12, 16, 28
$6.168 \pm 4$	( $4^-$ )	$\leq 7 \pm 4$	n	10, 12, 18, 26, 28
$6.373 \pm 6$	( $3^-$ )	$30 \pm 6$	n	12, 16, 18, 26, 28
$6.426 \pm 7$		$300 \pm 30$		12, 18
$6.513 \pm 6$	$1^+$	$34 \pm 6$	n	12, 16, 18, 28
$6.613 \pm 6$		$\leq 7 \pm 4$		12, 13, 14, 18, 28
$6.848 \pm 6$		$\leq 7 \pm 4$		10, 12, 18, 28
(6.84)	$\geq 2$	$> 140$	n	16
$7.02 \pm 20$	$1^+$	$22 \pm 5$	n	12, 16, 18, 28
$7.134 \pm 7$		$\leq 7 \pm 4$		10, 12, 18, 28

Table 16.4: Energy levels of  $^{16}\text{N}$  (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau$ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
$7.250 \pm 7$	$\geq 2$	$17 \pm 5$	n	12, 16, 18, 28
$7.573 \pm 6$	$\geq 3$	$\leq 7 \pm 4$	n	10, 12, 16, 18, 28
$7.637 \pm 5$	$(3, 4, 5)^+$	$\leq 7 \pm 4$		7, 10, 11, 12, 18, 28
$7.675 \pm 5$		$\leq 7 \pm 4$	n	7, 12, 13, 16, 18, 28
$7.877 \pm 9$	$\geq 4$	$100 \pm 15$	n	12, 16, 18, 28
$8.048 \pm 9$		$85 \pm 15$	n	12, 16, 28
$8.182 \pm 9$	$(3, 2)^+$	$28 \pm 8$		10, 12, 17
$8.282 \pm 8$		$24 \pm 8$		12, 28
$8.365 \pm 8$	$\geq 1$	$18 \pm 8$	n	12, 16, 28
$8.49 \pm 30$	$\geq 1$	$\leq 50$	n	16, 28
8.72	$\geq 1$	40	n	16
$8.819 \pm 15$		$\leq 50$	n	16, 28
$9.035 \pm 15$		$\leq 50$		28
$9.16 \pm 30$	$\geq 2$	100	n	16, 28
$9.34 \pm 30$		$\leq 50$	n	16, 28
$9.459 \pm 15$	$\geq 2$	100	n	16, 28
$9.760 \pm 10$	$T = 1$	$15 \pm 8$		10
$9.813 \pm 10$	$T = 1$			10
$9.928 \pm 7$	$0^+; T = 2$	$< 12$		10, 27
$10.055 \pm 15$	$\geq 3$	30	n	16
10.27	$\geq 2$	165	n	16
10.71	$\geq 2$	120	n	16
11.49	$\geq 3$		n	6, 16
11.62	$\geq 3$	220	n, d	9
$11.701 \pm 7$	$1^-, 2^+; T = 2$	$< 12$		10
(11.92)		390	n, d	9
(12.09)			n	6, 16
12.26		290	n, p, d	9
(12.46)			n	16
12.61		180	n, p, d	9
12.88		155	n, p, d	9
(12.97)		175	n, d	9
13.12			n, (d)	9, 16



Table 16.4: Energy levels of  $^{16}\text{N}$  (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau$ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
13.83			n	16
$14.41 \pm 50$	$(3)^+$	180	d	9

<sup>a</sup> The previously reported  $\tau_m$  needs, in the opinion of the reviewer, to be remeasured: see (1971AJ02) for the previously reported value.

Angular distributions have been obtained at  $E(^7\text{Li}) = 16$  MeV to  $^{16}\text{N}^*(3.36, 3.52, 3.96, 4.32, 4.39)$ . The  $\sigma_t$  for  $^{16}\text{N}^*(3.36, 3.96, 4.32, 4.39)$ , whose  $J^\pi$  are known, follow the  $2J_f + 1$  relation. From the  $\sigma_t$  for  $^{16}\text{N}^*(3.52)$  it follows then that  $J = 2$  if it is a single state or  $J = 0$  and 1 (with one of the two states having odd parity) if the group corresponds to two unresolved states (1975FO10). See also (1971AJ02).

4.  $^{11}\text{B}(^6\text{Li}, \text{p})^{16}\text{N}$   $Q_m = 9.785$

See (1966MC05).

5.  $^{11}\text{B}(^7\text{Li}, \text{d})^{16}\text{N}$   $Q_m = 4.759$

See (1966MC05) and (1969TH01:  $E_x = 297.6 \pm 0.9$  and  $397.8 \pm 1.0$  keV).

6.  $^{13}\text{C}(\alpha, \text{p})^{16}\text{N}$   $Q_m = -7.421$

At  $E_\alpha = 50$  MeV proton groups are reported to  $^{16}\text{N}^*(5.1, 5.6, 7.6, 11.4, 12.1)$  (1976BU21). See also (1977FO1E, 1981HAZV).

7.  $^{13}\text{C}(^6\text{Li}, ^3\text{He})^{16}\text{N}$   $Q_m = 3.401$

At  $E(^6\text{Li}) = 44$  MeV angular distributions to  $^{16}\text{N}^*(3.96, 5.73, 7.65, 11.21, 11.81)$  are strongly forward peaked (1977MA1B; prelim.).

8.  $^{14}\text{C}(\text{d}, \gamma)^{16}\text{N}$   $Q_m = 10.474$

Table 16.5: Resonances in  $^{14}\text{C} + \text{d}$

$E_d$ (MeV)	Resonant for	$\Gamma_{\text{c.m.}}$ (keV)	$E_x$ (MeV)	Refs.
1.30	$n_0$	220	11.61	(1961CH14, 1963IM01)
1.65	$n_0$	390	11.92	(1961CH14)
2.04	$n_0, p$	290	12.26	(1961CH14, 1963IM01, 1956DO37)
2.44	$n_0, p$	180	12.61	(1961CH14, 1956DO37)
2.75	$n_0, p$	155	12.88	(1961CH14, 1963IM01, 1956DO37)
2.86	$n_0$	175	12.97	(1961CH14)
(3.10)	$n_0$	(175)	(13.18)	(1961CH14)
$4.50 \pm 0.05$	$d_0$	$180^a$	14.41	(1973CO31)

<sup>a</sup>  $\Gamma_d = 45$  keV;  $l_d = 4$ ;  $J^\pi = 3^+, (4^+, 5^+)$  (1973CO31:  $E_d = 4$  to 10 MeV).

The cross section has been measured for  $1.2 < E_d < 2.6$  MeV. It shows some evidence of structure (1964NE09). See also (1971AJ02).

9. (a)  $^{14}\text{C}(\text{d}, \text{n})^{15}\text{N}$   $Q_m = 7.9828$   $E_b = 10.474$   
 (b)  $^{14}\text{C}(\text{d}, \text{p})^{15}\text{C}$   $Q_m = -1.0065$   
 (c)  $^{14}\text{C}(\text{d}, \text{d})^{14}\text{C}$   
 (d)  $^{14}\text{C}(\text{d}, \text{t})^{13}\text{C}$   $Q_m = -1.9192$   
 (e)  $^{14}\text{C}(\text{d}, \alpha)^{12}\text{B}$   $Q_m = 0.361$

Observed resonances for  $n_0$ ,  $p$  and  $d_0$  are displayed in Table 16.5. For polarization measurements in reaction (a) see (1977AJ02). For reaction (b) see also (1977AJ02). See also  $^{12}\text{B}$  in (1968AJ02) and  $^{13}\text{C}$ ,  $^{14}\text{C}$ ,  $^{15}\text{C}$  and  $^{15}\text{N}$  in (1981AJ01).

10.  $^{14}\text{C}(\text{}^3\text{He}, \text{p})^{16}\text{N}$   $Q_m = 4.981$

Proton groups have been observed to  $^{16}\text{N}$  states with  $E_x < 12$  MeV and angular distributions (with  $E(\text{}^3\text{He}) \leq 15$  MeV) lead to the  $J^\pi$  assignments shown in Table 16.6.

11.  $^{14}\text{C}(\alpha, \text{d})^{16}\text{N}$   $Q_m = -13.373$

Table 16.6: Excited states in  $^{16}\text{N}$  from  $^{14}\text{C}(^3\text{He}, \text{p})^{16}\text{N}$

$E_x$ (MeV $\pm$ keV)		$\Gamma$ (keV)	$J^\pi; T$
(1966GA08)	(1968HE03, 1972FR05)		
0.121 $\pm$ 6			$0^-$
0.298 $\pm$ 6			$3^-$
0.396 $\pm$ 7			
3.348 $\pm$ 7			$1^+$
3.517 $\pm$ 7			$2^+, (3)^+$
3.958 $\pm$ 7			$(2)^+, 3^+$
4.313 $\pm$ 9			$1^+$
4.386 $\pm$ 9			
4.768 $\pm$ 11			
5.052 $\pm$ 9			
5.137 $\pm$ 9			
5.234 $\pm$ 9			$(1, 2, 3)^+$
	5.512 $\pm$ 5		$(1, 2, 3)^+$
	5.724 $\pm$ 5		$5^+$
	6.168 $\pm$ 5		
	6.843 $\pm$ 5		
	7.113 $\pm$ 5		
	7.570 $\pm$ 5		
	7.636 $\pm$ 5		
	7.673 $\pm$ 5		
	8.205 $\pm$ 5		
	9.760 $\pm$ 10	$15 \pm 8$	$T = 1$
	9.813 $\pm$ 10		$T = 1$
	9.928 $\pm$ 7	$< 12$	$0^+; 2$
	11.701 $\pm$ 7	$< 12$	$1^-, 2^+; 2$

Table 16.7: States in  $^{16}\text{N}$  from  $^{14}\text{N}(t, p)^{16}\text{N}$ 

(1966HE10)		$L^a$	$J^\pi^a$
$E_x$ (MeV $\pm$ keV)	$\Gamma$ (keV)		
0		3	$2^-^b$
$0.120 \pm 10$		1	$0^-^b$
$0.300 \pm 10$		3	$3^-^b$
$0.399 \pm 10$		1	$1^-^b$
$3.359 \pm 10$	$15 \pm 5$	0	$1^+^b$
$3.519 \pm 10$	$\leq 7 \pm 4$	$c$	
$3.957 \pm 10$	$\leq 7 \pm 4$	2	$3^+^b$
$4.318 \pm 10$	$20 \pm 5$	0	$1^+^b$
$4.391 \pm 10$	$82 \pm 20$	1	$1^-^b$
$4.725 \pm 10^d$	$290 \pm 30$	1	$1^-$
$4.774 \pm 10$	$59 \pm 8$	2	$2^-^b$
$5.053 \pm 10$	$19 \pm 6$	(1 + 3)	$2^-$
$5.130 \pm 10$	$\leq 7 \pm 4$	$c$	
$5.150 \pm 10$	$\leq 7 \pm 4$		
$5.226 \pm 10$	$\leq 7 \pm 4$	2	(1, 2, 3) $^+$
$5.305 \pm 10^d$	$260 \pm 30$	$c$	
$5.520 \pm 10$	$\leq 7 \pm 4$	(0, 1) + 2 + 4 $^e$	
$5.730 \pm 10$	$\leq 7 \pm 4$	(1, 3) + 4 $^e$	
$6.009 \pm 10$	$270 \pm 30$	1	$1^-$
$6.167 \pm 10$	$\leq 7 \pm 4$	(3)	(4 $^-$ )
$6.371 \pm 10$	$30 \pm 6$	(3)	(3 $^-$ )
$6.422 \pm 10$	$300 \pm 30$	$0^+(2, 4)^e$	
$6.512 \pm 10$	$34 \pm 6$	$0^+(2, 3)$	$1^+$
$6.613 \pm 10$	$\leq 7 \pm 4$	(2 + 4) or 3	
$6.854 \pm 10$	$\leq 7 \pm 4$	3 or (2 + 4)	
$7.006 \pm 10$	$22 \pm 5$	0 (+ 2)	$1^+$
$7.133 \pm 10$	$\leq 7 \pm 4$	(3, 2)	
$7.250 \pm 10$	$17 \pm 5$	(2 + 4) or 3	
$7.573 \pm 10$	$\leq 7 \pm 4$	3 or (2 + 4)	3, 4 $^-$
$7.640 \pm 10$	$\leq 7 \pm 4$	4	(3, 4, 5) $^+$

Table 16.7: States in  $^{16}\text{N}$  from  $^{14}\text{N}(t, p)^{16}\text{N}$  (continued)

(1966HE10)		$L^a$	$J\pi^a$
$E_x$ (MeV $\pm$ keV)	$\Gamma$ (keV)		
$7.675 \pm 10$	$\leq 7 \pm 4$	(1 + 4)	
$7.876 \pm 10$	$100 \pm 15$	$1 + 4^e$	
$8.043 \pm 10$	$85 \pm 15$	(2 + 4) or 3	
$8.183 \pm 10$	$28 \pm 8$	$2 (+ 4)$	(3, 2) <sup>+</sup>
$8.280 \pm 10$	$24 \pm 8$	(1)	((0, 1, 2) <sup>-</sup> )
$8.361 \pm 10$	$18 \pm 8$	$(1 + 4)^e$	

<sup>a</sup> From reanalysis of data of (1966HE10): see (1975CR02, 1978FO04).

<sup>b</sup> Identified with shell-model counterparts (1975CR02).

<sup>c</sup> Results are ambiguous (1975CR02).

<sup>d</sup> The errors listed here for the  $E_x$  to these two broad peaks are probably underestimates: I am indebted to Dr. H. Fuchs for his comments.

<sup>e</sup> May be a doublet (1978FO04).

At  $E_\alpha = 46$  MeV the angular distributions of the groups to  $^{16}\text{N}^*(0.30, 3.96, 5.73, 7.60)$  have been determined: the most strongly populated state is the ( $5^+$ ) state  $^{16}\text{N}^*(5.73)$  (1969LU07).

$$12. \ ^{14}\text{N}(t, p)^{16}\text{N} \quad Q_m = 4.843$$

Observed proton groups are displayed in Table 16.7. Angular distributions have also been measured at  $E_t = 15$  MeV to the first four states of  $^{16}\text{N}$ : cross sections obtained by DWBA analysis using microscopic wave functions are in poor agreement with the data (1979FO01). These distributions have also been compared with those in the ( $^3\text{He}, p$ ) reaction to analog states in  $^{16}\text{O}$ : see reaction 38 in  $^{16}\text{O}$  (1978FO27).  $\tau_m$  for  $^{16}\text{N}^*(0.40) = 5.1 \pm 0.3$  psec (1977HE1D, 1977HE12). See also (1977AJ02).

$$13. \ ^{14}\text{N}(\alpha, 2p)^{16}\text{N} \quad Q_m = -14.971$$

At  $E_\alpha = 65$  MeV strong transitions are observed to the unresolved ground state quartet and to  $^{16}\text{N}^*(5.25, 6.61, 7.68)$  (1978JA10).

$$14. \text{ (a) } \ ^{14}\text{N}(^{10}\text{B}, ^8\text{B})^{16}\text{N} \quad Q_m = -13.688$$

$$\text{ (b) } \ ^{14}\text{N}(^{13}\text{C}, ^{11}\text{C})^{16}\text{N} \quad Q_m = -10.343$$

At  $E(^{10}\text{B}) = 100$  MeV strong transitions are observed to the unresolved ground state quartet and to  $^{16}\text{N}^*(5.14, 6.59, 7.65)$  (1978HA10). For reaction (b) see (1980PR09).

$$15. \ ^{15}\text{N}(n, \gamma)^{16}\text{N} \quad Q_m = 2.491$$

The thermal cross section is  $24 \pm 8 \mu\text{b}$  (1973MU14).

$$16. \ ^{15}\text{N}(n, n)^{15}\text{N} \quad E_b = 2.491$$

The scattering amplitude (bound)  $a = 6.44 \pm 0.03$  fm,  $\sigma_{\text{free}} = 4.59 \pm 0.05$  b,  $\sigma_{\text{inc}}^{\text{spin}}$  (bound nucleus)  $< 1$  mb (1979KO26). The total cross section has been measured for  $E_n = 0.4$  to 32 MeV: see (1971AJ02, 1976GAYV) and (1971ZE02). Observed resonances and parameters derived from  $R$ -matrix and phase-shift analyses of these data, angular distributions and polarization measurements are displayed in Table 16.8 (1971ZE02, 1971DO06). See also (1977AJ02) and (1976RO16, 1977RO09, 1978RO05, 1979AB17, 1979RO04, 1980HA35; theor.).

$$\begin{array}{lll} 17. \text{ (a) } ^{15}\text{N}(n, p)^{15}\text{C} & Q_m = 8.9893 & E_b = 2.491 \\ \text{ (b) } ^{15}\text{N}(n, d)^{14}\text{C} & Q_m = -7.9828 & \\ \text{ (c) } ^{15}\text{N}(n, t)^{13}\text{C} & Q_m = -9.9020 & \\ \text{ (d) } ^{15}\text{N}(n, \alpha)^{12}\text{B} & Q_m = -7.621 & \end{array}$$

For reaction (b) see (1976AJ04, 1978BA1M). For reaction (c) see (1978BA1M). For reactions (a) and (d) see (1977AJ02).

$$18. \ ^{15}\text{N}(d, p)^{16}\text{N} \quad Q_m = 0.267$$

Levels derived from observed proton groups and  $\gamma$ -rays are listed in Table 16.9. Gamma transitions are shown in the inset of Fig. 2: (1971PA28) report that the branchings of  $^{16}\text{N}^*(0.40)$  to  $^{16}\text{N}^*(0, 0.12, 0.30)$  are, respectively,  $26.6 \pm 0.6\%$ ,  $73.4 \pm 1.6\%$  and  $\leq 0.15\%$ . The  $0.30 \rightarrow 0.12$  transition is  $\leq 1\%$  (1971PA28).

The mean life of  $^{16}\text{N}^*(0.12)$  is  $7.58 \pm 0.09 \mu\text{sec}$  (1967BE14); together with the angular distribution analyses this leads to  $J^\pi = 0^-$  for this state. The very strong evidence for  $J^\pi = 2^-, 3^-$  and  $1^-$ , respectively, for  $^{16}\text{N}^*(0, 0.30, 0.40)$  is reviewed in (1971AJ02). See also (1977BA22, 1978PA05, 1979PA02; theor.).

Table 16.8: Resonances in  $^{15}\text{N}(n, n)^{15}\text{N}$  <sup>a,b</sup>

$E_n$ (MeV $\pm$ keV)	$\Gamma_{\text{lab}}$ (keV)	$E_x$ (MeV)	$J^\pi$
0.921	14	3.354	$1^+$ <sup>c</sup>
1.095	3	3.517	1
1.563	$\leq 2$	3.955	1
1.944	29	4.312	$1^+$ <sup>d</sup>
2.038	56	4.400	$1^-$ <sup>d</sup>
$2.30 \pm 70$ <sup>e</sup>	$410 \pm 100$ <sup>e</sup>	4.65	$1^-$ <sup>d</sup>
2.399	107	4.738	$2^+$ <sup>d</sup>
2.732	35	5.050	$1^-$ <sup>g</sup>
2.830	12	5.142	$3^{(-)}$
$2.84 \pm 70$ <sup>f</sup>	$710 \pm 100$ <sup>f</sup>	5.15	$2^-$ <sup>d</sup>
2.915	4	5.222	$\geq 2$
2.93	260	5.24	$1^+$
3.225		5.512	
3.454	24	5.727	$1^+$
3.69	297	5.95	$1^-$
3.987	88	6.226	$(1^+)$
4.126	78	6.356	$(3^-)$
4.252	113	6.474	$(2^+)$
4.64	$> 150$	6.84	$\geq 2$
4.80	37	6.99	$\geq 1$
5.055	25	7.227	$\geq 2$
5.43	30	7.58	$\geq 3$
5.56		7.70	
5.73	165	7.86	$\geq 4$
5.90		8.02	
6.28		8.37	$\geq 1$
6.42		8.51	$\geq 1$
6.65	45	8.72	$\geq 1$
6.76		8.82	
7.10	110	9.14	$\geq 2$
7.31		9.34	

Table 16.8: Resonances in  $^{15}\text{N}(n, n)^{15}\text{N}$  <sup>a,b</sup> (continued)

$E_n$ (MeV $\pm$ keV)	$\Gamma_{\text{lab}}$ (keV)	$E_x$ (MeV)	$J^\pi$
7.44	105	9.46	$\geq 2$
7.71	150	9.71	$\geq 2$
8.07	30	10.05	$\geq 3$
8.30	175	10.27	$\geq 2$
8.77	130	10.71	$\geq 2$
9.61		11.49	$\geq 3$
9.77		11.64	$\geq 3$
10.25		12.09	
10.64		12.46	
11.09		12.88	
11.41		13.12	
12.10		13.83	

<sup>a</sup> (1971ZE02, 1971DO06). See Table 16.7 in (1971AJ02) for the earlier work.

<sup>b</sup> Below  $E_n = 4.5$  MeV, the multilevel  $R$ -matrix formalism was used to determine  $E_\lambda$ ,  $\Gamma_\lambda$  and whenever possible  $J^\pi$  by a  $\chi^2$  fitting and minimization technique. Above this energy the  $2J + 1$  dependence was used; the parity cannot be determined because no marked interference effects are observed between resonance and potential scattering. Above 5.65 MeV all  $J$ -values are lower limits because the inelastic channel is open. [A channel radius  $a = 4.69$  fm was used.] (1971ZE02).

<sup>c</sup> Parity determined from angular distribution.

<sup>d</sup>  $J^\pi$  also obtained by phase-shift analysis.

<sup>e</sup> The phase-shift analysis indicates that the resonance is at  $E_n = 2.42 \pm 0.08$  MeV with  $\Gamma = 250 \pm 50$  keV. This is one of two ( $d_{3/2}p_{1/2}^{-1}$ ) single-particle resonances (1971ZE02).

<sup>f</sup> The phase-shift analysis finds  $E_\lambda = 2.94 \pm 0.1$  MeV,  $\Gamma = 320 \pm 80$  keV. This is the other ( $d_{3/2}p_{1/2}^{-1}$ ) single-particle resonance (1971ZE02).

<sup>g</sup> See also (1979PA02).



Table 16.9: Levels of  $^{15}\text{N}(\text{d}, \text{p})^{16}\text{N}$  and  $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$ 

(1966HE10) <sup>a</sup> $E_x$ (MeV $\pm$ keV)	$l_n$ <sup>a,b</sup>	(1966HE10) <sup>c</sup>	(1970BO08) <sup>c</sup>	$J\pi$ <sup>d</sup>
0	k	0		$2^{-1}$
$0.1201 \pm 0.5$ <sup>e</sup>	k	$0.119 \pm 15$		$0^{-}$
$0.2962 \pm 1.0$ <sup>e</sup>	k	$0.301 \pm 15$		$3^{-1}$
$0.3973 \pm 1.0$ <sup>e</sup>	k	$0.400 \pm 15$		$1^{-}$
$3.365 \pm 10$		$3.358 \pm 15$		$1^{+1}$
$3.523 \pm 10$	2 or 1 + 3	$3.524 \pm 15$	f	$2^{+m}$
$3.964 \pm 10$	3	$3.964 \pm 15$		$3^{+1,m}$
$4.325 \pm 10$	1	$4.324 \pm 15$		$1^{+1}$
$4.40$ <sup>b</sup>	0	$4.383 \pm 15$		$(0, 1)^{-}$
$4.715 \pm 10$	1			$(1, 2, 3)^{+}$
$4.780 \pm 10$		$4.787 \pm 15$	f	
$(4.90 \pm 10)$				
$5.032 \pm 10$	2	$5.065 \pm 15$		$2^{-m}$
$5.128 \pm 10$	$\geq 2$			$\geq 2$
		$5.139 \pm 15$		
$5.150 \pm 10$	2			$(2, 3)^{-}$
$5.231 \pm 10$	3	$5.240 \pm 15$		$3^{+m}$
$5.310 \pm 10$				
$5.523 \pm 10$	3	$5.528 \pm 15$	f	$3^{+m}$
$5.739 \pm 10$	2	$5.740 \pm 15$	f	$(1, 2)^{-n}$
			$6.01 \pm 15$ <sup>j</sup>	
$6.170 \pm 10$	$\geq 3$	$6.168 \pm 15$	g	$4^{-1}$
$(6.28 \pm 10)$	1			$(0, 1, 2)^{+}$
$6.376 \pm 10$	2		$6.37 \pm 15$ <sup>j</sup>	$(1, 2, 3)^{-}$
$6.431 \pm 10$				
$6.514 \pm 10$	1	$6.512 \pm 15$	g	$(0, 1, 2)^{+}$
$6.609 \pm 10$		$6.620 \pm 15$	g	
$(6.79 \pm 10)$				
$6.847 \pm 10$		$6.852 \pm 15$	g	
$7.034 \pm 10$			$7.01 \pm 15$ <sup>j</sup>	

Table 16.9: Levels of  $^{15}\text{N}(\text{d}, \text{p})^{16}\text{N}$  and  $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$  (continued)

(1966HE10) <sup>a</sup> $E_x$ (MeV $\pm$ keV)	$l_n$ <sup>a,b</sup>	(1966HE10) <sup>c</sup>	(1970BO08) <sup>c</sup>	$J\pi$ <sup>d</sup>
7.135 $\pm$ 10		7.141 $\pm$ 15	g	
7.250 $\pm$ 10		7.247 $\pm$ 15	g	
7.577 $\pm$ 10		7.596 $\pm$ 15	g	
7.638 $\pm$ 10			7.64 $\pm$ 15 <sup>j</sup>	
7.676 $\pm$ 10		7.683 $\pm$ 15		
7.840 $\pm$ 10			7.88 $\pm$ 15 <sup>j</sup>	
			8.06 $\pm$ 15 <sup>j</sup>	
			8.18 $\pm$ 15 <sup>j</sup>	
		8.286 $\pm$ 15	g	
		8.374 $\pm$ 15	g	
			8.49 $\pm$ 30 <sup>h</sup>	
			8.819 $\pm$ 15 <sup>i</sup>	
			9.035 $\pm$ 15	
			(9.16 $\pm$ 30)	
			(9.34 $\pm$ 30)	
			9.459 $\pm$ 15	
			(9.66 $\pm$ 40)	
			9.794 $\pm$ 15 <sup>i</sup>	
			9.90 $\pm$ 30	
			10.055 $\pm$ 15 <sup>i</sup>	
			(10.17 $\pm$ 30)	
			(10.26 $\pm$ 30)	

<sup>a</sup>  $^{15}\text{N}(\text{d}, \text{p})^{16}\text{N}$ .

<sup>b</sup> (1972FU16, 1971FU14;  $E_{\text{d}} = 12$  MeV). I am very much indebted to Dr. H. Fuchs for his comments.

<sup>c</sup>  $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$ .

<sup>d</sup>  $J^{\pi}$  assignment from angular distribution analyses and  $\gamma$ -decay; see (1977AJ02) for references.

<sup>e</sup> From  $\gamma$ -decay studies (1963GI11).

<sup>f</sup> Angular distribution reported in  $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$  at  $E_{\text{d}} = 10.0 - 11.2$  MeV but  $L$  not determined (1970BO08).

<sup>g</sup> Alpha group seen but  $E_{\text{x}}$  not determined.

<sup>h</sup>  $\Gamma$  for this level and the ones listed below  $\leq 40 - 50$  keV (1970BO08).

<sup>i</sup> These levels appear to be correlated with thresholds for neutron emission to excited states of  $^{15}\text{N}$  (1970BO08, 1970BO09).

<sup>j</sup> T.I. Bonner, private communication.

<sup>k</sup> Absolute spectroscopic factors for  $^{16}\text{N}^*(0, 0.12, 0.30, 0.40)$  are 0.55, 0.46, 0.54, 0.52 (1972BO49: average values in the range  $E_{\text{d}} = 5$  to 6 MeV).

<sup>l</sup> Polarization measurements at  $E_{\text{d}} = 52$  MeV are consistent with  $J^{\pi} = 2^{-}, 3^{-}, 3^{+}$  and  $4^{-}$  for  $^{16}\text{N}^*(0, 0.30, 3.96, 6.17)$  and with  $1^{+}$  for  $^{16}\text{N}^*(3.36, 4.32)$  [admixture of  $L = 0 + 2$ ] (1981MA1W).

<sup>m</sup> Polarization measurements at  $E_{\text{d}} = 8.5$  to 11.3 MeV are in agreement with the previously assigned  $J^{\pi}$  values for  $^{16}\text{N}^*(0, 0.12, 0.30, 0.40, 3.36, 4.32, 5.05)$  and lead to the unique  $J^{\pi}$  values for  $^{16}\text{N}^*(3.52, 3.96, 5.05, 5.23, 5.52)$  shown here (1978BA43).

<sup>n</sup> A closely spaced doublet appears to be present. At least one of the states has unnatural parity (1978BA43).

$$\begin{aligned} 19. \text{ (a) } & ^{15}\text{N}(^{11}\text{B}, ^{10}\text{B})^{16}\text{N} & Q_{\text{m}} &= -8.964 \\ & \text{ (b) } & ^{15}\text{N}(^{13}\text{C}, ^{12}\text{C})^{16}\text{N} & Q_{\text{m}} &= -2.455 \end{aligned}$$

See (1980PR09).

$$20. \ ^{16}\text{C}(\beta^{-})^{16}\text{N} \quad Q_{\text{m}} = 8.012$$

See  $^{16}\text{C}$ .

$$21. \ ^{16}\text{O}(\mu^{-}, \nu)^{16}\text{N} \quad Q_{\text{m}} = 95.241$$

Partial  $\mu^{-}$ -capture rates leading to  $^{16}\text{N}^*(0.12, 0.40)$  [ $J^{\pi} = 0^{-}, 1^{-}$ ] are consistent with the assumption of a large mesonic exchange effect in the time part of the weak axial current (1979GU06). See also (1981GI1C), (1978GU07; theor.) and the “GENERAL” section here.

$$22. \ ^{16}\text{O}(\pi^{-}, \gamma)^{16}\text{N} \quad Q_{\text{m}} = 129.148$$

See (1979TR1B).

$$23. \text{}^{16}\text{O}(n, p)\text{}^{16}\text{N} \quad Q_m = -9.636$$

See (1978NE1A, 1978NE1B;  $E_n = 60$  MeV). See also (1977AJ02).

$$24. \text{}^{16}\text{O}(t, \text{}^3\text{He})\text{}^{16}\text{N} \quad Q_m = -10.400$$

At  $E_t = 23.5$  MeV  $^{16}\text{N}^*(0, 0.30)$  [ $J^\pi = 2^-, 3^-$ ] are strongly populated relative to  $^{16}\text{N}^*(0.12, 0.40)$  [ $0^-, 1^-$ ]. This suggests that the  $2^-$  and  $3^-$  states in  $^{16}\text{F}$  are those that are strongly populated in the  $^{16}\text{O}(\text{}^3\text{He}, t)\text{}^{16}\text{F}$  reaction [ $^{16}\text{F}^*(0.42, 0.72)$ ] and that the other two states in  $^{16}\text{F}$  [ $^{16}\text{F}^*(0, 0.20)$ ] are  $0^-$  and  $1^-$  [the ordering within the  $2^-$  and  $3^-$ , and the  $0^-$  and  $1^-$  states, in  $^{16}\text{F}$  is ambiguous] (1974FL06). See also  $^{16}\text{O}(\text{}^3\text{He}, t)$  [reaction 4] in  $^{16}\text{F}$ .

$$25. \text{}^{16}\text{O}(\text{}^{11}\text{B}, \text{}^{11}\text{C})\text{}^{16}\text{N} \quad Q_m = -12.401$$

At  $E(\text{}^{11}\text{B}) = 115$  MeV unresolved groups near  $E_x = 0$  and 6 MeV are relatively strongly populated (1979RA10).

$$26. \text{}^{17}\text{O}(d, \text{}^3\text{He})\text{}^{16}\text{N} \quad Q_m = -8.287$$

$^3\text{He}$  groups observed in this reaction are displayed in Table 16.10 (1978MA16). Polarization data is consistent with  $1p_{1/2}$  for  $^{16}\text{N}^*(0, 0.30)$ , with perhaps some small  $1p_{3/2}$  admixture for  $^{16}\text{N}_{\text{g.s.}}$ . There is no significant deviation for a pure  $1p_{3/2}$  VAP for the groups to  $^{16}\text{N}^*(6.17, 6.36)$  [ $J^\pi = 4^-, 3^-$ ] (1981MA1E). Comparisons of the  $^{16}\text{N}$  states with  $T = 1$  states in  $^{16}\text{O}$  are discussed by (1977WA11, 1978MA16): see reaction 81 in  $^{16}\text{O}$  and Table 16.20. See also (1977AJ02).

$$27. \text{}^{18}\text{O}(p, \text{}^3\text{He})\text{}^{16}\text{N} \quad Q_m = -14.107$$

At  $E_p = 43.7$  MeV, the angular distribution of the  $^3\text{He}$  nuclei corresponding to a state at  $E_x = 9.9$  MeV fixes  $L = 0$  and therefore  $J^\pi = 0^+$  for  $^{16}\text{N}^*(9.9)$ : it is presumably the  $T = 2$  analog of the ground state of  $^{16}\text{C}$ . Some lower-lying  $T = 1$  states were also observed (1964CE05). See also (1978FO10).

Table 16.10: States of  $^{16}\text{N}$  from  $^{17}\text{O}(\text{d}, ^3\text{He})$  <sup>a</sup>

$E_x$ (MeV) <sup>b</sup>	$l$	$C^2S$	$J^\pi$
0	1	0.94	$2^-$
$\equiv$ 0.30	1	1.33	$3^-$
3.35	2	0.02	$1^+$
3.52	2	0.06	$(2)^+$
$\equiv$ 3.96	0	0.10	$(3)^+$
5.14 <sup>c</sup>	$1^+(2)$	$0.2 + 0.03$	$3^- + \geq 2$
5.53	0	0.08	$(2, 3)^+$
5.74	1	0.40	$(1, 2, 3, 4)^-$
6.17	1	1.20	$(4)^- \text{ }^{\text{d}}$
6.36	1	0.80	$3^-$
7.66	1	0.30	$(2, 4)^- \text{ }^{\text{d}}$
9.48	1	0.25	$(1, 2, 3, 4)^-$

<sup>a</sup> (1978MA16;  $E_d = 52$  MeV.)

<sup>b</sup> Resolution of  $^3\text{He}$  groups was 120 keV FWHM.

<sup>c</sup> Unresolved doublet; angular distribution dominated by  $l = 1$  proton pickup.

<sup>d</sup> Based on analog relation with the  $T = 1$  states in  $^{16}\text{O}$ : see reaction 81 in  $^{16}\text{O}$  and Table 16.20.

28.  $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$

$$Q_m = 4.246$$

Alpha-particle groups observed in this reaction are displayed in Table 16.9. Polarization measurements are reported at  $E_d^- = 8.5$  to  $11.3$  MeV (1978BA43) and at  $52$  MeV (1981MA1W): see footnotes <sup>j</sup>, <sup>k</sup> and <sup>l</sup> in Table 16.9.  $^{16}\text{N}^*(8.82, 9.8, 10.06)$  may be related to nearly bound virtual states of a  $2s_{1/2}$  neutron with  $^{15}\text{N}^*(6.32, 7.30, 7.57)$  (1970BO08, 1970BO09). (1975AS02) find  $\tau_m = 6.5 \pm 0.5$  psec for  $^{16}\text{N}^*(0.40)$  and  $|g| = 1.83 \pm 0.13$ ;  $|M|^2$  for the M1 transition to  $^{16}\text{N}^*(0.12)$  is  $0.17 \pm 0.02$  W.u..

29.  $^{19}\text{F}(\text{n}, \alpha)^{16}\text{N}$

$$Q_m = -1.522$$

Angular distributions have been reported for  $E_n = 4.7$  to  $14.4$  MeV [see (1971AJ02, 1977AJ02)] and at  $E_n = 13.9$  and  $15.6$  MeV (1977RO06;  $\alpha_{0+1+2+3}$ ). See also  $^{20}\text{F}$  in (1983AJ01).

GENERAL: See also (1977AJ02).

*Shell model:* (1976AP01, 1976BE1W, 1976NA1L, 1977AP01, 1977BR26, 1977CA02, 1977CA08, 1977CA1T, 1977GO20, 1977HE23, 1977HE13, 1977LI1M, 1977SA1Y, 1977WA1T, 1977ZH1A, 1978AP02, 1978BA52, 1978CH26, 1978DA15, 1978HE04, 1978HO07, 1979AY02, 1979HA59, 1979JO1F, 1979KA06, 1979PE03, 1979RO1J, 1979SA30, 1979ST20, 1979VAZV, 1980ANYZ, 1980ANZA, 1980GI05, 1980HA35, 1980MC1D, 1980PE09, 1980WA1J, 1981KA09).

*Collective, deformed and rotational models:* (1975HO1H, 1977CA08, 1977VI03, 1978RA1B, 1979MA1J, 1979VL01, 1980BA1T, 1980BE38, 1980FU1H, 1980KU1E, 1980OK05, 1980PE09, 1981KA09).

*Cluster and  $\alpha$ -particle models:* (1975FA1F, 1975HO1H, 1976AP1A, 1976AP01, 1976AP02, 1976FL1B, 1976HO1F, 1976SU08, 1977BA30, 1977BE49, 1977HE23, 1977HO1E, 1977HO1F, 1977SA19, 1977SA1C, 1977SU1J, 1978AP02, 1978CH26, 1978HE04, 1978IS04, 1978KH1C, 1979AD1A, 1979GO24, 1979GR1F, 1979IN06, 1979RO02, 1979WI1B, 1979ZA07, 1980AG08, 1980DU13, 1980FU1G, 1980FU1H, 1980GU1B, 1980IK1B, 1980SU07, 1981EL1C, 1981EM1A, 1981EM02, 1981MA1G, 1981WI01).

*Special states:* (1975FA1F, 1975BR1L, 1975SI1F, 1976AP1A, 1976AP01, 1976AP02, 1976BA40, 1976BO1T, 1976FA1E, 1976HE20, 1976LI22, 1976ST17, 1976SU08, 1977AP01, 1977BL06, 1977BU24, 1977CA08, 1977FA1C, 1977GO20, 1977GR24, 1977HE18, 1977KA2A, 1977KN03, 1977KR1B, 1977MO1Q, 1977PE1F, 1977SU1J, 1977SU03, 1977WA1T, 1978CA08, 1978AP02, 1978BA52, 1978BA31, 1978BE56, 1978CH1Y, 1978CO19, 1978DA15, 1978DE16, 1978EN1D, 1978HA49, 1978KA1W, 1978MC04, 1978RA1B, 1978SA1N, 1978SC18, 1978SH04, 1979AB04, 1979CHZL, 1979GM02, 1979IN07, 1979KA40, 1979KI10, 1979KU1D, 1979PE03, 1979PR1C, 1979RO1J, 1979RO1B, 1979RO02, 1979SH24, 1979VL01, 1980BE38, 1980BR21, 1980CA15, 1980FU1H, 1980GO1Q, 1980HA35, 1980HI1C, 1980KA28, 1980ME03, 1980OK05, 1980OV1A, 1980SH1N, 1980SP04, 1980SU07, 1980TA1L, 1980WA1E, 1980WA1J, 1981CH1B, 1981CU1J, 1981EM02, 1981KA09, 1981RO06, 1981SP1A, 1981WI01).

*Electromagnetic transitions:* (1976BA40, 1976HE20, 1976HO16, 1976ST17, 1976SU08, 1977AN1L, 1977BE49, 1977BI1D, 1977BL06, 1977BR03, 1977DE15, 1977DO06, 1977GO1J, 1977GR24, 1977HE1L, 1977KO1N, 1977KR1B, 1977PE1F, 1977WA1T, 1978AD02, 1978BA52, 1978SC18, 1978TR1F, 1979KA40, 1979KU1D, 1979MO1U, 1979MO1X, 1980AR12, 1980DU13, 1980MU01, 1980PE09, 1980TO11, 1981SP1A).

*Giant resonances (See also reactions 54 and 58.):* (1975GE1L, 1975KR1F, 1975KR1G, 1976AM02, 1976BE1P, 1976MU08, 1977AB08, 1977BR03, 1977DE15, 1977GM01, 1977GO1J, 1977HE23, 1977KN03, 1977KR1B, 1977LI1L, 1977SA1Q, 1978AD02, 1978HE04, 1978RO05, 1978ST1M, 1978YU1A, 1979BL03, 1979BO04, 1979DO17, 1979FA12, 1979GM02, 1979GO01, 1979HA1G, 1979IM03, 1979IZ01, 1979KI1M, 1979KN1D, 1979KO18, 1979KR1E, 1979SH24, 1979WA09,

1980AR12, 1980BA1T, 1980BOZM, 1980GO05, 1980MU01, 1980SH1N, 1980SP1E, 1981KH04, 1981LI03).

*Astrophysical questions:* (1976BO1M, 1976NO1C, 1976QU1A, 1976SI1D, 1976VA1D, 1977AR1H, 1977AU1B, 1977AU1E, 1977AU1F, 1977AU1J, 1977BU1J, 1977CA1N, 1977CA1K, 1977CL1C, 1977EN1B, 1977FR1K, 1977IB1A, 1977JO1D, 1977KI1M, 1977PA1J, 1977PR1E, 1977SI1F, 1977ST1J, 1977TO1J, 1977VO1A, 1977WA1P, 1978BU1H, 1978BU1B, 1978BY1A, 1978CL1F, 1978DI1D, 1978FE1E, 1978GL1E, 1978IB1B, 1978IB1C, 1978KA1R, 1978LA1K, 1978LE1W, 1978LU1C, 1978MC1G, 1978ME1D, 1978OR1A, 1978PE1H, 1978PO1B, 1978ST1C, 1978TO1C, 1978TR1D, 1979CH1T, 1979DE1X, 1979GL1J, 1979KA1T, 1979LA1P, 1979LA1H, 1979LE1F, 1979MA2D, 1979MC1C, 1979PE1E, 1979RA1C, 1979SA1M, 1979SW1B, 1979TI1B, 1979WE1F, 1979WI1D, 1979WO07, 1980CA1M, 1980CL1B, 1980CO1R, 1980KA1Q, 1980MC1G, 1980ME1B, 1980MO1L, 1980RE1A, 1981DU1E, 1981GA1C, 1981GU1D, 1981WI1D, 1981WI1G).

*Applications:* (1976CH1N, 1976CH1P, 1976LE1Q, 1977EP1A, 1977GR1L, 1977LO1J, 1977MA1F, 1977MO1B, 1977TH1H, 1978EM1A, 1978HE1K, 1978TR1E, 1979GR1E, 1979JA1F, 1979LE1L, 1979SP1D, 1980HE1E, 1980LA1L, 1980MC1H).

*Special reactions involving  $^{16}\text{O}$ :* (1976CH28, 1976DA1G, 1976HO1D, 1976JA1E, 1976LE1F, 1977AR06, 1977CE1B, 1977CH09, 1977CO14, 1977FE1B, 1977GA1L, 1977HA18, 1977HA1X, 1977HO27, 1977JA1K, 1977KA1P, 1977LI1J, 1977MA1U, 1977MA1W, 1977MO17, 1977NA03, 1977OB02, 1977PR05, 1977SH1H, 1977ST1J, 1977TO1G, 1977TR08, 1977VA02, 1978VO10, 1978BA1J, 1978BH03, 1978BI03, 1978CO05, 1978FR19, 1978GO1N, 1978GY1A, 1978HE1I, 1978HE1J, 1978HE23, 1978JA1N, 1978KO01, 1978KU1F, 1978KU1G, 1978OB01, 1978VO1D, 1978VO1A, 1979BA2A, 1979BE1M, 1979BL1E, 1979DE1T, 1979DY01, 1979GA04, 1979GE1A, 1979GO11, 1979HE1D, 1979KO1M, 1979MC1D, 1979ME1H, 1979MO17, 1979PO08, 1979SA27, 1979SA26, 1979SC08, 1979ST1D, 1979ST1R, 1979VA12, 1980AK02, 1980BA1G, 1980CE1B, 1980GR10, 1980KO10, 1980MI01, 1980OLZW, 1980OV1A, 1980SA1H, 1980SC1G, 1981BH02, 1981BO18, 1981CI03, 1981EG01, 1981MA1G, 1981SI01, 1981TA02, 1981TR03, 1981UC01).

*Muon and neutrino capture and reactions:* (1974KO1H, 1976DA1H, 1977BA1P, 1977BO23, 1977ER04, 1977GR1C, 1977LA04, 1977MU1A, 1977WA1G, 1978BA57, 1978GU07, 1978GU05, 1978IT1A, 1978PA1F, 1978RO1P, 1979BU1H, 1979DO17, 1979ER07, 1979FR1N, 1979GM03, 1979GU06, 1979GU08, 1979HO07, 1979KI1G, 1979KO39, 1979ME1J, 1979MU1B, 1979RH1A, 1979ST1Q, 1979SU08, 1979VE1D, 1979WU10, 1980BA36, 1980BR1A, 1980CH03, 1980CH20, 1980CH25, 1980ER01, 1980GR05, 1980KO1Y, 1980SU03, 1981CH1B, 1981EI1A, 1981ER1C, 1981GI1C, 1981TO1J, 1981NG01, 1981VA1J).

*Pion capture and reactions:* (1976BU19, 1976DE40, 1976LI24, 1976LI26, 1976RO14, 1977AL1C, 1977AL1W, 1977BA24, 1977BA3J, 1977BA1Q, 1977BA2G, 1977BA3G, 1977BE69, 1977BE35, 1977BO05, 1977BO1E, 1977BR01, BU77C, 1977CH1N, 1977CO27, 1977DO06, 1977ER04, 1977GI16, 1977GI14, 1977HI10, 1977HO13, 1977HO1B, 1977KA1N, 1977KO25, 1977LE16, 1977MA1M, 1977MA35, 1977MA1F, 1977MC1E, 1977MI15, 1977MI19, 1977NA1N, 1977NA02, 1977NA1Q, 1977PR1G, 1977RO1R, 1977SA1Y, 1977SC1F, 1977SI01, 1977SM06, 1977SP1B, 1977ST1V, 1977SU1L, 1977VI1A, 1977WA1H, 1977WA1R, 1978AL03, 1978BA42, 1978BA55,

1978BE1N, 1978BE1X, 1978BE27, 1978BO01, 1978BO25, 1978BO26, 1978BR1J, 1978BR1K, 1978ER02, 1978ER04, 1978FU04, 1978FU09, 1978GA1D, 1978GI1E, 1978GI05, 1978GR1D, 1978IN04, 1978JA15, 1978JA1G, 1978JA13, 1978KO1V, 1978KW1A, 1978LI1E, 1978MA14, 1978ME1K, 1978MO01, 1978NA1Q, 1978NA1N, 1978OH03, 1978RO1J, 1978SC1G, 1978SH1M, 1978SH12, 1978SH16, 1978SP1C, 1978WE1H, 1978WE1C, 1978YO02, 1979AB1H, 1979AL1J, 1979AMZY, 1979AN1J, 1979ANZM, 1979AR1L, 1979BA2M, 1979BL07, 1979BO1U, 1979BO12, 1979BO2H, 1979BO21, 1979BR1E, 1979BU1K, 1979CH1P, 1979DE1W, 1979DI1A, 1979DO17, 1979DY02, 1979EP02, 1979ER07, 1979GI1C, 1979HI04, 1979HU02, 1979HU1D, 1979IN1A, 1979JA11, 1979JA16, 1979JO08, 1979KL06, 1979KL07, 1979KN1E, 1979KO17, 1979LI01, 1979LI11, 1979MA07, 1979MA2H, 1979NA1M, 1979NA1J, 1979OH1A, 1979OS1G, 1979OS07, 1979PI1C, 1979RE1A, 1979RO1L, 1979SC1E, 1979SH1P, 1979SH1E, 1979SR1B, 1979ST02, 1979TR1H, 1979TR1B, 1979UL1A, 1979WA1J, 1979WA1G, 1979WI1E, 1979WI1A, 1980AL1D, 1980AL24, 1980AR1E, 1980AS1A, 1980BA12, 1980BA31, 1980BE35, 1980BE24, 1980BE56, 1980BH1A, 1980BH1C, 1980BR08, 1980BU15, 1980CH25, 1980CO1A, 1980CR03, 1980DE24, 1980DE2A, 1980ER01, 1980FR1H, 1980GR05, 1980GR1M, 1980GR1N, 1980HO1L, 1980HO24, 1980JE1C, 1980KA1L, 1980LA1C, 1980LE02, 1980LI1H, 1980LI1J, 1980LI1L, 1980MI11, 1980NA1B, 1980NA10, 1980OB1B, 1980SC1B, 1980SC24, 1980SE11, 1980SI03, 1980SP1A, 1980ST15, 1980ST25, 1980TH01, 1980TH1C, 1980TR1H, 1980WU01, 1981AS1D, 1981BA1P, 1981BO06, 1981BU1E, 1981CU04, 1981DO01, 1981DO02, 1981FR1E, 1981FR1F, 1981GI1B, 1981GR1K, 1981HO01, 1981KI1D, 1981LE06, 1981LI04, 1981LI1M, 1981MA1H, 1981MO1D, 1981MO11, 1981OS04, 1981SA14, 1981TH1B, 1981TH1D, 1981WE1C, 1981WH01, 1981WH1D).

*K-mesons and other meson interactions:* (1976BO1R, 1976BR1G, 1976DA1E, 1977BA3G, 1977BO2C, 1977JU1C, 1977KI1F, 1977LA1D, 1977PO1A, 1977TH1D, 1978AT01, 1978CO17, 1978GR1D, 1978PO1A, 1978SC1G, 1978SO1A, 1979BA36, 1979BO12, 1979CH1H, 1979GA1D, 1979GA1E, 1979GI1E, 1979KI1C, 1979PO1D, 1979RA18, 1980BAZF, 1980DO1G, 1980GA1C, 1980PO1A, 1981BE17, 1981BO09, 1981HU1B, 1981HU1C).

*Antiproton interactions:* (1977BA1W, 1977WE1E, 1978GR1D, 1978PO02, 1981AU01).

*Other topics:* (1975ER09, 1975GO1P, 1976BO1R, 1976BO1T, 1976DA1E, 1976FU1H, 1976GO27, 1976KN06, 1976LI22, 1976LO1D, 1976NA1L, 1976PR1B, 1976ST15, 1977AK1A, 1977AU1K, 1977BO2C, 1977BR1U, 1977BU24, 1977CA02, 1977CA1T, 1977DE16, 1977GO1J, 1977GO20, 1977HO1K, 1977HO22, 1977JE04, 1977KA2B, 1977KI1K, 1977KI1F, 1977KR1B, 1977LI1K, 1977LI1M, 1977MO1Q, 1977NE1C, 1977OS1E, 1977PO1A, 1977PR01, 1977SA1V, 1977SM1A, 1977SO12, 1977SU03, 1977TR01, 1977VA04, 1977WA1T, 1977ZA1C, 1978AN16, 1978AU12, 1978AU1E, 1978BA31, 1978BE57, 1978BI14, 1978BI1L, 1978BR27, 1978DA1A, 1978DE1K, 1978DE16, 1978EN1D, 1978FA1G, 1978GA1F, 1978HA1U, 1978HA49, 1978HO07, 1978KA04, 1978KA1W, 1978KH1B, 1978KO22, 1978KW1A, 1978LE06, 1978MC04, 1978MI1H, 1978MU1F, 1978ON01, 1978PO1A, 1978RO17, 1978SC18, 1978SH04, 1978SH1B, 1978SI08, 1978SI1G, 1978SO11, 1978SO1A, 1978ST1M, 1978UL02, 1979AB04, 1979AY02, 1979BE2L, 1979BI1C, 1979BO2F, 1979BO04, 1979BO2J, 1979BR30, 1979CH1H, 1979DE18, 1979DU03, 1979FL1H, 1979GA1D, 1979GA1E, 1979GO01, 1979GO24, 1979GO20, 1979GU16, 1979HA59, 1979HE1F, 1979JA09, 1979JA1U, 1979KA06, 1979KA13, 1979KA40, 1979KA43, 1979KI1C, 1979KI15,



1979KO1V, 1979KO27, 1979KO29, 1979LE1M, 1979MU12, 1979NO04, 1979PE03, 1979SA30, 1979ST20, 1979TA08, 1979TO19, 1979VA17, 1979VAZV, 1979ZA1B, 1979ZA07, 1980ANYZ, 1980ANZA, 1980BO1G, 1980BOZN, 1980BR21, 1980CA15, 1980DA1C, 1980DE1F, 1980DW1A, 1980FA04, 1980FA01, 1980GI05, 1980GO1Q, 1980HE07, 1980HI1C, 1980HY03, 1980JA1D, 1980KA1M, 1980ME07, 1980MU01, 1980MU1F, 1980NG01, 1980PO1A, 1980QU1A, 1980SH1N, 1980TA1L, 1980TO11, 1980VA07, 1980ZO1A, 1981BL04, 1981BO20, 1981BR1F, 1981CU1J, 1981DA1C, 1981DU1D, 1981LI03, 1981RO06, 1981SH1H, 1981ZA1E).

*Ground state of  $^{16}\text{O}$ :* (1976FU06, 1976GA24, 1976GI11, 1976SA1H, 1977AN12, 1977AN21, 1977BR03, 1977BU24, 1977DY1D, 1977GO1K, 1977GR08, 1977JE04, 1977MA35, 1977NO07, 1977PI10, 1977VA12, 1978CA08, 1978AL07, 1978AN07, 1978AN16, 1978BE57, 1978BE56, 1978BI14, 1978BI04, 1978BR1M, 1978CH28, 1978CH26, 1978FA1G, 1978HE1D, 1978KA04, 1978KO22, 1978MU1F, 1978NE03, 1978ON01, 1978RO17, 1978SH1B, 1978SI1G, 1978SM02, 1978SO11, 1978ST24, 1978UL02, 1978ZA05, 1978ZA1D, 1979AY02, 1979BE2M, 1979BI1C, 1979BR17, 1979BR30, 1979DU03, 1979FI01, 1979GO20, 1979GU08, 1979GU16, 1979HA59, 1979IN07, 1979JA09, 1979KA40, 1979KO29, 1979MA1C, 1979SA27, 1979SA30, 1979ST20, 1979VA17, 1980AN1M, 1980AR12, 1980BOZN, 1980BR13, 1980DE24, 1980FA04, 1980GI05, 1980GO05, 1980HI1C, 1980HO14, 1980HY03, 1980ME03, 1980MY01, 1980VA05, 1980WA1E, 1981AR1D, 1981AT1A, 1981BR1F, 1981DU1C, 1981SI1B, 1981ZA1E).

$$\langle r^2 \rangle^{1/2} = 2.710 \pm 0.015 \text{ fm (1978KI01)}. \text{ See also (1980BA36).}$$

$$|g| = +0.55 \pm 0.03 \text{ for } ^{16}\text{O}^*(6.13) \text{ (1973BR31, 1973RA09, 1977KA02).}$$

1. (a) $^{10}\text{B}(^6\text{Li}, \text{p})^{15}\text{N}$	$Q_m = 18.748$	$E_b = 30.876$
(b) $^{10}\text{B}(^6\text{Li}, \text{d})^{14}\text{N}$	$Q_m = 10.140$	
(c) $^{10}\text{B}(^6\text{Li}, \text{t})^{13}\text{N}$	$Q_m = 5.843$	
(d) $^{10}\text{B}(^6\text{Li}, ^3\text{He})^{13}\text{C}$	$Q_m = 8.083$	
(e) $^{10}\text{B}(^6\text{Li}, \alpha)^{12}\text{C}$	$Q_m = 23.714$	
(f) $^{10}\text{B}(^6\text{Li}, ^6\text{Li})^{10}\text{B}$		

At  $E(^6\text{Li}) = 4.9 \text{ MeV}$ , the cross sections for reactions (a) to (e) leading to low-lying states in the residual nuclei are proportional to  $2J_f + 1$ : this is interpreted as indicating that the reactions proceed via a statistical compound nucleus mechanism. For highly excited states, the cross section is higher than would be predicted by a  $2J_f + 1$  dependence (1966MC05). For reaction (f) see (1976PO02). See also (1977AJ02), and  $^{12}\text{C}$  in (1980AJ01),  $^{13}\text{C}$ ,  $^{13}\text{N}$ ,  $^{14}\text{N}$  and  $^{15}\text{N}$  in (1981AJ01).

2. $^{10}\text{B}(^{10}\text{B}, \alpha)^{16}\text{O}$	$Q_m = 26.4155$
--	-----------------

Table 16.11: Energy levels of  $^{16}\text{O}$  <sup>a</sup>

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
0	$0^+; 0$		stable		2, 3, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 25, 26, 27, 28, 30, 31, 38, 40, 42, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98
$6.0494 \pm 1.0$	$0^+; 0$	$0^+$	$\tau_m = 96 \pm 7$ psec	$\pi$	2, 3, 9, 10, 14, 38, 40, 49, 52, 57, 60, 61, 68, 80, 82, 84, 88
$6.13043 \pm 0.05$	$3^-; 0$		$\tau_m = 26.6 \pm 0.7$ psec $ g  = 0.55 \pm 0.03$	$\gamma$	2, 3, 9, 10, 14, 18, 26, 38, 39, 40, 48, 49, 52, 57, 59, 60, 61, 63, 64, 68, 80, 81, 82, 84, 88, 89
$6.9171 \pm 0.6$	$2^+; 0$	$0^+$	$\tau_m = 6.6 \pm 0.4$ fsec	$\gamma$	2, 3, 9, 10, 14, 38, 39, 40, 48, 49, 56, 57, 60, 61, 63, 64, 81, 82, 84, 85, 88, 89
$7.11685 \pm 0.14$	$1^-; 0$		$\tau_m = 11.6 \pm 1.0$ fsec	$\gamma$	2, 3, 9, 10, 38, 39, 40, 48, 49, 52, 56, 57, 60, 61, 64, 80, 81, 82, 84, 85, 88, 89
$8.8719 \pm 0.5$	$2^-; 0$		$\tau_m = 180 \pm 16$ fsec	$\gamma, \alpha$	2, 3, 7, 9, 10, 11, 17, 26, 38, 39, 42, 48, 49, 52, 60, 61, 63, 64, 80, 81, 82, 84, 88, 89, 92, 96
$9.632 \pm 21$	$1^-; 0$	$0^-$	$\Gamma_{\text{c.m.}} = 400 \pm 10$	$\gamma, \alpha$	3, 7, 9, 10, 38, 49, 52, 64
$9.847 \pm 3$	$2^+; 0$		$0.625 \pm 0.100$	$\gamma, \alpha$	2, 3, 7, 9, 10, 11, 26, 38, 39, 42, 48, 49, 52, 57, 60, 61, 63, 64, 82, 84, 88, 92, 96
$10.355 \pm 3$	$4^+; 0$	$0^+$	$25 \pm 4$	$\gamma, \alpha$	2, 3, 7, 9, 10, 11, 13, 16, 17, 26, 27, 38, 39, 49, 57, 60, 61, 63, 64, 80, 82, 84, 85, 88, 92, 96

Table 16.11: Energy levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
10.957 $\pm$ 1	0 <sup>-</sup> ; 0		$\tau_m = 8 \pm 5$ fsec		2, 38, 48, 49, 60, 61, 82
11.080 $\pm$ 3	3 <sup>+</sup> ; 0		$\Gamma < 12$	$\gamma$	2, 38, 48, 49, 82, 88
11.096 $\pm$ 2	4 <sup>+</sup> ; 0		0.28 $\pm$ 0.05	$\gamma, \alpha$	2, 3, 7, 9, 11, 13, 17, 26, 38, 39, 60, 61, 63, 64
(11.26) <sup>b</sup>	(0 <sup>+</sup> ; 0)		(2500)	( $\alpha$ )	7, 49, 82, 84
11.520 $\pm$ 4	2 <sup>+</sup> ; 0		74 $\pm$ 4	$\gamma, \alpha$	2, 3, 7, 38, 57, 60, 61, 63, 64
11.60 $\pm$ 20	3 <sup>-</sup> ; 0	0 <sup>-</sup>	800 $\pm$ 100	$\alpha$	7, 10
12.049 $\pm$ 2	0 <sup>+</sup> ; 0		1.5 $\pm$ 0.5	$\gamma, \alpha$	7, 38, 57, 60, 61, 63, 64, 84
12.438 $\pm$ 3	1 <sup>-</sup> ; 0		90 $\pm$ 10	$\gamma, p, \alpha$	3, 5, 7, 38, 43, 44, 47, 48, 49, 60, 61, 64
12.530 $\pm$ 1	2 <sup>-</sup> ; 0		0.8	$\gamma, p, \alpha$	2, 38, 43, 44, 47, 48, 49, 57, 81
12.797 $\pm$ 4	0 <sup>-</sup> ; 1		38 $\pm$ 4	$\gamma, p$	38, 44, 48, 49
12.9685 $\pm$ 0.4	2 <sup>-</sup> ; 1		1.9 $\pm$ 0.2	$\gamma, p, \alpha$	38, 43, 44, 47, 48, 49, 57, 80, 81, 82
13.02 $\pm$ 10	2 <sup>+</sup> ; 0		150 $\pm$ 10	$\gamma, p, \alpha$	3, 7, 44, 47, 57, 60, 61, 63, 64
13.090 $\pm$ 5	1 <sup>-</sup> ; 1		130 $\pm$ 5	$\gamma, p, \alpha$	3, 5, 7, 9, 38, 43, 44, 47, 48, 57, 82
13.120 $\pm$ 10	3 <sup>-</sup> ; 0		130 $\pm$ 30	$\gamma, p, \alpha$	2, 3, 5, 7, 38, 48
13.258 $\pm$ 2	3 <sup>-</sup> ; 1		21 $\pm$ 1	$\gamma, p, \alpha$	3, 5, 7, 38, 44, 47, 48, 49, 60, 80, 81, 82, 85
13.664 $\pm$ 3	1 <sup>+</sup> ; 0		63 $\pm$ 3	$\gamma, p, \alpha$	38, 43, 44, 47, 61
13.869 $\pm$ 2	4 <sup>+</sup> ; 0		84 $\pm$ 2	$p, \alpha$	2, 7, 38, 44, 47, 60, 63
13.980 $\pm$ 2	2 <sup>-</sup>		20 $\pm$ 2	$p, \alpha$	2, 38, 39, 44, 47
14.032 $\pm$ 15	0 <sup>+</sup>		200 $\pm$ 50	$\alpha$	7
14.1 $\pm$ 100	3 <sup>-</sup>		750 $\pm$ 200	$\alpha$	7
14.302 $\pm$ 3			34 $\pm$ 12		26, 38, 39
14.399 $\pm$ 2	$\geq 5$		27 $\pm$ 5		2, 10, 26, 38, 39
14.620 $\pm$ 11	(4 <sup>+</sup> )		490 $\pm$ 20	$\alpha$	7, 9
14.660 $\pm$ 11	5 <sup>-</sup>	0 <sup>-</sup>	650 $\pm$ 50	$\alpha$	7, 9, 10, 11, 13
14.816 $\pm$ 2	6 <sup>+</sup> ; 0		70 $\pm$ 8	$\alpha$	2, 3, 7, 9, 26, 38, 39, 64
14.922 $\pm$ 6	2 <sup>+</sup>		65 $\pm$ 5	$p, \alpha$	2, 37, 38, 44, 47
15.100 $\pm$ 3	0 <sup>+</sup>		166 $\pm$ 30	$p, \alpha$	5, 7, 38

Table 16.11: Energy levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
15.196 $\pm$ 3	2 <sup>-</sup>		58 $\pm$ 10	p, $\alpha$	38, 39, 44, 47, 81
15.26 $\pm$ 20	2 <sup>+</sup> ; (0)		300 $\pm$ 100	p, $\alpha$	44, 47, 60, 63
15.408 $\pm$ 2	3 <sup>-</sup> ; 0		133 $\pm$ 7	p, $\alpha$	5, 7, 37, 38, 39, 44, 47, 60, 64, 80, 81
15.785 $\pm$ 5	(3 <sup>+</sup> )		40 $\pm$ 10		38, 39
15.828 $\pm$ 30	3 <sup>-</sup>		700 $\pm$ 120	$\alpha$	7
(15.9)	(2 <sup>+</sup> )		$\approx$ 600	$\gamma$ , $\alpha$	3
16.209 $\pm$ 2	(4 <sup>+</sup> )		40 $\pm$ 10		38, 39
16.22 $\pm$ 20	1 <sup>+</sup> ; 1		18 $\pm$ 3	$\gamma$ , n, p	37, 44, 45, 57
16.275 $\pm$ 7	6 <sup>+</sup> ; 0	0 <sup>+</sup>	420 $\pm$ 20	$\alpha$	2, 7, 9, 10, 11, 13, 27, 39
16.350 $\pm$ 13	(0 <sup>+</sup> , 1 <sup>-</sup> )		65 $\pm$ 45	p, $\alpha$	5, 7, 38, 84
16.442 $\pm$ 2	2 <sup>+</sup> ; (1)		22 $\pm$ 3	$\gamma$ , n, p, $\alpha$	3, 4, 5, 7, 38, 44, 47, 57, 60, 63, 64
16.817 $\pm$ 2	3 <sup>+</sup>		70 $\pm$ 10	$\gamma$ , p, $\alpha$	38, 44, 47, 57
16.844 $\pm$ 21	4 <sup>+</sup>		570 $\pm$ 60	$\alpha$	7
16.93 $\pm$ 50	2 <sup>+</sup>		$\approx$ 280	$\alpha$	7, 8, 60
17.0	1 <sup>-</sup> ; 1		$\approx$ 1500	$\gamma$ , p	43
17.129 $\pm$ 5	2 <sup>+</sup>		107 $\pm$ 14	n, p, $\alpha$	4, 5, 7
17.14 $\pm$ 20	1 <sup>-</sup> ; 1		36 $\pm$ 5	$\gamma$ , n, p, $\alpha$	7, 39, 43, 44, 45, 49, 57
17.20 $\pm$ 20	2 <sup>+</sup>		160 $\pm$ 60	$\alpha$	2, 7, 8, 49, 60, 63, 64
17.27 $\pm$ 20	1 <sup>-</sup> ; 1		90 $\pm$ 10	$\gamma$ , n, p, $\alpha$	4, 43, 44, 45
17.510 $\pm$ 26	1 <sup>-</sup>		180 $\pm$ 60	$\alpha$	7
17.555 $\pm$ 21	(6 <sup>+</sup> )		180 $\pm$ 70	n, $\alpha$	4, 7
17.618 $\pm$ 20	(0 <sup>+</sup> , 1 <sup>-</sup> )		175 $\pm$ 60	p, $\alpha$	5, 7
17.72	(0 <sup>+</sup> , 2 <sup>+</sup> )		$\approx$ 75	(p), $\alpha$	5, 8
17.784 $\pm$ 15	4 <sup>+</sup>		400 $\pm$ 40	n, $\alpha$	4, 7, 8
17.788 $\pm$ 16	4 <sup>-</sup> ; 0		150 $\pm$ 60		57, 58, 60, 63, 64, 81, 82
18.016 $\pm$ 1	4 <sup>+</sup> ; (0)		14 $\pm$ 2	(n), p, $\alpha$	4, 5, 7, 8
18.033 $\pm$ 10	3 <sup>+</sup> ; 1		26 $\pm$ 5	$\gamma$ , n, p	43, 44, 45, 81, 82
18.11 $\pm$ 30	(0, 2) <sup>+</sup> ; 0		300 $\pm$ 50	( $\gamma$ ), n, p, $\alpha$	3, 5, 7, 45, 60, 64
18.29			$\approx$ 300	$\gamma$ , p, $\alpha$	3, 5, 7
18.404 $\pm$ 12	5 <sup>-</sup>		550 $\pm$ 40	$\alpha$	7
18.46 $\pm$ 25	2 <sup>+</sup> ; 0		60 $\pm$ 10	n, p	45, 57, 60, 63, 64
18.6	(1 <sup>-</sup> , 5 <sup>-</sup> )		$\approx$ 150	$\alpha$	7
18.6	(4 <sup>+</sup> )		$\approx$ 300	$\alpha$	7, 8

Table 16.11: Energy levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
18.69 $\pm$ 30			260 $\pm$ 30	n, p	2, 45, 60, 64
18.773 $\pm$ 22	1 <sup>-</sup>		215 $\pm$ 45	p, $\alpha$	5, 7
18.785 $\pm$ 6	4 <sup>+</sup>		260 $\pm$ 20	n, p, $\alpha$	4, 5, 7, 8
18.975 $\pm$ 10	4 <sup>-</sup> ; 1		$\leq$ 40	p	44, 57, 58, 60, 63, 81, 82
18.99 $\pm$ 30	1 <sup>+</sup>		$\approx$ 250	$\gamma$ , p	43
19.0	(5 <sup>-</sup> )		$\approx$ 550	$\alpha$	7
19.08 $\pm$ 30	2 <sup>+</sup> ; (1)		$\approx$ 120	$\gamma$ , p	43, 44
19.206 $\pm$ 12	3 <sup>-</sup> ; 1		68 $\pm$ 10		81, 82
19.25 $\pm$ 20	(2 <sup>-</sup> ; 1)		90 $\pm$ 10	n, p, ( $\alpha$ )	7, 45
19.257 $\pm$ 9	2 <sup>+</sup>		155 $\pm$ 25	$\gamma$ , p, $\alpha$	5, 7, 43
19.319 $\pm$ 14	6 <sup>+</sup>		65 $\pm$ 35	n, $\alpha$	5, 7, 8
19.375 $\pm$ 2	4 <sup>+</sup>		23 $\pm$ 4	p, $\alpha$	5, 7
19.48 $\pm$ 25	1 <sup>-</sup> ; 1		250 $\pm$ 50	$\gamma$ , n, p	43, 44, 45, 57
19.53 $\pm$ 30	2 <sup>+</sup> ; 0		255 $\pm$ 75	n, p, $\alpha$	2, 4, 7, 45, 60, 64
19.754 $\pm$ 16	2 <sup>+</sup>		290 $\pm$ 50	p, $\alpha$	5, 7
19.802 $\pm$ 16	4 <sup>-</sup> ; 0		36 $\pm$ 5		57, 58, 81, 82
19.90 $\pm$ 20	3; 0		100 $\pm$ 30	$\gamma$ , n, p, $\alpha$	2, 7, 43, 44, 45, 58, 60
20.055 $\pm$ 13	2 <sup>+</sup> ; 0		350 $\pm$ 50	$\gamma$ , n, (p), $\alpha$	3, 4, 5, 7, 64
20.43 $\pm$ 30	2 <sup>-</sup> ; 1		190 $\pm$ 40	$\gamma$ , n, p	43, 44, 45, 57, 81
(20.5)			( $\approx$ 300)	$\alpha$	7
20.541 $\pm$ 2	5 <sup>-</sup>		11 $\pm$ 2	p, $\alpha$	2, 5, 7
20.560 $\pm$ 2			< 5	$\alpha$	7
20.615 $\pm$ 3			< 10	$\alpha$	7, 27
(20.8)			( $\approx$ 60)	n, (p), $\alpha$	4, 5
20.857 $\pm$ 14	7 <sup>-</sup>	0 <sup>-</sup>	900 $\pm$ 100	$\alpha$	7, 9, 10, 11, 13
20.945 $\pm$ 20	1 <sup>-</sup> ; 1		300 $\pm$ 10	$\gamma$ , n, p	3, 43, 44, 45, 57
21.05 $\pm$ 50	(2 <sup>+</sup> ; 0)		320 $\pm$ 50		60, 64
21.052 $\pm$ 6	6 <sup>+</sup>		205 $\pm$ 20	$\alpha$	7
21.175 $\pm$ 15					2
21.50	(1 $\rightarrow$ 4)		120	p	44
21.52	7 <sup>-</sup>		61 $\pm$ 32	(n), $\alpha$	4, 7
21.648 $\pm$ 3	6 <sup>+</sup>		115 $\pm$ 8	n, $\alpha$	4, 7, 9
21.776 $\pm$ 9	3 <sup>-</sup>		43 $\pm$ 20	n, p, $\alpha$	2, 4, 5, 7
22.04			60	n, d, $\alpha$	4, 32
22.150 $\pm$ 10	1 <sup>-</sup> ; 1		730 $\pm$ 10	$\gamma$ , n, p, d	31, 36, 43, 44, 45
22.44 $\pm$ 100	(1 <sup>-</sup> ; 1)		300 $\pm$ 100	n, p, d, $\alpha$	32, 36, 45, 60

Table 16.11: Energy levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
22.5 $\pm$ 500	(8 <sup>+</sup> )	(0 <sup>+</sup> )			13
22.65 $\pm$ 30				n, $\alpha$	2, 4, 8
22.720 $\pm$ 5	0 <sup>+</sup> ; $T = 2$		12.5 $\pm$ 2.5	n, p, d, $\alpha$	4, 5, 7, 29, 33, 36, 84
22.89 $\pm$ 10	1 <sup>-</sup> ; 0		300 $\pm$ 10	$\gamma$ , p, d	31, 43, 44
23.0 $\pm$ 100	6 <sup>+</sup>		$\leq$ 500	$\alpha$	8, 9
23.11			$\approx$ 20	$\alpha$	7, 8
23.2 $\pm$ 80	(1 <sup>-</sup> ; 1)		550 $\pm$ 150	n, p	45, 60
23.51 $\pm$ 30			300	p, d, $\alpha$	2, 7, 33, 34, 36
23.879 $\pm$ 6	6 <sup>+</sup>		26 $\pm$ 4	p, $\alpha$	5, 7, 8, 9
24.07 $\pm$ 30	1 <sup>-</sup> ; 1		550 $\pm$ 50	$\gamma$ , (n), p, $^3\text{He}$	18, 19, 43, 44, 60
24.35 $\pm$ 70	(2 <sup>+</sup> , 3 <sup>-</sup> ); 0		400 $\pm$ 50	n, p	45, 64
24.522 $\pm$ 11	2 <sup>+</sup> ; 2		< 50		29, 84
24.76 $\pm$ 60	(2, 4) <sup>+</sup> ; 1		340 $\pm$ 60	$\gamma$ , n, p, $^3\text{He}$ , $\alpha$	23, 43, 44, 45
25.12 $\pm$ 50	1 <sup>-</sup> ; 1		3000 $\pm$ 300	$\gamma$ , p, $^3\text{He}$	18, 43, 44, 47, 63
25.5 $\pm$ 150	1 <sup>-</sup> ; 1		1300 $\pm$ 300		60
25.6	(3 <sup>-</sup> ); 1		450	$\alpha$	7
26.0 $\pm$ 100	1 <sup>-</sup> ; (1)		500 – 1000	$\gamma$ , $^3\text{He}$ , $\alpha$	18, 23
26.3	2 <sup>+</sup>		1200	$\alpha$	7
26.4 $\pm$ 100	(2, 4) <sup>+</sup> ; 1		550 $\pm$ 100	$\gamma$ , n, p, $^3\text{He}$ , $\alpha$	18, 20, 43, 44, 45, 47
27.0 $\pm$ 100	( $T = 1$ )		broad	$^3\text{He}$ , $\alpha$	23
27.3 $\pm$ 70	(2, 4) <sup>+</sup> ; 1		830 $\pm$ 110	$\gamma$ , p, $^3\text{He}$ , $\alpha$	18, 23, 24, 43, 44, 47
27.5	(3 <sup>-</sup> ; 0)		$\approx$ 2500	$\gamma$ , $^3\text{He}$	18
28.6 $\pm$ 200				$\gamma$ , $^3\text{He}$	18
29.7 $\pm$ 100	( $T = 1$ )		470 $\pm$ 150	n, p, d, $^3\text{He}$ , $\alpha$	23, 34, 45
31.8 $\pm$ 600				$\gamma$	56

<sup>a</sup> See also Table 16.12.

<sup>b</sup> I am indebted to Professor H.T. Richards for his remarks concerning the existence of this level.

States of  $^{16}\text{O}$  observed at  $E(^{10}\text{B}) = 20$  MeV are displayed in Table 16.10 of (1977AJ02). At the higher excitation energies, states are reported at  $E_x = 17.200 \pm 0.020, 17.825 \pm 0.025, 18.531 \pm 0.025, 18.69 \pm 0.03, 18.90 \pm 0.035, 19.55 \pm 0.035, 19.91 \pm 0.02, 20.538 \pm 0.015, 21.175 \pm 0.015, 21.84 \pm 0.025, 22.65 \pm 0.03$  and  $23.51 \pm 0.03$  MeV. The reaction excites known  $T = 0$  states:  $\sigma_t$  follows  $2J_f + 1$  for 11 of 12 groups leading to states of known  $J$ . The angular distributions show little structure (1976AJ02). See also (1978MA07) and  $^{20}\text{Ne}$ .

3.  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$

$$Q_m = 7.1620$$

Table 16.12: Radiative decays in  $^{16}\text{O}$  <sup>a</sup>

$E_i$ (MeV)	$J_i^\pi; T$	$E_f$ (MeV)	$J_f^\pi; T$	Branch (%)	$\Gamma_{\text{rad}}$ (eV)
6.05	$0^+; 0$	0	$0^+; 0$	100	$3.55 \pm 0.21$ <sup>b</sup>
6.13	$3^-; 0$	0	$0^+; 0$	100	$(2.60 \pm 0.13) \times 10^{-5}$
6.92	$2^+; 0$	0	$0^+; 0$	$> 99$	$0.100 \pm 0.004$ <sup>e</sup>
		6.05	$0^+; 0$	$(2.7 \pm 0.3) \times 10^{-2}$	$(2.7 \pm 0.3) \times 10^{-5}$
		6.13	$3^-; 0$	$\leq 8 \times 10^{-3}$	
7.12	$1^-; 0$	0	$0^+; 0$	$> 99$	$0.057 \pm 0.006$ <sup>f</sup>
		6.05	$0^+; 0$	$< 6 \times 10^{-4}$	
		6.13	$3^-; 0$	$(7.0 \pm 1.4) \times 10^{-2}$	
8.87	$2^-; 0$	0	$0^+; 0$	$7.2 \pm 0.8$	$(2.6 \pm 0.4) \times 10^{-4}$
		6.05	$0^+; 0$	$0.122 \pm 0.033$	$(3.1 \pm 1.0) \times 10^{-6}$
		6.13 <sup>h</sup>	$3^-; 0$	$76.0 \pm 3.0$	$(2.8 \pm 0.3) \times 10^{-3}$ <sup>g</sup>
		6.92	$2^+; 0$	$4.2 \pm 0.8$	$(1.5 \pm 0.3) \times 10^{-4}$
		7.12	$1^-; 0$	$12.6 \pm 2.0$	$(4.6 \pm 0.8) \times 10^{-4}$ <sup>g</sup>
9.63	$1^-; 0$	0	$0^+; 0$	$\approx 100$	$(23 \pm 3) \times 10^{-3}$
9.85	$2^+; 0$	0	$0^+; 0$	$61 \pm 4$	$(6.0 \pm 0.4) \times 10^{-3}$
		6.05	$0^+; 0$	$18 \pm 4$	$(1.9 \pm 0.4) \times 10^{-3}$
		6.92	$2^+; 0$	$21 \pm 4$	$(2.2 \pm 0.4) \times 10^{-3}$
10.35	$4^+; 0$	0	$0^+; 0$		$(5.6 \pm 2.0) \times 10^{-8}$
		6.13	$3^-; 0$		$< 1.0 \times 10^{-3}$
		6.92	$2^+; 0$	$\approx 100$	$(5.8 \pm 0.7) \times 10^{-2}$
10.96	$0^-; 0$ <sup>c</sup>	7.12	$1^-; 0$	$> 99$	$(0.08 \pm 0.05)$
11.10	$4^+; 0$	6.13	$3^-; 0$	<sup>a</sup>	$(3.1 \pm 1.3) \times 10^{-3}$
		6.92	$2^+; 0$	<sup>a</sup>	$(2.5 \pm 0.6) \times 10^{-3}$
11.52	$2^+; 0$	0	$0^+; 0$	91.7	$0.61 \pm 0.02$ <sup>a</sup>
		6.05	$0^+; 0$	$4.2 \pm 0.7$	$(2.8 \pm 0.6) \times 10^{-2}$
		6.92	$2^+; 0$	$4.0 \pm 1.0$	$(29 \pm 7) \times 10^{-3}$
		7.12	$1^-; 0$	$\leq 0.8$	
12.05	$0^+; 0$	0	$0^+; 0$		$4.03 \pm 0.09$ <sup>b</sup>
12.44	$1^-; 0$	0	$0^+; 0$	$\approx 100$	$12 \pm 2$
		6.05	$0^+; 0$	$1.2 \pm 0.4$ <sup>a</sup>	$0.12 \pm 0.04$
12.53	$2^-; 0$	0	$0^+; 0$		$(108 \pm 15) \times 10^{-3}$ <sup>a</sup>

Table 16.12: Radiative decays in  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_i$ (MeV)	$J_i^\pi; T$	$E_f$ (MeV)	$J_f^\pi; T$	Branch (%)	$\Gamma_{\text{rad}}$ (eV)
		6.13	$3^-; 0$	$60 \pm 6$	$2.1 \pm 0.2$
		6.92	$2^+; 0$	$< 10$	$\leq 0.34$
		7.12	$1^-; 0$	$15 \pm 3$	$0.5 \pm 0.1$
		8.87	$2^-; 0$	$25 \pm 3$	$0.9 \pm 0.1$
12.80	$0^-; 1$	7.12	$1^-; 0$	$\approx 100$	$2.5 \pm 0.2$
12.97	$2^-; 1$	0	$0^+; 0$		$(71 \pm 2) \times 10^{-3}$
		6.13	$3^-; 0$	$63 \pm 6$	$2.3 \pm 0.2$
		7.12	$1^-; 0$	$12 \pm 3$	$0.44 \pm 0.10$
		8.87	$2^-; 0$	$25 \pm 3$	$0.90 \pm 0.10$
		0	$0^+; 0$	$\approx 100$	$32 \pm 5^{\text{a}}$
13.09	$1^-; 1$	6.05	$0^+; 0$	$0.58 \pm 0.12$	
		7.12	$1^-; 0$	$3.1 \pm 0.8$	$1.4 \pm 0.04$
		6.13	$3^-; 0$	$> 85$	$9.2 \pm 1.5$

<sup>a</sup> See Tables 16.12 in (1971AJ02) and 16.15 in (1977AJ02) for the earlier work. See the latter table for the references for the values displayed here.

<sup>b</sup> Monopole matrix element in  $\text{fm}^2$ .

<sup>c</sup> Pairs due to this transition are not observed (1978AL19).

<sup>d</sup> For the radiative decay of higher states see Tables 16.13, 16.18 and 16.22.

<sup>e</sup> See also (1977LA15:  $94 \pm 10$  meV).

<sup>f</sup> “Best” value based on (1977LA15:  $60 \pm 10$  meV) and earlier values displayed in (1977AJ02).

<sup>g</sup>  $(3.0 \pm 0.5) \times 10^{-4}$  (M1),  $(2.5 \pm 0.3) \times 10^{-3}$  (E2); and  $< 6.4 \times 10^{-5}$  (M1),  $> 4 \times 10^{-4}$  (E2) for the transitions to  $^{16}\text{O}^*(6.13, 7.12)$ , respectively.

<sup>h</sup>  $E_\gamma = 2471.5 \pm 0.5$  keV for (8.87  $\rightarrow$  6.13) transition (1970GA09).

The yield of capture  $\gamma$ -rays has been studied for  $E_\alpha < 42$  MeV; see Table 16.11 of (1977AJ02) and (1981SA07). Observed resonances are displayed in Table 16.13 here.

This reaction plays an important role in astrophysical processes. (1974DY02) has determined  $\sigma_{\text{E1}}$  for  $E_\alpha = 1.88$  to 3.92 MeV. From these data  $S(E_\alpha(\text{lab}) = 400 \text{ keV}) = 0.08_{-0.04}^{+0.05} \text{ MeV} \cdot \text{b}$  (1974KO06) [used a hybrid  $R$ -matrix-optical-model analysis of  $(\alpha, \gamma)$  and  $(\alpha, \alpha)$ ],  $0.08_{-0.07}^{+0.14} \text{ MeV} \cdot \text{b}$  (1976HU10) [used a two channel, two level approximation of a modified  $K$ -matrix]. (1974DY02) state that  $S$  depends quite strongly on  $\theta_\alpha^2(6.92)/\theta_\alpha^2(7.12)$ :  $S$  may have to be increased to allow for the tail of  $^{16}\text{O}^*(6.92)$ . For astrophysical considerations see the “GENERAL” section here, (1971AJ02, 1977AJ02) and (1976FO1F, 1977BA3Y, 1977SA1W, 1978RO1D, 1978RO1L, 1978TA1U, 1980BA2R, 1981KH1B).



Table 16.13: Resonances in  $^{12}\text{C} + \alpha$ 

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> (x)	$\Gamma_x$	$\Gamma_\alpha/\Gamma$	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs. <sup>b</sup>
1	$3.322 \pm 30$	400	$\gamma_0$	$23 \pm 3$ meV	$\approx 1$	8.87	$1^-$	<a href="#">(1977MC08)</a> <sup>k</sup> <a href="#">(1977MC08)</a>
2	$3.575 \pm 10$	$0.625 \pm 0.100$	$\alpha_0$ $\gamma_0$ $\gamma_3$	$5.9 \pm 0.6$ meV $2.2 \pm 0.4$ meV		9.842		
3	$4.256 \pm 11$	$27 \pm 4$	$\alpha_0$ $\gamma_0$ $\gamma_3$	$58 \pm 7$ meV	1	10.353	$4^+$	
4	$5.245 \pm 8$	$0.28 \pm 0.05$	$\alpha_0$ $\gamma_2$ $\gamma_3$	$3.1 \pm 1.3$ meV $2.5 \pm 0.6$ meV		11.094		
5	5.47	2500	$\alpha_0$		1	(11.26)	$(0^+)$	
6	$5.809 \pm 18$	$73 \pm 5$	$\gamma_0$ $\gamma_3$ $\alpha_0$	$0.65 \pm 0.08$ eV $29 \pm 7$ meV		11.52		
7	$5.92 \pm 20$	$800 \pm 100$	$\alpha_0$		1	11.60	$3^-$	<a href="#">(1976OP02)</a>
8	$6.518 \pm 10$	$1.5 \pm 0.5$	$\alpha_0$			12.049	$0^+$	
9	$7.045 \pm 5$ <sup>c</sup>	$99 \pm 7$	$\gamma_0$ $\gamma_1$ p	$9.5 \pm 1.7$ eV <sup>e</sup> $0.12 \pm 0.06$ eV <sup>e</sup> 1.1 keV	1.0	12.444	$1^-; 0$	
10	$7.82 \pm 10$	$150 \pm 11$	$\alpha_0$ $\alpha_1$ $\gamma_0$	$92 \pm 8$ keV 0.025 keV f		13.02		
11	$7.915 \pm 10$ <sup>d</sup>	$130 \pm 5$	$\alpha_0$ $\gamma_0$ $\gamma_4$ p	$150 \pm 11$ keV $44 \pm 8$ eV <sup>g</sup> $1.35 \pm 0.4$ eV 100 keV	0.8	13.085 <sup>i</sup>	$1^-; 1$	<a href="#">(1976OP02)</a>

Table 16.13: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> (x)	$\Gamma_x$	$\Gamma_\alpha/\Gamma$	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs. <sup>b</sup>
12	$7.960 \pm 10$	$110 \pm 30$	$\alpha_0$	$45 \pm 18$ keV	0.3	13.129	$3^-; 0$	
			$\alpha_1$	1 keV				
			$\gamma_0$	$> 0.01$ eV				
			p	1 keV				
13	$8.130 \pm 15$	$26 \pm 7$	$\alpha_0$	$90 \pm 14$ keV	0.7	13.257	$3^-; 1$	
			$\alpha_1$	$\approx 20$ keV				
			$\gamma$					
			p	4.5 keV				
14	$8.960 \pm 10$	$75 \pm 7$	$\alpha_0$	$9 \pm 4$ keV	0.65 $\pm$ 0.05	13.879 $\pm$ 8	$4^+$	
			$\alpha_1$	7.5 keV				
			$\gamma_{4.4}$					
			$\alpha_0$	49 keV				
15	9.1	4800	$\alpha_1$	23 keV		(14.0)	$(0^+)$	
			$\alpha_0$					
16	$9.164 \pm 15$	$200 \pm 50$	$\alpha_0$	$\approx 200$ keV	$> 0.9$	14.032	$0^+$	
17	$9.3 \pm 100$	$750 \pm 200$	$\alpha_0$		$0.2 \pm 0.1$	14.1	$3^-$	
			$\alpha_1$					
18	9.948	$487 \pm 12$	$\alpha_0$		$0.8 \pm 0.1$	$14.620 \pm 11$	$(4^+)$	(1979AMZU)
			$\alpha_1$					
19	10.002	$672 \pm 11$	$\alpha_0$		$\approx 0.95$	$14.660 \pm 11$	$5^-$	(1979AMZU)
			$\alpha_1$					
20	$10.195 \pm 7$	$70 \pm 8$	$\alpha_0$	22 keV	$0.45 \pm 0.05$	14.805	$6^+$	
			$\alpha_1$	48 keV				
21	10.544	$166 \pm 30$	$\alpha_0, \alpha_1, p_0$		0.35	$15.066 \pm 11$	$0^+$	(1979AMZU)
22	10.999	$133 \pm 7$	$\alpha_0, \alpha_1, p_0$		0.58	$15.408 \pm 2$	$3^-$	(1979AMZU)
23	11.560	$703 \pm 113$	$\alpha_0, (\alpha_1), \gamma_{4.4}$		0.21	$15.828 \pm 30$	$3^-$	(1979AMZU)
24	11.6	$\approx 600$	$\gamma_0$	$\Gamma_\alpha \Gamma_\gamma / \Gamma \approx 0.4$ eV		15.9	$2^+$	

Table 16.13: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> (x)	$\Gamma_x$	$\Gamma_\alpha/\Gamma$	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs. <sup>b</sup>
25	12.156	$422 \pm 14$	$\alpha_0$	$\Gamma_\alpha\Gamma_\gamma/\Gamma = 0.45 \text{ eV}$	0.93	$16.275 \pm 7$	$6^+$	(1979AMZU)
26	12.272	$65 \pm 45$	$\alpha_0, \alpha_1, \alpha_2, \text{p}_0$		0.07	$16.362 \pm 20$	$(0^+, 1^-)$	(1979AMZU)
27	12.380	$22 \pm 3$	$\gamma_0, \text{n}, \text{p}_0, \alpha_0, \alpha_1, \alpha_2, \gamma_{4.4}$		0.28	$16.443 \pm 2^i$	$2^+; (1)$	(1979AMZU)
28	12.5	730	$\text{p}_0, \alpha_0$		(16.5)			
29	12.915	$567 \pm 60$	$\alpha_0$		0.28	$16.844 \pm 21$	$4^+$	(1979AMZU)
30	13.0	700	$\alpha_0$		(16.9)		$5^-$	
31	13.05	$\approx 280$	$\alpha_2, ^8\text{Be}$		16.94		$2^+$	(1979AMZU)
32	13.296	$107 \pm 14$	$\text{n}, \text{p}_0, \alpha_0, \alpha_1, \gamma_{4.4}$		0.37	$17.129 \pm 5$	$2^+$	(1979AMZU)
33	13.32	$36 \pm 5$	$\alpha_0, \alpha_1$		17.15			(1979AMZU)
34	13.35	$160 \pm 60$	$\alpha_2, ^8\text{Be}$		17.17		$2^+$	(1979AMZU)
35	13.50	$< 100$	<b>n</b>	17.28				
36	13.805	$182 \pm 56$	$\alpha_0, (\alpha_1), \alpha_2$	0.16	$17.510 \pm 26$	$1^-$	(1979AMZU)	
37	13.865	$178 \pm 66$	$\text{n}, (\alpha_0, \alpha_1)$	0.07	$17.555 \pm 21$	$(6^+)$	(1979AMZU)	
38	13.948	$175 \pm 55$	$\text{p}_0, \alpha_0$	0.32	$17.618 \pm 20$	$0^+, 1^-$	(1979AMZU)	
39	14.08	$(\approx 75)$	$(\text{p}_0), ^8\text{Be}$	17.72		$(0^+, 2^+)$	(1979AMZU)	
40	14.170	$396 \pm 41$	$\text{n}, \alpha_0, \alpha_1, \gamma_{4.4}, ^8\text{Be}$	0.34	$17.784 \pm 15$	$4^+$	(1979AMZU)	
41	14.480	$14 \pm 2$	$(\text{n}), \text{p}_0, \alpha_0, \alpha_1, \gamma_{4.4}, ^8\text{Be}$	0.36	$18.016 \pm 1$	$4^+; (0)$	(1979AMZU)	
42	14.577	$248 \pm 90$	$(\gamma_0), \text{n}_0, \text{p}_0, \alpha_0$	0.31	$18.089 \pm 25$	$(0^+)$	(1979AMZU, 1979MO03)	
43	(14.62)	$(\approx 45)$			(18.12)	$(\neq 4^+)$	(1979AMZU)	
44	14.85	$\approx 300$	$\gamma_0, \text{p}_0, (\alpha_1, \gamma_{4.4})$	$\Gamma_\alpha\Gamma_\gamma/\Gamma = 0.95 \text{ eV}$	18.29		(1979AMZU)	
45	14.997	$544 \pm 39$	$\alpha_0$		0.40	$18.404 \pm 12$	$5^-$	(1979AMZU)
46	15.2	$\approx 150$	$\alpha_0, (\alpha_1, \alpha_2, \gamma_{4.4})$		18.6		$(1^-, 5^-)$	(1979AMZU)
47	15.2	$\approx 300$	$\alpha_2, ^8\text{Be}$		18.6		$(4^+)$	(1979AMZU)
48	15.490	$215 \pm 45$	$\text{p}_0, \alpha_0$		0.26	$18.773 \pm 22$	$1^-$	(1979AMZU)
49	15.506	$260 \pm 16$	$\text{n}, \text{p}_0, \alpha_0, (\alpha_1), ^8\text{Be}$		0.48	$18.785 \pm 6$	$4^+$	(1979AMZU)
50	15.8	$\approx 550$	$(\alpha_0), \alpha_1, \gamma_{4.4}$		19.0		$(5^-)$	(1979AMZU)
51	15.96	41	$(\text{n}), \alpha_0$		(19.12)		$(2^+, 4^+)$	

Table 16.13: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> (x)	$\Gamma_x$	$\Gamma_\alpha/\Gamma$	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs. <sup>b</sup>
52	16.130	$50 \pm 45$	(n), ( $\alpha_0$ )		0.04	$19.253 \pm 30$	(5 <sup>-</sup> )	(1979AMZU)
53	16.137	$155 \pm 23$	$p_0, \alpha_0, (\alpha_1)$		0.34	$19.257 \pm 9$	2 <sup>+</sup>	(1979AMZU)
54	16.219	$63 \pm 33$	$p_0, (\alpha_0), \alpha_1, \alpha_2, {}^8\text{Be}$		0.07	$19.319 \pm 14$	(6 <sup>+</sup> )	(1979AMZU)
55	16.293	$23 \pm 4$	$p_0, \alpha_0, \alpha_1, \alpha_2$		0.23	$19.375 \pm 2$	4 <sup>+</sup>	(1979AMZU)
56	16.496	$255 \pm 75$	(n), $\alpha_0, (\alpha_1, \alpha_2)$		0.20	$19.527 \pm 26$	2 <sup>+</sup>	(1979AMZU)
57	16.799	$286 \pm 44$	$p_0, \alpha_0, \alpha_1$		0.29	$19.754 \pm 16$	2 <sup>+</sup>	(1979AMZU)
58	(16.92)	( $\approx 175$ )	$\alpha_2$			(19.85)		(1979AMZU)
59	(17.05)	( $\approx 30$ )	( $\alpha_0$ )			(19.94)	( $\neq 3^-$ )	(1979AMZU)
60	17.201	$432 \pm 40$	$\gamma_0, \text{n}, (p_0), \alpha_0, (\alpha_1)$		0.43	$20.055 \pm 13$	2 <sup>+</sup>	(1979AMZU)
61	(17.27)	( $\approx 45$ )	( $\alpha_0$ )			(20.11)	( $\neq 3^-$ )	(1979AMZU)
62	17.5	$\approx 1500$	$p_0$			(20.3)		
63	(17.66)	( $\approx 150$ )	n, ( $p_0$ ), $\alpha_2$			(20.40)	(4 <sup>+</sup> )	(1979AMZU)
64	(17.8)	( $\approx 300$ )	( $\alpha_0$ ), $\alpha_1$			(20.5)		(1979AMZU)
65	17.849	$11 \pm 2$	$p_0, \alpha_0, \alpha_1, \alpha_2$		0.14 $\pm$ 0.02	$20.541 \pm 2$	5 <sup>-</sup>	(1979AMZU)
66	17.875	< 5	$\alpha_0$			$20.560 \pm 2$	even	(1979AMZU)
67	17.948	< 10	$\alpha_0$			$20.615 \pm 3$	even	(1979AMZU)
68	(18.2)	( $\approx 60$ )	n, ( $p_0$ )			(20.8)		(1979AMZU)
69	18.271	$904 \pm 55$	$\alpha_0$		0.60	$20.857 \pm 14$	7 <sup>-</sup>	(1979AMZU)
70	(18.3)		$\alpha_0$			(20.9)	(2 <sup>+</sup> )	(1979AMZU)
71	(18.48)	( $\approx 50$ )	n, $p_0, (\alpha_0)$			(21.01)		(1979AMZU)
72	$18.50 \pm 25$	$240 \pm 80$	$\gamma_0, (\alpha_0, \alpha_1)$		0.20	21.03	(1 <sup>-</sup> )	(1979AMZU)
73	18.5	900	$\alpha_0$			(21.0)	(5 <sup>-</sup> )	
74	18.531	$205 \pm 14$	$\alpha_0$		0.50	$21.052 \pm 6$	6 <sup>+</sup>	(1979AMZU)
75	18.593	$306 \pm 46$	( $\alpha_0$ )		0.21	(21.098)	4 <sup>+</sup>	(1979AMZU)
76	19.14	$61 \pm 32$	(n), $\alpha_0, \alpha_2$			21.52	7 <sup>-</sup>	(1979AMZU, 1981FR11)
77	19.327	$115 \pm 8$	n, $\alpha_0, \alpha_1, \alpha_2$		0.41	$21.648 \pm 3$	6 <sup>+</sup>	(1979AMZU)
78	19.498	$43 \pm 20$	n, $p_0, \alpha_0, \alpha_1, \alpha_2$		0.07	$21.776 \pm 9$	3 <sup>-</sup>	(1979AMZU)

Table 16.13: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> (x)	$\Gamma_x$	$\Gamma_\alpha/\Gamma$	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs. <sup>b</sup>
79	19.85	60	n			22.04		
80	19.89	340	n			22.07		
81	19.95	< 150	n, $^8\text{Be}$			22.11		
82	20.49	375	n			22.52		
83	20.71	60	n, $^8\text{Be}$			22.68		
84	20.760 $\pm$ 5	12.5 $\pm$ 2.5	$n_0, p_0, \alpha_0, \alpha_2$			22.721	0 <sup>+</sup> ; T = 2	
85	21.28	$\approx$ 20	$\alpha_0, \alpha_1, ^8\text{Be}$			23.11		
86	21.3	$\leq$ 500	$^8\text{Be}$			23.1	6 <sup>+</sup>	
87	21.67	< 40	n			23.40		
88	21.85	300	$\alpha_0, \alpha_1$			23.54		
89	22.0	1500	$\gamma_{12.71}$			23.6		
90	22.14	120	n			23.75		
91	22.306 $\pm$ 6	26 $\pm$ 4	$p_0, \alpha_0, \alpha_1, \alpha_2, ^8\text{Be}$	j	0.06 $\pm$ 0.02	23.879	6 <sup>+</sup>	
92	22.37	165	n			23.93		
93	22.75	$\lesssim$ 500	$^8\text{Be}$			24.21		
94	23.2	750	$\gamma_{12.71}, \gamma_{15.11}$			24.5	T = 1	
95	24.1	450	$\gamma_{15.11}$			25.2	T = 1	
96	24.6	450	$\gamma_{15.11}$			25.6	T = 1	
97	25.5	450	$\gamma_{15.11}$			26.3	T = 1	
98	25.6	1200	$\alpha_0, \gamma_{12.71}$	$\Gamma_\alpha \Gamma_\gamma / \Gamma = 1.2 \text{ eV}$		26.3	2 <sup>+</sup>	
99	29 <sup>1</sup>	4 MeV	$\alpha_0, \alpha_1, p_3$			29		(1978BU27)

<sup>a</sup>  $p_0$  corresponds to  $^{15}\text{N}(0)$ .  $\alpha_0, \alpha_1$  correspond to  $^{12}\text{C}^*(0, 4.4)$  and  $\gamma_{4.4}$  corresponds to the  $\gamma$ -ray from the decay of  $^{12}\text{C}^*(4.4)$ ;  $\gamma_0, \gamma_1, \gamma_2, \gamma_3, \gamma_4$  correspond to the transitions to  $^{16}\text{O}^*(0, 6.05, 6.13, 6.92, 7.12)$ .

<sup>b</sup> Previous references are listed in Tables 16.11 (1971AJ02) and 16.12 (1977AJ02). Please note that (1979AMZU) is an unpublished thesis. (1982AM02) has been submitted for publication.

<sup>c</sup>  $7040 \pm 5$  keV (1976OP02).

<sup>d</sup>  $7880 \pm 15$  keV (1976OP02).

<sup>e</sup> Branching ratios to  $^{16}\text{O}^*(0, 6.05) = 98.8\%$  and  $1.2\%$ .

<sup>f</sup>  $\Gamma_{\gamma_0} = 0.7 \pm 0.2$  eV (1971KE09), based on  $\Gamma_{\alpha_0}/\Gamma = 1.0$  (1968MO08) and  $\Gamma_{\text{c.m.}} = 190 \pm 40$  keV (1971KE09).

<sup>g</sup>  $\Gamma_{\alpha_0}\Gamma_{\gamma_0}/\Gamma^2 = (1.49 \pm 0.17) \times 10^{-4}$  (1971KE09).

<sup>h</sup>  $\theta_{\alpha}^2(7.12)/\theta_{\alpha}^2(9.63) = 0.19_{-0.11}^{+0.16}$  (1974KO06). See also reactions 9 and 12.

<sup>i</sup> See column 2 and footnote <sup>d</sup>.

<sup>j</sup>  $\Gamma_{s_{\text{Be}}}, \Gamma_{\alpha_0}$  and  $\Gamma_{\alpha_2} \approx 3.5, 1.5 \pm 0.5$  and  $\approx 6$  keV, respectively (1976BR07).

<sup>k</sup> An attempt is reported by (1977MC08) to observe a  $0^+$  state in the vicinity of the known  $2^-$  state at 8.87 MeV. No such state is seen:  $\theta_{\alpha}^2 \leq 2 \times 10^{-4}$ .

<sup>l</sup> See (1981SA07) for  $(\alpha, \gamma_{14.8})$  measurements which indicate an  $8^+$  GQR built on the  $6_1^+$  state  $^{16}\text{O}^*(14.82)$ .

At higher energies the E2 cross section shows resonances at  $E_x = 13.2, 15.9, 16.5, 18.3, 20.0$  and  $26.5$  MeV [see Table 16.13]. Some E2 strength is also observed for  $E_x = 14$  to  $15.5$  and  $20.5$  to  $23$  MeV. In the range  $E_\alpha = 7$  to  $27.5$  MeV the  $T = 0$  E2 strength is  $\approx 17\%$  of the sum rule. It appears from this and other experiments that the E2 centroid is at  $E_x \approx 15$  MeV, with a  $15$  MeV spread (1974SN02). Structures are observed in the yield of  $\gamma$ -rays from the decay of  $^{16}\text{O}^*(14.8 \pm 0.1)$  for  $E_x = 34 - 39$  MeV. It is suggested that these correspond to a giant quadrupole excitation with  $J^\pi = 8^+$  built on the  $6_1^+$  state at  $E_x = 14.816$  MeV (1981SA07). See also (1975HA1R, 1980WE1D).

$$4. \text{}^{12}\text{C}(\alpha, n)^{15}\text{O} \qquad Q_m = -8.5019 \qquad E_b = 7.1620$$

For cross-section measurements from threshold to  $E_\alpha = 24.7$  MeV see (1971AJ02) and Table 16.11 in (1977AJ02). Observed resonances are displayed in Table 16.13 here. The production of neutrons at  $E_\alpha = 710$  MeV has been studied by (1980CE01). See also (1977AJ02, 1977GR18, 1977LI19) and (1978WE1L; applications).

$$5. \text{}^{12}\text{C}(\alpha, p)^{15}\text{N} \qquad Q_m = -4.9656 \qquad E_b = 7.1620$$

The yield of  $p_0$  has been studied for  $E_\alpha = 7.7$  to  $23$  MeV: see (1977AJ02), (1979AMZU, 1982AM02;  $15 \leq E_x \leq 22$  MeV) and (1979MO03;  $17.5 \leq E_x \leq 18.7$  MeV). The excitation curve for  $p_3$  (to  $^{15}\text{N}^*(6.32)$ ), measured for  $E_\alpha = 24$  to  $33$  MeV, shows a large peak at  $E_x \approx 29$  MeV,  $\Gamma \approx 4$  MeV. It is suggested that it is related to the GQR in  $^{16}\text{O}$  (1978BU27). For other resonances see Table 16.13. See also  $^{15}\text{N}$  in (1981AJ01).

$$\begin{aligned} 6. \text{ (a) } & \text{}^{12}\text{C}(\alpha, d)^{14}\text{N} & Q_m = -13.57434 & E_b = 7.1620 \\ & \text{ (b) } & \text{}^{12}\text{C}(\alpha, t)^{13}\text{N} & Q_m = -17.8706 \\ & \text{ (c) } & \text{}^{12}\text{C}(\alpha, \text{}^3\text{He})^{13}\text{C} & Q_m = -15.6314 \end{aligned}$$

See (1981AJ01).

$$7. \text{}^{12}\text{C}(\alpha, \alpha)^{12}\text{C} \qquad E_b = 7.1620$$

The yield of  $\alpha$ -particles corresponding to  $^{12}\text{C}^*(0, 4.4, 7.7)$  and of  $4.4, 12.7$  and  $15.1$  MeV  $\gamma$ -rays has been studied at many energies in the range  $E_\alpha = 2.5$  to  $35.5$  MeV: see Table 16.11 in (1977AJ02), (1978AM1B, 1979AMZU, 1979AMZZ, 1982AM02;  $E_\alpha = 15$  to  $20$  MeV), and (1979AR05;  $17$  to  $23$  MeV) and (1981FR11;  $17.4$  to  $20.5$  MeV;  $\alpha_2$ ). Observed resonances are

displayed in Table 16.13. No evidence is observed for a narrow (100 eV)  $0^+$  state in the vicinity of  $^{16}\text{O}^*(8.87)$ ; thus the  $\alpha$ -decay reported in  $^{16}\text{N}(\beta^-)$  [reaction 52] appears to be due to  $^{16}\text{O}^*(8.87)$  ( $J^\pi = 2^-$ ) and is thus parity forbidden (1977MC08). No evidence is found by (1981FR11) for  $8^+$  strength.

Total reaction cross-section measurements are reported at 1.55 and 2.89 GeV/c per nucleon (1978JA16). See also (1979DE1P, 1979DE31, 1980DE1H, 1980DE28, 1981BA1Q, 1981PE01). For  $\pi^0$  measurements see (1976WA10). For spallation measurements see (1977FO04, 1978DU1B, 1979GLZT, 1979VI05, 1980AB1B, 1981GOZY) and (1977AJ02).

See also (1978FR1L, 1979WA1L), (1976SI1E, 1980DE1Z), (1976CU07, 1977BA12, 1977BA1N, 1977BA30, 1976BR1L, 1977DA20, 1977FR12, 1977HU09, 1977IK1A, 1977SA2B, 1977ZE01, 1978FR1F, 1978SU1H, 1978SU1G, 1979VE1C, 1980BA2K, 1980DM1A, 1980FU05, 1980FU1F, 1980LI09, 1980ST1K, 1981SU05, 1981WI01; theor.) and  $^{12}\text{C}$  in (1980AJ01).

8. (a) $^{12}\text{C}(\alpha, ^8\text{Be})^8\text{Be}$	$Q_m = -7.4586$	$E_b = 7.1620$
(b) $^{12}\text{C}(\alpha, 2\alpha)^8\text{Be}$	$Q_m = -7.3667$	
(c) $^{12}\text{C}(\alpha, 4\alpha)$	$Q_m = -7.2748$	

The yield of  $^8\text{Be}$  (reaction (a)) shows a number of resonances: see Table 16.13. There is no evidence below  $E_x \approx 24$  MeV for  $J^\pi = 8^+$  states although the existence of such states below this energy cannot be ruled out since it is possible that the  $L$  of the entrance channel inhibits the formation of such states. Above 26 MeV  $L = 8$  becomes dominant (1976BR07). For reactions (b) and (c) see (1977AJ02).

9. $^{12}\text{C}(^6\text{Li}, d)^{16}\text{O}$	$Q_m = 5.6885$
---	----------------

This reaction has been studied at many energies: see the references in (1977AJ02) and Table 16.14. At the higher energies the spectra are dominated by states with  $J \geq 4$  (and natural parity). An attempt to locate an  $8^+$  state with  $E_x = 17$  to 24 MeV by (d,  $\alpha$ ) angular correlations has been unsuccessful: see (1976AR10;  $E(^6\text{Li}) = 29.0$  and 34.7 MeV). The ratio  $R [\equiv \theta_\alpha^2(7.1 \text{ MeV})/\theta_\alpha^2(9.6 \text{ MeV})]$  is of astrophysical interest: an FRDW analysis by (1980BE33) leads to  $R = 0.7 \pm 0.2$  for  $s = 5.4$  fm. See also (1978BE43).

For analyzing power measurements see  $^{18}\text{F}$  in (1983AJ01): (1978MA13;  $E(^6\text{Li}) = 20$  MeV; to  $^{16}\text{O}$  states with  $E_x < 11.1$  MeV). See also (1979BEZU, 1980FU1D, 1980MA1N), (1977FO1E, 1978BE1H, 1978FI1E, 1979MA1T) and (1976ST22, 1977BA56, 1978AP02, 1978CU07, 1978ME1J, 1979SU1F, 1979ZE1B, 1980AP02; theor.).

10. $^{12}\text{C}(^7\text{Li}, t)^{16}\text{O}$	$Q_m = 4.695$
--	---------------



This reaction has been studied extensively: see (1977AJ02) for the earlier references. Observed states are displayed in Table 16.14. Angular distributions have been reported recently at  $E(^7\text{Li}) = 34$  MeV (1978BE42; first nine states) and at 68 MeV (1979BE1H; to  $^{16}\text{O}^*(6.92, 10.35, 16.3)$ ). The value of  $R$  [see reaction 9] derived by (1978BE42) is  $0.35 \pm 0.13$ . See also  $^{19}\text{F}$  in (1983AJ01), (1976SA1K, 1978CL08, 1979ROZH, 1980DE2K, 1981DE15) and (1977BI1F; theor.).

Table 16.14: States of  $^{16}\text{O}$  from  $^{12}\text{C}(^6\text{Li}, d)$  and  $^{12}\text{C}(^7\text{Li}, t)$

$E_x^a$ (MeV $\pm$ keV)	$\Gamma_{c.m.}^b$ (keV)	$\theta_\alpha^2/\theta_\alpha^2(2^+)^c$	$\Gamma_{\alpha_0}/\Gamma^d$	$J^\pi; K^\pi$
0		0.93, 0.18		$0^+$
6.05		0.38, 1.10		$0^+; 0^+$
6.13		0.23, 0.22		$3^-$
6.92		$\equiv 1.0$		$2^+; 0^+$
7.12		0.53, 0.39		$1^-$
8.87	$< 20$			$2^-$
$9.63 \pm 30^i$	$400 \pm 10^i$	0.30, 0.60		$1^-; 0^-$
9.85	$< 20$	$\lesssim 0.05, \lesssim 0.01$		$2^+$
$10.346 \pm 6^{e,j}$	$35 \pm 5$	0.25, 0.47	$0.86 \pm 0.09$	$4^+; 0^+$
10.95				$0^-$
$11.09^j$	$< 30$	$\lesssim 0.06, \lesssim 0.03$	$0.31 \pm 0.03$ ( $J = 4^+$ )	$3^+ + 4^+$
$11.59 \pm 20$	$700 \pm 100$	$\approx 0.4$		$3^-; 0^-$
13.09	$\approx 230$			$1^-$
$14.363 \pm 15^h$	$< 120$			$> 5, \pi = \text{nat.}$
$14.66 \pm 20$	$500 \pm 50$		$1.03 \pm 0.1$	$5^-; 0^-$
14.82	$45 \pm 10$			( $6^+$ )
$16.30 \pm 20^{e,k}$	$300 \pm 50$		$1.07 \pm 0.11$	$6^+; 0^+$
$17.65 \pm 50$	$100 \pm 50$			
$17.85 \pm 50$	$\approx 200$			
(18.6) <sup>f</sup>				( $5^-$ )
$19.30 \pm 50$	$\approx 200$			
$20.8 \pm 100^e$	$500 \pm 100$		$1.16 \pm 0.23$	$7^-; 0^-$
$21.6 \pm 100$	$\lesssim 100$		$0.67 \pm 0.14$	$6^+^g$
$23.0 \pm 100$	$\approx 200$			( $6^+$ )
$23.8 \pm 100$	$1980 \pm 250$			( $6^+$ ) <sup>g</sup>
$26.9 \pm 100$	$1700 \pm 250$			( $7^-$ ) <sup>g</sup>

Table 16.14: States of  $^{16}\text{O}$  from  $^{12}\text{C}(^6\text{Li}, \text{d})$  and  $^{12}\text{C}(^7\text{Li}, \text{t})$  (continued)

$E_x$ <sup>a</sup> (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ <sup>b</sup> (keV)	$\theta_\alpha^2/\theta_\alpha^2(2^+)$ <sup>c</sup>	$\Gamma_{\alpha_0}/\Gamma$ <sup>d</sup>	$J^\pi; K^\pi$
(29.3) <sup>g</sup>				(7 <sup>-</sup> ) <sup>g</sup>

<sup>a</sup>  $E_x$  quoted without errors are from Table 16.11. The others are from (1978BE43:  $E(^6\text{Li}) = 42.1$  MeV) and (1980BE33:  $E(^6\text{Li}) = 90.2$  MeV). The states with  $E_x < 11.1$  MeV have also been studied by (1978BE42:  $E(^7\text{Li}) = 34$  MeV). Angular distributions are reported in both reactions for the first nine states. See also (1978CU03).

<sup>b</sup> See (1978BE42, 1978BE43, 1980BE33): line widths, not corrected for  $\alpha$ -penetrabilities.

<sup>c</sup> Ratio of dimensionless reduced  $\alpha$ -width calculated at a channel radius of 5.4 fm, relative to that for  $^{16}\text{O}^*(6.92)$ . ( $N, L$ ) here are taken to be (2, 0) and (4, 1), respectively, for  $^{16}\text{O}^*(0, 7.12)$ . The first number listed is the value reported at  $E(^6\text{Li}) = 42$  MeV (1978BE43), the second at  $E(^6\text{Li}) = 90.2$  MeV (1980BE33).

<sup>d</sup> (1980CU08); d- $\alpha$  angular correlations. See also (1977CU1B, 1978CU03, 1978AR01).

<sup>e</sup> (1971BA31).

<sup>f</sup> (1979AR05); d- $\alpha$  angular correlations.

<sup>g</sup> (1976AR04, 1976AR10); d- $\alpha$  angular correlations.

<sup>h</sup> Observed at  $E(^7\text{Li}) = 38$  MeV (1976CO23) and M.E. Cobern, private communication.

<sup>i</sup> On the basis of studies of the  $^{12}\text{C}(^6\text{Li}, \text{d})$ ,  $^{12}\text{C}(^7\text{Li}, \text{t})$ ,  $^{12}\text{C}(^{10}\text{B}, ^6\text{Li})$  and  $^{19}\text{F}(\text{p}, \alpha)$  reactions, the energy of  $^{16}\text{O}^*(9.6)$  is  $9619 \pm 15$  keV,  $\Gamma = 400 \pm 10$  keV (line width).  $\Gamma_R = 430 \pm 10$  keV as inferred from the best fit BW line shape. This value is corrected for penetrability (1981OV02 and F. Becchetti, private communication).

<sup>j</sup> Angular distributions are reported at  $E(^6\text{Li}) = 35.5 - 35.6$  MeV to  $^{16}\text{O}^*(10.35)$  and to the unresolved  $3^+$  and  $4^+$  states at 11.1 MeV. It appears that the  $4^+$  state is dominantly populated, and that two-step processes may be important in this reaction (1978CL08, 1980KE10). See also (1978CU03).

<sup>k</sup> Angular distributions at  $E(^6\text{Li}) = 35.5$  MeV (1978CL08) and 28 and 34 MeV (1978CU03).

$$11. \ ^{12}\text{C}(^{10}\text{B}, ^6\text{Li})^{16}\text{O} \quad Q_m = 2.7014$$

At  $E(^{10}\text{B}) = 18$  and 45 MeV angular distributions have been studied involving  $^{16}\text{O}^*(0, 6.1, 7.1, 8.9, 9.9, 10.4)$  (1970HI08). At  $E(^{10}\text{B}) = 68$  MeV angular distributions to  $^{16}\text{O}^*(0, 6.1, 6.9, 10.4, 11.1, 14.7, 16.2, 20.9)$  are forward peaked and fairly structureless.  $^{16}\text{O}^*(0, 6.9, 11.1)$  are weakly excited (1981BI07). See also footnote <sup>i</sup> in Table 16.14 and (1978BE2F).

$$12. \ ^{12}\text{C}(^{11}\text{B}, ^7\text{Li})^{16}\text{O} \quad Q_m = -1.503$$

See (1978BE2F). See also (1977AJ02).

13.  $^{12}\text{C}(^{12}\text{C}, ^8\text{Be})^{16}\text{O}$   $Q_m = -0.2047$

Angular distributions have been reported at  $E(^{12}\text{C})$  to 63 MeV: see (1977AJ02). Angular correlations at  $E(^{12}\text{C}) = 78$  MeV confirm  $J^\pi = 4^+, 5^-, 6^+$  and  $7^-$  for  $^{16}\text{O}^*(10.35, 14.59, 16.3, 20.9)$ .  $\Gamma_{\alpha_0}/\Gamma = 0.90 \pm 0.10, 0.75 \pm 0.15$  and  $0.90 \pm 0.10$ , respectively, for the first three of these states. In addition a state is reported at  $E_x = 22.5 \pm 0.5$  MeV which may be the  $8^+$  member of the  $K^\pi = 0^+, 4p\text{-}4h$  rotational band (1977SA2A, 1979SA29). For the decay of  $^{20}\text{Ne}$  states see (1979YO04) and (1983AJ01). For excitation function and fusion measurements see (1977HI04, 1977WA04, 1978CO05, 1978JA08, 1979HEZX, 1980KO02, 1980WA16, 1980WI1E). See also (1977AB1E, 1978TO12; theor.).

14.  $^{12}\text{C}(^{14}\text{N}, ^{10}\text{B})^{16}\text{O}$   $Q_m = -4.4512$

Angular distributions are reported at  $E(^{14}\text{N}) = 53$  MeV involving  $^{16}\text{O}^*(0, 6.05, 6.13, 6.92)$  and various states of  $^{10}\text{B}$  (1976ZE04) and at  $E(^{14}\text{N}) = 78.8$  MeV (1977MO1A, 1979MO14) involving  $^{16}\text{O}_{\text{g.s.}}$ .

15. (a)  $^{12}\text{C}(^{17}\text{O}, ^{13}\text{C})^{16}\text{O}$   $Q_m = 0.8021$   
(b)  $^{12}\text{C}(^{18}\text{O}, ^{14}\text{C})^{16}\text{O}$   $Q_m = 0.9341$

Angular distributions are reported at  $E(^{17}\text{O}) = 30.5$  and  $33.8$  MeV (1978CH16). For reaction (b) see (1977AJ02) and (1978TA09; theor.).

16.  $^{12}\text{C}(^{19}\text{F}, ^{15}\text{N})^{16}\text{O}$   $Q_m = 3.1481$

Angular distributions have been measured at  $E(^{19}\text{F}) = 40, 60$  and  $68.8$  MeV involving different states in  $^{15}\text{N}$  and  $^{16}\text{O}^*(0, 6.1, 7.0, 10.4)$  (1972SC17).

17.  $^{12}\text{C}(^{20}\text{Ne}, ^{16}\text{O})^{16}\text{O}$   $Q_m = 2.4310$

Angular distributions have been measured to  $E(^{20}\text{Ne}) = 147$  MeV: see (1977AJ02). Excitation functions are reported at  $E(^{20}\text{Ne}) = 45.3$  to  $93.3$  MeV (1978DO01) and  $150$  to  $250$  MeV (1979OR01:  $E_x = 10 - 15$  MeV and  $20 - 25$  MeV). For an experiment studying  $^{16}\text{O} + \alpha$  coincidences see (1981OS07). See also (1975PI05).

18.  $^{13}\text{C}(^3\text{He}, \gamma)^{16}\text{O}$   $Q_m = 22.7934$

The yield of capture  $\gamma$ -rays has been studied for  $E(^3\text{He})$  to 16 MeV [see (1977AJ02)], as have angular distributions. Observed resonances are displayed in Table 16.15. It is suggested that the structures at  $E_x \approx 26 - 29$  MeV are part of giant resonances built on the first few excited states of  $^{16}\text{O}$  (1979VE02).

19.  $^{13}\text{C}(^3\text{He}, n)^{15}\text{O}$   $Q_m = 7.1295$   $E_b = 22.7934$

The excitation functions to  $E(^3\text{He}) = 11$  MeV are marked at low energies by complex structures and possibly by two resonances at  $E(^3\text{He}) = 1.55$  and 2.0 MeV: see Table 16.15. See also (1977AJ02) for polarization measurements.

20.  $^{13}\text{C}(^3\text{He}, p)^{15}\text{N}$   $Q_m = 10.6658$   $E_b = 22.7934$

Excitation functions for  $E(^3\text{He}) = 3.6$  to 6.6 MeV have been measured for  $p_0, p_{1+2}, p_3$ : a resonance is reported at  $E(^3\text{He}) = 4.6$  MeV (1978CH19). A resonance at 6 MeV has also been observed: see Table 16.15. See also  $^{15}\text{N}$  in (1981AJ01).

21.  $^{13}\text{C}(^3\text{He}, d)^{14}\text{N}$   $Q_m = 2.0571$   $E_b = 22.7934$

See  $^{14}\text{N}$  in (1981AJ01).

22. (a)  $^{13}\text{C}(^3\text{He}, t)^{13}\text{N}$   $Q_m = -2.2392$   $E_b = 22.7934$   
 (b)  $^{13}\text{C}(^3\text{He}, ^3\text{He})^{13}\text{C}$

The excitation function for formation of  $^{13}\text{N}_{\text{g.s.}}$  has been studied for  $E(^3\text{He}) = 11$  to 17 MeV: see (1977AJ02). Polarization measurements are reported by (1981BA1G) at  $E(^3\vec{\text{He}}) = 33$  MeV ( $t_0, t_{2+3}$ ). For reaction (b) see Table 16.15.

23.  $^{13}\text{C}(^3\text{He}, \alpha)^{12}\text{C}$   $Q_m = 15.6314$   $E_b = 22.7934$

Table 16.15: Resonances in  $^{13}\text{C} + ^3\text{He}$ 

$E(^3\text{He})$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs. <sup>a</sup>
1.55	$\approx 80$	$n_0, n_3$	24.05		
$1.55 \pm 100$	450	$\gamma_0$	24.1		
2.0	$\approx 250$	$n_0$	24.4		
$2.6 \pm 100$		$\alpha\gamma_{15.1}$	24.9	( $T = 1$ )	
$2.87 \pm 50$	600	$\gamma_0$	25.12	$1^-$	(1979VE02)
$\approx 3.1$		$\alpha_0, \alpha_2$	$\approx 25.3$		
$\approx 3.5$	$\approx 300$	$\alpha_0$	$\approx 25.6$	( $3^-$ )	
$\approx 4$	$\approx 300$	$\alpha_0, \alpha_1, \alpha_2$	$\approx 26$	( $3^-$ )	
$4.0 \pm 100$	<sup>b</sup>	$\gamma_0, \gamma_{1+2}, \alpha\gamma_{15.1}$	26.0	$1^-; (1)$	(1979VE02)
$4.6 \pm 100$ <sup>c</sup>	$720 \pm 160$	$\gamma_2, p_0$	26.5	$2^+, 4^+$	(1977CH16, 1978CH19, 1979VE02)
$5.2 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	27.0	( $T = 1$ )	
$5.6 \pm 100$	$\approx 600$	$\gamma_0, \gamma_{1+2}, \alpha\gamma_{15.1}, ^8\text{Be}$	27.3	( $1^-$ )	(1979VE02)
$\approx 5.8$	$\approx 2500$	$\gamma_{3+4}$	27.5		(1979VE02)
$6.0 \pm 100$	$\approx 500$	$p_0, p_{1+2}, ^3\text{He}, \alpha_1, \alpha_2$	27.7	( $3^-; 0$ )	
$\approx 6$		$\gamma_0$	28		
$6.5 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	28.1	( $T = 1$ )	
$6.8 \pm 100$		$\alpha_0, \alpha_1, \alpha_2$	28.3	( $T = 0$ )	
$7.1 \pm 200$		$\gamma_{1+2}$	28.6		(1979VE02)
$7.5 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	28.9	( $T = 1$ )	
$8.6 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	29.8	( $T = 1$ )	
$9.4 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	30.4	( $T = 1$ )	
$10.1 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	31.0	( $T = 1$ )	

<sup>a</sup> For earlier references see Tables 16.15 in (1971AJ02) and 16.13 in (1977AJ02).

<sup>b</sup> Lab widths 0.5 – 1 MeV (1969TA09).

<sup>c</sup> Based on  $\Gamma_{\text{c.m.}} = 530 \pm 80$  keV [from  $^{15}\text{N}(p, \gamma)$ , see Table 16.18],  $\Gamma_{p_0} = 150 \pm 45$  keV [ $J^\pi = 2^+$ ],  $110 \pm 35$  keV [ $4^+$ ];  $\Gamma_{p_0}/\Gamma = 0.29 \pm 0.10$  [ $2^+$ ],  $0.21 \pm 0.07$  [ $4^+$ ];  $\Gamma_{\gamma_2} = 740 \pm 240$  eV [ $2^+$ ],  $410 \pm 140$  eV [ $4^+$ ] (1977CH16, 1978CH19).

Yields of  $\alpha_0$ ,  $\alpha_1$ ,  $\alpha_2$  and  $\gamma$ -rays from the decay of  $^{12}\text{C}^*(12.71, 15.11)$  have been studied up to  $E(^3\text{He}) = 12$  MeV. Observed resonances are displayed in Table 16.15. Those seen in the yield of  $\gamma_{15.1}$  are assumed to correspond to  $^{16}\text{O}$  states which have primarily a  $T = 1$  character. Analyzing power measurements are reported at  $E(^3\vec{\text{He}}) = 33$  MeV to  $^{12}\text{C}^*(4.4)$  (1981KA1K). See (1971AJ02, 1977AJ02) for the earlier references and  $^{12}\text{C}$  in (1980AJ01).

$$24. \ ^{13}\text{C}(^3\text{He}, ^8\text{Be})^8\text{Be} \qquad Q_m = 8.1728 \qquad E_b = 22.7934$$

The excitation function for  $^8\text{Be}_{\text{g.s.}}$  has been studied for  $E(^3\text{He}) = 2$  to 6 MeV. It shows a strong resonance at  $E(^3\text{He}) = 5.6$  MeV corresponding to a state in  $^{16}\text{O}$  at  $E_x = 27.3$  MeV.  $J^\pi$  appears to be  $2^+$  from angular distribution measurements (1968JA07).

$$25. \ ^{13}\text{C}(\alpha, n)^{16}\text{O} \qquad Q_m = 2.2156$$

Angular distributions for the  $n_0$  group have been measured for  $E_\alpha = 12.8$  to 22.5 MeV: see (1971AJ02). See also (1977AJ02), (1981HAZV), (1977SC1L, 1980CO1P, 1980TR1K; astro-phys.) and (1978GE16, 1980BA1Q; applications).

$$26. \ ^{13}\text{C}(^6\text{Li}, t)^{16}\text{O} \qquad Q_m = 6.9994$$

Angular distributions have been studied at  $E(^6\text{Li}) = 20$  and 28 MeV to  $^{16}\text{O}^*(0$  [at 28 MeV], 6.13, 7.0, 8.87, 9.85, 10.35, 11.09). At these energies the spectra are dominated by the triton groups to  $^{16}\text{O}^*(11.09, 14.30, 14.39, 14.82)$ . At  $E(^6\text{Li}) = 25$  MeV the excitation of  $^{16}\text{O}^*(14.52, 14.66)$  is also reported: see (1977AJ02) and (1980CU03). See also (1977MA2G) and  $^{19}\text{F}$  in (1983AJ01).

$$27. \ ^{13}\text{C}(^{12}\text{C}, ^9\text{Be})^{16}\text{O} \qquad Q_m = -3.4859$$

Angular distributions have been measured at  $E(^{12}\text{C}) = 87$  MeV and at  $E(^{13}\text{C}) = 36$  MeV: see (1977AJ02). At  $E(^{13}\text{C}) = 105$  MeV,  $^{16}\text{O}^*(6.05 + 6.13, 10.35, 16.3, 20.7)$  are strongly populated (1979BR04).

$$28. \ ^{13}\text{C}(^{17}\text{O}, ^{14}\text{C})^{16}\text{O} \qquad Q_m = 4.0322$$

Angular distributions have been measured at  $E(^{17}\text{O}) = 29.8$  and 32.3 MeV (1977CH22, 1978CH16).

29.  $^{14}\text{C}(^3\text{He}, \text{n})^{16}\text{O}$   $Q_{\text{m}} = 14.6168$

At  $E(^3\text{He}) = 11$  to  $16$  MeV, neutron groups are observed to  $T = 2$  states at  $E_{\text{x}} = 22.717 \pm 0.008$  and  $24.522 \pm 0.011$  MeV ( $\Gamma < 30$  keV and  $< 50$  keV, respectively). These two states are presumably the first two  $T = 2$  states in  $^{16}\text{O}$ , the analog states to  $^{16}\text{C}^*(0, 1.75)$ .  $J^{\pi}$  for  $^{16}\text{O}^*(24.52)$  is found to be  $2^+$  from angular distribution measurements (1970AD01). See also (1971AJ02).

30.  $^{14}\text{C}(^{18}\text{O}, ^{16}\text{C})^{16}\text{O}$   $Q_{\text{m}} = -6.720$

See  $^{16}\text{C}$ .

31.  $^{14}\text{N}(\text{d}, \gamma)^{16}\text{O}$   $Q_{\text{m}} = 20.7363$

The  $\gamma_0$  yield has been studied for  $E_{\text{d}} = 0.5$  to  $5.5$  MeV. Three resonances are reported: see Table 16.16. See (1977AJ02) for references.

32.  $^{14}\text{N}(\text{d}, \text{n})^{15}\text{O}$   $Q_{\text{m}} = 5.0725$   $E_{\text{b}} = 20.7363$

For  $E_{\text{d}} = 0.66$  to  $5.62$  MeV, there is a great deal of resonance structure in the excitation curves with the anomalies appearing at different energies at different angles: the more prominent structures in the yield curves are displayed in Table 16.16. For polarization measurements see (1977AJ02). See also  $^{15}\text{O}$  in (1981AJ01), (1981NO1B) and (1977YO1F; applications).

33.  $^{14}\text{N}(\text{d}, \text{p})^{15}\text{N}$   $Q_{\text{m}} = 8.6087$   $E_{\text{b}} = 20.7363$

The yield of various proton groups for  $E_{\text{d}} < 5.0$  MeV shows some fluctuations and two resonances: see Table 16.16 and (1971AJ02, 1977AJ02) for the earlier references. Recent work includes that of (1976VA20;  $0.309$  to  $0.638$  MeV;  $\text{p}_0, \text{p}_{1+2}, \text{p}_3, \text{p}_4, \text{p}_5$ ), (1980NI04;  $0.32$  to  $1.45$  MeV;  $\text{p}_5$ ), (1979US01;  $E_{\text{d}} = 1.50$  to  $3.00$  MeV;  $\text{p}_5$ ) and (1977KO33;  $E_{\text{d}} = 0.5$  to  $5.0$  MeV;  $\text{p}_0, \text{p}_{1+2}, \text{p}_3 \rightarrow \text{p}_8, \text{p}_{10}$ ). Polarization measurements are also reported by (1980KR01;  $E_{\text{d}} = 10$  MeV;  $\text{p}_0, \text{p}_{1+2}, \text{p}_3, \text{p}_7, \text{p}_8$ ;  $9.5$  to  $10.75$  MeV;  $\text{p}_4, \text{p}_5, \text{p}_6$ ). See also (1977AJ02) and  $^{15}\text{N}$  in (1981AJ01).

34.  $^{14}\text{N}(\text{d}, \text{d})^{14}\text{N}$   $E_{\text{b}} = 20.7363$

Table 16.16: Structure in  $^{14}\text{N} + \text{d}$ 

$E_d$ (MeV)	Resonant channel	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi; T$	$E_x$ (MeV)	Refs. <sup>a</sup>
1.4	$n_0$			22.0	
$1.7 \pm 0.1$	$\gamma_0, \alpha_0 \rightarrow \alpha_3$			22.2	
1.85	$n_0, \alpha_0$			22.35	
$2.0 \pm 0.1$	$\alpha_0, \alpha_3$			22.5	
$2.272 \pm 0.005$ <sup>b</sup>	$p_0, p_{1+2}, (p_3), p_4, p_5, \alpha_0, \alpha_2$	$12 \pm 3$	$0^+; 2$	22.722	(1977KO33)
$2.40 \pm 0.05$ <sup>c</sup>	$\gamma_0$ <sup>d</sup>	600	$1^-; 1$	22.83	
2.5	$\alpha_0$			22.9	
2.6	$(n_0), \alpha_1$			23.0	
2.8	$(n_0), d_0$			23.2	
3.24	$p_0, p_{1+2}, p_4, p_5, p_6, d_0, \alpha_3$			23.57	(1977KO33)
4.2	$\gamma_0, (p_0), d_0, \gamma_{15.1}$			24.4	
4.58	$(p_0), d_0, \gamma_{15.1}$			24.74	
4.9	$n_0, p_0$			25.0	
5.95	$d_1, \gamma_{15.1}$			25.9	
7.1	$\gamma_{15.1}$			26.9	
7.4	$d_2$			27.2	
7.7	$d_1$			27.5	
(8.5)	$(\gamma_{15.1})$			(28.2)	
10.2	$d_2$			29.7	

<sup>a</sup> For earlier references see Table 16.14 in (1977AJ02).

<sup>b</sup>  $(\Gamma_{d_0}\Gamma_i/\Gamma^2) \times 10^{-3}$  are greater than  $1.6 \pm 0.4$ ,  $0.27 \pm 0.13$ ,  $0.41 \pm 0.15$  and  $0.07 \pm 0.05$  for the  $\alpha_2$ ,  $p_0$ ,  $p_{1+2}$  and  $p_3$  groups.

<sup>c</sup> If this resonance is fitted with a single-level Breit-Wigner shape, penetrability effects could lower the resonance energy by as much as 50 keV, assuming  $l = 1$  (1972WE04).

<sup>d</sup> The angular distribution of  $\gamma_0$  is consistent with E1.



The yield of elastically scattered deuterons has been studied for  $E_d = 0.65$  to  $5.5$  MeV and for  $14.0$  to  $15.5$  MeV: see (1971AJ02, 1977AJ02). There is indication of broad structure at  $E_d = 5.9$  MeV and of sharp structure at  $E_d = 7.7$  MeV in the total cross section of the  $d_1$  group to the  $T = 1$  (isospin-forbidden),  $J^\pi = 0^+$  state at  $E_x = 2.31$  MeV in  $^{14}\text{N}$ . The yield of deuterons ( $d_2$ ) to  $^{14}\text{N}^*(3.95)$  [ $J^\pi = 1^+$ ,  $T = 0$ ] shows gross structures at  $E_d = 7.4$  and  $10.2$  MeV (1970DU04): see Table 16.16. The yield of  $d_1$  has also been studied for  $E_d = 10.0$  to  $17.9$  MeV by (1979AO01). For polarization measurements, see (1977AJ02) and (1980KR01:  $E_d = 10$  MeV;  $d_0$ ). See also  $^{14}\text{N}$  in (1981AJ01) and (1977IZ01, 1977IZ1B, 1979SE04; theor.).

35. (a) $^{14}\text{N}(d, t)^{13}\text{N}$	$Q_m = -4.2963$	$E_b = 20.7363$
(b) $^{14}\text{N}(d, ^3\text{He})^{13}\text{C}$	$Q_m = -2.0571$	

For polarization measurements see (1977AJ02) and (1981MA14). See also  $^{13}\text{C}$ ,  $^{13}\text{N}$  in (1981AJ01).

36. $^{14}\text{N}(d, \alpha)^{12}\text{C}$	$Q_m = 13.5743$	$E_b = 20.7363$
---	-----------------	-----------------

There is a great deal of structure in the yields of various  $\alpha$ -particle groups for  $E_d = 0.5$  to  $12$  MeV: see Table 16.16 in (1971AJ02) for the earlier work, and (1977KO33:  $0.5$  to  $5.0$  MeV;  $\alpha_0 \rightarrow \alpha_3$ ,  $\alpha_5 \rightarrow \alpha_7$ ). The latter group reports broad oscillations ( $\Gamma \approx 0.5$  MeV) in the  $\alpha_0$  and  $\alpha_1$  yields for  $E_d = 2.0$  to  $5.0$  MeV. In addition,  $^{16}\text{O}^*(23.54)$  is reflected in the  $\alpha_3$  yield: see Table 16.16. The yield of  $15.11$  MeV  $\gamma$ -rays [from the decay of  $^{12}\text{C}^*(15.11)$ ,  $J^\pi = 1^+$ ,  $T = 1$ ] which is isospin-forbidden has been studied for  $E_d = 2.8$  to  $12$  MeV. Pronounced resonances are observed at  $E_d = 4.2$ ,  $4.58$  and  $5.95$  MeV and broader peaks occur at  $E_d = 7.1$  and, possibly, at  $8.5$  MeV. See also  $^{12}\text{C}$  in (1980AJ01).

For polarization measurements, see (1979DE45:  $E_d = 1.5$  to  $3.0$  MeV;  $\alpha_0$ ,  $\alpha_1$ ), (1980KR1G, 1981KR1A:  $E_d = 10$  MeV;  $\alpha_0 \rightarrow \alpha_5$ ) and (1977AJ02). See also (1979SE04; theor.).

37. $^{14}\text{N}(t, n)^{16}\text{O}$	$Q_m = 14.4790$
--	-----------------

See (1977AJ02).

38. (a) $^{14}\text{N}(^3\text{He}, p)^{16}\text{O}$	$Q_m = 15.2428$
(b) $^{14}\text{N}(^3\text{He}, p\alpha)^{12}\text{C}$	$Q_m = 8.0808$

Observed proton groups are displayed in Table 16.17. Angular distributions have been measured at  $E(^3\text{He}) = 2.5$  to  $24.7$  MeV: see (1977AJ02) for the earlier work and (1979SL02:  $9.8$  MeV;  $p_0$ ), (1978BI10, 1978FO27:  $15$  MeV; most states in Table 16.17) and (1977MA2L:  $24.7$  MeV;  $p$  to  $^{16}\text{O}^*(0, 6.13, 16.21, 17.14)$ ). Branching ratios and  $\tau_m$  measurements are shown in Tables 16.11 and 16.12.

Table 16.17:  $^{16}\text{O}$  states from  $^{14}\text{N}(^3\text{He}, p)^{16}\text{O}$ 

$E_x$ (MeV $\pm$ keV) <sup>a,b</sup>	$\Gamma_{\text{c.m.}}$ <sup>a,b</sup> (keV)	$L$ <sup>c</sup>	$J^\pi$ <sup>c</sup>
0		$0 + 2^d$	
$6.052 \pm 5$		$(0)^e$	
$6.131 \pm 4$		$1 + 3^d$	
$6.916 \pm 3$		$(0)$	
$7.115 \pm 3$		$1 + 3^d$	
$8.870 \pm 3$	$< 20$	$3 + 1$	
$9.614 \pm 30$	$510 \pm 60$		
$9.847 \pm 3$	$< 20$	$0(+2)$	
$10.356 \pm 3$	$25 \pm 5$	$e$	
$10.957 \pm 1$	$< 12$	$1^d$	
$11.080 \pm 3$	$< 12$	$2 + 4^f$	
$11.098 \pm 2$	$< 12$		
$11.520 \pm 4$	$64 \pm 5$	$e$	
$12.049 \pm 2$	$< 12$	$0$	
$12.438 \pm 3$	$70 \pm 10$	$1$	
$12.530 \pm 2$	$< 12$	$1 + 3^d$	
$12.797 \pm 4$	$40 \pm 10$	$1$	$0^-; T = 1^g$
$12.970 \pm 1$	$< 12$	$1 + 3$	$2^-; T = 1^g$
$13.105 \pm 15$	$160 \pm 30$	$0 + 3^f$	
$13.257 \pm 2$	$20 \pm 5$	$(1 + 3)$	$3^-; T = 1^g$
$13.663 \pm 4$	$63 \pm 7$	$0$	
$13.869 \pm 2$	$85 \pm 20$	$(4)^e$	
$13.979 \pm 2$	$14 \pm 5$	$1(+3)$	
$14.302 \pm 3$	$< 20$	$e$	
$14.399 \pm 2$	$27 \pm 5$	$(4)$	
$14.818 \pm 3$		$2$	$(0 \rightarrow 4)^+$
$14.927 \pm 2$	$60 \pm 10$	$0(+2)$	$(0, 1, 2)^+{}^h$
$15.103 \pm 5$			
$15.196 \pm 3$		$(0 + 2)$	
$15.409 \pm 6$		$e$	
$15.785 \pm 5$	$40 \pm 10$	$2(+4)$	$(2, 3, 4)^+{}^h$

Table 16.17:  $^{16}\text{O}$  states from  $^{14}\text{N}(^3\text{He}, p)^{16}\text{O}$  (continued)

$E_x$ (MeV $\pm$ keV) <sup>a,b</sup>	$\Gamma_{\text{c.m.}}$ <sup>a,b</sup> (keV)	$L$ <sup>c</sup>	$J^\pi$ <sup>c</sup>
16.114 $\pm$ 4 <sup>j</sup>			
16.209 $\pm$ 2	40 $\pm$ 10	0 + 2	
16.350 $\pm$ 13			
16.440 $\pm$ 3	$\approx$ 30	0 + 2	
16.817 $\pm$ 2	70 $\pm$ 10		

<sup>a</sup> (1964BR08):  $E(^3\text{He}) = 3.74$  and  $3.97$  MeV.

<sup>b</sup> (1978BI10):  $E(^3\text{He}) = 15$  MeV.

<sup>c</sup> (1978BI10, 1978FO19, 1978FO27).

<sup>d</sup> See also (1971WE16).

<sup>e</sup> Mostly compound nucleus.

<sup>f</sup> Unresolved.

<sup>g</sup> (1978FO27) have compared the cross-section ratios of these three  $T = 1$  states with their analogs in  $^{16}\text{N}$  populated in the (t, p) reaction: only the  $2^-$  states have the expected cross-section ratio of 0.5 for  $(^3\text{He}, p)/(t, p)$ . The populations of the  $0^-$  and  $3^-$  states in  $^{16}\text{O}$  are lower by a factor of two.

<sup>h</sup> (1978FO19) suggest that these two states [ $^{16}\text{O}^*(14.93, 15.79)$ ] are  $1^+$  and  $3^+$  2p-2h states with  $T_p = T_h = 0$ .

<sup>i</sup> Very weak proton group. I am indebted to Prof. H.T. Richards for his comments.

At  $E(^3\text{He}) = 8$  MeV a study of the protons in coincidence with 4.4 MeV  $\gamma$ -rays (reaction (b)) indicates that the reaction proceeds via  $^{16}\text{O}^*(12.51, 13.97, 14.39, 14.92, 15.82, 16.23, 17.82, 18.04)$  [ $\pm 40$  keV] (1969HO13). In a kinematically complete experiment at  $E(^3\text{He}) = 13$  MeV,  $^{16}\text{O}^*(14.94, 18.04)$  are strongly populated (1980FRZN; prelim.). See also (1979HAYZ).

$$39. \text{ (a) } ^{14}\text{N}(\alpha, d)^{16}\text{O} \quad Q_m = -3.1104$$

$$\text{ (b) } ^{14}\text{N}(\alpha, d\alpha)^{12}\text{C} \quad Q_m = -10.2724$$

Angular distributions to states of  $^{16}\text{O}$  have been reported at many energies to  $E_\alpha = 48$  MeV: see (1971AJ02, 1977AJ02). Among the states reported by (1972LO08) [see Table 16.7 in (1977AJ02)] are  $^{16}\text{O}^*(11.094 \pm 3, 14.400 \pm 3, 14.815 \pm 2, 17.18 \pm 50)$  [MeV  $\pm$  keV]: the results of (1972LO08) are consistent with  $J^\pi = 5^+, 6^+, 4^+$  for  $^{16}\text{O}^*(14.40, 14.82, 16.29)$  [2p-2h] and with  $6^+$  for  $^{16}\text{O}^*(16.30)$  [4p-4h]. (1979CL10) report  $\Gamma_{\text{c.m.}} = 34 \pm 12, 27 \pm 5$  and  $70 \pm 8$  keV, respectively for  $^{16}\text{O}^*(14.31 \pm 10, 14.40 \pm 10, 14.81)$ . For reaction (b) see (1977AJ02).

40.  $^{14}\text{N}(^6\text{Li}, \alpha)^{16}\text{O}$   $Q_m = 19.2628$

Angular distributions have been measured at  $E(^6\text{Li}) = 5.3$  to  $6.0$  MeV and  $E(^{14}\text{N}) = 27.6$  MeV: see (1977AJ02).

41.  $^{14}\text{N}(^{10}\text{B}, ^8\text{Be})^{16}\text{O}$   $Q_m = 14.7104$

See (1978WU1C). See also (1977HI01).

42. (a)  $^{14}\text{N}(^{11}\text{B}, ^9\text{Be})^{16}\text{O}$   $Q_m = 4.9204$

(b)  $^{14}\text{N}(^{13}\text{C}, ^{11}\text{B})^{16}\text{O}$   $Q_m = 2.0576$

At  $E(^{14}\text{N}) = 50$  MeV angular distributions are reported to  $^{16}\text{O}^*(0, 6.1$  [u],  $7.0$  [u],  $8.87, 9.85, 10.3$  [u],  $11.0$  [u]) [u = unresolved] (1977RE08). For both reactions see (1980PR09). See also (1977AJ02).

43.  $^{15}\text{N}(p, \gamma)^{16}\text{O}$   $Q_m = 12.1276$

The yield of ground state radiation ( $\gamma_0$ ) has been measured for  $E_p = 0.15$  to  $27.4$  MeV: see Table 16.18 in (1977AJ02) and (1979SN01:  $E_{\bar{p}} = 4$  to  $9$  MeV), (1977CH19:  $6$  to  $22$  MeV; also  $\gamma_2$ ), (1977CA21:  $E_{\bar{p}} = 8.6$  to  $11$  MeV) and (1978OC01:  $8.6$  to  $18$  MeV; also  $\gamma_{1+2+3+4}$  for  $12.7 \rightarrow 18$  MeV). Table 16.18 displays the parameters of the observed resonances. The cross section shows a great deal of structure up to  $E_p = 17$  MeV. Above that energy the  $\gamma_0$  yield decreases monotonically. Besides the GDR which peaks at  $^{16}\text{O}^*(22.15)$  (1978OC01), the giant M2 resonance, based on  $^{16}\text{O}^*(6.13)$ , is identified to be  $^{16}\text{O}^*(20.43)$  (1977CH19), and there is evidence for the emergence of a giant structure (E2) with  $E_x = 24 - 29$  MeV in the  $\gamma_{1+2+3+4}$  yield (1978OC01). (1979SN01) report that the total M1 transition strength, built on the 2p-2h ground state correlations,  $B(\text{M1})_{\downarrow} \geq 0.24$  nm<sup>2</sup> for  $^{16}\text{O}^*(16.22, 17.14, 18.8)$ .

A study of the M1 decays of  $^{16}\text{O}^*(16.22, 17.14)$  [both  $J^\pi = 1^+$ ;  $T = 1$ ] to  $^{16}\text{O}^*(6.05)$  finds  $B(\text{M1}, 1^+ \rightarrow 0_2^+)/B(\text{M1}, 1^+ \rightarrow 0_1^+) \approx 0.7$  for both transitions. The M1 (E2)  $\gamma$ -decay of  $^{16}\text{O}^*(18.03, 18.98)$  [ $J^\pi = 3^-$ ;  $T = 1$  and  $J^\pi = 4^-$ ;  $T = 1$ , respectively] to  $^{16}\text{O}^*(6.13)$  [ $J^\pi = 3^-$ ] are also reported by (1980IK1A). See also (1981SN1A).

Below  $E_p = 0.4$  MeV capture to the ground state is dominant:  $S(0) = 64 \pm 6$  keV  $\cdot$  b, a value which makes the oxygen side cycle in CNO burning more important than previously thought. Study of the direct radiative capture process leads to a single-particle spectroscopic factor  $C^2S = 1.8 \pm 0.4$  for  $^{16}\text{O}_{\text{g.s.}}$  (1974RO37).

Table 16.18: Levels of  $^{16}\text{O}$  from  $^{15}\text{N}(\text{p}, \gamma)^{16}\text{O}$ ,  $^{15}\text{N}(\text{p}, \text{p})^{15}\text{N}$  and  $^{15}\text{N}(\text{p}, \alpha)^{12}\text{C}$ 

No.	$E_{\text{P}}$ (keV)	$\Gamma_{\gamma_0}$ <sup>a</sup> (eV)	$\Gamma_{\gamma_1}$ <sup>a</sup> (eV)	$\Gamma_{\text{P}}$ <sup>a</sup> (keV)	$\Gamma_{\text{P}}\Gamma_{\gamma}/\Gamma$ (eV)	$\Gamma_{\alpha_0}$ <sup>a</sup> (keV)	$\Gamma_{\alpha_1}$ <sup>a</sup> (keV)	$\Gamma_{\text{lab}}$ (keV)	$J^{\pi}; T$	$E_{\text{x}}$ (MeV $\pm$ keV)	Refs. <sup>b</sup>
1	338	$12 \pm 2$	$0.12 \pm 0.04$	1.2		95	0.025	96	$1^{-}; 0$	12.444	
2	$429 \pm 1$	$(21 \pm 6) \times 10^{-3}$	$2.1 \pm 2$	0.02		nr	0.90	0.9	$2^{-}; 0$	12.530	
3	$710 \pm 7$			40		nr		$40 \pm 4$	$0^{-}; 1$	12.793	
4	$897.37 \pm 0.29$	$(78 \pm 16) \times 10^{-3}$		1.2		nr	$0.69 \pm 0.07$	$2.0 \pm 0.2$	$2^{-}; 1$	12.9685	(1977BR32)
5	$1028 \pm 10$	$32 \pm 5$		100		40	r	$140 \pm 10$	$1^{-}; 1$	13.091	(1977BR32)
6	$1050 \pm 150$					$\Gamma_{\text{P}}\Gamma_{\alpha_0} = 500 \text{ keV}^2$			$2^{+}$	13.1	(1977BR32)
7	$1210 \pm 3$			4.1		r	$8.2 \pm 1.1$	$22.5 \pm 1$	$3^{-}; 1$	13.261	(1977BR32)
8	$1640 \pm 3$	$\approx 8.5$		10		nr	$59 \pm 6$	$68 \pm 3$	$1^{+}; 0$	13.664	
9	$1890 \pm 20$			0.5		r	(r)	$90 \pm 2$		13.90	
10	$1979 \pm 3$			r		nr	r	$23 \pm 2$	$2^{-}$	13.982	
11	$2977 \pm 10$			33		1.5	30	$69 \pm 10$	$2^{+}$	$14.917 \pm 5$ <sup>c</sup>	(1977JA11, 1978FR04)
12	$3170^{\text{j}}$			$12^{\text{d}}$		152	163	$327 \pm 100$	$0^{+}$	$15.10 \pm 50$	(1978FR04)
13	$3260^{\text{j}}$			48		nr	7	$62 \pm 10$	$2^{-}$	$15.188 \pm 30$ <sup>c</sup>	(1978FR04)
14	$3340^{\text{j}}$			$15^{\text{d}}$		12	182	$315 \pm 100$	$2^{+}; (0)$	$15.26 \pm 20$ <sup>c</sup>	(1978FR04)
15	$3520 \pm 40$			23		103	1	$167 \pm 20$	$3^{-}$	$15.43$ <sup>c</sup>	(1977JA11, 1978FR04)
16	$4380 \pm 20$	3.6	r	16	$2.65 \pm 0.22$			$19 \pm 3$	$1^{+}; 1$	16.23	(1979SN01, 1980IK1A)
17	$4620 \pm 20$			r		(r)	r			16.46	(1977JA11)
18	$5010 \pm 20$			r		nr	r	$75 \pm 10$	$3^{+}$	16.82	(1977JA11)
19	5200	r						$\approx 1500$	$1^{-}; 1$	17.0	
20	$5350 \pm 20$	6.5	r	26	$3.75 \pm 0.50$			$38 \pm 5$	$1^{+}; 1$	17.14	(1979SN01, 1980IK1A)
21	$5490 \pm 20$	67	$^{\circ}$	45				$\approx 110$	$1^{-}; 1$	17.27	
22	$6290 \pm 20$	nr	$5 \pm 2 [4 \pm 2^{\text{e}}]$	$\leq 15^{\text{f}}$				$\leq 40$	$3^{-}; 1$	18.02	(1977CH19, 1980IK1A)
23	$7310 \pm 20$		$\leq 2^{\text{e}, \circ}$	$\leq 40^{\text{f}}$				$\leq 40$	$4^{-}; 1$	18.98	(1977CH19, 1980IK1A)
24	$7330 \pm 30$	38		$\leq 130$	$\geq 1.8 \pm 0.3$			$\approx 260$	$1^{+}$	18.99	(1979SN01)
25	7420	r		$\approx 30$				$\approx 130$	$2^{+}; (1)$	19.08	
26	$7600 \pm 30$	nr	$1.5^{\text{h}}$					100	$(2, 3; 1)$	19.25	
27	$7840 \pm 30$	59		(r)				350	$1^{-}; 1$	19.47	
28	$8290 \pm 20$	nr	$17 \pm 6^{\text{e}}$	$25 \pm 10^{\text{f}}$				$80 \pm 30$	3	19.89	(1977CH19)
29	$8860 \pm 30$	nr	$120 \pm 45^{\text{e}}$	$86^{\text{f}}$				$200 \pm 40$	$2^{-}; 1$	20.43 <sup>g</sup>	(1977CH19)
30	8990			i				160		20.55	
31	$9410^{\text{j}}$	170		i	$21 \pm 1$			$320 \pm 10$	$1^{-}; 1$	$20.945 \pm 20$	(1978OC01, 1977CA21)
32	$10000^{\text{j}}$			k				130	$1 \rightarrow 4$	21.50	
33	$10180^{\text{j}}$			l		r		$< 45$	$T = 0$	21.66	
34	$10700^{\text{j}, \text{m}}$	r		k	$488 \pm 20$			$730 \pm 10$	$1^{-}; 1$	$22.150 \pm 10$	(1978OC01)
35	$11490^{\text{j}}$	120	$27^{\text{h}}$	k	$69 \pm 5$			$320 \pm 10$	$1^{-}; 1$	$22.89 \pm 10$	(1978OC01)
36	$12740^{\text{j}}$	r			$130 \pm 13$			$590 \pm 40$	$1^{-}; 1$	$24.07 \pm 30$	(1978OC01)
37	$13490 \pm 60$		$230 \pm 90$ , or $130 \pm 50^{\text{e}}$	$85^{\text{f}}$				$360 \pm 60$	$(2, 4)^{+}; 1$	24.76	(1977CH19)
38	$13870^{\text{j}}$	r			$651 \pm 117$			$3150 \pm 320$	$1^{-}; 1$	$25.12 \pm 60$	(1978OC01)
39	$15250 \pm 80$		$740 \pm 240$ , or $410 \pm 140^{\text{e}}$	$122^{\text{f}}$				$565 \pm 85^{\text{n}}$	$(2, 4)^{+}; 1$	26.41	(1977CH19)
40	$16250 \pm 100$		$1070 \pm 380$ , or $590 \pm 10^{\text{e}}$	$206^{\text{f}}$				$880 \pm 125$	$(2, 4)^{+}; 1$	27.35	(1977CH19)

<sup>a</sup> nr = non-resonant; r = resonant.

<sup>b</sup> For earlier references see Tables 16.21 in (1971AJ02) and 16.19 in (1977AJ02).

<sup>c</sup> The values for  $\Gamma_x$ ,  $\Gamma$ ,  $J^\pi$  and  $E_x$  are from a multilevel  $R$ -matrix analysis of  $p_0$ ,  $\alpha_0$  and  $\alpha_1$  excitation curves (1978FR04); in addition to these states, others at  $E_x = 14.0 [0^+]$  (fixed), 14.6 [ $1^-$ ] and 16.2 MeV [ $1^+$ ],  $\Gamma = 0.44, 0.68$  and 1.23 MeV were included in the analysis.

<sup>d</sup> Not observed in  $p_0$  channel.

<sup>e</sup>  $\Gamma_{\gamma_2}$  (eV) (1977CH19).

<sup>f</sup>  $\Gamma_{p_0}$  based on  $\Gamma_{c.m.}$  and values of  $\Gamma_{p_0}/\Gamma$  assumed by (1977CH19).

<sup>g</sup> This state is attributed to the giant M2 resonance based on  $^{16}\text{O}^*(6.13) [J^\pi = 3^-]$  (1977CH19).

<sup>h</sup>  $\gamma_1 + \gamma_2$ .

<sup>i</sup> Resonant in  $p_2$  (1971DR06).

<sup>j</sup> Nominal  $E_p$  calculated from  $E_x$ .

<sup>k</sup> Resonant in  $p_1$  (1971DR06).

<sup>l</sup> Resonant in  $p_0, p_1, p_6$  (1971DR06).

<sup>m</sup>  $\sigma = 12.9$  mb at peak of GDR (1978OC01).

<sup>n</sup> Average of values obtained in this experiment and in  $^{12}\text{C}(\alpha, \gamma_2)$  (1977CH19).

<sup>o</sup> Resonant in  $\gamma_2$ .

<sup>p</sup> Apparent resonance in yield of  $(p, \alpha\gamma_{15,1})$  (1978OC01).

For branching ratios and  $\Gamma_\gamma$  values for the low-energy resonances see Table 16.12. See also (1978W11J, 1979W1ZW), (1975HA1Q, 1975PA1J, 1976HA1Q, 1979GL1H, 1979HA1G, 1979SN1A, 1980WE1D, 1981W11E), (1975Z11A, 1976BO1M, 1977RO1H, 1978RO1D, 1980BA2R; astro-phs.) and (1977BA4A, 1977HO32, 1978BA52, 1978GA13; theor.).

$$44. \text{}^{15}\text{N}(p, p)\text{}^{15}\text{N} \qquad E_b = 12.1276$$

Elastic scattering studies are reported for  $E_p = 0.6$  to 15 MeV: see Table 16.20 in (1971AJ02), 16.18 in (1977AJ02), (1977JA11; 2.50 to 5.14 MeV) and (1978FR04; 2.88 to 3.64 MeV). See also (1976LAZL). Observed anomalies are displayed in Table 16.18. For inelastic groups see (1971DR06). See also (1980FA06) and (1980DO01, 1980HA35; theor.).

$$45. \text{}^{15}\text{N}(p, n)\text{}^{15}\text{O} \qquad Q_m = -3.5363 \qquad E_b = 12.1276$$

Excitation functions and cross sections have been measured for  $E_p = 3.8$  to 19.0 MeV: see (1977AJ02) and (1978CH09; 8.5  $\rightarrow$  19.0 MeV;  $n_0$ ). For a listing of observed resonances see Table 16.19. Angular distributions of  $n_0$  have been studied for  $E_p = 5.52$  to 9.26 MeV (1981MU01) and 9.05 to 15.62 MeV (1981BY01). Polarization measurements are reported for the  $n_0$  group at  $E_p = 7$  to 17 MeV: see (1981MU1D, 1981WA1F). See also (1977BY1A, 1980BY1A, 1981BY1B), (1976WA1C, 1979BY1B, 1980WA1K, 1981CO1C, 1981WA1G) and (1977BA02, 1977HO32, 1979AB17, 1980DO01, 1980HA35, 1981PH1B; theor.).

$$46. \text{(a) } \text{}^{15}\text{N}(p, t)\text{}^{13}\text{N} \qquad Q_m = -12.9050 \qquad E_b = 12.1276$$

$$\text{(b) } \text{}^{15}\text{N}(p, \text{}^3\text{He})\text{}^{13}\text{C} \qquad Q_m = -10.6658$$

The yields of the first three triton and  $^3\text{He}$  groups have been measured for  $E_p = 24.0$  to 43.5 MeV (1974PI05, 1975MI01). Polarized protons with  $E_p = 43.8$  MeV have been used to study the transitions to  $^{13}\text{C}^*(0, 3.68, 7.55, 15.11)$  and  $^{13}\text{N}^*(0, 3.51, 7.38, 15.07)$  (1974MA12). See also  $^{13}\text{C}$ ,  $^{13}\text{N}$  in (1981AJ01).

$$47. \text{}^{15}\text{N}(p, \alpha)\text{}^{12}\text{C} \qquad Q_m = 4.9656 \qquad E_b = 12.1276$$

Excitation functions for  $\alpha_0$  and  $\alpha_1$  particles [corresponding to  $^{12}\text{C}^*(0, 4.43)$ ] and of 4.43 MeV  $\gamma$ -rays have been measured for  $E_p = 93$  keV to 45 MeV: see Tables 16.20 in (1971AJ02), 16.18 in (1977AJ02) and (1979ZY02: 93 to 418 keV;  $\alpha_0$ ), (1977BR32: 0.9 to 1.25 MeV;  $\alpha_0, \alpha_1$ ), (1977JA11: 2.5 to 5.14 MeV;  $\alpha_0, \alpha_1$ ) and (1978FR04: 2.88 to 3.64 MeV;  $\alpha_0, \alpha_1$ ). The yield of 15.11 MeV  $\gamma$ -rays has been measured for  $E_p = 12.5$  to 17.7 MeV (1978OC01). Observed resonances are displayed in Table 16.18.

Table 16.19: Resonances in  $^{15}\text{N}(p, n)^{15}\text{O}$  <sup>a</sup>

$E_p$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi; T$ <sup>b</sup>	$E_x$ (MeV)
$4.37 \pm 15$	$19 \pm 6$	$1^{(+)}; 1$	16.22
$4.45 \pm 30$	$240 \pm 30$	$0^{(-)}$	16.30
$5.35 \pm 15$	$33 \pm 5$	$1^{(-)}; 1$	17.14
$5.52 \pm 15$	$90 \pm 10$	$1^-; 1$	17.30
$5.88 \pm 15$	$59 \pm 10$	$\geq 1; 1$	17.64
$6.12 \pm 15$	$101 \pm 10$	$\geq 1; 1$	17.86
$6.23 \pm 15$ <sup>c</sup>	$\leq 50$	$T = 1$	17.96
$6.33 \pm 15$	$26 \pm 5$	$\geq 1; 1$	18.06
$6.43 \pm 30$	$\approx 300$		18.15
$6.76 \pm 25$	$\approx 160$		18.46
$7.03 \pm 30$	$260 \pm 30$		18.71
$7.59 \pm 25$	$90 \pm 10$	$2^-; 1$	19.24
$7.86 \pm 30$	$300 \pm 80$		19.49
$8.30 \pm 25$	$120 \pm 40$		19.90
$8.88 \pm 40$ <sup>d,e</sup>	$200 \pm 50$	2	20.45
$9.08 \pm 40$ <sup>e</sup>	$130 \pm 50$		20.63
$9.42 \pm 100$ <sup>e</sup>	$235 \pm 45$		20.95
$10.73 \pm 100$ <sup>e</sup>	$800 \pm 95$	1	22.18
$11.01 \pm 100$	$300 \pm 100$		22.44
$11.92 \pm 100$	$520 \pm 200$		23.29
$13.03 \pm 100$	$520 \pm 100$		24.33
$13.63 \pm 100$	$\approx 280$	2, 4	24.89
$15.12 \pm 100$	$610 \pm 140$	2, 4	26.29
$18.4 \pm 200$	$470 \pm 150$		29.4

<sup>a</sup> First fourteen resonances are from (1968BA42); the higher energy resonances are from (1978CH09:  $n_0$ ).

<sup>b</sup> Assignments are from (p, n) and (p,  $\gamma$ ) results. The  $T$ -assignments are made on the basis of energy and width comparisons with states of  $^{16}\text{N}$ .

<sup>c</sup> Probably a doublet: see (1968BA42).

<sup>d</sup> Values of  $(2J + 1)\Gamma_{p_0}\Gamma_{n_0}/\Gamma^2$  are derived for this resonance and the ones below: see (1978CH09).

<sup>e</sup> See also (1968BA42).



Table 16.20: States in  $^{16}\text{O}$  from  $^{15}\text{N}(\text{d}, \text{n})$ ,  $^{15}\text{N}({}^3\text{He}, \text{d})$ ,  $^{17}\text{O}(\text{d}, \text{t})$  and  $^{17}\text{O}({}^3\text{He}, \alpha)$ 

$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	$l^a$	$l^b$	$S^c$	$l^e$	$C^2S^e$	$l^f$	$S^f$
0	$0^+; 0$	1	1	3.1	2	0.74	2	0.88
6.05	$0^+; 0$		1	<sup>d</sup>			2	0.009
6.13	$3^-; 0$	2	2		1	0.46	1	0.37
6.92	$2^+; 0$	not direct	1 + 3	<sup>d</sup>	obs.		(2 + 0)	0.022
7.12	$1^-; 0$	0	0 + 2		1	0.04	(3 + 1)	0.007
8.87	$2^-; 0$	2	2	0.72	1	0.33	1	0.26
9.63	$1^-; 0$		0	<sup>d</sup>				
9.85	$2^+; 0$	1	not direct	<sup>d</sup>			2	0.025
10.35	$4^+; 0$		3	<sup>d</sup>			2	0.025
10.95	$0^-; 0$	0	0	0.76			(3 + 1)	0.008
11.08	$3^+; 0$	3	3	0.18			2	0.044 or 0.086
11.26	$0^+; 0$		broad					
12.44	$1^-; 0$	0	0	0.40				
12.53	$2^-; 0^j$	2	2	0.72	1	0.07		
12.80	$0^-; 1$	0	0	0.44				
12.97	$2^-; 1^j$	2	2	0.40	1	0.69	1	0.38
13.10	$1^-; 1$	(0)		0.58			1	0.10
			2(+0)					
13.13 <sup>g</sup>	$3^-; 0$	(2)		0.32				
13.25	$3^-; 1$	2	2	0.46	1	0.70	1	0.34
15.22	$2^-; 0^e$				1	0.12		
15.42	$3^-; 0^e$				1	0.37		
17.14			obs.					
17.20	$2^+$		obs.					
$17.788 \pm 16^i$	$4^-; 0$					0.17		
$18.033 \pm 10^i$	$3^+; 1^h$				(1)	0.12		
$^{16}\text{O}^*$ (MeV $\pm$ keV)	$J^\pi; T$	$l^e$	$C^2S^e$	$l^f$	$S^f$	$\Gamma^j$ (keV)		
18.48	$T = 1$	(1)	0.25					
$18.975 \pm 10^i$	$4^-; 1$	1	0.73					
$19.206 \pm 12^i$	$3^-; 1^h$	1	0.50			$68 \pm 10$		
$19.802 \pm 16^i$	$4^-; 0$	1	0.52			$36 \pm 5$		
20.45	$(2, 4)^-; 1$	1	0.21					

- <sup>a</sup>  $^{15}\text{N}(\text{d}, \text{n})$ ;  $E_{\text{d}} = 4.8$  to  $6$  MeV; see (1977AJ02) for references.
- <sup>b</sup>  $^{15}\text{N}(\text{}^3\text{He}, \text{d})$ ;  $E(\text{}^3\text{He}) = 11, 16.0$  and  $24.0$  MeV; see (1977AJ02).
- <sup>c</sup> “Best” values as discussed by (1972BO49) [from (d, n) and ( $^3\text{He}, \text{d}$ ) data]. See Table 16.22 in (1977AJ02) for a more complete display.
- <sup>d</sup> Very small value of  $S$ : see (1977AJ02).
- <sup>e</sup>  $^{17}\text{O}(\text{d}, \text{t})$ ;  $E_{\text{d}} = 52$  MeV (1978MA16). See also (1981MA1E;  $E_{\text{d}} = 52$  MeV).
- <sup>f</sup>  $^{17}\text{O}(\text{}^3\text{He}, \alpha)$ ;  $E(\text{}^3\text{He}) = 11$  MeV (1971BO02).
- <sup>g</sup>  $\Gamma = 128$  keV.
- <sup>h</sup> I am indebted to Prof. H.T. Richards for an illuminating discussion of the evidence for the parameters of this state. See also (1981MA1E).
- <sup>i</sup> (1980BR1H):  $^{17}\text{O}(\text{}^3\text{He}, \alpha)$ .  $\Gamma < 50$  keV for  $^{16}\text{O}^*(17.79)$ .
- <sup>j</sup> See text (1977WA11).

A study of the  $\alpha_0$  cross section for  $E_{\text{p}} = 93$  to  $418$  keV leads to  $S(0) = 78 \pm 6$  MeV · b (1979ZY02). For the  $\alpha_1\gamma$ -channel  $S(0) \approx 0.1$  keV · b (1974RO37). See also (1977AJ02), (1979CL10), (1977RO1H, 1980BA2R; astrophys.), (1978TH1F; applications) and (1977GA1H; theor.).

$$48. \text{}^{15}\text{N}(\text{d}, \text{n})\text{}^{16}\text{O} \qquad Q_{\text{m}} = 9.9029$$

Observed neutron groups,  $l$ -values and spectroscopic factors are displayed in Table 16.20. Angular distributions are reported for  $E_{\text{d}}$  to  $6$  MeV: see (1977AJ02).

$$49. \text{}^{15}\text{N}(\text{}^3\text{He}, \text{d})\text{}^{16}\text{O} \qquad Q_{\text{m}} = 6.6340$$

Angular distributions have been measured at  $E(\text{}^3\text{He}) = 11, 16.0$  and  $24.9$  MeV [see (1977AJ02)]:  $l$ - and  $S$ -values are shown in Table 16.20.

$$50. \text{}^{15}\text{N}(\alpha, \text{t})\text{}^{16}\text{O} \qquad Q_{\text{m}} = -7.6865$$

At  $E_{\alpha} = 65$  MeV, the population of many  $^{16}\text{O}$  states with  $E_{\text{x}} < 22$  MeV is reported by (1980YA1B).

$$51. \text{(a) } \text{}^{15}\text{N}(\text{}^{11}\text{B}, \text{}^{10}\text{Be})\text{}^{16}\text{O} \qquad Q_{\text{m}} = 0.8988$$

$$\text{(b) } \text{}^{15}\text{N}(\text{}^{13}\text{C}, \text{}^{12}\text{B})\text{}^{16}\text{O} \qquad Q_{\text{m}} = -5.406$$

Angular distributions are reported at  $E(^{11}\text{B}) = 115 \text{ MeV}$  to  $^{16}\text{O}^*(6.13)$  and at  $E(^{13}\text{C}) = 105 \text{ MeV}$  to  $^{16}\text{O}^*(6.13, 8.87)$  ([1979RA10](#), [1980PR09](#)).

$$52. \ ^{16}\text{N}(\beta^-)^{16}\text{O} \quad Q_m = 10.418$$

The ground state of  $^{16}\text{N}$  decays to seven states of  $^{16}\text{O}$ : reported branching ratios are listed in Table [16.21](#). The ground state transition has the unique first-forbidden shape corresponding to  $\Delta J = 2$ , yes, fixing  $J^\pi$  of  $^{16}\text{N}$  as  $2^-$ : see ([1959AJ76](#)). For the  $\beta$ -decay of  $^{16}\text{N}^*(0.12)$  see reaction 1 in  $^{16}\text{N}$ .

The  $\alpha$ -decay of  $^{16}\text{O}^*(8.87, 9.63, 9.85)$  has been observed: see ([1971AJ02](#)). The parity-forbidden  $\alpha$ -decay from the  $2^-$  state  $^{16}\text{O}^*(8.87)$  has been reported:  $\Gamma_\alpha = (1.03 \pm 0.28) \times 10^{-10} \text{ eV}$  [ $E_\alpha = 1282 \pm 5 \text{ keV}$ ] ([1974NE10](#)).

Transition energies derived from  $\gamma$ -ray measurements are:  $E_x = 6130.43 \pm 0.05 \text{ keV}$  [ $E_\gamma = 6129.170 \pm 0.043 \text{ keV}$ ] ([1975SH18](#)) and  $7116.85 \pm 0.14 \text{ keV}$  [ $E_\gamma = 7115.15 \pm 0.14 \text{ keV}$ ] ([1976AL16](#)).

$$53. \text{ (a) } ^{16}\text{O}(\gamma, n)^{15}\text{O} \quad Q_m = -15.6639$$

$$\text{ (b) } ^{16}\text{O}(\gamma, 2n)^{14}\text{O} \quad Q_m = -28.8882$$

$$\text{ (c) } ^{16}\text{O}(\gamma, pn)^{14}\text{N} \quad Q_m = -22.9609$$

The absorption cross section and the  $(\gamma, n)$  cross section are marked by a number of resonances. On the basis of monoenergetic photon data, excited states of  $^{16}\text{O}$  are observed at  $E_x = 17.3 \text{ [u]}$ ,  $19.3 \text{ [u]}$  and  $21.0 \text{ MeV [u = unresolved]}$ , followed by the giant resonance whose principal structures are at  $\approx 22.2$  and  $24.1 \text{ MeV}$ , with additional structures at  $23$  and  $25 \text{ MeV}$ : see ([1976BE1H](#), [1977AJ02](#)). The cross section for  $(\gamma, n_0)$  decreases monotonically for  $E_x = 25.5$  to  $43.8 \text{ MeV}$ . There is a significant E2 cross section in that region: it exhausts  $\approx 68\%$  of the isovector E2 energy-weighted sum rule ([1979PH07](#)). The differential  $(\gamma, n_0)$  cross sections have been measured for  $E_\gamma = 60$  to  $160 \text{ MeV}$  ([1980GO13](#)).

The absorption cross section has been measured from  $E_{\text{bs}} = 10 \text{ MeV}$  to above the meson threshold ([1975AH06](#)). The yield of reaction (b) has been studied from threshold to  $E_\gamma = 120 \text{ MeV}$  [see ([1977AJ02](#))] and for  $E_{\text{bs}} = 100$  to  $800 \text{ MeV}$  ([1977JO02](#)). The  $(\gamma, \text{Tn})$  cross section has recently been reported for  $E_\gamma = 15.9$  to  $39.7 \text{ MeV}$  ([1980JU01](#)). See also ([1976BE1H](#)). The polarization of  $n_0$  has been studied for  $E_\gamma = 21.6$  to  $25.7 \text{ MeV}$  ([1979NA1R](#)). See also ([1977AJ02](#)). For the decay of  $^{16}\text{O}^*$  to  $^{15}\text{O}$  states, see  $^{15}\text{O}$  in ([1981AJ01](#)). See also ([1975KN10](#)), ([1976BE1H](#), [1976KIIF](#), [1977DA1B](#), [1979HA1G](#), [1980CA1P](#), [1980SC1E](#), [1981SC1G](#)) and ([1976BA48](#), [1976KA34](#), [1977GR08](#), [1977MA2H](#), [1978CO14](#), [1978EL05](#), [1978KA1Q](#), [1978SC11](#), [1979MA2L](#), [1979RO04](#), [1979RO1B](#), [1980BO1P](#), [1980DU21](#), [1980OS1A](#), [1980TA1D](#), [1981BA04](#), [1981BO1P](#), [1981CA1F](#), [1981KO1G](#), [1981RO1N](#), [1981WE1C](#); theor.).

Table 16.21: Beta decay of the ground state of  $^{16}\text{N}$  <sup>a</sup>

Final state		Branch (%)	$\log ft$ <sup>b</sup>
$^{16}\text{O}^*$ (MeV)	$J^\pi$		
0	$0^+$	$26 \pm 2$ <sup>c</sup>	$9.10 \pm 0.04$ <sup>g</sup>
6.05	$0^+$	$(1.2 \pm 0.4) \times 10^{-2}$ <sup>d</sup>	$9.96 \pm 0.15$ <sup>g</sup>
6.13	$3^-$	$68 \pm 2$ <sup>c</sup>	$4.47$ <sup>h</sup>
7.12	$1^-$	$4.9 \pm 0.4$ <sup>c</sup>	$5.09$ <sup>h</sup>
8.87	$2^-$	$1.0 \pm 0.2$ <sup>c</sup>	$4.37$ <sup>h</sup>
9.63	$1^-$	$(1.20 \pm 0.05) \times 10^{-3}$ <sup>e</sup>	$6.21$ <sup>h</sup>
9.85	$2^+$	$(6.5 \pm 2.0) \times 10^{-7}$ <sup>f</sup>	$9.07 \pm 0.13$ <sup>i</sup>

<sup>a</sup> See also reaction 1 in  $^{16}\text{N}$ .

<sup>b</sup>  $\tau_{1/2} = 7.13 \pm 0.02$  sec: see Table 16.3 in (1971AJ02).

<sup>c</sup> (1956WI1A, 1958AL13, 1959AL06).

<sup>d</sup> (1968WA18).

<sup>e</sup> (1961KA06).

<sup>f</sup> (1969HA42).

<sup>g</sup> (1971TO08):  $\log f_1 t$ .

<sup>h</sup> B. Zimmerman, private communication:  $\log f_0 t$ .

<sup>i</sup> E.K. Warburton, private communication:  $\log f_1 t$ .

$$54. \text{ (a) } ^{16}\text{O}(\gamma, p)^{15}\text{N} \quad Q_m = -12.1276$$

$$\text{ (b) } ^{16}\text{O}(\gamma, \pi^+)^{16}\text{N} \quad Q_m = -149.986$$

The  $(\gamma, p_0)$  cross section derived from the inverse capture reaction (reaction 43) confirms the giant resonance structure indicated above, in reaction 53, as do also the direct  $(\gamma, p_0)$  measurements. The total  $(\gamma, p)$  cross section is given by (1968DE07). Recent measurements of the  $(\gamma, p_0)$  cross section are reported by (1977FI03:  $E_{\text{bs}} = 40$  to 105 MeV), (1980SC27:  $E_\gamma = 80$  MeV; forward angles) and (1977MA01:  $E_{\text{bs}} = 100$  to 280 MeV). See also (1977AJ02) and (1980KH1C, 1980KI1E). The momentum distribution for  $p_{1/2}$  shell protons in  $^{16}\text{O}$  up to 930 MeV/c has been derived by (1978FI05). See also (1979MA1G). Branching ratios for the decays of  $^{16}\text{O}$  states in the giant resonance region to various excited states in  $^{15}\text{N}$  are discussed in  $^{15}\text{N}$  (1981AJ01).

The cross section for reaction (b) for  $E_{\text{bs}} = 175$  MeV is reported by (1979BO21). See also (1977BE2L, 1981YA1A). For other  $\pi$ -emitting photonuclear reactions see (1979EP02, 1980BO24) and “*Special reactions involving  $^{16}\text{O}$* ” section here. See also (1976HA1Q, 1980WE1D, 1981HA1T) and (1976BA48, 1976KA34, 1977NE2A, 1978FI10, 1978RO05, 1978SC11, 1979KO17, 1979LE1N, 1979LO03, 1979WA1G, 1980MO1M, 1981BO14, 1981BO1P, 1981CA1F, 1981CO1K; theor.).

55. (a)  $^{16}\text{O}(\gamma, d)^{14}\text{N}$   $Q_m = -20.7363$   
 (b)  $^{16}\text{O}(\gamma, t)^{13}\text{N}$   $Q_m = -25.033$   
 (c)  $^{16}\text{O}(\gamma, \alpha)^{12}\text{C}$   $Q_m = -7.1620$

For the earlier work on these reactions see (1971AJ02, 1977AJ02). For reaction (a) see also (1979WIZW). A study of the  $^{16}\text{O}(\gamma, \alpha_0)$  reaction at  $\theta = 45^\circ$  and  $90^\circ$  shows a  $2^+$  resonance at  $E_x = 18.2$  MeV with an E2 strength which is spread out over a wide energy interval. A strong resonance corresponding to an isospin-forbidden  $1^-$  state at  $E_x \approx 21.1$  MeV is also observed (1975SK06). For spallation see (1978DI1A). See also (1981CH28).

56.  $^{16}\text{O}(\gamma, \gamma)^{16}\text{O}$

(1970AH02) report resonances at  $E_\gamma = 22.5 \pm 0.3, 25.2 \pm 0.3, 31.8 \pm 0.6$  and  $50 \pm 3$  MeV: the dipole sum up to 80 MeV exceeds the classical value  $60 NZ/A$  MeV · mb by a factor 1.4. See also (1980IS09). The integrated cross section to 31 MeV for elastic scattering is  $0.62 \pm 0.07$  MeV · mb; the inelastic is  $\leq 5\%$  of the elastic cross section (1980IS1G). For widths of excited states of  $^{16}\text{O}$  see Table 16.22. The separation between the  $^{16}\text{O}^*(7.12, 6.92)$   $\gamma$ -lines is  $199.8 \pm 0.5$  keV (1970SW03). Based on  $7116.85 \pm 0.14$  keV (Table 16.11),  $E_x$  for the lower state is  $6917.11 \pm 0.6$  keV.

57. (a)  $^{16}\text{O}(e, e)^{16}\text{O}$   
 (b)  $^{16}\text{O}(e, ep)^{15}\text{N}$   $Q_m = -12.1276$   
 (c)  $^{16}\text{O}(e, e\pi^+)^{16}\text{N}$   $Q_m = -149.986$   
 (d)  $^{16}\text{O}(e, e\pi^-)^{16}\text{F}$   $Q_m = -154.996$

The  $^{16}\text{O}$  charge radius =  $2.710 \pm 0.015$  fm (1978KI01). Form factors for transitions to the ground and to excited states of  $^{16}\text{O}$  have been reported in many studies: see (1977AJ02) and (1979MI09:  $q = 0.5$  to  $2.6$  fm $^{-1}$ ; elastic). Table 16.22 lists the excited states observed from (e, e'). The isospin-forbidden (E1) excitation of  $^{16}\text{O}^*(7.12)$  has been reported by (1975MI08, 1975MI13): the isovector contribution interferes destructively with the isoscalar part and has a strength  $\approx 1\%$  of the  $T = 0$  amplitude (1975MI08). The  $0^+$  states of  $^{16}\text{O}^*(6.05, 12.05, 14.00)$  saturate  $\approx 19\%$  of an isoscalar monopole sum rule (1973BE50). As for the E2 strength it is distributed over a wide energy region: see Table 16.22. The effective mass of an intranuclear nucleon has been derived by (1978DE32) from studies on this and on other light nuclei. See also (1980DE2G).

Reaction (b) has been studied at  $E_e = 500$  MeV: two peaks at  $E = 11.5$  and  $18$  MeV carry most of the strength of the  $1p_{1/2}$  and  $1p_{3/2}$  hole states, respectively (1977TU1C). See also (1977BE1Q, 1980BAZG). The virtual photon shape and intensity for (e, e' $\pi$ ) has been deduced at  $E_e = 180.4$  MeV ( $E_\pi = 28$  MeV,  $\theta_\pi = 90^\circ$ ) (1980ST15). The ratio  $\pi^-/\pi^+$  for  $E_e = 280$  MeV ( $E_\pi = 10$  MeV,  $\theta_\pi = 90^\circ$ ) is reported by (1979JE04). See also (1976BU1H, 1979SC1E, 1980BU1C, 1981BU1C),

(1976TU1C, 1979LI06, 1979MO1G, 1980CA1J, 1980MO1C, 1981MO1H) and (1976AN1D, 1976BH1B, 1976FR1G, 1976GA24, 1976HE20, 1976RA34, 1977DE16, 1977HE13, 1977WA1G, 1978CA08, 1978FU04, 1978HA36, 1978HA43, 1978KA04, 1978KR04, 1978RI1C, 1979BU1A, 1979DO17, 1979IN06, 1979KN1E, 1979KO29, 1979LI15, 1979WA1G, 1979RO02, 1980DE30, 1980ER01, 1980GR05, 1980SA1E, 1980SH1N, 1980VA07, 1981AG02, 1981BA10, 1981BO1M, 1981BU04, 1981DE1T, 1981KA12, 1981OR1B, 1981PE1C; theor.).

Table 16.22: Excited states observed in  $^{16}\text{O}(e, e')^{16}\text{O}^a$

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	Mult.	$\Gamma$ (keV)	$\Gamma_{\gamma_0}$ (eV)
6.05	$0^+$	E0		$3.55 \pm 0.21^b$
6.13	$3^-$	E3		$(2.60 \pm 0.13) \times 10^{-5}$
6.92	$2^+$	E2		$0.130 \pm 0.009$
				$0.100 \pm 0.004$
7.12 <sup>c</sup>	$1^-$	E1		$(4.6 \pm 2.3) \times 10^{-2}$
9.85	$2^+$	E2		$(8.8 \pm 1.7) \times 10^{-3}$
10.35	$4^+$	E4		$(5.6 \pm 2.0) \times 10^{-8}$
11.52	$2^+$	E2		$0.61 \pm 0.02$
12.05	$0^+$	E0		$4.03 \pm 0.09^b$
12.53	$2^-$	M2		$0.021 \pm 0.006$
				$0.108 \pm 0.015$
12.97	$2^-$	M2		$0.071 \pm 0.002$
13.0	$2^+$	E2		0.89
$13.10 \pm 250$	$1^-; 1$	E1		$\leq 49 \pm 13$
$14.00 \pm 50$	$0^+$	E0	$170 \pm 50$	$3.3 \pm 0.7^b$
$15.15 \pm 150$	$2^+$	E2	$500 \pm 200$	$1.0 \pm 0.5$
$16.21 \pm 30$	$1^+$	M1	$18 \pm 3$	$5.1 \pm 0.8$
$16.46 \pm 70$	$2^+$	E2	$35 \pm 5$	$0.5 \pm 0.2$
$16.80 \pm 100$	$(3^+)$		$\leq 100$	$(1.7 \pm 1.9) \times 10^{-3}$
17.14	$1^-; 1$	E1	$40 \pm 6$	$62 \pm 12$
$17.60 \pm 100$	$(2^-)$		$\leq 100$	$0.07 \pm 0.04$
<sup>d</sup>				
$18.50 \pm 100$	$2^+$	E2	$60 \pm 9$	
$19.00 \pm 100$	$1^-; 1$	E1	$300 \pm 100$	$41 \pm 20$
$19.04 \pm 50$	$2^-; 1$	M2	$400 \pm 50, 850 \pm 150$	$1.5 \pm 0.3$
$19.50 \pm 100$	$1^-; 1$	E1	$200 \pm 70$	$40 \pm 20$

Table 16.22: Excited states observed in  $^{16}\text{O}(e, e')^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	Mult.	$\Gamma$ (keV)	$\Gamma_{\gamma_0}$ (eV)
20.36 $\pm$ 70	2 <sup>-</sup>	M2	500 $\pm$ 100	2.9 $\pm$ 1.0
20.95 $\pm$ 50	1 <sup>-</sup> ; 1	E1	270 $\pm$ 70	180 $\pm$ 50
21.34 $\pm$ 250	(2 <sup>-</sup> )	(M2)		
22.3				
23.0				
23.7 $\pm$ 250	(2 <sup>-</sup> ; 1)			
24.2				
25.5 $\pm$ 250	1 <sup>-</sup> ; 1	E1		
26.7 $\pm$ 250	1 <sup>+</sup>	M1		
44.5	(1 <sup>-</sup> ; 1)		2000 – 3000	5300
49	(1 <sup>-</sup> ; 1)		2000 – 3000	19000

<sup>a</sup> See also Table 16.26 in (1971AJ02). For references see Table 16.24 in (1977AJ02).

<sup>b</sup> Monopole matrix element in fm<sup>2</sup>.

<sup>c</sup> See also text and (1975MI13).

<sup>d</sup> Measurements are also reported to  $^{16}\text{O}^*(17.79, 18.6, 18.98, 19.8)$  with  $J^\pi = 4^-$  (1981HYZZ; prelim.).

58. (a)  $^{16}\text{O}(\pi^+, \pi^+)^{16}\text{O}$

(b)  $^{16}\text{O}(\pi^-, \pi^-)^{16}\text{O}$

Angular distributions of elastically scattered pions have been studied at  $E_{\pi^+} = 20$  MeV (1981OB1B),  $E_{\pi^-} = 20, 30, 40$  and  $50$  MeV (1981KA1N),  $29.2$  MeV (1979JO08),  $E_{\pi^+} = 30.0$  and  $49.7$  MeV (1981PR03),  $40$  and  $49.7$  MeV (1978MA14, 1979BL07),  $46.8$  MeV (1979DY02),  $79, 114, 163, 240$  and  $343$  MeV (1978AL03, 1978IN04, 1978JA13 ( $\pi^\pm$ ), 1980AL24), at  $E_{\pi^-} = 114, 163$  and  $240$  MeV (1978IN04) and at  $E_{\pi^\pm} = 165$  and  $E_{\pi^+} = 315$  MeV (1980NA10). At  $E_{\pi^-} = 1$  GeV/c angular distributions of  $^{16}\text{O}^*(0, 6.1)$  are reported. See also (1978BU09) and (1977AJ02) for the earlier work. At  $E_{\pi^+} = E_{\pi^-} = 164$  MeV  $^{16}\text{O}^*(0, 6.1, 6.9 + 7.1, 11.5, 17.8, 19.0, 19.8)$  are relatively strongly populated. The  $\pi^+$  and  $\pi^-$  cross sections to  $^{16}\text{O}^*(17.8, 19.8)$  [ $J^\pi = 4^-; T = 0$ ] are substantially different while those to  $^{16}\text{O}^*(19.0)$  [ $4^-; 1$ ] are equal. Isospin mixing is suggested with off-diagonal charge-dependent mixing matrix elements of  $-147 \pm 25$  and  $-99 \pm 17$  keV (1980HO13). [See also reaction 81]. See also (1977MI19, 1980MI05, 1981BA1N, 1981BA12, 1981OBZZ), (1980DE24, 1981CU04, 1981TA08; theor.) and the “Pion capture and reactions” section here.

Table 16.23: Recent <sup>a</sup> <sup>16</sup>O(p, p), (d, d), (<sup>3</sup>He, <sup>3</sup>He), ( $\alpha$ ,  $\alpha$ ), (<sup>6</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>7</sup>Li), (<sup>9</sup>Be, <sup>9</sup>Be), (<sup>10</sup>B, <sup>10</sup>B), (<sup>11</sup>B, <sup>11</sup>B), (<sup>12</sup>C, <sup>12</sup>C), (<sup>13</sup>C, <sup>13</sup>C), (<sup>14</sup>C, <sup>14</sup>C), (<sup>14</sup>N, <sup>14</sup>N), (<sup>16</sup>O, <sup>16</sup>O) measurements

$E_p$ (MeV)	Angular distribution of group	Refs. <sup>b</sup>
5.82	p <sub>0</sub>	(1977SA1B)
6.9	p <sub>0</sub>	(1979PR04)
27.2	p <sub>1</sub>	(1977CE01)
30.1	p <sub>0</sub>	(1979VO08)
35.2	p <sub>0</sub> , p <sub>3</sub>	(1980FA07)
42.5, 44.0, 49.3	p <sub>5</sub>	(1977PE09)
65 <sup>c</sup>	p <sub>0</sub>	(1979SA38, 1981SA1F)
135	p <sub>0</sub> , p <sub>2</sub> , p <sub>4</sub>	(1980KE14)
135	p to <sup>16</sup> O*(17.79, 18.98, 19.80)	(1979HE09)
800 <sup>c</sup>	p <sub>0</sub> , p <sub>2</sub> , p <sub>3</sub> , p <sub>4</sub> , p <sub>5</sub>	(1979AD03)
$E_d$ (MeV)	Angular distribution of group	Refs. <sup>d</sup>
12.00	d <sub>0</sub>	(1979AN15)
20.5 <sup>c</sup>	d <sub>0</sub> , d <sub>2</sub>	(1980CL1C)
52.0 <sup>c</sup>	d <sub>0</sub>	(1980MA10)
56.0 <sup>c</sup>	d <sub>0</sub>	(1980HA14)
$E(^3\text{He})$ (MeV)	Angular distribution of <sup>3</sup> He group to	Refs. <sup>e</sup>
32.0 <sup>c</sup>	g.s.	(1980LU02)
41.0	g.s.	(1980TR02)
44.04	g.s.	(1979GO07)
130.0	see Table 16.24	(1977BU03)
132	g.s.	(1981CHZV)
$E_\alpha$ (MeV)	Angular distribution of group	Refs.
6.9 → 10.2	$\alpha_0$	(1978ST08)
13.05 → 14.12	$\alpha_0$	(1975CE01)
14.6 → 20.4	$\alpha_0, \alpha_{1+2}, \alpha_3, \alpha_4, \alpha_5$	(1979BI10)
20.1 → 23.2	$\alpha_0$	(1977EN01)
23.7	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}, \alpha_5, \alpha_{6+7}$	(1976FE12)
65	$\alpha^*$ <sup>f</sup>	(1976JA17)
75	$\alpha_4, \alpha$ to <sup>16</sup> O*(12.44)	see (1980HA07)



Table 16.23: Recent <sup>a</sup> <sup>16</sup>O(p, p), (d, d), (<sup>3</sup>He, <sup>3</sup>He), ( $\alpha$ ,  $\alpha$ ), (<sup>6</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>7</sup>Li), (<sup>9</sup>Be, <sup>9</sup>Be), (<sup>10</sup>B, <sup>10</sup>B), (<sup>11</sup>B, <sup>11</sup>B), (<sup>12</sup>C, <sup>12</sup>C), (<sup>13</sup>C, <sup>13</sup>C), (<sup>14</sup>C, <sup>14</sup>C), (<sup>14</sup>N, <sup>14</sup>N), (<sup>16</sup>O, <sup>16</sup>O) measurements (continued)

$E(^6\text{Li})$ (MeV)	Angular distribution of group to	Refs.
32	g.s.	(1980AN16)
50.6	g.s.	(1976CH27)
$E(^7\text{Li})$ (MeV)	Angular distribution of group to	Refs.
68	g.s.	(1979BR03)
$E(^9\text{Be})$ (MeV) (reaction 66)	Angular distribution of group to	Refs.
20, 26	g.s.	(1979UN01)
27.4	g.s.	(1978GR22)
$E(^{16}\text{O}) = 15 \rightarrow 25$	g.s.	(1970BA49)
25.7 $\rightarrow$ 29.5	g.s.	(1975FU05)
$E(^{10}\text{B})$ (MeV)	Angular distribution of group to	Refs.
33.7, 41.6, 49.5	g.s.	(1980PA01)
65.8	g.s.	(1977MO1A, 1979MO14)
100	<sup>16</sup> O*(0, 6.1, 6.9)	(1975NA15, 1977TO02)
$E(^{11}\text{B})$ (MeV) (reaction 67) <sup>g</sup>	Angular distribution of group to	Refs.
41.6, 49.5	g.s.	(1980PA01)
115	g.s.	(1979BR03, 1979RA10)
$E(^{12}\text{C})$ or $E(^{16}\text{O})$ (MeV) (reaction 68)	Angular distribution of group to	Refs. <sup>h</sup>
$E(^{12}\text{C}) = 65$	g.s.	(1978BO11)
77	g.s.	(1977MO1A, 1979MO14)
115	g.s.	(1979RA10)
$E(^{16}\text{O}) = 30.8, 31.9, 33.9$	g.s.	(1978SC06)
31.7, 46.0, 51.3, 52.7	g.s.	(1978MA32)
46.0, 47.8, 49.7, 51.3, 52.7	<sup>16</sup> O*(6.1, 7.0)	(1978MA32)
33.2 $\rightarrow$ 35.2	g.s.	(1980FR05)
52	<sup>16</sup> O*(6.05, 6.13)	(1977SH16)
55.3, 56.7, 65.8	<sup>16</sup> O*(6.05, 6.13)	(1978KA13)

Table 16.23: Recent <sup>a</sup> <sup>16</sup>O(p, p), (d, d), (<sup>3</sup>He, <sup>3</sup>He), ( $\alpha$ ,  $\alpha$ ), (<sup>6</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>7</sup>Li), (<sup>9</sup>Be, <sup>9</sup>Be), (<sup>10</sup>B, <sup>10</sup>B), (<sup>11</sup>B, <sup>11</sup>B), (<sup>12</sup>C, <sup>12</sup>C), (<sup>13</sup>C, <sup>13</sup>C), (<sup>14</sup>C, <sup>14</sup>C), (<sup>14</sup>N, <sup>14</sup>N), (<sup>16</sup>O, <sup>16</sup>O) measurements (continued)

80 $\rightarrow$ 122	g.s.	(1977CO20)
140, 218, 315	g.s.	(1981BR05)
$E(^{13}\text{C})$ (MeV) (reaction 69)	Angular distribution of group to	Refs.
36	g.s.	(1976WE21)
105	g.s.	(1979BR03, 1979RA10)
$E(^{16}\text{O})$ (MeV) (reaction 69)	Angular distribution of group to	Refs. <sup>h</sup>
14, 17, 20	g.s.	(1970BA49)
20, 25, 30	g.s.	(1975SC35)
$E(^{14}\text{N})$ (MeV) (reaction 70)	Angular distribution of group to	Refs.
76.2	g.s.	(1977MO1A, 1979MO14)
79	g.s.	(1976MO03)
155	<sup>16</sup> O*(0, 6.1, 6.9)	(1975NA15, 1977TO02)
$E(^{16}\text{O})$ (MeV) (reaction 71)	Angular distribution of group to	Refs.
35 $\rightarrow$ 80	g.s.	(1978FE04)
95.2	g.s.	(1977MO1A, 1979MO14)

<sup>a</sup> See also Tables 16.27 in (1971AJ02) and 16.25 in (1977AJ02).

<sup>b</sup> See also (1976DAYV, 1977SE1F, 1979MA48, 1979GL1C).

<sup>c</sup> Polarized.

<sup>d</sup> See also (1978RO1M).

<sup>e</sup> See also (1978CH1P).

<sup>f</sup> <sup>4</sup>He\*(20.1) [ $J^\pi = 0^+$ ].

<sup>g</sup> See also reaction 71 in (1977AJ02).

<sup>h</sup> See also (1978MA1R, 1979DO01, 1980WI1P).

<sup>i</sup> See also for population of <sup>12</sup>C states.

59. <sup>16</sup>O(n, n)<sup>16</sup>O

Angular distributions have been measured at energies to  $E_n = 24$  MeV: see Tables 16.27 in (1971AJ02) and 16.25 in (1977AJ02) and (1975BE1Y: 5.04, 6.25, 9.29 MeV), (1978NO04: 8.85 MeV; 6.13 MeV  $\gamma$ -ray), (1977GL1B: 9.25 to 15 MeV;  $n_0$ ) and (1980GR15: 24 MeV;  $n_0, n_2, n_3$ ) [ $\beta_3 = 0.60, \beta_2 = 0.36$ ]. The energy of  $^{16}\text{O}^*(6.13)$  is  $E_x = 6129.1 \pm 1.2$  keV [ $E_\gamma = 6127.8 \pm 1.2$  keV] (1966BE1A). See also (1978BE2B), (1977AJ02), (1977NO07, 1977PH01, 1978TA1A, 1978TH1A; theor.) and  $^{17}\text{O}$ .

60. (a) $^{16}\text{O}(p, p)^{16}\text{O}$	
(b) $^{16}\text{O}(p, 2p)^{15}\text{O}$	$Q_m = -12.1276$
(c) $^{16}\text{O}(p, pd)^{14}\text{N}$	$Q_m = -20.7363$
(d) $^{16}\text{O}(p, pt)^{13}\text{N}$	$Q_m = -25.033$
(e) $^{16}\text{O}(p, p^3\text{He})^{13}\text{C}$	$Q_m = -22.7934$
(f) $^{16}\text{O}(p, p\alpha)^{12}\text{C}$	$Q_m = -7.1620$

Angular distributions of elastically and inelastically scattered protons have been measured at many energies up to  $E_p = 1000$  MeV: see Tables 16.27 in (1971AJ02), 16.25 in (1977AJ02) and 16.23 here. Parameters of the observed groups are displayed in Table 16.24. At  $E_p = 135$  MeV,  $^{16}\text{O}^*(17.79, 18.98, 19.80)$  [ $\pm 0.04$  MeV] are strongly populated: the angular distributions of the proton groups lead to an assignment of  $4^-$  for  $^{16}\text{O}^*(17.79)$  (1979HE09). Angular distributions of the protons to  $^{16}\text{O}^*(8.88)$  [ $J^\pi = 2^-$ ] at  $E_p = 42.5, 44.0$  and  $49.3$  MeV lead to strength distributions which suggest the existence of an octupole (E3) giant resonance at  $E_x \approx 40$  MeV (1977PE09). At  $E_p = 40$  MeV the spin-flip cross section to  $^{16}\text{O}^*(8.88)$  is interpreted as showing dominance of multistep processes in the reaction (1978MO14, 1981CO08). See also (1977KI1N; 3 GeV; intensity of 6.13 MeV  $\gamma$ -ray).

For reaction (b) see (1976KI10, 1980KI06;  $E_p = 200$  MeV). See also (1977NA29, 1978NA18, 1980SA1J),  $^{14}\text{N}$  in (1981AJ01) and  $^{17}\text{F}$ . For reactions (c), (d) and (e) see (1977GR04;  $E_p = 75$  MeV). For reaction (f) see (1981CA02;  $E_p = 101.5$  MeV; to  $^{12}\text{C}_{g.s.}$ ) and  $^{12}\text{C}$  in (1980AJ01). For the cross section for production of pions at  $E_p = 585$  MeV see (1979CR1E). For antiproton scattering see (1981AU01; theor.).

See also (1976NO02, 1977BA85, 1981KR1B), (1976HA1Q, 1977BA2G, 1977BR1E, 1978AL1G, 1979DE1P, 1979LI06, 1980DE1V, 1980WH1A, 1981MO1L, 1981RA1B), (1976AN1E, 1976GO04, 1977AL06, 1977DY1D, 1977GA22, 1977KO2G, 1977LE05, 1977MA15, 1977MA2J, 1977MO1T, 1977PH02, 1977VA12, 1977VI03, 1978AL07, 1978AU12, 1978AU1E, 1978BI1L, 1978BR06, 1978BR28, 1978CH28, 1978CU04, 1978GO1L, 1978HA18, 1978HA35, 1978HE03, 1978IO1B, 1978LE06, 1978MA25, 1978PH01, 1978PI01, 1978WR01, 1979AB13, 1979BI1C, 1979HE04, 1979JA1P, 1979KI10, 1979KO01, 1979KO1C, 1979KO2D, 1979KU07, 1979MA20, 1979MA1M, 1979MI1K, 1979PH05, 1979WA09, 1979WA1G, 1980AM1D, 1980AY01, 1980DEYU, 1980KO1V, 1980MA06, 1980MC1C, 1980WU02, 1981BA12, 1981MI1B, 1981PE1C, 1981RO08, 1981TH1B, 1981TUZZ; theor.) and  $^{17}\text{F}$ .

Table 16.24: Excited states of  $^{16}\text{O}$  from  $^{16}\text{O}(\text{p}, \text{p}')$ ,  $(\text{d}, \text{d}')$ ,  $(^3\text{He}, ^3\text{He}')$  and  $(\alpha, \alpha')$  <sup>a</sup>

No.	$E_x^b$ (MeV $\pm$ keV)	$L^b$	$E_x^d$ (MeV)	$E_x^f$ (MeV $\pm$ keV)	$E_x^h$ (MeV $\pm$ keV)	$L^{h,i}$	$\Gamma^b$ (keV)	$J^\pi; T^{b,i}$
1			6.05					
2	6.13 <sup>a</sup>		6.13	6.13 <sup>e,f</sup>	6.13 <sup>i</sup>	3		3 <sup>-</sup> ; 0
3	6.92 <sup>a</sup>		6.92	6.92 <sup>f,g</sup>	6.92 <sup>i</sup>	2		2 <sup>+</sup> ; 0 <sup>f,g</sup>
4	7.12 <sup>a</sup>		7.12		7.12 <sup>i</sup>	1		1 <sup>-</sup> ; 0
5	8.87 <sup>a</sup>		8.87	8.87 $\pm$ 30 <sup>f,g</sup>	8.87 <sup>a</sup>	3 <sup>a</sup>		
6	9.85 <sup>a</sup>		9.85	9.84 $\pm$ 30	9.85 <sup>i</sup>	2		2 <sup>+</sup> ; 0 <sup>f</sup>
7	10.35 $\pm$ 20	4	10.34	10.35 $\pm$ 30	10.35 $\pm$ 30	4		4 <sup>+</sup> ; 0
8	10.95 $\pm$ 30	1	10.95					$T = 0$
9	11.10 $\pm$ 20	4	11.1 <sup>e</sup>	11.09 $\pm$ 30 <sup>e</sup>	11.10 $\pm$ 30	4		4 <sup>+</sup> ; 0
10	11.52 $\pm$ 20	2	11.52	11.52 $\pm$ 30 <sup>f,g</sup>	11.52 $\pm$ 30	2	74 $\pm$ 4 <sup>i</sup>	2 <sup>+</sup> ; 0
11	12.05 $\pm$ 20		12.05	12.04 $\pm$ 30	12.05 $\pm$ 30	(0)		0 <sup>+</sup> ; 0
12			12.44		12.44 <sup>i</sup>	1		1 <sup>-</sup> ; 0
13	12.53 $\pm$ 20	1	12.53		12.51 $\pm$ 30			
14	13.02 $\pm$ 20	2	13.1 <sup>e</sup>	13.11 $\pm$ 30 <sup>g</sup>	13.07 $\pm$ 20 <sup>e</sup>	2		2 <sup>+</sup> ; 0 <sup>g</sup>
15	13.26 $\pm$ 30	3						3 <sup>-</sup> ; 1
16			13.66					
17	13.95 $\pm$ 50	(0 + 4)		13.97 $\pm$ 30	13.95 $\pm$ 50 <sup>e</sup>	4		4 <sup>+</sup> ; 0
18				14.94 $\pm$ 30	14.87 $\pm$ 100	6		6 <sup>+</sup>
19	15.26 $\pm$ 50	(3)		15.4				
20	15.50 $\pm$ 30	3			15.50 $\pm$ 50	3	200 $\pm$ 60	3 <sup>-</sup> ; 0
21	16.52 $\pm$ 50	2		16.46 $\pm$ 30	16.40 $\pm$ 100		< 100	2 <sup>+</sup> <sup>f</sup>
22	16.93 $\pm$ 50	(3)						
23	17.25 $\pm$ 50			17.19 $\pm$ 30 <sup>g</sup>	17.25 $\pm$ 80	(2)	160 $\pm$ 60	2 <sup>+</sup> <sup>f,g</sup>
24	17.79 $\pm$ 40 <sup>c</sup>	(3)		17.8	17.83 $\pm$ 100		150 $\pm$ 60	4 <sup>-</sup> ; 0 <sup>c,j</sup>
25	18.15 $\pm$ 50	(2)			18.0 $\pm$ 100 <sup>i</sup>	2	300 $\pm$ 50	(2 <sup>+</sup> ); 0
26	18.40 $\pm$ 100	2		18.52 $\pm$ 30 <sup>g</sup>	18.5 $\pm$ 100 <sup>i</sup>	2	250 $\pm$ 50 <sup>i</sup>	2 <sup>+</sup> ; 0 <sup>g</sup>
27	18.60 $\pm$ 100				18.70 $\pm$ 100	(3)	280 $\pm$ 80 <sup>e</sup>	
28	18.98 $\pm$ 40 <sup>c</sup>	(3)		19.09 $\pm$ 30			< 100	4 <sup>-</sup> ; 1 <sup>c,j</sup>
29	19.35 $\pm$ 80	(1)						
30	19.56 $\pm$ 50				19.50 $\pm$ 100	(2, 3)	300 $\pm$ 50 <sup>i</sup>	(2 <sup>+</sup> , 3 <sup>-</sup> ); 0
31	19.80 $\pm$ 40 <sup>c</sup>	3					< 100	4 <sup>-</sup> ; 0 <sup>j</sup>
32				20.2 $\pm$ 200 <sup>e,g</sup>	20.15 $\pm$ 100 <sup>i</sup>	2	350 $\pm$ 50 <sup>i</sup>	2 <sup>+</sup> ; 0 <sup>g</sup>
33	20.56 $\pm$ 80	(1, 2)					370 $\pm$ 100	
34	21.05 $\pm$ 50	1			21.0 $\pm$ 100	2	320 $\pm$ 50	(2 <sup>+</sup> ); 0
35				21.6 $\pm$ 200 <sup>g</sup>			1000 $\pm$ 300 <sup>g</sup>	2 <sup>+</sup> <sup>g</sup>
36	21.80 $\pm$ 80	1			21.85 $\pm$ 100 <sup>i</sup>	2	400 $\pm$ 50 <sup>i</sup>	(2 <sup>+</sup> ); 0
37	22.40 $\pm$ 80	(1, 2)					420 $\pm$ 100	1 <sup>-</sup> ; 1

Table 16.24: Excited states of  $^{16}\text{O}$  from  $^{16}\text{O}(\text{p}, \text{p}')$ ,  $(\text{d}, \text{d}')$ ,  $(^3\text{He}, ^3\text{He}')$  and  $(\alpha, \alpha')$  <sup>a</sup> (continued)

No.	$E_x^b$ (MeV $\pm$ keV)	$L^b$	$E_x^d$ (MeV)	$E_x^f$ (MeV $\pm$ keV)	$E_x^h$ (MeV $\pm$ keV)	$L^{h,i}$	$\Gamma^b$ (keV)	$J^\pi; T^{b,i}$
38					$22.5 \pm 100^i$		$400 \pm 50$	$(2^+, 3^-); 0$
39	$23.20 \pm 80$	1					$600 \pm 200$	$1^-; 1$
40				$23.50 \pm 150^g$	$23.25 \pm 100^i$	2	$400 \pm 50^i$	$2^+; 0^g$
41					$23.85 \pm 100^i$	(0)	$400 \pm 50$	$(2^+, 0^+); 0$
42	$24.00 \pm 100$	(1, 2)					$1200 \pm 300$	$1^-; 1$
43					$24.4 \pm 100^i$		$400 \pm 50^i$	$(2^+, 3^-); 0$
44				$25.15 \pm 300^g$			$2800 \pm 600^g$	$2^+^g$
45	$25.50 \pm 150$	(1)					$1300 \pm 300$	$1^-; 1$

<sup>a</sup> See also Tables 16.28 and 16.29 in (1971AJ02) and 16.26 in (1977AJ02).

<sup>b</sup> (p, p'): (1975BU1F, 1976BU15;  $E_p = 45$  MeV).

<sup>c</sup> (p, p'): (1979HE09;  $E_p = 135$  MeV).

<sup>d</sup> (d, d'): (1974DU06;  $E_d = 81.6$  MeV). Energies are nominal ( $\pm 100$  to  $\pm 260$  keV); angular distributions reported to all but last state.

<sup>e</sup> Unresolved states.

<sup>f</sup> ( $^3\text{He}, ^3\text{He}'$ ): (1974MO26;  $E(^3\text{He}) = 71$  MeV). Angular distributions are reported to states labelled by <sup>f</sup>.

<sup>g</sup> ( $^3\text{He}, ^3\text{He}'$ ): (1977BU03;  $E(^3\text{He}) = 130$  MeV); measured angular distributions.

<sup>h</sup> ( $\alpha, \alpha'$ ): (1976BU15;  $E_\alpha = 60$  MeV).

<sup>i</sup> ( $\alpha, \alpha'$ ): (1976HA19, 1976HA27;  $E_\alpha = 104$  MeV).

<sup>j</sup> See also (1981BA12; theor.).

## 61. $^{16}\text{O}(\text{d}, \text{d})^{16}\text{O}$

Angular distribution studies have been carried out for  $E_d$  up to 81.6 MeV: see Tables 16.27 in (1971AJ02), 16.25 in (1977AJ02) and 16.23 here. Observed deuteron groups are displayed in Table 16.24. See also  $^{18}\text{F}$  in (1983AJ01), (1977TE1A) and (1976CO29, 1976LE26, 1977DM1A, 1978LE13, 1978TA1A, 1978TH1A, 1979GR11, 1980AY01, 1980NI11; theor.).

## 62. $^{16}\text{O}(\text{t}, \text{t})^{16}\text{O}$

Angular distributions are reported for  $E_t$  to 20.01 MeV: see Tables 16.27 in (1971AJ02) and 16.25 in (1977AJ02). See also (1978LE13, 1980KH09; theor.). See also  $^{19}\text{F}$  in (1978AJ03).

## 63. $^{16}\text{O}(^3\text{He}, ^3\text{He})^{16}\text{O}$

Angular distributions have been measured to  $E(^3\text{He}) = 132$  MeV: see Tables 16.27 in (1971AJ02), 16.25 in (1977AJ02) and 16.23 here. Inelastic groups are shown in Table 16.24. The total E2 strength exhausted to  $E_x = 30$  MeV is  $\approx 37\%$  of the quadrupole EWSR (1977BU03; see also for  $\beta_2 R$ ). See also (1977SE1F), (1975AU01;  $S_\alpha$ ), (1976HA1Q, 1979KA1G, 1980TR1L) and (1977LE05, 1978LE13, 1978TA1A, 1978TH1A, 1979BE1Q, 1979LE18; theor.).

64. (a)  $^{16}\text{O}(\alpha, \alpha)^{16}\text{O}$

(b)  $^{16}\text{O}(\alpha, 2\alpha)^{12}\text{C}$   $Q_m = -7.1620$

Angular distributions of  $\alpha$ -particles have been measured up to  $E_\alpha = 146$  MeV: see Tables 16.27 in (1971AJ02), 16.25 in (1977AJ02) and 16.23 here. Observed excited states are displayed in Table 16.24.

The isoscalar (E2,  $T = 0$ ) giant resonance decays predominantly via the  $\alpha_1$  channel which contains  $\approx 40\%$  of the E2 EWSR, rather than via the  $\alpha_0$  and  $p_0$  channels (1978KN02;  $E_\alpha = 155$  MeV). See also (1976HA27, 1980HA07, 1981HA14). Reaction (b) has also been studied by (1980WA07;  $E_\alpha = 140$  MeV) and (1979DO04;  $E_\alpha = 700$  MeV): values of  $S_\alpha$  and  $N_{\text{eff}}$  are derived. See also (1976WO11, 1977AJ02). For the  $(\alpha, \alpha p)$  reaction see (1980SA1D).

See also  $^{20}\text{Ne}$  in (1983AJ01), (1975DE1J, 1978SH1H, 1980SH1A), (1978PO1D; applied), (1980RE1A; astrophys.), (1976BE1P, 1976HA1Q, 1977MA2E, 1978CH1C, 1979BE2K, 1979KN1F, 1979MA1V, 1980SP1E, 1980WE1D, 1981CA1D) and (1975CO1H, 1976AM02, 1976BA52, 1976CU07, 1976HE19, 1976LO1F, 1976MI17, 1976PA20, 1977AB03, 1977BA12, 1977BR06, 1977BU01, 1977CL1D, 1977DM1A, 1977IK1C, 1977HO1H, 1977LE05, 1977OH01, 1977SA19, 1977TR1A, 1977WE1M, 1978CH1Y, 1978LE13, 1978MA1G, 1978TA1A, 1978TH1A, 1978ZE03, 1979CO1P, 1979GR11, 1979IZ01, 1979JA01, 1979JA15, 1979LA08, 1979LE1B, 1979LE11, 1979VE09, 1980DM1A, 1980KH09, 1980LE26, 1980TO1E, 1981DY02; theor.).

65. (a)  $^{16}\text{O}(^6\text{Li}, ^6\text{Li})^{16}\text{O}$

(b)  $^{16}\text{O}(^7\text{Li}, ^7\text{Li})^{16}\text{O}$

For studies of the elastic scattering see Table 16.25 in (1977AJ02) and 16.23 here. For studies of  $(d-\alpha)$  angular correlations see  $^{20}\text{Ne}$  in (1983AJ01). See also (1977SA1X, 1979KN1A), (1976OG1A, 1978FI1E) and (1978ME14, 1978PE1C, 1979SU1F, 1980KH09, 1981ME1E, 1981DY02, 1981GU1B; theor.).

66.  $^{16}\text{O}(^9\text{Be}, ^9\text{Be})^{16}\text{O}$

For angular distributions see Table 16.23. For fusion cross sections see (1977SW05, 1978CH02). See also (1978PA1B, 1979HU1B, 1979MA30, 1979PAZY, 1981GU1B; theor.).

67. (a)  $^{16}\text{O}(^{10}\text{B}, ^{10}\text{B})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{11}\text{B}, ^{11}\text{B})^{16}\text{O}$

Angular distributions are displayed in Table 16.23. For fusion cross-section measurements (reaction (a)) see (1979GO09, 1980WI09, 1981THZY). See also (1979GO1R) and (1980VA03, 1981VA1E; theor.).

68. (a)  $^{16}\text{O}(^{12}\text{C}, ^{12}\text{C})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{12}\text{C}, \alpha^{12}\text{C})^{12}\text{C}$   $Q_m = -7.1620$

Angular distributions have been reported at many energies to  $E(^{16}\text{O}) = 315$  MeV: see reaction 64 (1971AJ02) and Tables 16.25 (1977AJ02) and 16.23 here. Most of the studies of this reaction have involved yield and cross-section measurements, as they apply to compound structures in  $^{28}\text{Si}$ , as well as fusion cross sections: see (1977AJ02) and to compound structures in  $^{28}\text{Si}$ , as well as fusion cross sections: see (1977AJ02) and (1977BR38, 1977CO20, 1977NA23, 1977TA03, 1978CH15, 1978FE04, 1978JA04, 1978KA13, 1978MA22, 1978MA32, 1978SC06, 1979CH07, 1979FU02, 1979JA25, 1979KO03, 1979KO20, 1980BE02, 1980FR10, 1980FR05, 1980JA06, 1981FU05). See also (1976FR20, 1978CI06, 1978MA1R, 1978SH01, 1979FRZX, 1979LUZW, 1979UZ1A, 1980FR1N, 1980WI1P, 1981SCZX, 1981WIZW).

At  $E(^{16}\text{O}) = 77$  MeV reaction (b) mainly proceeds via  $^{16}\text{O}^*(10.3 \pm 0.4, 14.8 \pm 0.4)$  [which are associated with the  $J^\pi = 4^+, 6^+$  states  $^{16}\text{O}^*(10.35, 14.82)$ ] (1979FU02). At  $E(^{16}\text{O}) = 140$  MeV the breakup is interpreted as proceeding via  $^{16}\text{O}^*(11.6, 13.1, 15.8)$  (1980RA12). See also (1979SC10). For the excitation of the GQR in  $^{12}\text{C}$  see (1979DO01:  $E(^{16}\text{O}) = 315$  MeV).

See also (1978LAZZ, 1979GAZV, 1979SA1L, 1980TA1B), (1977GA1B, 1978GA1B, 1978HO1C, 1978LE1T, 1978MA1F, 1978TA1B, 1978TS04, 1979GA1F, 1980ER1D, 1980GA1E), (1978RO1D; astrophys.) and (1976BA52, 1976CH1M, 1977BA28, 1977BA3E, 1977CH11, 1977CL1D, 1977FR12, 1977JA1E, 1977PA1G, 1977RO1N, 1978AB1C, 1978AV1A, 1978BA53, 1978BH1B, 1978BI1G, 1978FR1N, 1978GO07, 1978MA28, 1978MA50, 1978MA1G, 1978TA16, 1978TA11, 1978VA1A, 1979GO24, 1979KR07, 1979NA03, 1979STZU, 1979TA07, 1979TA1K, 1979TA12, 1979TE1A, 1979VE1C, 1980AB1D, 1980DE2A, 1980DR08, 1980FU1F, 1980GA1J, 1980HU02, 1980KO27, 1980LA16, 1980LA1N, 1980TA1E, 1980TA1G, 1980VA03, 1980VO1D, 1981GA1D, 1981GU1B, 1981HA18, 1981HU1D, 1981SC05, 1981TA01, 1981TO1F, 1981UB01, 1981WI01; theor.).

69. (a)  $^{16}\text{O}(^{13}\text{C}, ^{13}\text{C})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{14}\text{C}, ^{14}\text{C})^{16}\text{O}$

For elastic scattering studies see Table 16.23. For reaction (a) see also (1979CH07; fusion), (1980RA12;  $\alpha$ -breakup) and (1976DU04, 1979GAZV). For reaction (b) see (1978BE2C, 1981KO07). For theoretical papers see (1978PA1B, 1978SC1E, 1979HE02, 1979PAZY, 1981HA18).

70. (a)  $^{16}\text{O}(^{14}\text{N}, ^{14}\text{N})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{15}\text{N}, ^{15}\text{N})^{16}\text{O}$

For elastic scattering studies see Table 16.23 and (1977AJ02). For total fusion cross-section measurements (reaction (a)) see (1977SW02, 1977VO08, 1981VO01). See also (1978AV1A, 1978VA1A; theor.).

71.  $^{16}\text{O}(^{16}\text{O}, ^{16}\text{O})^{16}\text{O}$

The angular distributions for elastic scattering have been measured with  $E(^{16}\text{O})$  up to 140.4 MeV: see reaction 66 in (1971AJ02), Table 16.25 in (1977AJ02) and 16.23 here. The angular distributions corresponding to the excitation of the first four excited states of  $^{16}\text{O}$  have been studied at 51.5 and 140.4 MeV: see (1977AJ02). For yield and total fusion cross sections see (1977KO16, 1978FE04, 1978TS04, 1979CH19, 1979KO15, 1979KO20, 1980FR10, 1980HU12, 1981LA08). See also (1980CH1E, 1980WE1B, 1981VOZX).

See also (1977CO1Q, 1978HA1F, 1979GAZV, 1979LAZR, 1979SA26, 1979SA1L, 1980CO08, 1981DE20), (1978HO1C), (1978RO1D; astrophys.) and (1976AL1E, 1976AR14, 1976BA52, 1976CH1M, 1976CU07, 1976LO1F, 1976MI17, 1976MO31, 1977BA07, 1977BR06, 1977CA07, 1977CH11, 1977CL1D, 1977FL02, 1977FR12, 1977FR1N, 1977FR18, 1977FU1K, 1977GA1K, 1977HA27, 1977HO1N, 1977IK1A, 1977KO03, 1977LA1D, 1977OS02, 1977PL02, 1977SA1P, 1977SA09, 1977SA10, 1977SA1C, 1977TO08, 1977WE1M, 1977ZI01, 1978AN1J, 1978AN24, 1978AR1H, 1978AV1A, 1978BA2C, 1978BE2E, 1978BO10, 1978BR1M, 1978CH10, 1978CU1E, 1978CU06, 1978DA18, 1978FL04, 1978FR1H, 1978GU06, 1978KO22, 1978KR13, 1978LE16, 1978LE17, 1978PA1G, 1978SC1K, 1978SC23, 1978SC1E, 1978SI08, 1978SU1C, 1978VA1G, 1978VA1A, 1978VO06, 1978VO13, 1979AN11, 1979BE32, 1979CH19, 1979DH01, 1979FR11, 1979JA08, 1979MU1D, 1979PH01, 1979SI05, 1979SI06, 1979TA1K, 1979VE1C, 1980AB1D, 1980AN30, 1980BA48, 1980BE25, 1980FA1D, 1980FL02, 1980GA1E, 1980KO08, 1980KO21, 1980KO24, 1980KO27, 1980LA1M, 1980OH05, 1980PR1C, 1980SI09, 1980SI1J, 1980TA03, 1980TA1E, 1980TA14, 1980TO1D, 1980VA03, 1980VI1B, 1980WO01, 1981AB1A, 1981BA02, 1981DE13, 1981DY02, 1981HA18, 1981HE01, 1981MA1G, 1981SA12, 1981SA1K, 1981SI1E, 1981TA14, 1981UB01, 1981VA1E; theor.).

72. (a)  $^{16}\text{O}(^{17}\text{O}, ^{17}\text{O})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{18}\text{O}, ^{18}\text{O})^{16}\text{O}$

Angular distributions of elastically scattered ions have been studied at  $E(^{16}\text{O}) = 24, 28$  and  $32$  MeV and  $E(^{17}\text{O}) = 53.0$  to  $66$  MeV (reaction (a)) and at  $E(^{16}\text{O}) = 24$  to  $54.8$  MeV and  $E(^{18}\text{O}) = 53.1$  to  $89.3$  MeV (reaction (b)): see (1977AJ02) and (1981CA1E;  $E(^{18}\text{O}) = 35$  MeV). Yields and



fusion cross sections are reported by (1980WI09) (reaction (a)) and (1978FR05) (reaction (b)). See also (1977CA1Q, 1979RA10), (1974FI1D, 1978HO1C) and (1977IM1B, 1978LE16, 1978LE17, 1979CR03, 1979LE1B; theor.).

73.  $^{16}\text{O}(^{19}\text{F}, ^{19}\text{F})^{16}\text{O}$

Elastic scattering angular distributions have been studied at  $E(^{16}\text{O}) = 21.4$  and  $25.8$  MeV and at  $E(^{19}\text{F}) = 33$  and  $36$  MeV: see (1977AJ02). See also (1977SC1K, 1980OH05; theor.).

74.  $^{16}\text{O}(^{20}\text{Ne}, ^{20}\text{Ne})^{16}\text{O}$

Elastic scattering angular distributions have been measured at  $E(^{16}\text{O}) = 40.7$ ,  $51.1$  and  $59.4$  MeV (see (1977AJ02)),  $94.8$  MeV (1977MO1A, 1979MO14; also excited states of  $^{20}\text{Ne}$ ) and at  $E(^{20}\text{Ne}) = 50$  MeV (1976ST18; also excited states of  $^{20}\text{Ne}$ ). See also (1980GAZX). For yield and fusion cross-section measurements see (1978SH1P, 1978GA1G, 1979GA1F, 1979GAZY, 1979KOZL, 1979REZS, 1980DI1B, 1980GAZX, 1981GA1D, 1981GA1F; all abstracts). See also (1979VA1B) and (1979JA11, 1979LE1B, 1980GA1E, 1980OH05, 1981AN1D; theor.).

75. (a)  $^{16}\text{O}(^{24}\text{Mg}, ^{24}\text{Mg})^{16}\text{O}$   
(b)  $^{16}\text{O}(^{26}\text{Mg}, ^{26}\text{Mg})^{16}\text{O}$

Elastic angular distributions are reported at  $E(^{16}\text{O}) = 35$  to  $50$  MeV (1979FO13),  $46.3$  and  $60.3$  MeV (1980PA08; also  $2^+$  in  $^{24}\text{Mg}$ ) and  $67$  MeV (1981EC02; also various  $^{24}\text{Mg}$  states) for reaction (a), and at  $35$  to  $50$  MeV (1979FO13) and  $27.4$  to  $48.4$  MeV (1980RO16; also  $2^+$  in  $^{26}\text{Mg}$ ) for reaction (b). Yield and fusion measurements have been carried out by (1978HO20, 1978TA05, 1979FO13, 1979LE02, 1979PEZP, 1980KO1D, 1980PA08, 1980RO16, 1981DR02). See also (1980RA1F), (1978TA1B) and (1978HO13, 1980GA1J, 1980LO02, 1980PA1H, 1980SA1G, 1981DE16; theor.).

76.  $^{16}\text{O}(^{27}\text{Al}, ^{27}\text{Al})^{16}\text{O}$

An elastic angular distribution has been measured at  $E(^{16}\text{O}) = 46.5$  MeV (1978PE13). For yield and fusion cross-section measurements see (1977EI01, 1979RA21, 1980SH10, 1981LE04). See also (1978KE1H, 1979VA12, 1980MI1B, 1980SA1L, 1980TA1B), (1977SC1G, 1978HO1C, 1978MA1F, 1979HU1E) and (1977AF04, 1978BI1G, 1978VA1A, 1979KA27, 1980LO02, 1980SA1G, 1981AC1A, 1981DE16, 1981SA02, 1981VA1H; theor.).

77. (a)  $^{16}\text{O}(^{28}\text{Si}, ^{28}\text{Si})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{29}\text{Si}, ^{29}\text{Si})^{16}\text{O}$   
 (c)  $^{16}\text{O}(^{30}\text{Si}, ^{30}\text{Si})^{16}\text{O}$   
 (d)  $^{16}\text{O}(^{32}\text{S}, ^{32}\text{S})^{16}\text{O}$

Angular distributions for reaction (a) are reported at  $E(^{16}\text{O}) = 32$  MeV (1978CA07; also  $^{28}\text{Si}^*$   $2^+$ ), 33 to 81 MeV [(1973GA09) and see (1976CR04)], 33, 36 and 38 MeV (1977EC04), 35.7 and 38.2 MeV (1979REZT), 41.23 to 63 MeV (1977BR10, 1978GE14, 1978SH02, 1980SH1D, 1980SH1L), 56 MeV (1979ME04; also  $^{28}\text{Si}^*$ ), 60 MeV (1978DU07; also  $^{28}\text{Si}^*$ ), 141.5 MeV (1978SA06; also  $^{28}\text{Si}^*$ ) and 215.2 MeV (1976CR04). For reaction (c) see (1979REZT). For yield and fusion cross-section measurements see (1978BA02, 1979BA49, 1979FO13, 1979JO07, 1979KU09, 1979RA21, 1980BE03). See also (1979BRZW).

See also (1977ZE1F, 1978ST1F, 1979DE1N, 1979HE1M, 1980ZI02) and (1977UD1A, 1978DE09, 1978DU10, 1978FR1B, 1978LE21, 1978SH23, 1978TA14, 1978TE04, 1978VA1A, 1979AN1N, 1979FR01, 1979KA27, 1979KOZW, 1979KR08, 1979LA03, 1979LI05, 1979SA27, 1980BA44, 1980CR01, 1980DR08, 1980FA1D, 1980FR1F, 1980GA1E, 1980GO08, 1980LA1M, 1980MA34, 1980TO1E, 1981FR12, 1981ME03, 1981RA08, 1981VI01; theor.).

78. (a)  $^{16}\text{O}(^{40}\text{Ca}, ^{40}\text{Ca})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{44}\text{Ca}, ^{44}\text{Ca})^{16}\text{O}$   
 (c)  $^{16}\text{O}(^{48}\text{Ca}, ^{48}\text{Ca})^{16}\text{O}$

Elastic angular distributions are reported on  $^{40}\text{Ca}$  at  $E(^{16}\text{O}) = 50$  MeV (1979KU02), 51.5 and 54 MeV (1981AL12; also  $^{40}\text{Ca}^*$ ), 56.8 to 62.8 MeV (1978GE09), 60 MeV (1978RE02; also  $^{40}\text{Ca}^*$ ) and 55.6, 74.4, 103.6, 139.6 and 214.1 MeV (1979VI13), while the elastic scattering on  $^{48}\text{Ca}$  has been studied at 60 MeV (1978KO01; also  $^{40}\text{Ca}^*$ ). Yield and fusion cross-section measurements are reported by (1978GE09, 1979KU02, 1979VI13, 1980KUIF). See also (1978OL1B), (1977ZE1F, 1979HE1M) and (1977AF04, 1977WE1M, 1978KO1U, 1978PA1G, 1978PE1E, 1979BA38, 1979BA41, 1979BE32, 1979BO18, 1979LE1B, 1979PEZR, 1979WO1C, 1980BE19, 1980IZ1A, 1980LA1M, 1980LE11, 1980MA34, 1980RH1A, 1980WO06, 1981VA1H; theor.).

79.  $^{17}\text{O}(\gamma, n)^{16}\text{O}$   $Q_m = -4.1443$

See  $^{17}\text{O}$ .

80.  $^{17}\text{O}(p, d)^{16}\text{O}$   $Q_m = -1.9197$

Angular distributions for the ground state deuteron group have been studied at  $E_p = 8.62$  to  $11.44$  MeV (1975CR05). At  $E_p = 31$  MeV, angular distributions are reported for the deuterons corresponding to  $^{16}\text{O}^*(0, 6.05 + 6.13, 7.12, 8.87, 10.35, 12.97, 13.26)$ . States at  $E_x = 15.22$  and  $15.42$  MeV were also observed. Spectroscopic factors were obtained from a DWBA analysis (1970ME01).

$$81. \ ^{17}\text{O}(\text{d}, \text{t})^{16}\text{O} \quad Q_m = 2.1130$$

Information obtained from this reaction at  $E_d = 52$  MeV is displayed in Table 16.20. Comparison of the (d, t) and (d,  $^3\text{He}$ ) reactions leads to assignments of analog states in  $^{16}\text{N}$  and in  $^{16}\text{O}$  [see reaction 26 in  $^{16}\text{N}$  and Table 16.10] (1977WA11, 1978MA16). See also (1981MA1E). A study of this reaction, the (d,  $^3\text{He}$ ) reaction, and reaction 82 below, suggests that there is more than 17% isospin mixing of the  $2^-$  states  $^{16}\text{O}^*(12.97, 12.53)$ : the corresponding mixing matrix element is  $\geq 155 \pm 30$  keV (1977WA11). An isospin mixing matrix element of  $110 \pm 10$  keV for the  $4^-$  states  $^{16}\text{O}^*(17.79, 18.98, 19.80)$  is compatible with the results from this reaction and with pion scattering (1981CU04). [See also reaction 58.] See also (1980BR1H) below and  $^{19}\text{F}$  in (1983AJ01).

$$82. \ ^{17}\text{O}(\ ^3\text{He}, \alpha)^{16}\text{O} \quad Q_m = 16.4335$$

Angular distributions are reported at  $E(^3\text{He}) = 11$  MeV (1971BO02). Angular correlations have been studied by (1980BR1H) [see for spectroscopic factors relating to a number of states of  $^{16}\text{O}$  with  $E_x > 12.9$  MeV with the  $^{17}\text{O}_{\text{g.s.}}$ , as well as with states of  $^{15}\text{N}$ ]. Table 16.20 displays some of the information derived from this reaction. For polarization measurements see (1981KA1L, 1981RO1H) and  $^{20}\text{Ne}$  in (1983AJ01).

$$83. \ ^{18}\text{O}(\gamma, 2\text{n})^{16}\text{O} \quad Q_m = -12.1889$$

See (1976BA41) and  $^{18}\text{O}$  in (1983AJ01).

$$84. \ ^{18}\text{O}(\text{p}, \text{t})^{16}\text{O} \quad Q_m = -3.7069$$

Angular distributions of tritons have been measured for  $E_p$  to  $43.7$  MeV: see (1971AJ02, 1977AJ02) for the earlier references and (1980AN21;  $E_p = 23$  MeV;  $t_0$ ). The population of  $^{16}\text{O}^*(22.7, 24.5)$  is consistent with  $L = 0$  and  $2$ , respectively, and with assignments of  $T = 2$ ,  $J^\pi = 0^+$  and  $2^+$  (1964CE05). The decay of  $^{16}\text{O}^*(22.7)$ , [ $J^\pi = 0^+$ ;  $T = 2$ ], is via  $\alpha_0$ ,  $\alpha_1$  and  $\alpha_2$  [ $^{12}\text{C}^*(0, 4.4, 7.7)$ ] with  $1.6 \pm 0.7$ ,  $1.9 \pm 0.7$  and  $14 \pm 2\%$  branches and  $\Gamma_i(\text{eV}) = 190 \pm 100$ ,

230 ± 110 and 1680 ± 550 eV, respectively; via  $p_0, p_{1+2}, p_3$  with  $7 \pm 2, 11 \pm 2$  and  $5 \pm 2\%$  branches and  $\Gamma_i(\text{eV}) = 840 \pm 343, 1320 \pm 454$  and  $600 \pm 300$  eV; and via  $n_{1+2}$  with a  $23 \pm 15\%$  branch [ $\Gamma_n = 2760 \pm 1970$  eV] (the  $n_0$  branch is  $< 15\%$ ) (1979FR04) [ $\Gamma_i$  are based on a total width of  $12 \pm 3.5$  keV]. See also (1977AJ02),  $^{19}\text{F}$  in (1983AJ01) and (1977ST19, 1978KU03, 1979AM03, 1979BE34, 1980FE01, 1980WE03, 1980WE10, 1981BE09; theor.).

$$85. \text{}^{18}\text{O}(\alpha, \text{}^6\text{He})\text{}^{16}\text{O} \quad Q_m = -11.215$$

Angular distributions have been measured at  $E_\alpha = 58$  MeV to  $^{16}\text{O}^*(0, 6.1, 6.92, 7.12)$ . Groups at  $E_x = 10.4, 13.3 \pm 0.1$  and  $16.3 \pm 0.1$  MeV were also observed (1975VA01).

$$86. \text{}^{18}\text{O}(\text{}^{17}\text{O}, \text{}^{19}\text{O})\text{}^{16}\text{O} \quad Q_m = -0.187$$

Angular distributions are reported at  $E(^{17}\text{O}) = 36$  MeV (1977KA1Y; to  $^{16}\text{O}_{\text{g.s.}}$  and  $^{19}\text{O}$  states). See also (1976DU04).

$$87. \text{}^{18}\text{O}(\text{}^{18}\text{O}, \text{}^{20}\text{O})\text{}^{16}\text{O} \quad Q_m = -0.628$$

Angular distributions involving  $^{16}\text{O}_{\text{g.s.}}$  and  $^{20}\text{O}$  states are reported at  $E(^{18}\text{O}) = 24$  to 36 MeV (1977KA21) and at 52 MeV (1979KU01).

$$88. \text{}^{19}\text{F}(p, \alpha)\text{}^{16}\text{O} \quad Q_m = 8.1137$$

Angular distributions have been reported at many energies to  $E_p = 44.5$  MeV [see (1977AJ02)] and at  $E_p = 0.83$  to 0.87 MeV (1974CA22:  $\alpha_0$ ), 1.5 to 3.8 MeV (1976CA1P:  $\alpha_0$ ), 2.06 to 2.68 MeV (1980CU09:  $\alpha_0, \alpha_1$ ) and 13.5 to 18.0 MeV (1977ST03:  $\alpha_0$ ). Observed states of  $^{16}\text{O}$  are displayed in Table 16.31 in (1971AJ02).

The E0 transition ( $6.05 \rightarrow 0; 0^+ \rightarrow 0^+$ ) has been investigated in some detail: the internal conversion to pair production ratio is  $(4.00 \pm 0.46) \times 10^{-5}$  (1963LE06). The ratio of double  $\gamma$ -emission to pair production  $\Gamma_{\text{E1E1}}/\Gamma_{\text{E0}(\pi)} = (2.5 \pm 1.1) \times 10^{-4}$  (1975WA20).  $\tau_m$  for  $^{16}\text{O}^*(6.05) = 96 \pm 7$  psec (1973BI17).  $^{16}\text{O}^*(6.13)$  has also been studied extensively:  $|g| = 0.55 \pm 0.04$ ,  $\tau_m = 26.6 \pm 0.7$  psec (1973BR31). A search for double positron-electron pair creation by the 6.13 MeV  $\gamma$ -ray was unsuccessful: the ratio of the cross section for production of such a double pair to the cross section for formation of a single pair is  $-(2 \pm 5) \times 10^{-5}$  (1972WI09). The previously reported ground state decay of  $^{16}\text{O}^*(10.95) [0^- \rightarrow 0^+]$  is not observed; neither is a pair peak due to a  $(10.95 \rightarrow 7.12)$  decay (1978AL19). For  $\gamma$ -ray branching ratios and lifetimes see Tables 16.10 and 16.11.

See also  $^{20}\text{Ne}$  in (1983AJ01), (1966YO1A, 1976GO1M, 1976HE1N), (1978AK1A, 1978AN1M, 1978CH2D, 1978GO1F, 1978VO1G, 1980DI03, 1980KE02; applications) and (1979LE1M; theor.).

$$89. \text{}^{19}\text{F}(\text{}^3\text{He}, \text{}^6\text{Li})\text{}^{16}\text{O} \quad Q_{\text{m}} = 4.0937$$

Angular distributions have been measured to  $E(^3\text{He}) = 40.7$  MeV: see (1977AJ02).

$$90. \text{}^{19}\text{F}(\alpha, \text{}^7\text{Li})\text{}^{16}\text{O} \quad Q_{\text{m}} = -9.234$$

See (1977AJ02).

$$\begin{aligned} 91. \text{(a) } & \text{}^{20}\text{Ne}(\gamma, \alpha)\text{}^{16}\text{O} & Q_{\text{m}} &= -4.7309 \\ & \text{(b) } \text{}^{20}\text{Ne}(\text{p}, \text{p}\alpha)\text{}^{16}\text{O} & Q_{\text{m}} &= -4.7309 \\ & \text{(c) } \text{}^{20}\text{Ne}(\alpha, 2\alpha)\text{}^{16}\text{O} & Q_{\text{m}} &= -4.7309 \end{aligned}$$

For reaction (a) see  $^{20}\text{Ne}$  in (1978AJ03, 1983AJ01). For reaction (b) see (1981CA02). For reaction (c) see (1977AJ02) and (1977CH02; theor.).

$$92. \text{}^{20}\text{Ne}(\text{d}, \text{}^6\text{Li})\text{}^{16}\text{O} \quad Q_{\text{m}} = -3.2574$$

Angular distributions have been studied at  $E_{\text{d}}$  to 40 MeV [see (1977AJ02)] and at 80 MeV (1979OE02;  $^{16}\text{O}_{\text{g.s.}}$ ; relative  $S_{\alpha}$ ). See also (1978BE1H) and (1977BI1F, 1978KA22, 1978SH1Q; theor.).

$$93. \text{}^{20}\text{Ne}(\text{}^3\text{He}, \text{}^7\text{Be})\text{}^{16}\text{O} \quad Q_{\text{m}} = -3.145$$

At  $E(^3\text{He}) = 30$  MeV angular distributions involving  $^{16}\text{O}^*(0, 6.1)$  and the first two states of  $^7\text{Be}$  are reported by (1970DE12).

$$94. \text{}^{23}\text{Na}(\text{e}, \text{e}'\text{}^7\text{Li})\text{}^{16}\text{O} \quad Q_{\text{m}} = -19.701$$

See (1978SA1F). See also (1979CA1E).

95.  $^{24}\text{Mg}(e, e'^8\text{Be})^{16}\text{O}$   $Q_m = -14.135$

See (1979SAZM).

96.  $^{24}\text{Mg}(\alpha, ^{12}\text{C})^{16}\text{O}$   $Q_m = -6.769$

Angular distributions are reported at  $E_\alpha = 22.8$  to  $25.4$  MeV (1978SO10;  $^{16}\text{O}_{\text{g.s.}}$ ) and at  $90.3$  MeV (1980BE04, 1980BE15; to  $^{16}\text{O}^*(0, 6.1, 7.0, 8.8, 9.8, 10.3)$ ).

97.  $^{24}\text{Mg}(^{12}\text{C}, ^{20}\text{Ne})^{16}\text{O}$   $Q_m = -2.151$

See (1978NO02). See also (1980LE21; theor.).

98.  $^{28}\text{Si}(e, e'^{12}\text{C})^{16}\text{O}$   $Q_m = -16.7542$

See (1978SA1F). See also (1980SC1F; theor.).

**<sup>16</sup>F**  
(Figs. 4 and 5)

GENERAL: See also (1977AJ02).

See (1977LA04, 1977SI1D, 1979WO07, 1980HA35, 1981OS04).

1. (a)  $^{14}\text{N}(^3\text{He}, \text{n})^{16}\text{F}$   $Q_{\text{m}} = -0.969$   
 (b)  $^{14}\text{N}(^3\text{He}, \text{np})^{15}\text{O}$   $Q_{\text{m}} = -0.421$

Observed neutron groups and  $L$ -values derived from angular distribution measurements are displayed in Table 16.26 (1973BO50). For the results from reaction (b) see Table 16.26 (1976OT02). See also (1977AJ02).

2.  $^{14}\text{N}(^{10}\text{B}, ^8\text{Li})^{16}\text{F}$   $Q_{\text{m}} = -16.724$

At  $E(^{10}\text{B}) = 100$  MeV unresolved structures to  $^{16}\text{F}^*(0.4, 0.7, 5.5, 6.3, 6.8, 7.8)$  are reported (1978HA10).

3.  $^{16}\text{O}(\text{p}, \text{n})^{16}\text{F}$   $Q_{\text{m}} = -16.211$

Observed neutron groups are listed in Table 16.26 (1971MO34). See also (1980AN1G, 1981ANZX, 1981MA1J) and (1977AJ02).

4.  $^{16}\text{O}(^3\text{He}, \text{t})^{16}\text{F}$   $Q_{\text{m}} = -15.448$

Observed triton groups are displayed in Table 16.26. Comparisons of relative populations of the first four states in this reaction and in the analog reaction ( $^{16}\text{O}(\text{t}, ^3\text{He})^{16}\text{N}$ ) to known states in  $^{16}\text{N}$  [see reaction 24 in  $^{16}\text{N}$  (1974FL06)] suggest that  $^{16}\text{F}^*(0, 0.20)$  are  $0^-$  and  $1^-$  and that  $^{16}\text{F}^*(0.42, 0.72)$  are  $2^-$  and  $3^-$  (the relative ordering of the  $J^\pi$  is ambiguous). (1965PE04) suggest, on the basis of angular distributions, that the ordering is  $J^\pi = 0^-, 1^-, 2^-, 3^-$  for the first four states of  $^{16}\text{N}$ . At  $E(^3\text{He}) = 35$  MeV,  $^{16}\text{F}^*(0.43, 0.72)$  are most strongly populated (1977NA19).

5.  $^{19}\text{F}(^3\text{He}, ^6\text{He})^{16}\text{F}$   $Q_{\text{m}} = -14.842$

Table 16.25: Energy levels of  $^{16}\text{F}$

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
0	$(0)^-; 1$	$40 \pm 20$	p	1, 2, 3, 4, 5
$0.194 \pm 9$	$(1)^-$	$< 40$	p	1, 2, 3, 4, 5
$0.424 \pm 5$	$(2)^-$	$40 \pm 30$	p	1, 2, 3, 4, 5
$0.720 \pm 6$	$(3)^-$	$< 15$	p	1, 2, 3, 4, 5
$3.762 \pm 7$	$1^+$	$< 40$	p	1, 3, 4, 5
$3.869 \pm 7$	$(2)^+$	$< 20$	p	1, 4, 5
$4.372 \pm 7$		$50 \pm 20$	p	1, 4, 5
$4.654 \pm 7$	$1^+$	$60 \pm 20$	p	1, 3, 4, 5
$4.71 \pm 20$				5
$4.973 \pm 10$	$\pi = +$			1, 5
$5.264 \pm 20$				1
$5.390 \pm 14$	$\pi = +$			1, 5
$5.448 \pm 20$				1
$5.529 \pm 14$	$\pi = +$			1, 4, 5
$5.840 \pm 40$				1
$6.05 \pm 20$				5
$6.230 \pm 50$				1, 3
$6.371 \pm 20$				1
$6.678 \pm 10$				1, 4, 5
$6.93 \pm 20$				5
$7.110 \pm 20$				1
$7.730 \pm 40$				1, 3



Table 16.26:  $^{16}\text{F}$  levels from  $^{14}\text{N}(^3\text{He}, \text{n})$ ,  $^{16}\text{O}(\text{p}, \text{n})$ ,  $^{16}\text{O}(^3\text{He}, \text{t})$  and  $^{19}\text{F}(^3\text{He}, ^6\text{He})$ 

$^{16}\text{F}^* \text{ }^{\text{b}}$ (MeV $\pm$ keV)	$L \text{ }^{\text{b}}$	$^{16}\text{F}^* \text{ }^{\text{c}}$ (MeV $\pm$ keV)	$J\pi \text{ }^{\text{d}}$	$^{16}\text{F}^* \text{ }^{\text{e}}$ (MeV $\pm$ keV)	$^{16}\text{F}^* \text{ }^{\text{f}}$	$\Gamma_{\text{c.m.}} \text{ }^{\text{g}}$ (keV)	$J\pi \text{ }^{\text{h}}$
0	1	0	(1 <sup>-</sup> )	0	0	40 $\pm$ 20	(0) <sup>-</sup>
0.192 $\pm$ 15	1	0.190 $\pm$ 20	(0 <sup>-</sup> )	0.197 $\pm$ 12	0.19 $\pm$ 20	40	(1) <sup>-</sup>
0.425 $\pm$ 15	3	0.425 $\pm$ 10	( $\geq$ 2)	0.424 $\pm$ 5	0.425 $\pm$ 20	40 $\pm$ 30	(2) <sup>-</sup>
0.722 $\pm$ 10	(3)	0.725 $\pm$ 10	( $\geq$ 2)	0.720 $\pm$ 6	0.72 $\pm$ 20	< 15	(3) <sup>-</sup>
3.751 $\pm$ 10	0	3.775 $\pm$ 10	(1)	j	3.75 $\pm$ 20	< 40	1 <sup>+</sup>
3.861 $\pm$ 10	2	3.880 $\pm$ 10			3.86 $\pm$ 20	< 20	(2) <sup>+</sup>
4.370 $\pm$ 10		4.375 $\pm$ 10	( $\geq$ 2)		4.37 $\pm$ 20	50 $\pm$ 20	
4.646 $\pm$ 10	0	4.661 $\pm$ 10		j	4.66 $\pm$ 20	60 $\pm$ 20	1 <sup>+</sup>
					4.71 $\pm$ 20 <sup>i</sup>		
4.973 $\pm$ 10	2				4.97 $\pm$ 20 <sup>i</sup>		$\pi = +$
5.264 $\pm$ 20							
5.390 $\pm$ 20	2				5.39 $\pm$ 20 <sup>i</sup>		$\pi = +$
5.448 $\pm$ 20							
5.528 $\pm$ 20	2				5.53 $\pm$ 20		$\pi = +$
5.840 $\pm$ 40							
					6.05 $\pm$ 20 <sup>i</sup>		
6.230 $\pm$ 50				j			
6.371 $\pm$ 20							
6.678 $\pm$ 10					6.68 $\pm$ 20		
					6.93 $\pm$ 20 <sup>i</sup>		
7.110 $\pm$ 20							
7.730 $\pm$ 40				j			

<sup>a</sup> See also Table 16.33 in (1971AJ02).

<sup>b</sup>  $^{14}\text{N}(^3\text{He}, \text{n})^{16}\text{F}$  (1973BO50;  $E(^3\text{He}) = 13$  MeV).

<sup>c</sup>  $^{14}\text{N}(^3\text{He}, \text{np})^{15}\text{O}$  (1976OT02;  $E(^3\text{He}) = 6.5 - 7.8$  MeV).

<sup>d</sup> From angular correlation studies (1976OT02).

<sup>e</sup>  $^{16}\text{O}(\text{p}, \text{n})^{16}\text{F}$  (1971MO34;  $E = 23.9$  MeV).

<sup>f</sup>  $^{16}\text{O}(^3\text{He}, \text{t})$  and  $^{19}\text{F}(^3\text{He}, ^6\text{He})^{16}\text{F}$  (1977NA19;  $E(^3\text{He}) = 35$  and 70 MeV, respectively).

<sup>g</sup>  $^{14}\text{N}(^3\text{He}, \text{n})^{16}\text{F}$  (1965ZA01, 1976OT02).

<sup>h</sup> See (1965PE04, 1973BO50, 1974FL06, 1976OT02, 1977NA19).

<sup>i</sup> Observed only in  $^{19}\text{F}(^3\text{He}, ^6\text{He})$ .

<sup>j</sup> Strongly excited states at  $E_x = 7.6, 9.4$  and 11.5 MeV (with  $\Delta l = 1$  distributions) and weakly excited states at  $E_x = 3.76, 4.65$  and 6.23 MeV ( $l = 0$ ) are reported by (1981ANZX: abstract).

Observed states of  $^{16}\text{F}$  are displayed in Table 16.26. At  $E(^3\text{He}) = 70$  MeV the transition strengths favor the sequence  $0^-, 1^-, 2^-, 3^-$  for the first four states of  $^{16}\text{F}$  (1977NA19).

$^{16}\text{Ne}$   
(Fig. 5)

GENERAL: See also (1977AJ02).

*Theoretical work:* (1978GU10, 1978SP1C, 1981LI1M).

*Reviews:* (1977CE05, 1979AL1J, 1980TR1E).

*Mass of  $^{16}\text{Ne}$ :* The  $Q$ -values of the  $^{20}\text{Ne}(\alpha, ^8\text{He})$  and  $^{16}\text{O}(\pi^+, \pi^-)$  reactions lead to an atomic mass excess of  $24.02 \pm 0.04$  MeV for  $^{16}\text{Ne}$ .  $^{16}\text{Ne}$  is then unbound with respect to decay into  $^{14}\text{O} + 2\text{p}$  by 1.43 MeV and is bound with respect to decay into  $^{15}\text{F} + \text{p}$  by 0.04 MeV.

Table 16.27: Energy levels of  $^{16}\text{Ne}$

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
0	$0^+; 2$	$50^{+50}_{-45}$	p	1, 2
$1.69 \pm 0.07$	$(2^+); 2$			2

1.  $^{16}\text{O}(\pi^+, \pi^-)^{16}\text{Ne}$ 

$Q_m = -28.76$   
 $Q_0 = -28.785 \pm 0.045$  MeV (1980BU15).

At  $E_{\pi^+} = 180$  MeV  $^{16}\text{Ne}_{\text{g.s.}}$  is populated. The cubic factor,  $d$ , in the IMME is calculated to be  $2.5 \pm 3.7$  keV based on  $Q_0$  (1980BU15). See also (1977HO13, 1978BU09, 1980MI05, 1981GR1J, 1981GR1K).

2.  $^{20}\text{Ne}(\alpha, ^8\text{He})^{16}\text{Ne}$ 

$Q_m = -60.23$   
 $Q_0 = -60.15 \pm 0.08$  MeV.

At  $E_\alpha \approx 117.5$  MeV,  $^{16}\text{Ne}^*(0, 1.69 \pm 0.07)$  are populated, the former with a differential cross section of  $5 \pm 3$  nb/sr at  $8^\circ$  (lab). The  $\Gamma_{\text{c.m.}}$  for the ground state group is  $200 \pm 100$  keV; applying penetrability corrections leads to a total decay width of  $5 - 100$  keV. The di-proton branching ratio is  $10 - 90\%$ , with the most probable value being  $20\%$ . The cubic term,  $d$ , in the IMME is  $8 \pm 5$  keV,  $15 \pm 6$  keV based, respectively, on the masses of  $^{16}\text{Ne}^*(0, 1.69)$ . The first  $T = 2$  states in  $^{16}\text{F}$  [ $0^+, 2^+$ ] are predicted to lie at  $E_x = 10.08 \pm 0.02$  and  $11.87 \pm 0.03$  MeV (1978KE06).

## References

(Closed 01 July 1981)

References are arranged and designated by the year of publication followed by the first two letters of the first-mentioned author's name and then by two additional characters. Most of the references appear in the National Nuclear Data Center files (Nuclear Science References Database) and have NNDC key numbers. Otherwise, TUNL key numbers were assigned with the last two characters of the form 1A, 1B, etc. In response to many requests for more informative citations, we have, when possible, included up to ten authors per paper and added the authors' initials.

- 1956DO37 R.A. Douglas, B.R. Gasten and A. Mukerji, *Can. J. Phys.* 34 (1956) 1097
- 1956WI1A Wilkinson, Toppel and Alburger, *Phys. Rev.* 101 (1956) 673
- 1957NO17 E. Norbeck, Jr. and C.S. Littlejohn, *Phys. Rev.* 108 (1957) 754
- 1958AL13 D.E. Alburger, *Phys. Rev.* 111 (1958) 1586
- 1959AJ76 F. Ajzenberg and T. Lauritsen, *Nucl. Phys.* 11 (1959) 1
- 1959AL06 D.E. Alburger, A. Gallmann and D.H. Wilkinson, *Phys. Rev.* 116 (1959) 939
- 1959NO40 E. Norbeck, J.M. Blair, L. Pinsonneault and R.J. Gerbracht, *Phys. Rev.* 116 (1959) 1560
- 1961CH14 R. Chiba, *Phys. Rev.* 123 (1961) 1316
- 1961KA06 W. Kaufmann and H. Waffler, *Nucl. Phys.* 24 (1961) 62
- 1963GI11 W.W. Givens, T.W. Bonner, S.H. Fang, R.C. Bearse and A.A. Rollefson, *Nucl. Phys.* 46 (1963) 504
- 1963IM01 W.L. Imhof, H.A. Grench and R.G. Johnson, *Nucl. Phys.* 49 (1963) 503
- 1963LE06 Y.K. Lee, L.W. Mo and C.S. Wu, *Phys. Rev. Lett.* 10 (1963) 258
- 1964BR08 C.P. Browne and I. Michael, *Phys. Rev.* 134 (1964) B133
- 1964CE05 J. Cerny, R.H. Pehl and G.T. Garvey, *Phys. Lett.* 12 (1964) 234
- 1964NE09 J.B. Nelson, E.L. Hudspeth and E.M. Bernstein, *Phys. Rev.* 136 (1964) B71
- 1965PE04 R.H. Pehl and J. Cerny, *Phys. Lett.* 14 (1965) 137
- 1965ZA01 C.D. Zafiratos, F. Ajzenberg-Selove and F.S. Dietrich, *Phys. Rev.* 137 (1965) B1479
- 1966BE1A Berg and Kashy, *Nucl. Instrum. Meth.* 39 (1966) 169
- 1966GA08 A. Gallman, P. Fintz, J.B. Nelson and D.E. Alburger, *Phys. Rev.* 147 (1966) 753
- 1966HE10 P.V. Hewka, C.H. Holbrow and R. Middleton, *Nucl. Phys.* 88 (1966) 561
- 1966MC05 R.L. McGrath, *Phys. Rev.* 145 (1966) 802
- 1966YO1A Young et al., *Nucl. Instrum. Meth. Phys. Res.* 44 (1966) 109
- 1967BE14 J.A. Becker, J.W. Olness and D.H. Wilkinson, *Phys. Rev.* 155 (1967) 1089

1968AJ02 F. Ajzenberg-Selove and T. Lauritsen, Nucl. Phys. A114 (1968) 1  
 1968BA42 A.R. Barnett, Nucl. Phys. A120 (1968) 342  
 1968DE07 V.P. Denisov, A.P. Komar and L.A. Kulchitsky, Nucl. Phys. A113 (1968) 289  
 1968HE03 D.C. Hensley, P.H. Nettles and C.A. Barnes, Phys. Lett. B26 (1968) 435  
 1968JA07 K.S. Jayaraman and H.D. Holmgren, Phys. Rev. 172 (1968) 1015  
 1968MO08 J.M. Morris, G.W. Kerr and T.R. Ophel, Nucl. Phys. A112 (1968) 97  
 1968WA18 E.K. Warburton, W.R. Harris and D.E. Alburger, Phys. Rev. 175 (1968) 1275  
 1969HA42 H. Hattig, K. Hunchen, P. Roth and H. Waffler, Nucl. Phys. A137 (1969) 144  
 1969HO13 K. Hofmann, W. Mausberg, M. Raabe, E. Rossle and M. Tauber, Z. Phys. 221 (1969) 417  
 1969LU07 C.C. Lu, M.S. Zisman and B.G. Harvey, Phys. Rev. 186 (1969) 1086  
 1969SN02 F.D. Snyder and M.A. Waggoner, Phys. Rev. 186 (1969) 999  
 1969TA09 M. Tauber, K. Hofmann, W. Mausberg and E. Rossle, Z. Phys. 227 (1969) 71  
 1969TH01 M.J. Throop, Phys. Rev. 179 (1969) 1011  
 1970AD01 E.G. Adelberger, A.V. Nero and A.B. McDonald, Nucl. Phys. A143 (1970) 97  
 1970AH02 J. Ahrens, H. Borchert, K.-H. Czock, D. Mehlig and B. Ziegler, Phys. Lett. B31 (1970) 570  
 1970BA49 P.H. Barker, A. Huber, H. Knoth, U. Matter, A. Gobbi and P. Marmier, Nucl. Phys. A155 (1970) 401  
 1970BO08 T.I. Bonner, Phys. Rev. C1 (1970) 1699  
 1970BO09 T.I. Bonner, Phys. Rev. C1 (1970) 1710  
 1970DE12 C. Detraz, H.H. Duhm and H. Hafner, Nucl. Phys. A147 (1970) 488  
 1970DU04 J.R. Duray and C.P. Browne, Phys. Rev. C1 (1970) 776  
 1970GA09 A. Gallman, F. Haas, N. Balaux, B. Heusch and M. Toulemonde, Can. J. Phys. 48 (1970) 1595  
 1970HI08 K.D. Hildenbrand, H.H. Gutbrod, W. von Oertzen and R. Bock, Nucl. Phys. A157 (1970) 297  
 1970ME01 R. Mendelson, J.C. Hardy and J. Cerny, Phys. Lett. B31 (1970) 126  
 1970SW03 C.P. Swann, Nucl. Phys. A150 (1970) 300  
 1971AJ02 F. Ajzenberg-Selove, Nucl. Phys. A166 (1971) 1  
 1971BA31 G. Bassani, G. Pappalardo, N. Saunier and B.M. Traore, Phys. Lett. B34 (1971) 612  
 1971BO02 W. Bohne, H. Homeyer, H. Lettau, H. Morgenstern, J. Scheer and F. Sichelschmidt, Nucl. Phys. A160 (1971) 257

- 1971DO06 C.B. Dover, S. Cierjacks, G.J. Kirouac, J. Nebe, H.H. Dubenkropp, R. Putzki and B. Zeitnitz, Nucl. Phys. A166 (1971) 461
- 1971DR06 G.D. Dracoulis and G.J.F. Legge, Nucl. Phys. A177 (1971) 241
- 1971FU14 H. Fuchs, H. Homeyer, T. Lorenz and H. Oeschler, Phys. Lett. B37 (1971) 285
- 1971KE09 G. Kernel, W.M. Mason and U. von Wimmersperg, Nucl. Phys. A167 (1971) 352
- 1971MO34 C.E. Moss and A.B. Comiter, Nucl. Phys. A178 (1971) 241
- 1971PA28 L. Palffy, J. Lehmann, L. Grenacs and M. Subotowicz, Nuovo Cim. A3 (1971) 505
- 1971TO08 I.S. Towner, E.K. Warburton and G.T. Garvey, Ann. Phys. 66 (1971) 674
- 1971WE16 R. Weibezahn, H. Freiesleben, F. Puhlhofer and R. Bock, Nucl. Phys. A176 (1971) 645
- 1971WY01 H.W. Wyborny and R.R. Carlson, Phys. Rev. C3 (1971) 2185
- 1971ZE02 B. Zeitnitz, H. Dubenkropp, R. Putzki, G.J. Kirouac, S. Cierjacks, J. Nebe and C.B. Dover, Nucl. Phys. A166 (1971) 443
- 1972BO49 W. Bohne, J. Bommer, H. Fuchs, K. Grabisch, H. Kluge and G. Roschert, Nucl. Phys. A196 (1972) 41
- 1972FR05 H. Freiesleben and R. Weibezahn, Nucl. Phys. A184 (1972) 273
- 1972FU16 H. Fuchs, H. Homeyer, H. Oeschler, R. Lipperheide and K. Mohring, Nucl. Phys. A196 (1972) 286
- 1972LO08 J. Lowe and A.R. Barnett, Nucl. Phys. A187 (1972) 323
- 1972SC17 U.C. Schlotthauer-Voos, R. Bock, H.G. Bohlen, H.H. Gutbrod and W. von Oertzen, Nucl. Phys. A186 (1972) 225
- 1972WE04 H.R. Weller, R.A. Blue and S.L. Blatt, Phys. Rev. C5 (1972) 648
- 1972WI09 D.H. Wilkinson and D.E. Alburger, Phys. Rev. C5 (1972) 719
- 1973BE50 J.C. Bergstrom and I.P. Auer, Nucl. Phys. A215 (1973) 232
- 1973BI17 M. Birk, J.S. Sokolowski and Y. Wolfson, Nucl. Phys. A216 (1973) 217
- 1973BO50 W. Bohne, H. Fuchs, K. Grabisch, D. Hilscher, U. Jahnke, H. Kluge and T.G. Master-son, Phys. Lett. B47 (1973) 342
- 1973BR31 C. Broude, M.B. Goldberg, G. Goldring, M. Hass, M.J. Renan, B. Sharon, Z. Shkedi and D.F.H. Start, Nucl. Phys. A215 (1973) 617
- 1973CO31 W.S. Cole, T. Mo, H.R. Weller and J.J. Ramirez, Nucl. Phys. A213 (1973) 107
- 1973GA09 D.S. Gale and J.S. Eck, Phys. Rev. C7 (1973) 1950
- 1973MU14 S.F. Mughabghab and D.I. Garber, BNL 325, 3rd Edition, Vol. 1 (1973)
- 1973RA09 W.L. Randolph, N. Ayres de Campos, J.R. Beene, J. Burde, M.A. Grace, D.F.H. Start and R.E. Warner, Phys. Lett. B44 (1973) 36

- 1974BO05 J.D. Bowman, A.M. Poskanzer, R.G. Korteling and G.W. Butler, Phys. Rev. C9 (1974) 836
- 1974CA22 R. Caracciolo, P. Cuzzocrea, A. De Rosa, G. Inghima, E. Perillo, M. Sandoli and G. Spadaccini, Lett. Nuovo Cim. 11 (1974) 33
- 1974DU06 G. Duhamel, H. Langevin-Joliot, J.P. Didelez, E. Gerlic and J. Van de Wiele, Nucl. Phys. A231 (1974) 349
- 1974DY02 P. Dyer and C.A. Barnes, Nucl. Phys. A233 (1974) 495
- 1974FI1D D. Fick, Nukleonika 19 (1974) 693
- 1974FL06 E.R. Flynn and J.D. Garrett, Phys. Rev. C10 (1974) 409
- 1974KO06 S.E. Koonin, T.A. Tombrello and G. Fox, Nucl. Phys. A220 (1974) 221
- 1974KO1H Kozlowski and Zglinski, Nukleonika (Poland) 19 (1974) 721
- 1974MA12 J.A. Macdonald, J. Cerny, J.C. Hardy, H.L. Harney, A.D. Bacher and G.R. Plattner, Phys. Rev. C9 (1974) 1694
- 1974MO26 A. Moalem, W. Benenson and G.M. Crawley, Nucl. Phys. A236 (1974) 307
- 1974NE10 K. Neubeck, H. Schober and H. Waffler, Phys. Rev. C10 (1974) 320
- 1974PI05 M. Pignanelli, S. Micheletti, I. Iori, P. Guazzoni, F.G. Resmini and J.L. Escudie, Phys. Rev. C10 (1974) 445
- 1974RO37 C. Rolfs and W.S. Rodney, Nucl. Phys. A235 (1974) 450
- 1974SN02 K.A. Snover, E.G. Adelberger and D.R. Brown, Phys. Rev. Lett. 32 (1974) 1061
- 1974TH01 C. Thibault and R. Klapisch, Phys. Rev. C9 (1974) 793
- 1975AH06 J. Ahrens, H. Borchert, K.H. Czock, H.B. Eppler, H. Gimm, H. Gundrum, M. Kroning, P. Riehn, G. Sita Ram, A. Zieger et al., Nucl. Phys. A251 (1975) 479
- 1975AS02 J. Asher, J.R. Beene, M.A. Grace, W.L. Randolph and D.F.H. Start, J. Phys. (London) G1 (1975) 415
- 1975AU01 G. Audi, C. Detraz, M. Langevin and F. Pougheon, Nucl. Phys. A237 (1975) 300
- 1975BE1Y Bernard and Taylor, Nucl. Cross Sections and Tech., Pt. II, Washington, D.C., 1975 (1975) 938
- 1975BR1L Brink et al., JUL-CONF-16 (1975) 11
- 1975BU1F Buenerd, ISN 75-24 (1975)
- 1975CE01 R. Ceuleneer, F. Michel, M. Bosman, J. Lega, P. Leleux, P.C. Macq, J.P. Meulders and C. Pirart, Phys. Rev. C11 (1975) 631
- 1975CO1H Coelho and Das, Rev. Bras. Fis. (Brazil) 5 (1975) 335
- 1975CR02 D.J. Crozier and H.T. Fortune, Phys. Rev. C11 (1975) 308

- 1975CR05 G.B. Crinean, G.M. Hudson, L.W.J. Wild and B.M. Spicer, Nucl. Phys. A244 (1975) 77
- 1975DE1J de Voigt et al., JUL-CONF-16 (1975) 6
- 1975ER09 K.M. Erokhin, N.V. Orlova, Y.F. Smirnov and K.V. Shitikova, Yad. Fiz. 22 (1975) 1102; Sov. J. Nucl. Phys. 22 (1975) 574
- 1975FA1F Fai, Magy. Fiz. Foly. (Hungary) 23 (1975) 393
- 1975FO10 H.T. Fortune and L.R. Medsker, Phys. Rev. C12 (1975) 1364
- 1975FU05 K. Fujii, J. Schimizu, K. Takimoto, I. Yamane and J. Muto, J. Phys. Soc. Jpn. 38 (1975) 1563
- 1975GE1L Geramb et al., Jul-Conf-16 (1975) 6
- 1975GO1P Gogny and Maire, Proc. Int. Conf. on Nucl. Self-Consistent Fields, Italy, 1975 (1975) 149
- 1975HA1Q Hanna et al., JUL-CONF-16 (1975) 8
- 1975HA1R Hanna et al., JUL-CONF-16 (1975) 9
- 1975HO1H Hodgson, Nature 257 (1975) 446
- 1975JE02 N.A. Jelley, J. Cerny, D.P. Stahel and K.H. Wilcox, Phys. Rev. C11 (1975) 2049
- 1975KN10 U. Kneissl, E.A. Koop, G. Kuhl, K.H. Leister and A. Weller, Nucl. Instrum. Meth. 127 (1975) 1
- 1975KR1F Krewald et al., Proc. Int. Conf. on Nucl. Self-Consistent Fields, Italy, 1975 (1975) 267
- 1975KR1G Krewals, Birkholz, Faessler and Speth, JUL-CONF-16 (1975) 10
- 1975MI01 S. Micheletti, M. Pignanelli and P. Guazzoni, Phys. Rev. C11 (1975) 64
- 1975MI08 H. Miska, H.D. Graf, A. Richter, R. Schneider, D. Schull, E. Spamer, H. Theissen, O. Titze and T. Walcher, Phys. Lett. B58 (1975) 155
- 1975MI13 H. Miska, H.D. Graf, A. Richter, D. Schull, E. Spamer and O. Titze, Phys. Lett. B59 (1975) 441
- 1975NA15 K.G. Nair, H. Voit, C.W. Towsley, M. Hamm, J.D. Bronson and K. Nagatani, Phys. Rev. C12 (1975) 1575
- 1975PA01 L. Palfy, J.P. Deutsch, L. Grenacs, J. Lehmann and M. Steels, Phys. Rev. Lett. 34 (1975) 212
- 1975PA1J Paul et al., JUL-CONF-16 (1975) 2
- 1975PI05 A.A. Pilt, Nukleonika (Poland) 20 (1975) 801
- 1975SA1D Sanchez, Casanova and Casanova, An. Fis. (Spain) 71 (1975) 119
- 1975SC35 W.F.W. Schneider, B. Kohlmeyer, F. Puhlhofer and R. Bock, Nucl. Phys. A251 (1975) 331

1975SH18 E.B. Shera, Phys. Rev. C12 (1975) 1003  
 1975SI1F Simonius, Proc. Int. Symp. on Interaction Studies in Nuclei, Germany, 1975 (1975) 3  
 1975SK06 D.M. Skopik, Y.M. Shin and J.J. Murphy, II, Can. J. Phys. 53 (1975) 1398  
 1975VA01 A. Vander Molen, F.D. Becchetti, J. Janecke and L. Chua, Phys. Rev. C11 (1975) 734  
 1975WA20 B.A. Watson, T.T. Bardin, J.A. Becker and T.R. Fisher, Phys. Rev. Lett. 35 (1975) 1333  
 1975ZI1A Zimmerman, Fowler and Caughlan, OAP-399 (1975)  
 1976AJ02 F. Ajzenberg-Selove, R.R. Betts and D.J. Crozier, Phys. Rev. C14 (1976) 357  
 1976AJ04 F. Ajzenberg-Selove, Nucl. Phys. A268 (1976) 1  
 1976AL02 D.E. Alburger and D.H. Wilkinson, Phys. Rev. C13 (1976) 835  
 1976AL16 D.E. Alburger, Nucl. Instrum. Meth.136 (1976) 323  
 1976AL1E Ali, Proc. 7th Int. Conf. on Few Body Problems in Nucl. Part. Phys., Delhi, 1975 (1976) 438  
 1976AM02 K. Amos and H.V. Geramb, Lett. Nuovo Cim. 16 (1976) 165  
 1976AN1D Antonov and Garistov, Bulg. J. Phys. 3 (1976) 20  
 1976AN1E Antonov, Garistov and Petkov, C. R. Acad. Bulg. Sci. 29 (1976) 967  
 1976AP01 B. Apagyi, G. Fai and J. Nemeth, Nucl. Phys. A272 (1976) 303  
 1976AP02 B. Apagyi, G. Fai and J. Nemeth, Nucl. Phys. A272 (1976) 317  
 1976AP1A Apagyi, Magy. Fiz. Foly. (Hungary) 24 (1976) 2  
 1976AR04 K.P. Artemov, V.Z. Goldberg, I.P. Petrov, V.P. Rudakov, I.N. Serikov and V.A. Timofeev, Yad. Fiz. 23 (1976) 489; Sov. J. Nucl. Phys. 23 (1976) 257  
 1976AR10 K.P. Artemov, V.Z. Goldberg, I.P. Petrov, V.P. Rudakov, I.N. Serikov and V.A. Timofeev, Yad. Fiz. 24 (1976) 3; Sov. J. Nucl. Phys. 24 (1977) 1  
 1976AR14 M. Arnould and W.M. Howard, Nucl. Phys. A274 (1976) 295  
 1976BA40 F.C. Barker, Phys. Lett. B64 (1976) 251  
 1976BA41 K. Bangert, U.E.P. Berg, K. Wienhard and H. Wolf, Z. Phys. A278 (1976) 295  
 1976BA48 H.W. Barz, I. Birke, H.U. Jager, H.R. Kissener, I. Rotter and J. Hohn, Yad. Fiz. 24 (1976) 508; Sov. J. Nucl. Phys. 24 (1976) 264  
 1976BA52 D. Baye, Nucl. Phys. A272 (1976) 445  
 1976BE1H Berman, Preprint UCRL-78482 (1976)  
 1976BE1P Bertrand, Ann. Rev. Nucl. Sci. 26 (1976) 457  
 1976BE1W Berezovoi, Ukr. Fiz. Zh. 21 (1976) 391  
 1976BH1B Bhalerao and Dhavale, Prog. Theor. Phys. 56 (1976) 1497



- 1976BO1M Bouvier and Weibel, Arch. Sci. (Geneva) 29 (1976) 163
- 1976BO1R A. Bouyssy and J. Hufner, Phys. Lett. B64 (1976) 276
- 1976BO1T Box, Gabric, Lassez and McKellar, J. Phys. (London) G2 (1976) L107
- 1976BR07 F. Brochard, P. Chevallier, D. Disdier, V. Rauch, G. Rudolf and F. Scheibling, Phys. Rev. C13 (1976) 967
- 1976BR1G W. Bruckner, B. Granz, D. Ingham, K. Kilian, U. Lynen, J. Niewisch, B. Pietrzyk, B. Povh, H.G. Ritter and H. Schroder, Phys. Lett. B62 (1976) 481
- 1976BR1L Brissaud, J. Phys. (London) G3 (1977) 1497
- 1976BU15 M. Buenerd, P. Martin, P. de Saintignon and J.M. Loiseaux, Phys. Rev. C14 (1976) 1316
- 1976BU19 N.A. Burgov, M.K. Vlasov, S.A. Gerzon, Y.T. Kiselev, V.A. Karmanov, A.V. Manko, A.M. Martemyanov, Y.V. Terekhov, V.I. Ushakov and M.M. Chukamov, Pisma Zh. Eksp. Teor. Fiz. 23 (1976) 302; JETP Lett. 23 (1976) 272
- 1976BU1H Buki, Shevchenko and Mitrofanova, Sov. J. Nucl. Phys. 24 (1976) 237
- 1976BU21 N.T. Burtevaev, A.D. Vongai, Y.A. Glukhov, A.D. Duisebaev, G.N. Ivanov, V.I. Kana-shevich, S.V. Laptev, A.A. Ogloblin, S.B. Sakuta, A.V. Spasskii et al., Yad. Fiz. 24 (1976) 873; Sov. J. Nucl. Phys. 24 (1976) 457
- 1976CA1P Casanova and Casanova, An. Fis. 72 (1976) 174
- 1976CH1M Cherdantsev, Proc. Int. School-Seminar on Reactions of Heavy Ions with Nuclei and Synthesis of New Elements, Dubna (1975) 181; Dubna D7-9734 (1976)
- 1976CH1N Chyi, Bull. Amer. Phys. Soc. 21 (1976) 1331
- 1976CH1P Chatterjee, Tobias and Lyman, Spallation Nucl. Reactions and Their Applications; Eds., Shen and Merker (1976) 169
- 1976CH27 L.T. Chua, F.D. Becchetti, J. Janecke and F.L. Milder, Nucl. Phys. A273 (1976) 243
- 1976CH28 A. Chevarier, N. Chevarier, A. Demeyer, P. Martin and P. de Saintignon, Nucl. Phys. A274 (1976) 223
- 1976CO23 M.E. Cobern, D.J. Pisano and P.D. Parker, Phys. Rev. C14 (1976) 491
- 1976CO29 S.R. Cotanch and C.M. Vincent, Phys. Rev. C14 (1976) 1739
- 1976CR04 J.G. Cramer, R.M. DeVries, D.A. Goldberg, M.S. Zisman and C.F. Maguire, Phys. Rev. C14 (1976) 2158
- 1976CU07 R.Y. Cusson, R. Hilko and D. Kolb, Nucl. Phys. A270 (1976) 437
- 1976DA1E R.H. Dalitz and A. Gal, Phys. Lett. B64 (1976) 154
- 1976DA1G Dalkhazhav et al., Sov. J. Nucl. Phys. 23 (1976) 643
- 1976DA1H Dadayan, Sov. J. Nucl. Phys. 24 (1976) 216

- 1976DAYV N.E. Davison, W. Falk, A.M. Sourkes and F. Vosniakos, Bull. Amer. Phys. Soc. 21 (1976) 1295, CC7
- 1976DE40 J.P. Dedonder and C. Schmit, Phys. Lett. B65 (1976) 131
- 1976DU04 J.L. Durell, P.J.A. Buttle, L.J.B. Goldfarb, W.R. Phillips, G.D. Jones, B.W. Hooton and M. Ivanovich, Nucl. Phys. A269 (1976) 443
- 1976FA1E Faessler, Proc. Dubna Conf. JINR D-9920, Vol. II (1976) 242
- 1976FE12 G.A. Feofilov, A.E. Denisov, R.P. Kolalis and V.S. Sadkovskii, Izv. Akad. Nauk SSSR Ser. Fiz. 40 (1976) 2210; Bull. Acad. Sci. USSR Phys. Ser. 40 (1976) 158
- 1976FL1B Fliessbach, Z. Phys. A278 (1976) 353
- 1976FO1F Fowler, Sci. Industrial Applications of Small Accelerators, 4th Conf., 1976 (1976) 11
- 1976FR1G Friar, Ann. Phys. 98 (1976) 490
- 1976FR20 H. Frohlich, P. Duck, W. Galster, W. Treu, H. Voit, H. Witt, W. Kuhn and S.M. Lee, Phys. Lett. B64 (1976) 408
- 1976FU06 G.H. Fuller, J. Phys. Chem. Ref. Data 5 (1976) 835
- 1976FU1H Fujita, Ishida and Hirata, Prog. Theor. Phys. Suppl. 60 (1976) 73
- 1976GA24 M. Gari, H. Hyuga and J.G. Zabolitzky, Nucl. Phys. A271 (1976) 365
- 1976GAYV D.I. Garber and R.R. Kinsey, BNL 325, 3rd Edition, Vol. 2 (1976)
- 1976GI11 M.J. Giannoni, F. Moreau, P. Quentin, D. Vautherin, M. Veneroni and D.M. Brink, Phys. Lett. B65 (1976) 305
- 1976GO04 N.F. Golovanova, I.M. Ilin, V.G. Neudachin, Y.F. Smirnov and Y.M. Chuvilskii, Yad. Fiz. 23 (1976) 64; Sov. J. Nucl. Phys. 23 (1976) 33
- 1976GO1M Goldberg et al., Hyperfine Interactions 2 (1976) 390
- 1976GO27 K. Goeke, S.A. Moskowski and S. Krewald, Phys. Lett. B65 (1976) 113
- 1976HA19 M.N. Harakeh, J.R. Comfort and A. van der Woude, Phys. Lett. B62 (1976) 155; Erratum Phys.Lett. B76 (1978) 663
- 1976HA1Q Hanna, Proc. Dubna Conf., JINR D-9920, Vol. II (1976) 195
- 1976HA27 M.N. Harakeh, A.R. Arends, M.J.A. de Voigt, A.G. Drentje, S.Y. van der Werf and A. van der Woude, Nucl. Phys. A265 (1976) 189; Erratum Nucl. Phys. A280 (1977) 500
- 1976HE19 P.-H. Heenen, Nucl. Phys. A272 (1976) 399
- 1976HE1N Heusch, 1974 Gamma Ray Transition Probabilities (1976) 92
- 1976HE20 V. Heil and W. Stock, Phys. Lett. B65 (1976) 412
- 1976HO16 Y. Horikawa, T. Hoshino and A. Arima, Phys. Lett. B63 (1976) 134
- 1976HO1D Hofmann et al., Proc. Dubna Conf., JINR D-9920, Vol. II (1976) 370
- 1976HO1F Horiuchi, Prog. Theor. Phys. 55 (1976) 1448

- 1976HU10 J. Humblet, P. Dyer and B.A. Zimmerman, Nucl. Phys. A271 (1976) 210
- 1976JA17 R. Jahn, D.P. Stahel, G.J. Wozniak, J. Cerny and H.P. Morsch, Phys. Lett. B65 (1976) 339
- 1976JA1E Jacobsson and Kullberg, Phys. Scr. 13 (1976) 327
- 1976KA34 N.M. Kabachnik and V.N. Razuvaev, Izv. Akad. Nauk SSSR Ser. Fiz. 40 (1976) 177; Bull. Acad. Sci. USSR Phys. Ser. 40 (1976) 148
- 1976KI10 P. Kitching, C.A. Miller, D.A. Hutcheon, A.N. James, W.J. McDonald, J.M. Cameron, W.C. Olsen and G. Roy, Phys. Rev. Lett. 37 (1976) 1600
- 1976KI1F Kirk, Lowell Conf., CONF-760715-P1 (1976) 389
- 1976KN06 W. Knupfer and M.G. Huber, Phys. Rev. C14 (1976) 2254
- 1976LAZL R. Lacanna, H.F. Glavish, J.R. Calarco and S.S. Hanna, Bull. Amer. Phys. Soc. 21 (1976) 1294, CC3
- 1976LE1F Lefort, Rept. Prog. 39 (1976) 129
- 1976LE1Q L'ecuyer et al., Bull. Amer. Phys. Soc. 21 (1976) 1344
- 1976LE26 M. LeMere, Y.C. Tang and D.R. Thompson, Phys. Rev. C14 (1976) 1715
- 1976LI22 K.F. Liu and Nguyen Van Giai, Phys. Lett. B65 (1976) 23
- 1976LI24 L.C. Liu and C.M. Shakin, Phys. Rev. C14 (1976) 1885
- 1976LI26 E. Lipparini, S. Stringari and M. Traini, Nuovo Cim. A34 (1976) 48
- 1976LO1D Lodhi and Waak, Ann. Phys. 101 (1976) 1
- 1976LO1F J. Lomnitz-Adler and D.M. Brink, Phys. Lett. B65 (1976) 106
- 1976MI17 Y. Mito and M. Kamimura, Prog. Theor. Phys. 56 (1976) 583
- 1976MO03 T. Motobayashi, I. Kohno, K. Katori, M. Yoshie, T. Ohi and H. Kamitsubo, Phys. Rev. Lett. 36 (1976) 390
- 1976MO31 P. Moller and J.R. Nix, Nucl. Phys. A272 (1976) 502
- 1976MU08 H. Muther, Y.R. Waghmare and A. Faessler, Phys. Lett. B64 (1976) 125
- 1976NA1L Nagornyi and Inopin, Ukr. Fiz. Zh. 21 (1976) 1895
- 1976NO02 J.A. Nolen, Jr. and S.M. Austin, Phys. Rev. C13 (1976) 1773
- 1976NO1C Norgaard and Fricke, Astron. Astrophys. 49 (1976) 337
- 1976OG1A Ogloblin, Proc. Dubna Conf., JINR D-9920, Vol. II (1976) 31
- 1976OP02 T.R. Ophel, A.D. Frawley, P.B. Treacy and K.H. Bray, Nucl. Phys. A273 (1976) 397
- 1976OT02 T. Otsubo, I. Asada, M. Takeda, M. Tsuda and Y. Oda, Nucl. Phys. A259 (1976) 452
- 1976PA20 R.A. Partridge, Y.C. Tang, D.R. Thompson and R.E. Brown, Nucl. Phys. A273 (1976) 341

- 1976PO02 J.E. Poling, E. Norbeck and R.R. Carlson, Phys. Rev. C13 (1976) 648
- 1976PR1B Prince, Lowell Conf., CONF-760715-P2 (1976) 1083
- 1976QU1A Querci and Querci, Astron. Astrophys. 49 (1976) 443
- 1976RA34 M. Radomski and D.O. Riska, Nucl. Phys. A274 (1976) 428
- 1976RO14 C. Rogers, Nucl. Phys. A271 (1976) 447
- 1976RO16 I. Rotter, H.W. Barz and J. Hohn, Yad. Fiz. 24 (1976) 513; Sov. J. Nucl. Phys. 24 (1976) 266
- 1976SA1H H. Sato, Nucl. Phys. A269 (1976) 378
- 1976SA1K Sayed and Shalaby, Atomkernenergie 28 (1977) 644
- 1976SI1D Silberberg, Tsao and Shapiro, Spallation Nucl. Reactions and Their Applications; Eds., Shen and Mercer (1976) 49
- 1976SI1E Singh and Schwandt, Njkleonika 21 (1976) 451
- 1976ST15 F. Stancu and D.M. Brink, Nucl. Phys. A270 (1976) 236
- 1976ST17 G.L. Strobel, Nucl. Phys. A271 (1976) 162
- 1976ST18 R. Stock, U. Jahnke, D.L. Hendrie, J. Mahoney, C.F. Maguire, W.F.W. Schneider, D.K. Scott and G. Wolschin, Phys. Rev. C14 (1976) 1824
- 1976ST22 A. Strazzeri, Nuovo Cim. A34 (1976) 229; Erratum Nuovo Cim. A41 (1976) 592
- 1976SU08 Y. Suzuki, Prog. Theor. Phys. 56 (1976) 111
- 1976TU1C Turchinets, Aust. J. Phys. 29 (1976) 573
- 1976VA1D Van Paradijs and Kester, Astron. Astrophys. 53 (1976) 1
- 1976VA20 A. Valek, T. Vertse, B. Schlenk and I. Hunyadi, Nucl. Phys A270 (1976) 200
- 1976WA10 N.S. Wall, J.N. Craig and D. Ezrow, Nucl. Phys. A268 (1976) 459
- 1976WA1C Walter and Lisowski, Lowell Conf., CONF-760715-P2 (1976) 1061
- 1976WE21 G.D. Westfall and S.A.A. Zaidi, Phys. Rev. C14 (1976) 610
- 1976WO11 G.J. Wozniak, D.P. Stahel, J. Cerny and N.A. Jelley, Phys. Rev. C14 (1976) 815
- 1976ZE04 A.F. Zeller, M.E. Williams-Norton, R.J. Puigh, G.E. Moore, K.W. Kemper and G.M. Hudson, Phys. Rev. C14 (1976) 2162
- 1977AB03 A.Y. Abul-Magd, H.M. Khalil and M.M. Shalaby, J. Phys. (London) G3 (1977) 381
- 1977AB08 Y. Abgrall, B. Morand, E. Caurier and B. Grammaticos, Phys. Rev. Lett. 39 (1977) 922
- 1977AB1E Abe, RIFP-296 (Kyoto) (1977)
- 1977AF04 G.N. Afanasev, M.B. Dobromyslov, Kim Yng Phung and V.M. Shilov, Izv. Akad. Nauk SSSR Ser. Fiz. 41 (1977) 1650; Bull. Acad. Sci. USSR Phys. Ser. 41 (1977) 98

- 1977AJ02 F. Ajzenberg-Selove, Nucl. Phys. A281 (1977) 1
- 1977AK1A Akaishi, Kasahara, Nagata and Yamaguchi, in Tokyo (1977) 52
- 1977AK1B Akbarov, Uzakova and Umirbekov, Sov. At. Energy 42 (1977) 468
- 1977AL06 G.D. Alkhazov, Nucl. Phys. A280 (1977) 330
- 1977AL1C Alder et al., Helv. Phys. Acta 50 (1977) 197
- 1977AL1W Alder et al., Proc., Zurich-Sin (1977) 45
- 1977AN12 G.S. Anagnostatos, Atomkernenergie 29 (1977) 207
- 1977AN1L Ando, Bando and Nagata, Prog. Theor. Phys. 57 (1977) 1303
- 1977AN21 I. Angeli and M. Csatlos, Nucl. Phys. A288 (1977) 480
- 1977AP01 B. Apagyí and G. Fai, J. Phys. (London) G3 (1977) L163
- 1977AR06 A.G. Artukh, G.F. Gridnev, V.L. Mikheev and V.V. Volkov, Nucl. Phys. A283 (1977) 350
- 1977AR1H Arnett, Astrophys. J. Suppl. 35 (1977) 145
- 1977AU1B Austin, MSUCL-254 (1977)
- 1977AU1E Audouze, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 3
- 1977AU1F Audouze, Lequeux, Rocca-Volmerange and Vigroux, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 155
- 1977AU1J Auer and Demarque, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 25
- 1977AU1K N. Auerbach, Nguyen Van Giai and S.Y. Lee, Phys. Lett. B68 (1977) 225
- 1977BA02 H.W. Barz, I. Rotter and J. Hohn, Nucl. Phys. A275 (1977) 111
- 1977BA07 D. Baye and P.-H. Heenen, Nucl. Phys. A276 (1977) 354
- 1977BA12 A.I. Baz, V.Z. Goldberg, N.Z. Darwisch, K.A. Gridnev, V.M. Semjonov and E.F. Hefter, Lett. Nuovo Cim. 18 (1977) 227
- 1977BA1N D. Baye, J. Deenen and Y. Salmon, Nucl. Phys. A289 (1977) 511
- 1977BA1P Batusov and Eramzhyan, Fiz. Elem. Chastits At. Yad. (USSR) 8 (1977) 229
- 1977BA1Q Baer, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 245
- 1977BA1W Backenstoss, Acta Phys. Austriaca Suppl. 18 (1977) 593
- 1977BA22 G. Baur and H. Lenske, Nucl. Phys. A282 (1977) 201
- 1977BA24 D. Bachelier, J.L. Boyard, T. Hennino, J.C. Jourdain, P. Radvanyi and M. Roy-Stephan, Phys. Rev. C15 (1977) 2139
- 1977BA28 D. Baye and P.-H. Heenen, Nucl. Phys. A283 (1977) 176
- 1977BA2G Barnes, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 783

- 1977BA30 A.I. Baz, V.Z. Goldberg, K.A. Gridnev and V.M. Semenov, *Yad. Fiz.* 25 (1977) 759; *Sov. J. Nucl. Phys.* 25 (1977) 404
- 1977BA3E R. Bass, *Phys. Rev. Lett.* 39 (1977) 265
- 1977BA3G Batty et al., *Proc., Zurich-Sin* (1977) 301
- 1977BA3J Bajaj and Nogami, *Ann. Phys.* 103 (1977) 141
- 1977BA3Y F.C. Barker, Comments on the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  cross section at stellar energies (1977)
- 1977BA4A F.C. Barker, Comments on  $^{15}\text{N}(p, \gamma_0)^{16}\text{O}$  cross section (1977)
- 1977BA56 P. Baeri and A. Strazzeri, *Lett. Nuovo Cim.* 20 (1977) 41
- 1977BA59 D.P. Balamuth, J.M. Lind, K.C. Young, Jr. and R.W. Zurmuhle, *Nucl. Phys.* A290 (1977) 65
- 1977BA85 O.E. Badawy, K.M. Abdo and M. Tawfik, *Acta Phys. (Hungary)* 43 (1977) 269
- 1977BE1Q Bernheim et al., *Proc., Zurich-Sin* (1977) 267
- 1977BE2L Bernstein et al., *Proc., Zurich-Sin* (1977) 252
- 1977BE35 Y.A. Berdnikov, Y.R. Gismatullin, A.G. Kalimov and V.I. Ostroumov, *Yad. Fiz.* 25 (1977) 1150; *Sov. J. Nucl. Phys.* 25 (1977) 610
- 1977BE49 R. Behrman, S. Das Gupta and N. de Takacsy, *Nucl. Phys.* A289 (1977) 397
- 1977BE69 Y.A. Berdnikov, Y.R. Gismatulin, I.A. Lantsev and V.I. Ostroumov, *Yad. Fiz.* 25 (1977) 938; *Sov. J. Nucl. Phys.* 25 (1977) 499
- 1977BI1D Bizzeti, *Nucl. Instrum. Meth. Phys. Res.* 146 (1977) 285
- 1977BI1F Bing, *Acta Phys. Sin. (China)* 26 (1977) 333
- 1977BL06 J.P. Blaizot and D. Gogny, *Nucl. Phys.* A284 (1977) 429
- 1977BO05 F. Borkowski, C. Schmitt, G.G. Simon, V. Walther, D. Drechsel, W. Haxton and R. Rosenfelder, *Phys. Rev. Lett.* 38 (1977) 742
- 1977BO1E Boschitz, *High Energy Phys. Nucl. Struct., Zurich*, 1977 (1977) 133
- 1977BO23 A. Bottino, G. Ciocchetti and C.W. Kim, *Phys. Rev. C* 16 (1977) 1120
- 1977BO2C A. Bouyssy, *Nucl. Phys.* A290 (1977) 324
- 1977BR01 R. Brockmann and M. Dillig, *Phys. Rev. C* 15 (1977) 361
- 1977BR03 B.A. Brown, A. Arima and J.B. McGrory, *Nucl. Phys.* A277 (1977) 77
- 1977BR06 D.M. Brink and N. Takigawa, *Nucl. Phys.* A279 (1977) 159
- 1977BR10 P. Braun-Munzinger, G.M. Berkowitz, T.M. Cormier, C.M. Jachcinski, J.W. Harris, J. Barrette and M.J. LeVine, *Phys. Rev. Lett.* 38 (1977) 944
- 1977BR1E Bruge, *High Energy Phys. Nucl. Phys. Structure, Zurich*, 1977 (1977) 69
- 1977BR1U R. Brockmann and W. Weise, *Phys. Lett.* B69 (1977) 167

- 1977BR26 R. Brockmann and W. Weise, Phys. Rev. C16 (1977) 1282
- 1977BR32 K.H. Bray, A.D. Frawley, T.R. Ophel and F.C. Barker, Nucl. Phys. A288 (1977) 334
- 1977BR38 D. Branford, B.N. Nagorcka and J.O. Newton, J. Phys. (London) G3 (1977) 1565
- 1977BU01 B. Buck, H. Friedrich and C. Wheatley, Nucl. Phys. A275 (1977) 246
- 1977BU03 M. Buenerd, C.K. Gelbke, D.L. Hendrie, J. Mahoney, C. Olmer and D.K. Scott, J. Phys. Lett. (Paris) 38 (1977) L-53
- 1977BU1J Busso, Gallino and Masani, Astrophys. Space Sci. 52 (1977) 479
- 1977BU24 A.V. Bursak, V.V. Verzhbitskii, A.M. Gorbatov, Y.N. Krylov and A.B. Solovei, Yad. Fiz. 26 (1977) 491; Sov. J. Nucl. Phys. 26 (1977) 260
- 1977BY1A Byrd, Lisowski, Tornow and Walter, Bull. Amer. Phys. Soc. 22 (1977) 587
- 1977CA02 F. Catara, M. Consoli, A. Insolia, L. Pappalardo and S. Pappalardo, Nucl. Phys. A276 (1977) 433
- 1977CA07 L.F. Canto, Nucl. Phys. A279 (1977) 97
- 1977CA08 E. Caurier and B. Grammaticos, Nucl. Phys. A279 (1977) 333
- 1977CA1K Caughlan, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 121
- 1977CA1N Casse and Goret, OAP-499 (1977)
- 1977CA1Q Carter et al., in Tokyo (1977) 188
- 1977CA1T Catara, Consoli and Insolia, Nuovo Cim. A41 (1977) 648
- 1977CA21 J.R. Calarco, S.W. Wissink, M. Sasao, K. Wienhard and S.S. Hanna, Phys. Rev. Lett. 39 (1977) 925
- 1977CE01 F.E. Cecil, D.A. Sparrow, J.R. Shepard and H.P. Blok, Phys. Lett. B66 (1977) 127
- 1977CE05 J. Cerny and J.C. Hardy, Ann. Rev. Nucl. Sci. 27 (1977) 333
- 1977CE1B L.S. Celenza, J. Hufner and C. Sander, Nucl. Phys. A276 (1977) 509
- 1977CH02 N.S. Chant and P.G. Roos, Phys. Rev. C15 (1977) 57
- 1977CH09 B.T. Chait and D. Sinclair, Nucl. Phys. A279 (1977) 517
- 1977CH11 P.R. Christensen and Z.E. Switkowski, Nucl. Phys. A280 (1977) 205
- 1977CH16 S.H. Chew, Nucl. Phys. A283 (1977) 445
- 1977CH19 S.H. Chew, J. Lowe, J.M. Nelson and A.R. Barnett, Nucl. Phys. A286 (1977) 451
- 1977CH1N Chachkunashvili, Kopaleishvili and Machabeli, Proc., Zurich-Sin (1977) 25
- 1977CH22 R. Chechik, Z. Fraenkel, H. Stocker and Y. Eyal, Nucl. Phys. A287 (1977) 353
- 1977CL1C Clayton, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 15
- 1977CL1D Clover and Zohni, Bull. Amer. Phys. Soc. 22 (1977) 644

- 1977CO14 T.M. Cormier, P. Braun-Munzinger, P.M. Cormier, J.W. Harris and L.L. Lee, Jr., Phys. Rev. C16 (1977) 215
- 1977CO1Q Conjeaud et al., in Tokyo (1977) 663
- 1977CO20 A.J. Cole, N. Longequeue and J.F. Cavaignac, J. Phys. (Paris) 38 (1977) 1043
- 1977CO27 M.D. Cooper, M.B. Johnson and G.B. West, Nucl. Phys. A292 (1977) 350
- 1977CU1B Cunsold et al., Nuovo Cim. A40 (1977) 293
- 1977DA1B Davydov, Naumov and Shcherbachenko, INDC(CCP)-104/LN (1977)
- 1977DA20 N.Z. Darwisch, K.A. Gridnev, E.F. Hefter and V.M. Semjonov, Nuovo Cim. A42 (1977) 303
- 1977DE15 J.S. Dehesa, S. Krewald, J. Speth and A. Faessler, Phys. Rev. C15 (1977) 1858
- 1977DE16 A. Dellafiore, Nucl. Phys. A282 (1977) 493
- 1977DM1A Dmitrieva, Lebedev and Matusевич, Izv. Akad. Nauk SSSR Ser. Fiz. 41 (1977) 143
- 1977DO06 G.E. Dogotar, R.A. Eramzhyan, H.R. Kissener and R.A. Sakaev, Nucl. Phys. A282 (1977) 474
- 1977DY1D Dyumin and Lebedev, Izv. Akad. Nauk SSSR Ser. Fiz. 41 (1977) 2025
- 1977EC04 J.S. Eck, T.J. Gray and R.K. Gardner, Phys. Rev. C16 (1977) 1873
- 1977EI01 Y. Eisen, I. Tserruya, Y. Eyal, Z. Fraenkel and M. Hillman, Nucl. Phys. A291 (1977) 459
- 1977EN01 J.B.A. England, E. Casal, A. Garcia, T. Picazo, J. Aguilar and H.M. Sen Gupta, Nucl. Phys. A284 (1977) 29
- 1977EN1B Encrenaz, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 79
- 1977EP1A Epstein, Thompson and Yapp, Science 198 (1977) 1209
- 1977ER04 R.A. Eramzhyan, M. Gmitro, R.A. Sakaev and L.A. Tosunjan, Nucl. Phys. A290 (1977) 294
- 1977FA1C Fayans, Saperstein and Tolokonnikov, J. Phys. (London) G3 (1977) L51
- 1977FE1B Feshbach, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 291
- 1977FI03 D.J.S. Findlay and R.O. Owens, Nucl. Phys. A279 (1977) 385
- 1977FL02 J. Fleckner and U. Mosel, Nucl. Phys. A277 (1977) 170
- 1977FO04 P. Fontes, Phys. Rev. C15 (1977) 2159
- 1977FO09 H.T. Fortune, R. Middleton, M.E. Cobern, G.E. Moore, S. Mordechai, R.V. Kollarits, H. Nann, W. Chung and B.H. Wildenthal, Phys. Lett. B70 (1977) 408
- 1977FO1E Fortune, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 99
- 1977FR12 V. Franco and A. Tekou, Phys. Rev. C16 (1977) 658



- 1977FR18 H. Friedrich and L.F. Canto, Nucl. Phys. A291 (1977) 249
- 1977FR1K Freedman, Schramm and Tubbs, Ann. Rev. Nucl. Sci. 27 (1977) 167
- 1977FR1N Frobrich, Lipperheide and Thoma, Ann. Phys. 104 (1977) 478
- 1977FU1K R.C. Fuller, Phys. Rev. C16 (1977) 1865
- 1977GA1B Gastebois and Charles, Bull. Inf. Sci. Tech. 224-225 (1977) 141
- 1977GA1H Gadioli and Erba, Nucl. Instrum. Meth. 146 (1977) 265
- 1977GA1K F.A. Gareev, M.Ch. Gizzatkulov and J. Revai, Nucl. Phys. A286 (1977) 512
- 1977GA1L Galin, Guerreau and Babinet, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl., 44 (1978) 683
- 1977GA22 A. Gabric and K. Amos, Aust. J. Phys. 30 (1977) 287
- 1977GI14 Y.R. Gismatullin, I.A. Lantsev and V.I. Ostroumov, Yad. Fiz. 26 (1977) 243; Sov. J. Nucl. Phys. 26 (1977) 126
- 1977GI16 W.R. Gibbs, B.F. Gibson and G.J. Stephenson, Jr., Phys. Rev. Lett. 39 (1977) 1316
- 1977GL1B Glendinning et al., Bull. Amer. Phys. Soc. 22 (1977) 631
- 1977GM01 M. Gmitro, E. Tinkova, A. Rimini and T. Weber, Nuovo Cim. Lett. 20 (1977) 449
- 1977GO1J K. Goeke, Phys. Rev. Lett. 38 (1977) 212
- 1977GO1K Golubev, Averyanov and Sadovoi, Izv. Akad. Nauk SSSR Ser. Fiz. 41 (1977) 2096
- 1977GO20 N.G. Goncharova, M. Mulei and K.V. Shitikova, Yad. Fiz. 26 (1977) 1183; Sov. J. Nucl. Phys. 26 (1977) 624
- 1977GR04 J.Y. Grossiord, M. Bedjidian, A. Guichard, M. Gusakow, J.R. Pizzi, T. Delbar, G. Gregoire and J. Lega, Phys. Rev. C15 (1977) 843
- 1977GR08 K. Grassau, M. Gari and H. Hebach, Nucl. Phys. A282 (1977) 66
- 1977GR18 Gruhle and Mobius, Z. Phys. A283 (1977) 97
- 1977GR1C Grechukhin and Soldatov, Zh. Eksp. Teor. Fiz. 72 (1977) 390
- 1977GR1L Gray and Thompson, Nature 270 (1977) 708
- 1977GR24 E. Grecksch, M. Dillig and M.G. Huber, Phys. Lett. B72 (1977) 11
- 1977HA18 J.W. Harris, T.M. Cormier, D.F. Geesaman, L.L. Lee, Jr., R.L. McGrath and J.P. Wurm, Phys. Rev. Lett. 38 (1977) 1460
- 1977HA1L Hagen, Fisher and Ormes, Astrophys. J. 212 (1977) 262
- 1977HA1X Hanna, Proc. Haifa Int. Workshop, 1976 (1977) 577
- 1977HA27 K.M. Hartmann, Z. Phys. A282 (1977) 293
- 1977HE12 J.A.J. Hermans, G.A.P. Engelbertink, L.P. Ekstrom, H.H. Eggenhuisen and M.A. Van Driel, Nucl. Phys. A284 (1977) 307

- 1977HE13 V.E. Herscovitz, T.A.J. Maris and M.R. Teodoro, Phys. Lett. B69 (1977) 33
- 1977HE18 W.D. Heiss, C.A. Engelbrecht and F.J.W. Hahne, Nucl. Phys. A289 (1977) 386
- 1977HE1D Hermans, Thesis, Utrecht Univ. (1977)
- 1977HE1L Henley, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 812
- 1977HE23 K.T. Hecht, Phys. Rev. C16 (1977) 2401
- 1977HI01 M.D. High and B. Cujec, Nucl. Phys. A278 (1977) 149
- 1977HI04 M.D. High and B. Cujec, Nucl. Phys. A282 (1977) 181
- 1977HI10 M. Hirata, J.H. Koch, F. Lenz and E.J. Moniz, Phys. Lett. B70 (1977) 281
- 1977HO13 R.J. Holt, B. Zeidman, D.J. Malbrough, T. Marks, B.M. Preedom, M.P. Baker, R.L. Burman, M.D. Cooper, R.H. Heffner, D.M. Lee et al., Phys. Lett. B69 (1977) 55
- 1977HO1B Hoistad, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 215
- 1977HO1E Horiuchi, Invited Talk at Int. Symp. Nucl. Collisions and Their Microsc. Descr., Bled, Yugoslavia (1977)
- 1977HO1F Horiuchi, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 85
- 1977HO1H Horiuchi, Prog. Theor. Phys. 58 (1977) 204
- 1977HO1K K. Holinde, R. Machleidt, A. Faessler and H. Muther, Phys. Rev. C15 (1977) 1432
- 1977HO1N Horiuchi, Prog. Theor. Phys. Suppl. 62 (1977) 90
- 1977HO22 P. Hoodbhoy and J.W. Negele, Nucl. Phys. A288 (1977) 23
- 1977HO27 H. Ho, R. Albrecht, W. Dunnweber, G. Graw, S.G. Steadman, J.P. Wurm, D. Disdier, V. Rauch and F. Scheibling, Z. Phys. A283 (1977) 235
- 1977HO32 J. Hohn, H.W. Barz and I. Rotter, Nukleonika 22 (1977) 1175
- 1977HU09 H. Husken, Nucl. Phys. A291 (1977) 206
- 1977IB1A Iben, Aastrophys. J. 217 (1977) 788
- 1977IK1A Ikeda and Tamagaki, Prog. Theor. Phys. Suppl. 62 (1977) 1
- 1977IK1C Ikeda, in Tokyo (1977) 218
- 1977IM1B Imanishi, Tanimura and Ohnishi, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 257
- 1977IZ01 T. Izumoto, Nucl. Phys. A275 (1977) 342
- 1977IZ1B Izumoto, INS Rept. 300 (1977)
- 1977JA11 S. Jausel-Husken and H. Freiesleben, Z. Phys. A283 (1977) 363
- 1977JA1E Jang and Bang, in Tokyo (1977) 586

- 1977JA1K B. Jakobsson, R. Kullberg and I. Otterlund, Nucl. Phys. A276 (1977) 523
- 1977JE04 J.-P. Jeukenne, A. Lejeune and C. Mahaux, Phys. Rev. C16 (1977) 80
- 1977JO02 B. Johnsson, M. Nilsson and K. Lindgren, Nucl. Phys. A278 (1977) 365
- 1977JO1D Joss, Nature 270 (1977) 310
- 1977JU1C Juric, Proc., Zurich-Sin (1977) 296
- 1977KA02 R. Kalish, M. Hass, J.M. Brennan and H.T. King, Nucl. Phys. A276 (1977) 339
- 1977KA1N Kazaks, Bull. Amer. Phys. Soc. 22 (1977) 616
- 1977KA1P Kaptari, Lukyanov and Titov, Proc., Zurich-Sin (1977) 175
- 1977KA1Y Kalinsky, Melnik, Smilansky and Trautner, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 263
- 1977KA21 D. Kalinsky, D. Melnik, U. Smilansky, N. Trautner, Y. Horowitz and S. Mordechai, Nucl. Phys. A289 (1977) 205
- 1977KA2A Kamuntavicius, Sov. Phys.-Collect. (USA) 17 (1977) 1
- 1977KA2B Kamuntavicius, Sov. Phys.-Collect. (USA) 17 (1977) 28
- 1977KI1F Kilian, High Energy Phys. Nucl. Struct., Zurich (1977) 91
- 1977KI1K L.S. Kisslinger and Nguyen Van Giai, Phys. Lett. B72 (1977) 19
- 1977KI1M Kido et al., Bull. Amer. Phys. Soc. 22 (1977) 567
- 1977KI1N Kiroichnikov et al., Proc., Zurich-Sin (1977) 206
- 1977KN03 W. Knpfer, E. Grecksch and M.G. Huber, Z. Phys. A280 (1977) 175
- 1977KO03 S.E. Koonin, K.T.R. Davies, V. Maruhn-Rezwani, H. Feldmeier, S.J. Krieger and J.W. Negele, Phys. Rev. C15 (1977) 1359
- 1977KO16 J.J. Kolata, R.C. Fuller, R.M. Freeman, F. Haas, B. Heusch and A. Gallmann, Phys. Rev. C16 (1977) 891
- 1977KO1N Kostin, Kopanets and Koval, Izv. Akad. Nauk SSSR Ser. Fiz. 41 (1977) 153
- 1977KO25 D.S. Koltun and F. Myhrer, Z. Phys. A283 (1977) 397
- 1977KO2G Kolybasov and Smorodinskaya. JETP Lett. 26 (1977) 109
- 1977KO33 W. Koenig, A. Riccato, R. Stock, P. Cuzzocrea, E. Perillo, M. Sandoli and G. Spadacini, Nuovo Cim. A39 (1977) 9
- 1977KR1B S. Krewald, V. Klemt, J. Speth and A. Faessler, Nucl. Phys. A281 (1977) 166
- 1977LA04 J.B. Langworthy, B.A. Lamers and H. Uberall, Nucl. Phys. A280 (1977) 351
- 1977LA15 H. Lancman, A.P.M. van 't Westende and H.D. Graber, Nucl. Phys. A291 (1977) 293
- 1977LA1D Lassila and Lary, Proc., Zurich-Sin (1977) 180
- 1977LE05 M. LeMere, R.E. Brown, Y.C. Tang and D.R. Thompson, Phys. Rev. C15 (1977) 1191

1977LE16 T.-S.H. Lee, D. Kurath and B. Zeidman, Phys. Rev. Lett. 39 (1977) 1307  
 1977LI19 H. Liskien and A. Paulsen, Atomkernenergie 30 (1977) 59  
 1977LI1J Lisboa, Nucl. Instrum. Meth. 146 (1977) 243  
 1977LI1K E. Lipparini, G. Orlandini and R. Leonardi, Phys. Rev. C16 (1977) 812  
 1977LI1L Lipparini et al., in Tokyo (1977) 134  
 1977LI1M Lipparini, Orlandini, Tringari and Traini, Nuovo Cim. A42 (1977) 296  
 1977LO1J Lombaard and Meyer, Nucl. Instrum. Meth. 145 (1977) 347  
 1977MA01 J.L. Matthews, W. Bertozzi, M.J. Leitch, C.A. Peridier, B.L. Roberts, C.P. Sargent,  
 W. Turchinetz, D.J.S. Findlay and R.O. Owens, Phys. Rev. Lett. 38 (1977) 8  
 1977MA15 R.S. Mackintosh and L.A. Cordero, Phys. Lett. B68 (1977) 213  
 1977MA1B Martz et al., in Tokyo (1977) 177  
 1977MA1F Madey et al., Int. J. Radiat. Oncology Biol. Phys. (GB) 3 (1977) 325  
 1977MA1M Mausner et al., Bull. Amer. Phys. Soc. 22 (1977) 547  
 1977MA1U N. Masuda and F. Uchiyama, Phys. Rev. C15 (1977) 972  
 1977MA1W N. Masuda and F. Uchiyama, Phys. Rev. C15 (1977) 1598  
 1977MA2E Mayer-Boricke, Nukleonika 22 (1977) 1131  
 1977MA2G Martz et al., Bull. Amer. Phys. Soc. 22 (1977) 634  
 1977MA2H Marangoni, Ottaviani and Sruis, Proc., Zurich-Sin (1977) 241  
 1977MA2J Maris and Schneider, Proc., Zurich-Sin (1977) 224  
 1977MA2L Maeda, Okada and Kato, in Tokyo (1977) 562  
 1977MA35 V.B. Mandelzweig, Nucl. Phys. A292 (1977) 333  
 1977MC08 A.B. McDonald, T.K. Alexander, J.R. Beene, J.C. Hardy, K.P. Jackson and H.B. Mak,  
 Nucl. Phys. A287 (1977) 189  
 1977MC1E K.W. McVoy, Nucl. Phys. A276 (1977) 491  
 1977MI15 G.A. Miller, Phys. Rev. C16 (1977) 2325  
 1977MI19 F. Milder, M. Blecher, K. Gotow, D. Jenkins, P. Roberson, R.L. Burman, M.A.  
 Moinester, R.P. Redwine, F.E. Bertrand, T.P. Cleary et al., Phys. Lett. B72 (1977)  
 159  
 1977MO17 P.J. Moffa, C.B. Dover and J.P. Vary, Phys. Rev. C16 (1977) 1857  
 1977MO1A T. Motobayashi, Rept. Inst. Phys. Chem. Res. 53 (1977) 81  
 1977MO1B Moller, Hufschmidt and Kamke, Nucl. Instrum. Meth. Phys. Res. 140 (1977) 157  
 1977MO1Q Moskalev, Sov. J. Nucl. Phys. 25 (1977) 630  
 1977MO1T Mors, Herscovitz and Jacob, Rev. Bras. Fis. (Brazil) 7 (1977) 283

- 1977MU1A Mukhopadhyay, Phys. Rept. C30 (1977) 1
- 1977NA02 K. Nakano, Can. J. Phys. 55 (1977) 134
- 1977NA03 J.B. Natowitz, M.N. Namboodiri, R. Eggers, P. Gonthier, K. Geoffroy, R. Hanus, C. Towsley and K. Das, Nucl. Phys. A277 (1977) 477; Erratum Nucl. Phys. A285 (1977) 532
- 1977NA19 H. Nann, W. Benenson, E. Kashy, H.P. Morsch and D. Mueller, Phys. Rev. C16 (1977) 1684
- 1977NA1N Nagl and Uberall, Bull. Amer. Phys. Soc. 22 (1977) 617
- 1977NA1Q Nagl and Uberall, Proc., Zurich-Sin (1977) 263
- 1977NA23 B.N. Nagorcka, G.D. Symons, P.B. Treacy and I.C. Maclean, Aust. J. Phys. 30 (1977) 149
- 1977NA29 V.S. Nadezhdin, N.I. Petrov and V.I. Satarov, Pisma Zh. Eksp. Teor. Fiz. 26 (1977) 123; JETP Lett. 26 (1977) 115
- 1977NE1C Negele, Bull. Amer. Phys. Soc. 22 (1977) 1009
- 1977NE2A J.W. Negele, Proc. 7th Int. Conf. on High-Energy Phys. Nucl. Struct., Zurich, Switzerland, 29 Aug.-2 Sept. 1977 (1977) 17
- 1977NO07 J.M. Normand, Nucl. Phys. A291 (1977) 126
- 1977OB02 J.J. O'Brien, J.X. Saladin, C. Baktash and J.G. Alessi, Nucl. Phys. A291 (1977) 510
- 1977OH01 S. Ohkubo, Y. Kondo and S. Nagata, Prog. Theor. Phys. 57 (1977) 82
- 1977OS02 F. Osterfeld, V. Hnizdo and C. Toepffer, Phys. Lett. B68 (1977) 319
- 1977OS1E Osman, Int. J. Theor. Phys. 16 (1977) 575
- 1977PA1G Papineau, Nucl. Instrum. Meth. 146 (1977) 253
- 1977PA1J Parkinson, Astron. Astrophys. 57 (1977) 185
- 1977PE09 G. Perrin, D. Lebrun, J. Chauvin, P. Martin, P. De Saintignon, D. Eppel, H.V. Geramb, H.L. Yadav and V.A. Madsen, Phys. Lett. B68 (1977) 55
- 1977PE1F Petrauskas and Sabal Yauskas, Sov. Phys.-Collect. (USA) 17 (1977) 1
- 1977PH01 R.J. Philpott, Nucl. Phys. A289 (1977) 109
- 1977PH02 D.-L. Pham and R. de Swiniarski, Nuovo Cim. A41 (1977) 543
- 1977PI10 W.T. Pinkston, Nucl. Phys. A291 (1977) 342
- 1977PL02 E. Plagnol, H. Doubre and C. Marty, Phys. Lett. B67 (1977) 377
- 1977PO1A Povh, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 775
- 1977PR01 K. Pruess, Nucl. Phys. A278 (1977) 124; Erratum Nucl. Phys. A285 (1977) 532
- 1977PR05 P.B. Price, J. Stevenson and K. Frankel, Phys. Rev. Lett. 39 (1977) 177

- 1977PR1E Prialnick, Shara and Shavin, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 63
- 1977PR1G Preedom, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 119
- 1977RE08 H. Reiss, H.V. Klapdor, G. Rosner, J.L.C. Ford, Jr. and S.T. Thornton, Nucl. Phys. A283 (1977) 149
- 1977RO06 T. Rohwer, M. Morike and G. Staudt, Z. Phys. A281 (1977) 107
- 1977RO09 I. Rotter, Phys. Lett. B67 (1977) 385
- 1977RO1H Rolfs, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 133
- 1977RO1N F. Roesel, D. Trautmann and R.D. Viollier, Nucl. Phys. A292 (1977) 523
- 1977RO1R R. Rosenfelder, Nucl. Phys. A290 (1977) 315
- 1977SA09 D.A. Saloner and C. Toepffer, Nucl. Phys. A283 (1977) 108
- 1977SA10 D.A. Saloner, C. Toepffer and B. Fink, Nucl. Phys. A283 (1977) 131
- 1977SA19 A.M. Santana, H.T. Coelho and T.K. Das, Phys. Rev. C16 (1977) 1785
- 1977SA1B Sadkovskii, Feofilov, Denisov and Kolalis, Yad. Fiz. 26 (1977) 1200
- 1977SA1C Saito, Prog. Theor. Phys. Suppl. 62 (1977) 11
- 1977SA1P Sage and Cusson, Bull. Amer. Phys. Soc. 22 (1977) 644
- 1977SA1Q Sanchez-Dehesa, Rept. Jul-1425 (1977)
- 1977SA1V Sadovoi, Sov. J. Nucl. Phys. 25 (1977) 27
- 1977SA1W Sackmann, Astrophys. J. 212 (1977) 159
- 1977SA1X Sanders, Martz and Parker, in Tokyo (1977) 625
- 1977SA1Y Sapershtein, Tolokonnikov and Fayans, Sov. J. Nucl. Phys. 25 (1977) 510
- 1977SA2A Sanders, Ph. D. Thesis, Yale Univ. (1977)
- 1977SA2B Sato, in Tokyo (1977) 589
- 1977SC1F Schoch et al., Bull. Amer. Phys. Soc. 22 (1977) 591
- 1977SC1G Schroder and Huizenga, Ann. Rev. Nucl. Sci. 27 (1977) 465
- 1977SC1K Shimuzi, Fujii and Takimoto, Prog. Theor. Phys. 57 (1977) 680
- 1977SC1L Scalo, OAP-498 (1977)
- 1977SE1F Sercely, Shepard, Sparrow and Cecil, Bull. Amer. Phys. Soc. 22 (1977) 552
- 1977SH16 D. Shapira, R.M. DeVries, M.R. Clover, R.N. Boyd and R.N. Cherry, Jr., Phys. Lett. B71 (1977) 293
- 1977SH1C Shoda et al., Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 482
- 1977SH1H Shibata et al., Proc., Zurich-Sin (1977) 166
- 1977SI01 R.R. Silbar, J.N. Ginocchio and M.M. Sternheim, Phys. Rev. C15 (1977) 371

- 1977SI1D Silberberg and Tsao, *Astrophys. J. Suppl.* 35 (1977) 129
- 1977SI1F Silberberg and Tsao, *Astrophys. J. Suppl.* 35 (1977) 137
- 1977SM06 G.R. Smith, R.L. Boudrie, J.J. Kraushaar, R.J. Peterson, R.A. Ristinen, C.L. Morris, J.E. Bolger, W.J. Braithwaite, C.F. Moore and L.E. Smith, *Phys. Lett.* B72 (1977) 176
- 1977SM1A Yu.F. Smirnov and Yu.M. Tchuvil'sky, *Phys. Rev.* C15 (1977) 84
- 1977SO12 M. Sotona, *Czech. J. Phys.* B27 (1977) 386
- 1977SP1B Spencer, *High Energy Phys. Nucl. Struct., Zurich, 1977* (1977) 153
- 1977ST03 A. Stabler, W. Buck, G. Staudt and H. Oeschler, *Nucl. Phys.* A275 (1977) 269
- 1977ST19 M.R. Strayer and M.F. Werby, *J. Phys. (London)* G3 (1977) L179
- 1977ST1J J. Stevenson, P.B. Price and K. Frankel, *Phys. Rev. Lett.* 38 (1977) 1125
- 1977ST1V Stephenson, Gibbs and Gibson, *Bull. Amer. Phys. Soc.* 22 (1977) 1029
- 1977SU03 T. Suzuki and D.J. Rowe, *Nucl. Phys.* A286 (1977) 307
- 1977SU1J Suzuki, in *Tokyo* (1977) 180
- 1977SU1L Sung et al., in *Tokyo* (1977) 802
- 1977SW02 Z.E. Switkowski, R.G. Stokstad and R.M. Wieland, *Nucl. Phys.* A279 (1977) 502
- 1977SW05 Z.E. Switkowski, Shiu-Chin Wu, J.C. Overley and C.A. Barnes, *Nucl. Phys.* A289 (1977) 236
- 1977TA03 P. Taras, G. Rao, N. Schulz, J.P. Vivien, B. Haas, J.C. Merdinger and S. Landsberger, *Phys. Rev.* C15 (1977) 834
- 1977TE1A Terrien, in *Tokyo* (1977) 843
- 1977TH1D M. Thies, *Phys. Lett.* B70 (1977) 401
- 1977TH1H Thompson and Gray, *Int. J. Appl. Rad. Isotopes* 28 (1977) 411
- 1977TO02 C.W. Towsley, P.K. Bindal, K.-I. Kubo, K.G. Nair and K. Nagatani, *Phys. Rev.* C15 (1977) 281; Erratum *Phys. Rev.* C15 (1977) 1607
- 1977TO08 V. Tornow, P.-G. Reinhard and D. Drechsel, *Z. Phys.* A280 (1977) 253
- 1977TO1G Toneev and Gudima, *Proc., Zurich-Sin* (1977) 181
- 1977TO1J Tombrello, *OAP-501/LIAP* (1977)
- 1977TR01 R.K. Tripathi, E.A. Sanderson and J.P. Elliott, *Nucl. Phys.* A278 (1977) 78
- 1977TR08 A. Traber, D. Trautmann and F. Rosel, *Nucl. Phys.* A291 (1977) 221
- 1977TR1A Traber, Trautman and Alder, *Helv. Phys. Acta* 50 (1977) 195
- 1977TU1C Turck et al., in *Tokyo* (1977) 152
- 1977UD1A Udagawa, *Proc. Int. Conf. Nucl. Struct., Tokyo* (1977); *J. Phys. Soc. Jpn. Suppl.* 44 (1978) 667

- 1977VA02 K. Van Bibber, R. Ledoux, S.G. Steadman, F. Videback, G. Young and C. Flaum, Phys. Rev. Lett. 38 (1977) 334
- 1977VA04 G.M. Vagradov, F.A. Gareev and J. Bang, Nucl. Phys. A278 (1977) 319
- 1977VA12 G.K. Varma and L. Zamick, Phys. Rev. C16 (1977) 308; Erratum, Phys. Rev. C18 (1978) 1081
- 1977VI03 R.D. Viollier and J.D. Walecka, Acta Phys. Pol. B8 (1977) 25
- 1977VIIA Vilaithong et al., Bull. Amer. Phys. Soc. 22 (1977) 1007
- 1977VO08 C. Volant, M. Conjeaud, S. Harar and E.F. da Silveira, J. Phys. (Paris) 38 (1977) 1179
- 1977VO1A von Rosenvinge, McDonald, Trainor and Webber, Bull. Amer. Phys. Soc. 22 (1977) 567
- 1977WA04 R. Wada, J. Schimizu and K. Takimoto, Phys. Rev. Lett. 38 (1977) 1341
- 1977WA08 A.H. Wapstra and K. Bos, At. Data Nucl. Data Tables 19 (1977) 175; Erratum At. Data Nucl. Data Tables 20 (1977) 1
- 1977WA11 G.J. Wagner, K.T. Knopfle, G. Mairle, P. Doll, H. Hafner and J.L.C. Ford, Jr., Phys. Rev. C16 (1977) 1271
- 1977WA1G Walecka, AIP Conf. Proc. 37 (1977) 125
- 1977WA1H Walter, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 225
- 1977WA1P Wannier, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 71
- 1977WA1R Walker, AIP Conf. Proc. 36 (1977) 21
- 1977WA1T Waghmare, Pramana 9 (1977) 7
- 1977WE1E Welsh, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 95
- 1977WE1M Weiss, Fiz. Suppl. 9 (1977) 315
- 1977YO1F Young, Golden and Kapetanacos, Rev. Sci. Instrum. 48 (1977) 432
- 1977ZA1C L. Zamick, M. Golin and S. Moszkowski, Phys. Lett. B66 (1977) 116
- 1977ZE01 N.S. Zelenskaya, I.B. Teplov and T.A. Yushchenko, Izv. Akad. Nauk SSSR Ser. Fiz. 41 (1977) 1691; Bull. Acad.Sci. USSR Phys. Ser. 41 (1977) 130
- 1977ZE1F Zeidman, Nucl. Instrum. Meth. 146 (1977) 199
- 1977ZH1A Zhang, Zhao and Li, Acta Phys. Sin. (China) 26 (1977) 54
- 1977ZI01 P.G. Zint, Z. Phys. A281 (1977) 373
- 1978AB1C Abe, AIP Conf. Proc. 47 (1978) 132
- 1978AD02 S. Adachi and S. Yoshida, Nucl. Phys. A306 (1978) 53
- 1978AJ03 F. Ajzenberg-Selove, Nucl. Phys. A300 (1978) 1
- 1978AK1A Akselsson and Johansson, Bull. Amer. Phys. Soc. 23 (1978) 1035



- 1978AL03 Albanese et al., Phys. Lett. B73 (1978) 119
- 1978AL07 G.D. Alkhazov, B.L. Birbrair, S.I. Glezer, L.P. Lapina and V.A. Sadovnikova, Yad. Fiz. 27 (1978) 333; Sov. J. Nucl. Phys. 27 (1978) 181
- 1978AL19 D.E. Alburger, Phys. Rev. C18 (1978) 576
- 1978AL1G Alkhazov, Belostotsky and Vorobyov, Phys. Rept. C42 (1978) 89
- 1978AM1B Ames, Bull. Amer. Phys. Soc. 23 (1978) 540
- 1978AN07 I. Angeli and M. Csatos, Atomki Kozlem. 20 (1978) 1
- 1978AN16 M.R. Anastasio, A. Faessler, H. Muther, K. Holinde and R. Machleidt, Phys. Rev. C18 (1978) 2416
- 1978AN1J Ando, Ikeda and Tohsaki-Suzuki, Prog. Theor. Phys. 59 (1978) 306
- 1978AN1M Andrade, Robledo and Dorantes, Bull. Amer. Phys. Soc. 23 (1978) 1064
- 1978AN24 T. Ando, K. Ikeda and A. Tohsaki-Suzuki, Prog. Theor. Phys. 59 (1978) 2168
- 1978AP02 B. Apagyi, J. Phys. (London) G4 (1978) 1859
- 1978AR01 K.P. Artemov, V.Z. Goldberg, I.P. Petrov, V.P. Rudakov, I.N. Serikov and V.A. Timofeev, Yad. Fiz. 27 (1978) 3; Sov. J. Nucl. Phys. 27 (1978) 1
- 1978AR1H Arima, AIP Conf. Proc. 47 (1978) 1
- 1978AT01 M. Atarashi, K. Hira and H. Narumi, Prog. Theor. Phys. 60 (1978) 209
- 1978AU12 J.P. Auger and R.J. Lombard, J. Phys. (London) G4 (1978) L261
- 1978AU1E J.P. Auger and R.J. Lombard, Phys. Lett. B77 (1978) 165
- 1978AV1A Avishai, Z. Phys. A285 (1978) 333
- 1978BA02 J. Barrette, M.J. LeVine, P. Braun-Munzinger, G.M. Berkowitz, M. Gai, J.W. Harris and C.M. Jachcinski, Phys. Rev. Lett. 40 (1978) 445
- 1978BA1J Back et al., Bull. Amer. Phys. Soc. 23 (1978) 958
- 1978BA1M Bading and Maxson, Bull. Amer. Phys. Soc. 23 (1978) 525
- 1978BA2C Bauhoff and Wildermuth, Proc., Cluster, Winnipeg (1978) A9
- 1978BA31 F.C. Barker, Aust. J. Phys. 31 (1978) 27
- 1978BA42 W.H. Bassichis, M.R. Strayer, J.F. Reading and R.R. Scheerbaum, Phys. Rev. C18 (1978) 632
- 1978BA43 A.M. Baxter, P.G. Ikossi, A.M. McDonald and J.A. Kuehner, Nucl. Phys. A305 (1978) 213
- 1978BA52 H.W. Barz, I. Rotter and J. Hohn, Nucl. Phys. A307 (1978) 285
- 1978BA53 D. Baye, P.-H. Heenen and M. Libert-Heinemann, Nucl. Phys. A308 (1978) 229
- 1978BA55 V.V. Balashov and R. Wunsch, J. Phys. (London) G4 (1978) L239

- 1978BA57 M.P. Balandin, V.M. Grebenyuk, V.G. Zinov, T. Kozlowski and A.D. Konin, *Yad. Fiz.* 28 (1978) 582; *Sov. J. Nucl. Phys.* 28 (1978) 297
- 1978BE1H Becchetti, *AIP Conf. Proc.* 47 (1978) 308
- 1978BE1N Bertrand et al., *Bull. Amer. Phys. Soc.* 23 (1978) 80, 81
- 1978BE1X G.F. Bertsch and D.O. Riska, *Phys. Rev. C* 18 (1978) 317
- 1978BE27 Y.A. Berdnikov, Y.R. Gismatullin, A.G. Kalimov and V.I. Ostroumov, *Yad. Fiz.* 27 (1978) 599; *Sov. J. Nucl. Phys.* 27 (1978) 320
- 1978BE2B Benenson and Williams, *Bull. Amer. Phys. Soc.* 23 (1978) 636
- 1978BE2C K.G. Bernhardt, H. Bohn, K.A. Eberhard and R. Vandenbosch, *Proc. Int. Conf. on Resonances in Heavy Ion Reactions, Hvar, 1977* (1978) 367
- 1978BE2E F. Beck, K.-H. Muller and H.S. Kohler, *Phys. Rev. Lett.* 40 (1978) 837
- 1978BE2F Becchetti et al., *Proc., Cluster, Winnipeg* (1978) H1
- 1978BE42 F.D. Becchetti, E.R. Flynn, D.L. Hanson and J.W. Sunier, *Nucl. Phys.* A305 (1978) 293
- 1978BE43 F.D. Becchetti, J. Janecke and C.E. Thorn, *Nucl. Phys.* A305 (1978) 313
- 1978BE56 K. Bear and P.E. Hodgson, *J. Phys. (London)* G4 (1978) L287
- 1978BE57 B. Behera, N.M. Guru and R.K. Satpathy, *Czech. J. Phys.* B28 (1978) 615
- 1978BH03 R.K. Bhowmik, E.C. Pollacco, N.E. Sanderson, J.B.A. England and G.C. Morrison, *Phys. Lett.* B80 (1978) 41
- 1978BH1B Bhakar and Van Oers, *Few Body Syst. Nucl. Forces, Graz, 1978, Springer Lect. Notes* 87 (1978) 364
- 1978BI03 R. Billerey, C. Cerruti, A. Chevarier, N. Chevarier and A. Demeyer, *Z. Phys.* A284 (1978) 319
- 1978BI04 B.L. Birbrair, S.I. Glezer, L.P. Lapina and V.A. Sadovnikova, *Yad. Fiz.* 27 (1978) 84; *Sov. J. Nucl. Phys.* 27 (1978) 45
- 1978BI10 O.M. Bilaniuk, H.T. Fortune and R. Middleton, *Nucl. Phys.* A305 (1978) 63
- 1978BI14 R.F. Bishop, C. Howes, J.M. Irvine and M. Modarres, *J. Phys. (London)* G4 (1978) 1709
- 1978BI1G J.R. Birkelund and J.R. Huizenga, *Phys. Rev. C* 17 (1978) 126
- 1978BI1L Birbrair et al., *Sov. J. Nucl. Phys.* 28 (1978) 321
- 1978BO01 T. Bowles, D.F. Geesaman, R.J. Holt, H.E. Jackson, R.M. Laszewski, J.R. Specht, L.L. Rutledge, Jr., R.E. Segel, R.P. Redwine and M.A. Yates-Williams, *Phys. Rev. Lett.* 40 (1978) 97
- 1978BO10 P. Bonche, B. Grammaticos and S. Koonin, *Phys. Rev. C* 17 (1978) 1700

- 1978BO11 H.G. Bohlen, H. Ossenbrink, W. von Oertzen, P. Wust, H. Hafner and K. Wannebo, *Z. Phys.* A285 (1978) 379
- 1978BO25 A.I. Boiko, Y.R. Gismatullin and I.A. Lantsev, *Yad. Fiz.* 27 (1978) 1439; *Sov. J. Nucl. Phys.* 27 (1978) 759
- 1978BO26 A.I. Boiko, Y.R. Gismatullin, I.A. Lantsev and V.I. Ostroumov, *Yad. Fiz.* 27 (1978) 1452; *Sov. J. Nucl. Phys.* 27 (1978) 765
- 1978BR06 F.A. Brieva and J.R. Rook, *Nucl. Phys.* A297 (1978) 206
- 1978BR1J Braithwaite et al., *Bull. Amer. Phys. Soc.* 23 (1978) 48
- 1978BR1K Brenner and Jackson, *Proc., Cluster, Winnipeg* (1978) D2
- 1978BR1M D.M. Brink and Fl. Stancu, *Nucl. Phys.* A299 (1978) 321
- 1978BR27 R. Brockmann, *Phys. Rev.* C18 (1978) 1510
- 1978BR28 F.A. Brieva and J.R. Rook, *Nucl. Phys.* A307 (1978) 493
- 1978BU09 R.L. Burman, M.P. Baker, M.D. Cooper, R.H. Heffner, D.M. Lee, R.P. Redwine, J.E. Spencer, T. Marks, D.J. Malbrough, B.M. Preedom et al., *Phys. Rev.* C17 (1978) 1774
- 1978BU1B Buffington, Orth and Mast, *Astrophys. J.* 226 (1978) 355
- 1978BU1H Butler, Newman and Talbot, *Science* 201 (1978) 522
- 1978BU27 A. Budzanowski, K. Grotowski, S. Micek, Z. Rogalska, A. Strzalkowski, E. Witkos, T. Delbar, G. Gregoire, J. Lega, G. Paic et al., *Nuovo Cim.* A48 (1978) 100
- 1978BY1A Byrnak, *Nuovo Cim.* A44 (1978) 1
- 1978CA07 J. Carter, R.G. Clarkson, V. Hnizdo and J.P.F. Sellschop, *Nucl. Phys.* A297 (1978) 520
- 1978CA08 J.A. Castilho Alcaras and H. Viana Da Silveira, *Nucl. Phys.* A298 (1978) 228
- 1978CH02 H.C. Cheung, M.D. High and B. Cujec, *Nucl. Phys.* A296 (1978) 333
- 1978CH09 S.H. Chew, J. Lowe, J.M. Nelson and A.R. Barnett, *Nucl. Phys.* A298 (1978) 19
- 1978CH10 H. Chandra and U. Mosel, *Nucl. Phys.* A298 (1978) 151
- 1978CH15 Y.-D. Chan, H. Bohn, R. Vandenbosch, K.G. Bernhardt, J.G. Cramer, R. Sielemann and L. Green, *Nucl. Phys.* A303 (1978) 500
- 1978CH16 R. Chechik, Z. Fraenkel, Y. Eyal and H. Stocker, *Nucl. Phys.* A304 (1978) 243
- 1978CH19 S.H. Chew and J. Lowe, *Nucl. Phys.* A306 (1978) 125
- 1978CH1C Chant, *AIP Conf. Proc.* 47 (1978) 415
- 1978CH1P Chen et al., *Bull. Amer. Phys. Soc.* 23 (1978) 953
- 1978CH1Y N.S. Chant, P.G. Roos and C.W. Wang, *Phys. Rev.* C17 (1978) 8
- 1978CH26 W. Chung, J. van Hienen, B.H. Wildenthal and C.L. Bennett, *Phys. Lett.* B79 (1978) 381

- 1978CH28 A. Chaumeaux, V. Layly and R. Schaeffer, *Ann. Phys.* 116 (1978) 247
- 1978CH2D Chaudhri and Reen, *Bull. Amer. Phys. Soc.* 23 (1978) 1062
- 1978CI06 N. Cindro, G. Vourvopoulos, X. Aslanoglou, G. Andritsopoulos, P. Assimakopoulos and P. Bakoyorgos, *Fiz. Suppl.* 10 (1978) 1
- 1978CL08 M.E. Clark, K.W. Kemper and J.D. Fox, *Phys. Rev. C*18 (1978) 1262
- 1978CL1F Clayton, *Ann. Rev. Nucl. Part. Sci.* 28 (1978) 501
- 1978CO05 T.M. Cormier, C.M. Jachcinski, G.M. Berkowitz, P. Braun-Munzinger, P.M. Cormier, M. Gai, J.W. Harris, J. Barrette and H.E. Wegner, *Phys. Rev. Lett.* 40 (1978) 924
- 1978CO14 S.R. Cotanch, *Phys. Lett.* B76 (1978) 19
- 1978CO17 S.R. Cotanch, *Phys. Rev. C*18 (1978) 1941
- 1978CO19 S.R. Cotanch, *Nucl. Phys.* A308 (1978) 253
- 1978CU03 A. Cunsolo, A. Foti, G. Pappalardo, G. Raciti and N. Saunier, *Phys. Rev. C*18 (1978) 856
- 1978CU04 P. Cuzzocrea, A. De Rosa, G. Inghima, E. Perillo, E. Rosato, M. Sandoli and G. Spadaccini, *Lett. Nuovo Cim.* 22 (1978) 257
- 1978CU06 R.Y. Cusson, J.A. Maruhn and H.W. Meldner, *Phys. Rev. C*18 (1978) 2589
- 1978CU07 A. Cunsolo, A. Foti, G. Imme, G. Pappalardo, G. Raciti and N. Saunier, *Lett. Nuovo Cim.* 23 (1978) 371
- 1978CU1E Cusson, Gomez Del Campo and Meldner, *AIP Conf. Proc.* 47 (1978) 35
- 1978DA15 F. Darema-Rogers and W.W. True, *Phys. Rev. C*18 (1978) 2355
- 1978DA18 K.T.R. Davies, H.T. Feldmeier, H. Flocard and M.S. Weiss, *Phys. Rev. C*18 (1978) 2631
- 1978DA1A Dalitz and Gal, *Ann. Phys.* 116 (1978) 167
- 1978DE09 D. Dehnhard, V. Shkolnik and M.A. Franey, *Phys. Rev. Lett.* 40 (1978) 1549; Erratum, *Phys. Rev. Lett.* 42 (1979) 1574
- 1978DE16 J. Dey and A. Ansari, *Pramana* 10 (1978) 213
- 1978DE1K B. Desplanques and J. Missimer, *Nucl. Phys.* A300 (1978) 286
- 1978DE32 S.V. Dementii, V.I. Ogurtsov and N.G. Afanasev, *Yad. Fiz.* 28 (1978) 865; *Sov. J. Nucl. Phys.* 28 (1978) 443
- 1978DI1A Di Napoli et al., *J. Inorg. Nucl. Chem.* 40 (1978) 1973
- 1978DI1D Dietrich and Simpson, *Astrophys. J.* 225 (1978) L41
- 1978DO01 H. Doubre, J.C. Roynette, E. Plagnol, J.M. Loiseaux, P. Martin and P. deSaintignon, *Phys. Rev. C*17 (1978) 131

- 1978DU07 A. Dudek-Ellis, V. Shkolnik, J.L. Artz, D. Dehnhard, P.J. Ellis and H.P. Morsch, Phys. Rev. C18 (1978) 158
- 1978DU10 A. Dudek-Ellis, V. Shkolnik and D. Dehnhard, Phys. Rev. C18 (1978) 1039
- 1978DU1B Dubna-Warsaw-Leningrad Collaboration, Yad. Fiz. 27 (1978) 1246
- 1978EL05 N.M. El Naggat and M. El Azab, J. Phys. (London) G4 (1978) 269; Erratum J. Phys. (London) G4 (1978) 1199
- 1978EM1A Emiliani, Hudson, Shinn and George, Science 202 (1978) 627
- 1978EN1D Engelbrecht, Hahne and Heiss, S. African J. Phys. 1 (1978) 41
- 1978ER02 T.E.O. Ericson and F. Myhrer, Phys. Lett. B74 (1978) 163
- 1978ER04 R.A. Eramzhyan, M. Gmitro and L.A. Tosunjan, J. Phys. (London) G4 (1978) L233
- 1978FA1G M. Farine, J.M. Pearson and B. Rouben, Nucl. Phys. A304 (1978) 317
- 1978FE04 B. Fernandez, C. Gaarde, J.S. Larsen, S. Pontoppidan and F. Videbaek, Nucl. Phys. A306 (1978) 259
- 1978FE1E Feldman, Astron. Astrophys. 70 (1978) 547
- 1978FI05 D.J.S. Findlay, R.O. Owens, M.J. Leitch, J.L. Matthews, C.A. Peridier, B.L. Roberts and C.P. Sargent, Phys. Lett. B74 (1978) 305
- 1978FI10 D.J.S. Findlay, D.J. Gibson, R.O. Owens and J.L. Matthews, Phys. Lett. B79 (1978) 356
- 1978FI1E Fick, 3rd Int. Conf. on Clustering Aspects of Nucl. Struct. Nucl. Reactions, Winnipeg (1978)
- 1978FL04 H. Flocard, S.E. Koonin and M.S. Weiss, Phys. Rev. C17 (1978) 1682
- 1978FO04 H.T. Fortune, Phys. Rev. C17 (1978) 861
- 1978FO06 H.T. Fortune, M.E. Cobern, S. Mordechai, G.E. Moore, S. Lafrance and R. Middleton, Phys. Rev. Lett. 40 (1978) 1236
- 1978FO10 H.T. Fortune, J. Phys. (London) G4 (1978) L103
- 1978FO19 H.T. Fortune, R. Middleton and O.M. Bilaniuk, J. Phys. (London) G4 (1978) L181
- 1978FO27 H.T. Fortune, R. Middleton and O.M. Bilaniuk, Phys. Rev. C18 (1978) 1920
- 1978FR04 A.D. Frawley, K.H. Bray and T.R. Ophel, Nucl. Phys. A294 (1978) 161
- 1978FR05 R.M. Freeman and F. Haas, Phys. Rev. Lett. 40 (1978) 927
- 1978FR19 M.A. Franey, B.F. Bayman, J.S. Lilley and W.R. Phillips, Phys. Rev. Lett. 41 (1978) 837
- 1978FR1B Frahn, S. African J. Phys. 1 (1978) 133
- 1978FR1F V. Franco and W.T. Nutt, Phys. Rev. C17 (1978) 1347
- 1978FR1H V. Franco and G.K. Varma, Phys. Rev. C18 (1978) 349

- 1978FR1L Frawley, Roy, Mateja and Fletcher, Bull. Amer. Phys. Soc. 23 (1978) 539
- 1978FR1N Frahn and Rehm, Phys. Rept. C37 (1978) 1
- 1978FU04 S. Furui, Nucl. Phys. A300 (1978) 385
- 1978FU09 S. Furui, Nucl. Phys. A312 (1978) 311
- 1978GA13 M. Gari and H. Hebach, Phys. Rev. C18 (1978) 1071
- 1978GA1B Gastebois, Proc. Int. Conf. on Res. in Heavy Ion Reactions, Hvar, 1977 (1979) 61
- 1978GA1C Gal, Soper and Dalitz, Ann. Phys. 113 (1978) 79
- 1978GA1D Garcilazo and Gibbs, Bull. Amer. Phys. Soc. 23 (1978) 553
- 1978GA1F M. Gari, H. Hebach, B. Sommer and J.G. Zabolitzky, Phys. Rev. Lett. 41 (1978) 1288
- 1978GA1G Gai et al., Bull. Amer. Phys. Soc. 23 (1978) 933
- 1978GE09 D.F. Geesaman, C.N. Davids, W. Henning, D.G. Kovar, K.E. Rehm, J.P. Schiffer, S.L. Tabor and F.W. Prosser, Jr., Phys. Rev. C18 (1978) 284
- 1978GE14 C.K. Gelbke, T. Awes, U.E.P. Berg, J. Barrette, M.J. LeVine and P. Braun-Munzinger, Phys. Rev. Lett. 41 (1978) 1778
- 1978GE16 K.W. Geiger and L. van der Zwan, Nucl. Instrum. Meth. 157 (1978) 199
- 1978GE1C Gelbke et al., Phys. Rept. C42 (1978) 311
- 1978GI05 Y.S. Gismatullin, V.F. Kosmach, A.G. Martirosova and V.I. Ostroumov, Yad. Fiz. 27 (1978) 37; Sov. J. Nucl. Phys. 27 (1978) 19
- 1978GI1E W.R. Gibbs, B.F. Gibson and G.J. Stephenson, Phys. Rev. C18 (1978) 2782
- 1978GL1E Gloeckler et al., Bull. Amer. Phys. Soc. 23 (1978) 510
- 1978GO07 M. Golin, Phys. Lett. B74 (1978) 23
- 1978GO1F J. Golden, R.A. Mahaffey, J.A. Pasour, F.C. Young and C.A. Kapetanacos, Rev. Sci. Instrum. 49 (1978) 1384
- 1978GO1L Golovanova, Ibraev and Neudatchin, Prog. Theor. Phys. 59 (1978) 127
- 1978GO1N Goldberg et al., Hyperfine Interactions 4 (1978) 262
- 1978GR1D Grigoryan and Shakhbazyan, Yad. Fiz. 28 (1978) 1372
- 1978GR22 K.A. Gridnev, N.Z. Darvish, A.S. Demyanova, V.M. Semenov, V.B. Subbotin and E.F. Khefter, Izv. Akad. Nauk SSSR Ser. Fiz. 42 (1978) 2361; Bull. Acad. Sci. USSR Phys. Ser. 42 (1978) 124
- 1978GU05 P. Guichon, M. Giffon, J. Joseph, R. Laverriere and C. Samour, Z. Phys. A285 (1978) 183
- 1978GU06 S.K. Gupta and S. Kailas, Phys. Lett. B73 (1978) 398
- 1978GU07 P.A.M. Guichon, M. Giffon and C. Samour, Phys. Lett. B74 (1978) 15
- 1978GU10 K. Gul, J. Phys. Soc. Jpn. 44 (1978) 353

1978GY1A M. Gyulassy and S.K. Kauffmann, Phys. Rev. Lett. 40 (1978) 298  
 1978HA10 M. Hamm and K. Nagatani, Phys. Rev. C17 (1978) 586; Erratum Phys.Rev. C17, 2258 (1978)  
 1978HA18 D.R. Harrington and G.K. Varma, Phys. Lett. B74 (1978) 316  
 1978HA1F Haas et al., Proc. Int. Conf. on Res. in Heavy Ion Reactions, Hvar, 1977 (1978) 349  
 1978HA1U D.R. Harrington and G.K. Varma, Nucl. Phys. A306 (1978) 477  
 1978HA35 H.-B. Hakansson, T. Berggren and R. Bengtsson, Nucl. Phys. A306 (1978) 406  
 1978HA36 W.C. Haxton, Nucl. Phys. A306 (1978) 429  
 1978HA43 M.Y.M. Hassan, A. Rabie and M.S.M. Noor El-Din, Atomkernenergie 32 (1978) 193  
 1978HA49 K. Halkia, J.P. Elliott and E.A. Sanderson, Fiz. Suppl. 10 (1978) 39  
 1978HE03 E.F. Hefter, H.V. Geramb, F. Osterfeld and T. Udagawa, Z. Phys. A284 (1978) 412  
 1978HE04 K.T. Hecht and D. Braunschweig, Nucl. Phys. A295 (1978) 34  
 1978HE11 H.H. Heckman, H.J. Crawford, D.E. Greiner, P.J. Lindstrom and L.W. Wilson, Phys. Rev. C17 (1978) 1651  
 1978HE1C Hendrie, AIP Conf. Proc. 47 (1978) 402  
 1978HE1D Heitzmann, Atomkernenergie 31 (1978) 262  
 1978HE1J H.H. Heckman, D.E. Greiner, P.J. Lindstrom and H. Shwe, Phys. Rev. C17 (1978) 1735  
 1978HE1K Henningsen, Schatzler and Kuhn, Atomkernenergie 31 (1978) 131  
 1978HE23 W. Hering, W. Dunnweber, G. Graw, C. Lauterbach, H. Puchta and W. Trautmann, S. Afr. J. Phys. 1 (1978) 169  
 1978HO07 G. Horlacher and H. Arenhovel, Nucl. Phys. A300 (1978) 348  
 1978HO13 D. Horn and A.J. Ferguson, Phys. Rev. Lett. 41 (1978) 1529  
 1978HO1C Hodgson, Riv. Nuovo Cim. 1 (1978) 1  
 1978HO20 D. Horn, A.J. Ferguson and O. Hausser, Nucl. Phys. A311 (1978) 238  
 1978IB1B Iben, Aastrophys. J. 219 (1977) 213  
 1978IB1C Iben, Aastrophys. J. 226 (1977) 996  
 1978IN04 Q. Ingram, E. Boschitz, L. Pflug, J. Zichy, J.P. Albanese and J. Arvieux, Phys. Lett. B76 (1978) 173  
 1978IO1B A.A. Ioannides and D.F. Jackson, Nucl. Phys., A308 (1978) 305, 317  
 1978IS04 M. Ismail, Atomkernenergie 31 (1978) 44  
 1978IT1A N. Itoh and Y. Kohyama, Nucl. Phys. A306 (1978) 527

- 1978JA04 C.M. Jachcinski, T.M. Cormier, P. Braun-Munzinger, G.M. Berkowitz, P.M. Cormier, M. Gai and J.W. Harris, Phys. Rev. C17 (1978) 1263
- 1978JA08 D.R. James and N.R. Fletcher, Phys. Rev. C17 (1978) 2248
- 1978JA10 R. Jahn, D.P. Stahel, G.J. Wozniak, R.J. de Meijer and J. Cerny, Phys. Rev. C18 (1978) 9
- 1978JA13 J. Jansen, J. Zichy, J.P. Albanese, J. Arvieux, J. Bolger, E. Boschitz, C.H.Q. Ingram and L. Pflug, Phys. Lett. B77 (1978) 359
- 1978JA15 R. Jackle, H. Pilkuhn and H.G. Schlaile, Phys. Lett. B76 (1978) 177
- 1978JA16 J. Jaros, A. Wagner, L. Anderson, O. Chamberlain, R.Z. Fuzesy, J. Gallup, W. Gorn, L. Schroeder, S. Shannon, G. Shapiro et al., Phys. Rev. C18 (1978) 2273
- 1978JA1G B. Jakobsson, R. Kullberg, I. Otterlund, A. Ruiz, J.M. Bolta and E. Higon, Nucl. Phys. A300 (1978) 397
- 1978JA1N Jakobsson, Phys. Scripta 17 (1978) 491
- 1978KA04 G.-P.P. Kamuntavicius, Yad. Fiz. 27 (1978) 98; Sov. J. Nucl. Phys. 27 (1978) 52
- 1978KA13 K. Katori, K. Furuno and T. Ooi, Phys. Rev. Lett. 40 (1978) 1489, Erratum Phys. Rev. Lett. 41 (1978) 138
- 1978KA1Q Kaptar and Titov, Yad. Fiz. 28 (1978) 647
- 1978KA1R Kaler, Iben and Becker, Astrophys. J. 224 (1978) L63
- 1978KA1W Kamuntavicius, Litov. Fiz. SB. (USSR) 18 (1978) 693
- 1978KA22 K. Kato and H. Bando, Prog. Theor. Phys. 59 (1978) 774
- 1978KE06 G.J. KeKelis, M.S. Zisman, D.K. Scott, R. Jahn, D.J. Vieira, J. Cerny and F. Ajzenberg-Selove, Phys. Rev. C17 (1978) 1929
- 1978KE1H Kemper, Parks, Mateja and Roy, Bull. Amer. Phys. Soc. 23 (1978) 615
- 1978KH1B F.C. Khanna, I.S. Towner and H.C. Lee, Nucl. Phys. A305 (1978) 349
- 1978KH1C V.A. Khyr, N.V. Orlova, Yu.F. Smirnov, A.A. Shirokova and K.V. Shitikova, Phys. Lett. B76 (1978) 273
- 1978KI01 J.C. Kim, R.S. Hicks, R. Yen, I.P. Auer, H.S. Caplan and J.C. Bergstrom, Nucl. Phys. A297 (1978) 301
- 1978KN02 K.T. Knopfle, G.J. Wagner, P. Paul, H. Breuer, C. Mayer-Boricke, M. Rogge and P. Turek, Phys. Lett. B74 (1978) 191
- 1978KO01 D.G. Kovar, W. Henning, B. Zeidman, Y. Eisen, J.R. Erskine, H.T. Fortune, T.R. Ophel, P. Sperr and S.E. Vigdor, Phys. Rev. C17 (1978) 83
- 1978KO1U Koonin et al., Bull. Amer. Phys. Soc. 23 (1978) 955
- 1978KO1V C.M. Ko and D.O. Riska, Nucl. Phys. A312 (1978) 217
- 1978KO22 S. Koonin, B. Flanders, H. Flocard and M. Weiss, Phys. Lett. B77 (1978) 13



- 1978KR04 W. Kratschmer, Nucl. Phys. A298 (1978) 477
- 1978KR13 S.J. Krieger and K.T.R. Davies, Phys. Rev. C18 (1978) 2567
- 1978KU03 K.-i. Kubo and H. Amakawa, Phys. Rev. C17 (1978) 1271
- 1978KU1F R. Kullberg, A. Oskarsson and I. Otterlund, Phys. Rev. Lett. 40 (1978) 289
- 1978KU1G Kullberg and Oskarsson, Z. Phys. A288 (1978) 283
- 1978KW1A Y.R. Kwon and F. Tabakin, Phys. Rev. C18 (1978) 932
- 1978LA1K Lattimer, Schramm and Grossman, Astrophys. J. 219 (1978) 230
- 1978LAZZ A.J. Lazzarini, E.R. Cosman, A. Sperduto, S.G. Steadman, K. Van Bibber and G. Young, Bull. Amer. Phys. Soc. 23 (1978) 15, AF5
- 1978LE06 A. Lejeune and P.E. Hodgson, Nucl. Phys. A295 (1978) 301
- 1978LE13 M. LeMere and Y.C. Tang, Phys. Rev. C18 (1978) 1114
- 1978LE15 R.D. Levine, S.G. Steadman, J.S. Karp and Y. Alhassid, Phys. Rev. Lett. 41 (1978) 1537
- 1978LE16 S.Y. Lee, N. Takigawa and C. Marty, Nucl. Phys. A308 (1978) 161
- 1978LE17 S.Y. Lee and N. Takigawa, Nucl. Phys. A308 (1978) 189
- 1978LE1T Lefort and Ngo, Ann. Phys. 3 (1978) 5
- 1978LE1W Lee, Astrophys. J. 224 (1978) 217
- 1978LE21 S.Y. Lee, Nucl. Phys. A311 (1978) 518
- 1978LI1E L.C. Liu and C.M. Shakin, Phys. Lett. B78 (1978) 389
- 1978LU1C Luck, Astrophys. J. 219 (1978) 148
- 1978MA07 N. Marquardt, D. Sprengel, H.V. Buttlar and W. Hoppe, Z. Phys. A285 (1978) 89
- 1978MA13 M. Makowska-Rzeszutko, P. Egelhof, D. Kassen, E. Steffens, W. Weiss, D. Fick, W. Dreves, K.-I. Kubo and T. Suzuki, Phys. Lett. B74 (1978) 187
- 1978MA14 D.J. Malbrough, C.W. Darden, R.D. Edge, T. Marks, B.M. Preedom, R.L. Burman, M.A. Moinester, R.P. Redwine, F.E. Bertrand, T.P. Cleary et al., Phys. Rev. C17 (1978) 1395
- 1978MA16 G. Mairle, G.J. Wagner, P. Doll, K.T. Knopfle and H. Breuer, Nucl. Phys. A299 (1978) 39
- 1978MA1F Malecki, Namyslowski, Reale and Minetti, Riv. Nuovo Cim. 1 (1978) 1
- 1978MA1G Matsuse, Proc. Int. Conf. on Res. in Heavy Ion Reactions, Hvar, 1977 (1978) 247
- 1978MA1R Malmin, Kolata, Grant and Rising, Bull. Amer. Phys. Soc. 23 (1978) 502
- 1978MA22 R.E. Malmin, F. Kahn and P. Paul, Phys. Rev. C17 (1978) 2097
- 1978MA25 R.S. Mackintosh and A.M. Kobos, J. Phys. (London) G4 (1978) L135

1978MA28 T. Matsuse, Y. Abe and Y. Kondo, *Prog. Theor. Phys.* 59 (1978) 1037  
 1978MA32 R.E. Malmin, J.W. Harris and P. Paul, *Phys. Rev. C* 18 (1978) 163  
 1978MA50 T. Matsuse, Y. Abe and Y. Kondo, *Prog. Theor. Phys.* 59 (1978) 1904  
 1978MC04 A.B. McDonald and E.G. Adelberger, *Phys. Rev. Lett.* 40 (1978) 1692  
 1978MC1G McGuire, von Rosenvince and McDonald, *Bull. Amer. Phys. Soc.* 23 (1978) 509  
 1978ME14 J. Meyer, R.S. Nahabetian and E. Elbaz, *Lett. Nuovo Cim.* 22 (1978) 355  
 1978ME1D Meyer, *Nature* 272 (1978) 675  
 1978ME1J Meyer, Nahabetian and Elbaz, *Proc., Cluster, Winnipeg* (1978) G4  
 1978ME1K Meyer-Ter-Vehn, *Z. Phys.* A287 (1978) 241  
 1978MI1H Migdal, *Rev. Mod. Phys.* 50 (1978) 107  
 1978MO01 C.L. Morris, R.L. Boudrie, J.J. Kraushaar, R.J. Peterson, R.A. Ristinen, G.R. Smith, J.E. Bolger, W.J. Braithwaite, C.F. Moore and L.E. Smith, *Phys. Rev. C* 17 (1978) 227  
 1978MO14 J.M. Moss, W.D. Cornelius and D.R. Brown, *Phys. Rev. Lett.* 41 (1978) 930  
 1978MU1F Muther, *Nukleonika* 23 (1978) 1141  
 1978NA07 R. Nayak and L. Satpathy, *Nucl. Phys.* A304 (1978) 64  
 1978NA18 V.S. Nadezhdin, N.I. Petrov and V.I. Satarov, *Yad. Fiz.* 27 (1978) 1164; *Sov. J. Nucl. Phys.* 27 (1978) 617  
 1978NA1N Nagl, Cannata and Uberall, *Acta Phys. Austriaca* 48 (1978) 267  
 1978NA1Q Nagl and Uberall, *Bull. Amer. Phys. Soc.* 23 (1978) 552  
 1978NE03 J.W. Negele and D.O. Riska, *Phys. Rev. Lett.* 40 (1978) 1005  
 1978NE1A Needham et al., *Bull. Amer. Phys. Soc.* 23 (1978) 943  
 1978NE1B Needham et al., *Bull. Amer. Phys. Soc.* 23 (1978) 14  
 1978NO02 R. Novotny, G. Hammer, D. Pelte, H. Emling and D. Schwalm, *Nucl. Phys.* A294 (1978) 255  
 1978NO04 C. Nordborg, L. Nilsson, H. Conde and L.G. Stromberg, *Nucl. Sci. Eng.* 66 (1978) 75  
 1978OB01 F.E. Obenshain, R.L. Ferguson, M.L. Halbert, D.C. Hensley, H. Nakahara, F. Plasil, F. Pleasonton, A.H. Snell and R.G. Stokstad, *Phys. Rev. C* 18 (1978) 764  
 1978OC01 W.J. O'Connell and S.S. Hanna, *Phys. Rev. C* 17 (1978) 892  
 1978OH03 N. Ohtsuka and H. Ohtsubo, *Nucl. Phys.* A306 (1978) 513  
 1978OL1B Olmer et al., *Bull. Amer. Phys. Soc.* 23 (1978) 941  
 1978ON01 N. Onishi and J.W. Negele, *Nucl. Phys.* A301 (1978) 336  
 1978OR1A Orth, Buffington, Smoot and Mast, *Astrophys. J.* 226 (1978) 1147  
 1978PA05 G. Pantis, *Can. J. Phys.* 56 (1978) 659

- 1978PA1B Park, Greiner and Scheid, Bull. Amer. Phys. Soc. 23 (1978) 538
- 1978PA1F Parthasarathy, Acta Phys. Pol. B9 (1978) 483
- 1978PA1G Pal, Srivastava and Ganguly, Proc., Cluster, Winnipeg (1978) B17
- 1978PE13 J.C. Peng, B.T. Kim, M.C. Mermaz, A. Greiner and N. Lisbona, Phys. Rev. C18 (1978) 2179
- 1978PE1C F. Petrovich, D. Stanley, L.A. Parks and P. Nagel, Phys. Rev. C17 (1978) 1642
- 1978PE1E Peterson, Seglie and Ascutto, Bull. Amer. Phys. Soc. 23 (1978) 947
- 1978PE1H Peterson, Astrophys. J. 224 (1978) 595
- 1978PH01 R.J. Philpott, D. Mukhopadhyay and J.E. Purcell, Nucl. Phys. A294 (1978) 6
- 1978PI01 A. Picklesimer and G.E. Walker, Phys. Rev. C17 (1978) 237
- 1978PO02 H. Poth, G. Backenstoss, I. Bergstrom, P. Blum, J. Egger, W. Fetscher, R. Guigas, R. Hagelberg, N. Hassler, C.J. Herrlander et al., Nucl. Phys. A294 (1978) 435
- 1978PO1A B. Povh, Ann. Rev. Nucl. Part. Sci. 28 (1978) 1
- 1978PO1B Podosek, Ann. Rev. Astron. Astrophys. 16 (1978) 293
- 1978PO1D Possnert et al., Phys. Scr. 18 (1978) 353
- 1978RA1B Ragnarsson, Nilsson and Sheline, Phys. Rept. 45 (1978) 1
- 1978RE02 K.E. Rehm, W. Henning, J.R. Erskine and D.G. Kovar, Phys. Rev. Lett. 40 (1978) 1479
- 1978RI1C Riska and Negele, Bull. Amer. Phys. Soc. 23 (1978) 29
- 1978RO05 I. Rotter, H.W. Barz and J. Hohn, Nucl. Phys. A297 (1978) 237
- 1978RO17 D. Robson, Nucl. Phys. A308 (1978) 381
- 1978RO1D Rolfs and Trautvetter, Ann. Rev. Nucl. Part. Sci. 28 (1978) 115
- 1978RO1J G. Rowe and E. Vogt, Nucl. Phys. A302 (1978) 511
- 1978RO1L Rolfs, AIP Conf. Proc. 47 (1978) 197
- 1978RO1M Rozak, Montestrucue and Darden, Bull. Amer. Phys. Soc. 23 (1978) 501
- 1978RO1P R. Rosenfelder, Nucl. Phys. A298 (1978) 397
- 1978SA06 G.R. Satchler, M.L. Halbert, N.M. Clarke, E.E. Gross, C.B. Fulmer, A. Scott, D. Martin, M.D. Cohler, D.C. Hensley, C.A. Ludemann et al., Nucl. Phys. A298 (1978) 313
- 1978SA1F Sandorfi, Proc., Cluster, Winnipeg (1978)
- 1978SA1N Sapershtein and Tolokonnikov, Izv. Akad. Nauk SSSR Ser. Fiz. 42 (1978) 1890
- 1978SC06 J. Schimizu, R. Wada, K. Fujii, K. Takimoto and J. Muto, J. Phys. Soc. Jpn. 44 (1978) 7

- 1978SC11 B. Schoch, Phys. Rev. Lett. 41 (1978) 80
- 1978SC18 B. Schwesinger, Z. Phys. A287 (1978) 373
- 1978SC1E Scheid and Greiner, AIP Conf. Proc. 47 (1978) 374
- 1978SC1G Schiffer, Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 9
- 1978SC1K Schultheis et al., Proc., Cluster, Winnipeg (1978) C3
- 1978SC23 H. Schultheis and R. Schultheis, Phys. Rev. Lett. 41 (1978) 1020
- 1978SE04 R.R. Sercey, R.J. Peterson and E.R. Flynn, Phys. Rev. C17 (1978) 1919
- 1978SH01 D. Shapira, R.M. DeVries, M.R. Clover, R.N. Boyd and R.N. Cherry, Jr., Phys. Rev. Lett. 40 (1978) 371
- 1978SH02 V. Shkolnik, D. Dehnhard, S. Kubono, M.A. Franey and S. Tripp, Phys. Lett. B74 (1978) 195
- 1978SH04 S. Shlomo and G.J. Wagner, Z. Phys. A285 (1978) 283
- 1978SH12 K. Shimizu and A. Faessler, Z. Phys. A287 (1978) 299
- 1978SH16 K. Shimizu and A. Faessler, Nucl. Phys. A306 (1978) 311
- 1978SH1B Shlomo, Rept. Prog. Phys. (GB) 41 (1978) 957
- 1978SH1H Shabratova et al., Acta Phys. Slov. 28 (1978) 132
- 1978SH1M K. Shimizu and A. Faessler, Phys. Rev. C17 (1978) 1891
- 1978SH1P Shapira et al., Bull. Amer. Phys. Soc. 23 (1978) 949
- 1978SH1Q Shepard and King, Bull. Amer. Phys. Soc. 23 (1978) 953
- 1978SH23 M.M. Shalaby and H.M. Khalil, J. Phys. (London) G4 (1978) L293
- 1978SI08 B. Sinha and S.A. Moszkowski, Nucl. Phys. A302 (1978) 237
- 1978SI1G Singh, Indian J. Phys. A52 (1978) 389
- 1978SM02 Y.F. Smirnov and G.F. Filippov, Yad. Fiz. 27 (1978) 73; Sov. J. Nucl. Phys. 27 (1978) 39
- 1978SO10 F. Soga, J. Schimizu, H. Kamitsubo, N. Takahashi, K. Takimoto, R. Wada, T. Fujisawa and T. Wada, Phys. Rev. C18 (1978) 2457
- 1978SO11 M. Sotona and J. Zofka, Czech. J. Phys. B28 (1978) 593
- 1978SO1A Sokol, Izv. Akad. Nauk SSSR Ser. Fiz. 42 (1978) 1829
- 1978SP1C Sparrow, Bull. Amer. Phys. Soc. 23 (1978) 591
- 1978ST08 D.J. Steck, Phys. Rev. C17 (1978) 1034
- 1978ST1C Starrfield, Truran and Sparks, Astrophys. J. 226 (1978) 186
- 1978ST1F Stokstad, S. Afr. J. Phys. 1 (1978) 191

- 1978ST1M S. Stringari, E. Lipparini, G. Orlandini, M. Traini and R. Leonardi, Nucl. Phys. A309 (1978) 189
- 1978ST24 F. Stancu, J. Phys. (Paris) 39 (1978) 799
- 1978SU1C Sunkel, Proc., Cluster, Winnipeg (1978) A20
- 1978SU1G Suzuki and Imanishi, INS Rept. 324 (1978)
- 1978SU1H Suzuki and Imanishi, Proc., Cluster, Winnipeg (1978) A2
- 1978TA05 S.L. Tabor, D.F. Geesaman, W. Henning, D.G. Kovar, K.E. Rehm and F.W. Prosser, Jr., Phys. Rev. C17 (1978) 2136
- 1978TA09 T. Takemasa and H. Yoshida, Nucl. Phys. A304 (1978) 229
- 1978TA11 P. Taras, G.R. Rao and G. Azuelos, Phys. Rev. Lett. 41 (1978) 840
- 1978TA14 T. Takemasa and T. Tamura, Phys. Rev. C18 (1978) 1282
- 1978TA16 N. Takigawa, S.Y. Lee and C. Marty, Phys. Lett. B76 (1978) 187
- 1978TA1A Tang, Lemere and Thompson, Phys. Rept. 47 (1978) 167
- 1978TA1B Taras, AIP Conf. Proc. 47 (1978) 234
- 1978TA1U R.E. Taam and R.E. Picklum, Astrophys. J. 224 (1978) 210
- 1978TE04 K.O. Terenetski and J.D. Garrett, Phys. Rev. C18 (1978) 1944
- 1978TH1A Thompson, AIP Conf. Proc. 47 (1978) 69
- 1978TH1F Thomas, Pijolat and Fallavier, Rev. Phys. Appl. 13 (1978) 433
- 1978TO12 A. Tohsaki-Suzuki, Prog. Theor. Phys. 60 (1978) 1013
- 1978TO1C Tomkin and Lambert, Astrophys. J. 223 (1978) 937
- 1978TR1D Truran and Cameron, Astrophys. J. 219 (1978) 226
- 1978TR1E Trombka, Johnson and Evans, Bull. Amer. Phys. Soc. 23 (1978) 1024
- 1978TR1F M. Traini, Phys. Rev. Lett. 41 (1978) 1535
- 1978TS04 I. Tserruya, Y. Eisen, D. Pelte, A. Gavron, H. Oeschler, D. Berndt and H.L. Harney, Phys. Rev. C18 (1978) 1688
- 1978UL02 I. Ulehla and N.T. Nguyen, Czech. J. Phys. B28 (1978) 508
- 1978VA1A L.C. Vaz and J.M. Alexander, Phys. Rev. C18 (1978) 2152
- 1978VA1G G.K. Varma, Phys. Rev. C17 (1978) 267
- 1978VO06 C. Von Charzewski, V. Hnizdo and C. Toepffer, Nucl. Phys. A307 (1978) 309
- 1978VO10 V.V. Volkov, A.G. Artyukh, G.F. Gridnev, A.N. Mezentsev, V.L. Mikheev, A. Popescu, D.G. Popescu, A.M. Sukhov and L.P. Chelnokov, Izv. Akad. Nauk SSSR Ser. Fiz. 42 (1978) 2234; Bull. Acad. Sci. USSR Phys. Ser. 42 (1978) 14
- 1978VO13 C. von Charzewski, V. Hnizdo and C. Toepffer, S. Afr. J. Phys. 1 (1978) 222

- 1978VO1A Volkov, AIP Conf. Proc. 47 (1978) 352
- 1978VO1D Volkov, Phys. Rept. 44 (1978) 93
- 1978VO1G Vook, Picraux and Doyle, Bull. Amer. Phys. Soc. 23 (1978) 1038, 1061
- 1978WE1C Weise, Few Body Syst. and Nucl. Forces, Graz, 1978, Springer Lect. Notes 87 (1978) 177
- 1978WE1H C. Wernitz, Phys. Rev. Lett. 41 (1978) 1030
- 1978WE1L West and Sherwood, Rept. AERE/R9195, Ukaea (1978)
- 1978WI1J Wissink, Calarco, Fisher and Kurjan, Bull. Amer. Phys. Soc. 23 (1978) 62
- 1978WR01 P.C. Wright, R.G. Storer and I.E. McCarthy, Phys. Rev. C17 (1978) 473
- 1978WU1C Wu, Overley, Barnes and Switkowski, LAP-164 (1978)
- 1978YO02 S.K. Young and W.R. Gibbs, Phys. Rev. C17 (1978) 837
- 1978YU1A Yu, Tzu and Wu, Phys. Energ. Fortis Phys. Nucl. (China) 2 (1978) 280
- 1978ZA05 J.G. Zabolitzky and W. Ey, Phys. Lett. B76 (1978) 527
- 1978ZA1D Zalm, Van Hienen and Glaudemans, Z. Phys. A287 (1978) 255
- 1978ZE03 N.S. Zelenskaya, V.M. Lebedev and T.A. Yushchenko, Yad. Fiz. 28 (1978) 90; Sov. J. Nucl. Phys. 28 (1978) 44
- 1979AB04 S.M. Abdi and M.K. Weigel, Phys. Rev. C19 (1979) 1553
- 1979AB13 I. Abdul-Jalil and D.F. Jackson, J. Phys. (London) G5 (1979) 1699
- 1979AB17 S.M. Abdi and M.K. Weigel, Nuovo Cim. A54 (1979) 11
- 1979AB1H Abela et al., Conf. Proc. TRIUMF, Vancouver (1979) Paper 1B25
- 1979AD03 G.S. Adams, T.S. Bauer, G. Igo, G. Pauletta, C.A. Whitten, Jr., A. Wriekat, G.W. Hoffmann, G.R. Smith, M. Gazzaly, L. Ray et al., Phys. Rev. Lett. 43 (1979) 421
- 1979AD1A S.K. Adhikari, Phys. Rev. C19 (1979) 325
- 1979AL1J Alster and Warszawski, Phys. Rept. 52 (1979) 87
- 1979AL22 Y. Alhassid, R.D. Levine, J.S. Karp and S.G. Steadman, Phys. Rev. C20 (1979) 1789
- 1979AM03 H. Amakawa and K.-I. Kubo, Phys. Rev. C19 (1979) 2403
- 1979AMZU L.L. Ames, Thesis, Univ. Wisconsin-Madison (1979)
- 1979AMZY J.F. Amann, P.D. Barnes, B. Bassalleck, N.J. Colella, K.G.R. Doss, S.A. Dytman, R.A. Eisenstein, R. Grace, D.R. Marlow, R.J. Rieder, et al., Bull. Amer. Phys. Soc. 24 (1979) 819, AD6
- 1979AMZZ L.L. Ames, Bull. Amer. Phys. Soc. 24 (1979) 612, DM4
- 1979AN11 T. Ando, K. Ikeda and A. Tohsaki-Suzuki, Prog. Theor. Phys. 61 (1979) 101
- 1979AN15 B.D. Anderson, N. Jarmie, R.J. Barrett and E.D. Arthur, Phys. Rev. C20 (1979) 897

- 1979AN1J Aniol et al., AIP Conf. Proc. 54 (1979) 276
- 1979AN1N Anni, Renna and Taffara, Lett. Nuovo Cim. 25 (1979) 121
- 1979ANZM K. Aniol, D. Chiang, I. Halpern, D. Drake and G. Haouat, Bull. Amer. Phys. Soc. 24 (1979) 821, AD19
- 1979AO01 Y. Aoki, J. Sanada, K. Yagi, S. Kunori, Y. Higashi, S. Kato, J. Kawa, K. Okada and T. Izumoto, Nucl. Phys. A322 (1979) 117
- 1979AR05 K.P. Artemov, V.Z. Goldberg, I.P. Petrov, V.P. Rudakov, I.N. Serikov, V.A. Timofeev and P.R. Christensen, Nucl. Phys. A320 (1979) 479
- 1979AR1L Arvieux et al., Conf. Proc. TRIUMF, Vancouver (1979) Paper 1E18
- 1979AY02 N.Y. Ayoub and H.A. Mavromatis, Nucl. Phys. A323 (1979) 125
- 1979BA2A Baumgardt and Schopper, J. Phys. (London) G5 (1979) L231
- 1979BA2M Balashov and Wunsch, 1978 RPI Symp. Photopion Nucl. Phys. (1979) 125
- 1979BA36 C.J. Batty, S.F. Biagi, M. Blecher, S.D. Hoath, R.A.J. Riddle, B.L. Roberts, J.D. Davies, G.J. Pyle, G.T.A. Squier, D.M. Asbury et al., Nucl. Phys. A329 (1979) 407
- 1979BA38 A.J. Baltz, N.K. Glendenning, S.K. Kauffmann and K. Pruess, Nucl. Phys. A327 (1979) 221
- 1979BA41 D. Baye and Y. Salmon, Nucl. Phys. A331 (1979) 254
- 1979BA49 J. Barrette, M.J. LeVine, P. Braun-Munzinger, G.M. Berkowitz, M. Gai, J.W. Harris, C.M. Jachcinski and C.D. Uhlhorn, Phys. Rev. C20 (1979) 1759
- 1979BE1H Benenson and Kashy, Rev. Mod. Phys. 51 (1979) 527
- 1979BE1M Becchetti et al., Bull. Amer. Phys. Soc. 24 (1979) 852
- 1979BE1Q Belyak, Sov. J. Nucl. Phys. 29 (1979) 24
- 1979BE2K Bertrand, NATO Inst. Vol. 45 (1979) 417
- 1979BE2L Benkoula et al., Proc. 3rd Symp. on Neutron Capture Gamma Rays, 1978 (1979) 371
- 1979BE2M Behera and Satpathy, J. Phys. (London) G5 (1979) 85
- 1979BE32 B. Behera, K.C. Panda and R.K. Satpathy, Phys. Rev. C20 (1979) 683
- 1979BE34 J.J. Bevelacqua and S.V. Prewett, Can. J. Phys. 57 (1979) 1484
- 1979BEZU F. Becchetti, J. Janecke, D. Overway and W. Jacobs, Bull. Amer. Phys. Soc. 24 (1979) 572, AL16
- 1979BI10 J.H. Billen, Phys. Rev. C20 (1979) 1648
- 1979BI1C Birbrair, Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 2242
- 1979BL03 J. Blocki and H. Flocard, Phys. Lett. B85 (1979) 163
- 1979BL07 M. Blecher, K. Gotow, D. Jenkins, F. Milder, F.E. Bertrand, T.P. Cleary, E.E. Gross, C.A. Ludemann, M.A. Moinester, R.L. Burman et al., Phys. Rev. C20 (1979) 1884

- 1979BL1E M. Bleszynski and C. Sander, Nucl. Phys. A326 (1979) 525
- 1979BO04 P. Bonche, H. Doubre and P. Quentin, Phys. Lett. B82 (1979) 5
- 1979BO12 A. Bouyssy, Phys. Lett. B84 (1979) 41
- 1979BO18 P. Bonche, K.T.R. Davies, B. Flanders, H. Flocard, B. Grammaticos, S.E. Koonin, S.J. Krieger and M.S. Weiss, Phys. Rev. C20 (1979) 641
- 1979BO1U Booth, 1978 RPI Symp. Photopion Nucl. Phys. (1979) 129
- 1979BO21 E.C. Booth, B. Chasan, F.L. Milder and B.L. Roberts, Phys. Rev. C20 (1979) 1603
- 1979BO2F Boffi and Capuzzi, Int. Conf. Nucl. Phys. with Electromag. Interact., Maize (1979) 1.3
- 1979BO2H Bolger et al., Conf. Proc. TRIUMF, Vancouver (1979) Paper 1E19
- 1979BO2J Bohigas, Lane and Mortorell, Phys. Rept. 51 (1979) 267
- 1979BR03 H.S. Bradlow, W.D.M. Rae, P.S. Fisher, N.S. Godwin, G. Proudfoot and D. Sinclair, Nucl. Phys. A314 (1979) 171
- 1979BR04 H.S. Bradlow, W.D.M. Rae, P.S. Fisher, N.S. Godwin, G. Proudfoot and D. Sinclair, Nucl. Phys. A314 (1979) 207
- 1979BR17 B.A. Brown, S.E. Massen and P.E. Hodgson, Phys. Lett. B85 (1979) 167
- 1979BR1E Brown, Jennings and Rockmore, AIP Conf. Proc. 54 (1979) 614
- 1979BR30 B.A. Brown, S.E. Massen and P.E. Hodgson, J. Phys. (London) G5 (1979) 1655
- 1979BRZW P. Braun-Munzinger, G.M. Berkowitz, M. Gai, C.M. Jachcinski, T. Renner, C.D. Uhlhorn, J. Barrette and M.J. Levine, Bull. Amer. Phys. Soc. 24 (1979) 571, AL7
- 1979BU1A Burov and Lukyanov, Nucl. Interaction, Canberra, Australia (1979) 385
- 1979BU1H E.V. Bugaev, G.S. Bisnovaty-Kogan, M.A. Rudzsky and Z.F. Seidov, Nucl. Phys. A324 (1979) 350
- 1979BU1K Buche et al., Conf. Proc. TRIUMF, Vancouver (1979) Paper 1E1
- 1979BY1B Byrd, Bull. Amer. Phys. Soc. 24 (1979) 814
- 1979CA1E Calarco, Proc. Mainz, 1979, Springer Lect. Notes 108 (1979) 114
- 1979CH07 Y.-d. Chan, H. Bohn, R. Vandenbosch, R. Sielemann, J.G. Cramer, K.G. Bernhardt, H.C. Bhang and D.T.C. Chiang, Phys. Rev. Lett. 42 (1979) 687; Erratum Phys. Rev. Lett. 43 (1979) 1625
- 1979CH19 V.K.C. Cheng, A. Little, H.C. Yuen, S.M. Lazarus and S.S. Hanna, Nucl. Phys. A322 (1979) 168
- 1979CH1H H.C. Chiang and J. Hufner, Phys. Lett. B84 (1979) 393
- 1979CH1P Chalmers and Longley, Bull. Amer. Phys. Soc. 24 (1979) 62
- 1979CH1T Chance and Harris, Astron. Astrophys. 74 (1979) 247



- 1979CHZL D.W.S. Chan and E. Sheldon, *Bull. Amer. Phys. Soc.* 24 (1979) 760, G4
- 1979CL10 P.D. Clark, A. Johnston and T.R. Ophel, *Aust. J. Phys.* 32 (1979) 283
- 1979CO1P Cowley, Mills and Heymann, *S. African J. Phys.* 2 (1979) 85
- 1979CR03 B.J.B. Crowley, *Ann. Phys.* 117 (1979) 323
- 1979CR1E Crawford et al., *Conf. Proc. TRIUMF, Vancouver (1979) Paper 4A1*
- 1979DE18 B. Desplanques and J. Missimer, *Phys. Lett. B84 (1979) 363*
- 1979DE1N de Vries, *Nukleonika* 24 (1979) 75, 87
- 1979DE1P de Vries, *BNL-51115 (1979) 513*
- 1979DE1T Deutchman, *AIP Conf. Proc.* 54 (1979) 363
- 1979DE1W Devanathan, Girija and Prasad, *Conf. Proc. TRIUMF, Vancouver (1979) Paper 5A12*
- 1979DE1X de Boer, *Astrophys. J.* 229 (1979) 132
- 1979DE31 R.M. DeVries and J.C. Peng, *Phys. Rev. Lett.* 43 (1979) 1373
- 1979DE45 A.S. Deineko, K.F. Ustimenkov, I.Y. Malakhov, I.I. Zalyubovskii and Y.G. Mashkarov, *Izv. Akad. Nauk SSSR Ser. Fiz.* 43 (1979) 155; *Bull. Acad. Sci. USSR Phys. Ser.* 43 (1979) 129
- 1979DH01 A.K. Dhar and B.S. Nilsson, *Nucl. Phys.* A315 (1979) 445
- 1979DI1A Dillig et al., *AIP Conf. Proc.* 54 (1979) 306
- 1979DO01 P. Doll, D.L. Hendrie, J. Mahoney, A. Menchaca-Rocha, D.K. Scott, T.J.M. Symons, K. Van Bibber, Y.P. Viyogi and H. Wieman, *Phys. Rev. Lett.* 42 (1979) 366
- 1979DO04 W.E. Dollhopf, C.F. Perdrisat, P. Kitching and W.C. Olsen, *Nucl. Phys.* A316 (1979) 350
- 1979DO17 G.E. Dogotar, R.A. Eramzhyan, M. Gmitro, H.R. Kissener and E. Tinkova, *J. Phys. (London) G5 (1979) L221*
- 1979DU03 A.K. Dutta, R.K. Bhaduri, M.K. Srivastava and M. Vallieres, *Phys. Lett. B84 (1979) 17*
- 1979DY01 P. Dyer, T.C. Awes, C.K. Gelbke, B.B. Back, A. Mignerey, K.L. Wolf, H. Breuer, V.E. Viola, Jr. and W.G. Meyer, *Phys. Rev. Lett.* 42 (1979) 560
- 1979DY02 S.A. Dytman, J.F. Amann, P.D. Barnes, J.N. Craig, K.G.R. Doss, R.A. Eisenstein, J.D. Sherman, W.R. Wharton, G.R. Burleson, S.L. Verbeck et al., *Phys. Rev.* C19 (1979) 971
- 1979EP02 V.N. Eponeshnikov and Y.F. Krechetov, *Pisma Zh. Eksp. Teor. Fiz.* 29 (1979) 442; *JETP Lett.* 29 (1979) 401
- 1979ER07 R.A. Eramzhyan, M. Gmitro and L.A. Tosunjan, *Czech. J. Phys.* B29 (1979) 370
- 1979FA12 A. Faessler, D.J. Millener, P. Paul and D. Strottman, *Nucl. Phys.* A330 (1979) 333

- 1979FI01 F.G. Filippov, A.I. Steshenko, I.P. Okhrimenko, S.A. Badalov, V.M. Belenkii and V.M. Vinarskii, *Yad. Fiz.* 29 (1979) 332; *Sov. J. Nucl. Phys.* 29 (1979) 164
- 1979FL1H T. Fliessbach, *Nucl. Phys.* A315 (1979) 109
- 1979FO01 H.T. Fortune, O.M. Bilaniuk, G. Stephans and R. Middleton, *Phys. Rev.* C19 (1979) 5
- 1979FO13 H.T. Fortune, A. Richter, R.H. Siemssen and J.L. Yntema, *Phys. Rev.* C20 (1979) 648
- 1979FR01 M.A. Franey, V. Shkolnik and D. Dehnhard, *Phys. Lett.* B81 (1979) 132
- 1979FR04 S.J. Freedman, C.A. Gagliardi, M.A. Oothoudt, A.V. Nero, R.G.H. Robertson, F.J. Zutavern, E.G. Adelberger and A.B. McDonald, *Phys. Rev.* C19 (1979) 1907
- 1979FR11 W.A. Friedman, K.W. McVoy and M.C. Nemes, *Phys. Lett.* B87 (1979) 179
- 1979FR1N Frischknecht et al., *Conf. Proc. TRIUMF, Vancouver (1979) Paper 5B11*
- 1979FRZX W.S. Freeman, W.F. Piel, Jr., H. Wilschut and P. Paul, *Bull. Amer. Phys. Soc.* 24 (1979) 665, HK7
- 1979FU02 K. Furuno, K. Katori, T. Aoki, T. Ooi and J. Sanada, *Nucl. Phys.* A321 (1979) 250
- 1979GA04 J.A. Gaidos, L.J. Gutay, A.S. Hirsch, R. Mitchell, T.V. Ragland, R.P. Scharenberg, F. Turkot, R.B. Willmann and C.L. Wilson, *Phys. Rev. Lett.* 42 (1979) 82
- 1979GA1D Gal, *AIP Conf. Proc.* 54 (1979) 680
- 1979GA1E Gal, *NATO Inst. Vol.* 45 (1979) 485
- 1979GA1F Gai, *Bull. Amer. Phys. Soc.* 24 (1979) 843
- 1979GAZV E.N. Gazis, A.C. Xenoulis, P. Kakanis, X. Aslanoglou and A.D. Panagiotou, *Bull. Amer. Phys. Soc.* 24 (1979) 695, KH10
- 1979GAZY M. Gai, P. Braun-Munzinger, G.M. Berkowitz, C.M. Jachcinski, T.R. Renner and C.D. Uhlhorn, *Bull. Amer. Phys. Soc.* 24 (1979) 570, AL2
- 1979GE1A Gelbke, *BNL-51115 (1979) 1*
- 1979GI1C Gibbs, *NATO Inst. Vol.* 45 (1979) 595
- 1979GI1E Gibson, *AIP Conf. Proc.* 54 (1979) 691
- 1979GL1C Glashausser et al., *Conf. Proc. TRIUMF, Vancouver (1979) Paper 4A2*
- 1979GL1H Gladhausser, *Ann. Rev. Nucl. Part. Sci.* 29 (1979) 465
- 1979GL1J Gloeckler and Hovestadt, *Bull. Amer. Phys. Soc.* 24 (1979) 659
- 1979GLZT B.G. Glagola, H. Breuer, A. Gokmen and V.E. Viola, *Bull. Amer. Phys. Soc.* 24 (1979) 846, FD6
- 1979GM02 M. Gmitro, E. Tinkova, A. Rimini and T. Weber, *Czech. J. Phys.* B29 (1979) 155; Erratum, *Czech. J. Phys.* B29 (1979) 1308

- 1979GM03 M. Gmitro and A.A. Ovchinnikova, *Yad. Fiz.* 30 (1979) 330; *Sov. J. Nucl. Phys.* 30 (1979) 171
- 1979GO01 K. Goeke and B. Castel, *Phys. Rev. C*19 (1979) 201
- 1979GO07 R. Gorgen, F. Hinterberger, R. Jahn, P. von Rossen and B. Schuller, *Nucl. Phys.* A320 (1979) 296
- 1979GO09 J. Gomez del Campo, R.A. Dayras, J.A. Biggerstaff, D. Shapira, A.H. Snell, P.H. Stelson and R.G. Stokstad, *Phys. Rev. Lett.* 43 (1979) 26
- 1979GO11 J. Gomez del Campo, R.G. Stokstad, J.A. Biggerstaff, R.A. Dayras, A.H. Snell and P.H. Stelson, *Phys. Rev. C*19 (1979) 2170
- 1979GO1R Gomez del Campo, *Bull. Amer. Phys. Soc.* 24 (1979) 814
- 1979GO20 A.M. Gorbatov, Y.N. Krylov and A.B. Solovei, *Yad. Fiz.* 30 (1979) 944; *Sov. J. Nucl. Phys.* 30 (1979) 490
- 1979GO24 Y. Goto and H. Horiuchi, *Prog. Theor. Phys.* 62 (1979) 662
- 1979GR11 J.M. Greben and F.S. Levin, *Nucl. Phys.* A325 (1979) 145
- 1979GR1E Greenwood, *Proc. 3rd Symp. on Neutron Capture Gamma Rays, 1978* (1979) 441
- 1979GR1F Gridnev, Semjonov, Subbotin and Hetter, *Microscopic Optical Potentials, Hamburg, Germany* (1979) 277
- 1979GU06 P. Guichon, B. Bihoreau, M. Giffon, A. Goncalves, J. Julien, L. Roussel and C. Samour, *Phys. Rev. C*19 (1979) 987
- 1979GU08 P.A.M. Guichon and C. Samour, *Phys. Lett.* B82 (1979) 28
- 1979GU16 R. Guardiola, *Nucl. Phys.* A328 (1979) 490
- 1979HA1G Hanna, *Proc. Mainz, 1979, Springer Lec. Notes* 108 (1979) 288
- 1979HA59 M.Y.M. Hassan, S. Moharram, M.M. Osman and H.M. Abdel Monem, *Acta Phys. Pol.* B10 (1979) 845
- 1979HAYZ L.H. Harwood and G.M. Crawley, *Bull. Amer. Phys. Soc.* 24 (1979) 817, AC2
- 1979HE02 P.-H. Heenen and D. Baye, *Phys. Lett.* B81 (1979) 295
- 1979HE04 E.F. Hefter, *Lett. Nuovo Cim.* 24 (1979) 425
- 1979HE09 R.S. Henderson, B.M. Spicer, I.D. Svalbe, V.C. Officer, G.G. Shute, D.W. Devins, D.L. Friesel, W.P. Jones and A.C. Attard, *Aust. J. Phys.* 32 (1979) 411
- 1979HE1D Hering et al., *BNL-51115* (1979) 759
- 1979HE1F K.T. Hecht and W. Zahn, *Nucl. Phys.* A313 (1979) 77
- 1979HE1M Henning, *BNL-51115* (1979) 445
- 1979HEZX B. Herman, T.M. Cormier and B.R. Fulton, *Bull. Amer. Phys. Soc.* 24 (1979) 664, HK1

- 1979HI04 M. Hirata, J.H. Koch, F. Lenz and E.J. Moniz, *Ann. Phys.* 120 (1979) 205
- 1979HO07 B.R. Holstein and C.W. Kim, *Phys. Rev. C*19 (1979) 1433
- 1979HU02 J. Hufner and M. Thies, *Phys. Rev. C*20 (1979) 273
- 1979HU1B M.S. Hussein, *Phys. Rev. C*19 (1979) 807
- 1979HU1D Huber and Kilingenbeck, *Nukleonika* 24 (1979) 95
- 1979HU1E Huizenga et al., BNL-51115 (1979) 235
- 1979IM03 H. Imada, Y. Kurita, H. Bando and Y. Shono, *Prog. Theor. Phys.* 62 (1979) 1422
- 1979IN06 E.V. Inopin, V.S. Kinchakov, V.K. Lukyanov and Y.S. Pol, *Ann. Phys.* 118 (1979) 307
- 1979IN07 E.V. Inopin, A.E. Inopin, E.G. Kopanets and L.P. Korda, *Izv. Akad. Nauk SSSR Ser. Fiz.* 43 (1979) 2308; *Bull. Acad. Sci. USSR Phys. Ser.* 43 (1979) 54
- 1979IN1A Ingram, *AIP Conf. Proc.* 54 (1979) 455
- 1979IZ01 T. Izumoto and A. Mori, *Phys. Lett.* B82 (1979) 163
- 1979JA01 B.K. Jain, *Nucl. Phys.* A314 (1979) 51
- 1979JA08 A.K. Jain and C.S. Shastry, *Phys. Rev. C*19 (1979) 848
- 1979JA09 M.A. Jadid and H.A. Mavromatis, *Nucl. Phys.* A317 (1979) 399
- 1979JA11 B. Jakobsson, J.P. Bondorf and G. Fai, *Phys. Lett.* B82 (1979) 35
- 1979JA15 A.K. Jain and N. Sarma, *Nucl. Phys.* A321 (1979) 429
- 1979JA16 D.F. Jackson, A.A. Ioannides and A.W. Thomas, *Nucl. Phys.* A322 (1979) 493
- 1979JA1F D.F. Jackson and D.J. Brenner, *Prog. Part. Nucl. Phys.* 5 (1981) 143
- 1979JA1P Jain, *J. Phys. (London)* G5 (1979) 663
- 1979JA1U M. Jaminon, C. Mahaux and P. Rochus, *Phys. Rev. Lett.* 43 (1979) 1097
- 1979JA25 C.M. Jachcinski, P. Braun-Munzinger, G.M. Berkowitz, R.H. Freifelder, M. Gai, R.L. McGrath, P. Paul, T. Renner and C.D. Uhlhorn, *Phys. Lett.* B87 (1979) 354
- 1979JE04 P. Jennewein and B. Schoch, *Z. Phys.* A292 (1979) 27
- 1979JO07 W.J. Jordan, J.V. Maher and J.C. Peng, *Phys. Lett.* B87 (1979) 38
- 1979JO08 R.R. Johnson, T. Masterson, B. Bassalleck, W. Gyles, T. Marks, K.L. Erdman, A.W. Thomas, D.R. Gill, E. Rost, J.J. Kraushaar et al., *Phys. Rev. Lett.* 43 (1979) 844
- 1979JO1F John, Kramer and Hetzel, 7th Int. Colloquium and Integrative Conf. on Group Theory and Math. Phys., Austin, Texas, USA (1979) 439
- 1979KA06 N.I. Kassis and S.K. Khalil, *Nucl. Phys.* A315 (1979) 381
- 1979KA13 B. Kampfner and I. Rotter, *J. Phys. (London)* G5 (1979) 747
- 1979KA1G Karban, *Microscopic Optical Potentials*, Hamburg, Germany (1979) 264
- 1979KA1T Kaler, *Astrophys. J.* 228 (1979) 163

- 1979KA27 S. Kahana, B.T. Kim and M. Mermaz, Phys. Rev. C20 (1979) 2124
- 1979KA40 V.B. Kamble and S.B. Khadkikar, Pramana 13 (1979) 475
- 1979KA43 M. Kaschiev and K.V. Shitikova, Yad. Fiz. 30 (1979) 1479; Sov. J. Nucl. Phys. 30 (1979) 766
- 1979KI10 M. Kirchbach and H.-U. Jager, Yad. Fiz. 29 (1979) 1191; Sov. J. Nucl. Phys. 29 (1979) 614
- 1979KI15 Y.V. Kirichenko, E.V. Inopin and V.Y. Gonchar, Ukr. Fiz. Zh. 24 (1979) 388
- 1979KI1C Kilian, AIP Conf. Proc. 54 (1979) 666
- 1979KI1G Kim and Primakoff, Mesons in Nucl.; Eds., Rho and Wilkenson (1979) 69
- 1979KI1M M.W. Kirson, Nucl. Phys. A317 (1979) 388
- 1979KL06 K. Klingenberg, Phys. Lett. B85 (1979) 21
- 1979KL07 U. Klein, G. Buche, W. Kluge, H. Matthay, G. Mechttersheimer and A. Moline, Nucl. Phys. A329 (1979) 339
- 1979KN1A Knopfle et al., Nucl. Int., Canberra, Australia (1979) 442
- 1979KN1D Knopfle et al., Nucl. Int., Canberra, Australia (1979) 445
- 1979KN1E Knupfer, Ender and Huber, Int. Conf. Nucl. Phys. with Electromag. Interact., Mainz (1979) 1.21
- 1979KN1F Knopfle, Proc. Mainz, 1979, Springer Lect. Notes 108 (1979) 311
- 1979KN1G Knupfer, Ender and Huber, Conf. Proc. TRIUMF, Vancouver (1979) Paper 5A13
- 1979KO01 A.M. Kobos and R.S. Mackintosh, J. Phys. (London) G5 (1979) 97
- 1979KO03 J.J. Kolata, R.M. Freeman, F. Haas, B. Heusch and A. Gallmann, Phys. Rev. C19 (1979) 408
- 1979KO15 J.J. Kolata, R.M. Freeman, F. Haas, B. Heusch and A. Gallmann, Phys. Rev. C19 (1979) 2237
- 1979KO17 J.H. Koch and E.J. Moniz, Phys. Rev. C20 (1979) 235
- 1979KO18 M. Kohno and K. Ando, Prog. Theor. Phys. 61 (1979) 1065
- 1979KO1C Kolybasov, Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 2033
- 1979KO1M Kosice and Leningrad Collaboration, Yad. Fiz. 29 (1979) 117
- 1979KO1V Kozlowski, Conf. Proc. TRIUMF, Vancouver (1979) Paper 5B6
- 1979KO20 D.G. Kovar, D.F. Geesaman, T.H. Braid, Y. Eisen, W. Henning, T.R. Ophel, M. Paul, K.E. Rehm, S.J. Sanders, P. Sperr et al., Phys. Rev. C20 (1979) 1305
- 1979KO26 L. Koester, K. Knopf and W. Waschkowski, Z. Phys. A292 (1979) 95
- 1979KO27 W.K. Koo and L.J. Tassie, Aust. J. Phys. 32 (1979) 427
- 1979KO29 M. Kohno, S. Nagata and N. Yamaguchi, Prog. Theor. Phys. Suppl. 65 (1979) 200

- 1979KO2D Kobos and Mackintosh, *Ann. Phys.* 123 (1979) 296
- 1979KO39 K. Koshigiri, H. Ohtsubo and M. Morita, *Prog. Theor. Phys.* 62 (1979) 706
- 1979KOZL J. Kolata, P. DeYoung, R. Malmin, S. Tripathi, R. Luhn and S. Davis, *Bull. Amer. Phys. Soc.* 24 (1979) 825, BB3
- 1979KOZW R.D. Koshel and P.J. Griffin, *Bull. Amer. Phys. Soc.* 24 (1979) 611, DL12
- 1979KR07 S.J. Krieger and K.T.R. Davies, *Phys. Rev. C*20 (1979) 167
- 1979KR08 H.J. Krappe, J.R. Nix and A.J. Sierk, *Phys. Rev. C*20 (1979) 992
- 1979KR1E Krivine, Treiner and Bohigas, *Int. Conf. Nucl. Phys. with Electromag. Interact., Mainz* (1979) 1.22
- 1979KU01 S. Kubono, T.K. Li, D. Dehnhard, D.A. Lewis, J.F. Petersen and J.L. Artz, *Nucl. Phys.* A313 (1979) 434
- 1979KU02 S. Kubono, P.D. Bond and C.E. Thorn, *Phys. Lett.* B81 (1979) 140
- 1979KU07 Y. Kudo and J. Mano, *Lett. Nuovo Cim.* 24 (1979) 289
- 1979KU09 S. Kubono, P.D. Bond, D. Horn and C.E. Thorn, *Phys. Lett.* B84 (1979) 408
- 1979KU1D Kumar, *Conf. Structure of Medium-Heavy Nuclei, Rhodos* (1979)
- 1979LA03 S. Landowne, *Phys. Rev. Lett.* 42 (1979) 633
- 1979LA08 K. Langanke, J. Leutenantsmeyer, M. Stingl and A. Weiguny, *Z. Phys.* A291 (1979) 267
- 1979LA1H Lazareff, Audouze, Starrfield and Truran, *Astrophys. J.* 228 (1979) 875
- 1979LA1P Lal et al., *Bull. Amer. Phys. Soc.* 24 (1979) 564
- 1979LAZR A.J. Lazzarini, H. Doubre, A. Seamster and R. Vandenbosch, *Bull. Amer. Phys. Soc.* 24 (1979) 852, GB9
- 1979LE02 S.M. Lee, J.C. Adloff, P. Chevallier, D. Disdier, V. Rauch and F. Scheibling, *Phys. Rev. Lett.* 42 (1979) 429
- 1979LE11 M. LeMere, D.J. Stubeda, H. Horiuchi and Y.C. Tang, *Nucl. Phys.* A320 (1979) 449
- 1979LE18 M. LeMere and Y.C. Tang, *Phys. Rev. C*20 (1979) 2003
- 1979LE1B M. LeMere and Y.C. Tang, *Phys. Rev. C*19 (1979) 391
- 1979LE1F Lee, Schramm, Wefel and Blake, *Astrophys. J.* 232 (1979) 854
- 1979LE1L Lewis and Perkins, *IEEE Transactions on Nucl. Sci.* 26 (1979) 1818
- 1979LE1M Lee, *Proc. 3rd Symp. on Neutron Capture Gamma Rays, 1978* (1979) 353
- 1979LE1N Leitch et al., *AIP Conf. Proc.* 54 (1979) 357
- 1979LI01 L.C. Liu and C.M. Shakin, *Phys. Rev. C*19 (1979) 129
- 1979LI05 R. Lipperheide, H. Fiedeldey, H. Habertzettl and K. Naidoo, *Phys. Lett.* B82 (1979) 39

- 1979LI06 R.A. Lindgren, W.J. Gerace, A.D. Bacher, W.G. Love and F. Petrovich, Phys. Rev. Lett. 42 (1979) 1524
- 1979LI11 B.J. Lieb, H.S. Plendl, C.E. Stronach, H.O. Funsten and V.G. Lind, Phys. Rev. C19 (1979) 2405
- 1979LI15 L.C. Liu and C.M. Shakin, Nuovo Cim. A53 (1979) 142
- 1979LO03 J.T. Londergan and G.D. Nixon, Phys. Rev. C19 (1979) 998
- 1979LUZW R. Luhn, R.E. Malmin, J.J. Kolata, S.N. Tripathi, S.D. Davis and P.A. Deyoung, Bull. Amer. Phys. Soc. 24 (1979) 841, FB2
- 1979MA07 J.P. Maillet, J.P. Dedonder and C. Schmitt, Nucl. Phys. A316 (1979) 267
- 1979MA1C Massen, Int. J. Theor. Phys. 18 (1979) 695
- 1979MA1G Mathews, Proc. Mainz, 1979, Springer Lect. Notes 108 (1979) 369
- 1979MA1J MacGregor, Phys. Rev. Lett. 42 (1979) 1724
- 1979MA1M Mahaux, NATO Inst. Vol. 45 (1979) 265
- 1979MA1T Makowska-Rzeszutko, Nukleonika 24 (1979) 495
- 1979MA1V Mayer-Boricke, Magy. Fiz. Foly. 27 (1979) 465
- 1979MA20 T.A.J. Maris, M.R. Teodoro and C.A.Z. Vasconcellos, Nucl. Phys. A322 (1979) 461
- 1979MA2D Mason, Gloeckler and Hovestadt, Bull. Amer. Phys. Soc. 24 (1979) 693
- 1979MA2H Madey et al., Conf. Proc. TRIUMF, Vancouver (1979) Paper 1E22
- 1979MA2L Marangoni, Ottaviani and Saruis, Int. Conf. Nucl. Phys. with Electromag. Interact., Mainz (1979) 1.26
- 1979MA30 R.A. Malfliet and Y. Karant, Phys. Lett. B86 (1979) 251
- 1979MA48 S.I. Manaenkov, Pisma Zh. Eksp. Teor. Fiz. 30 (1979) 360; JETP Lett. 30 (1979) 334
- 1979MC1C McCall, Astrophys. J. 229 (1979) 962
- 1979MC1D McVoy and Nemes, Bull. Amer. Phys. Soc. 24 (1979) 816
- 1979ME04 M.C. Mermaz, M.A.G. Fernandes, A. Greiner, B.T. Kim and N. Lisbona, Phys. Rev. C19 (1979) 794
- 1979ME1H Mecking, Proc. Mainz, 1979, Springer Lect. Notes 108 (1979) 382
- 1979ME1J Mekjian, NATO Inst. Vol. 45 (1979) 149
- 1979MI09 H. Miska, B. Norum, M.V. Hynes, W. Bertozzi, S. Kowalski, F.N. Rad, C.P. Sargent, T. Sasanuma and B.L. Berman, Phys. Lett. B83 (1979) 165
- 1979MI1K Miller, NATO Inst. Vol. 45 (1979) 513
- 1979MO03 K.-H. Mobius and W. Gruhle, Z. Phys. A290 (1979) 81
- 1979MO14 T. Motobayashi, I. Kohno, T. Ooi and S. Nakajima, Nucl. Phys. A331 (1979) 193

- 1979MO17 D.J. Morrissey, L.F. Oliveira, J.O. Rasmussen, G.T. Seaborg, Y. Yariv and Z. Fraenkel, Phys. Rev. Lett. 43 (1979) 1139
- 1979MO1G Mougey, Proc. Mainz, 1979, Springer Lect. Notes 108 (1979) 124
- 1979MO1U Montgomery, Ertel and Oberall, Int. Conf. Nucl. Phys. with Electromag. Interact., Mainz (1979) 1.28
- 1979MO1X Montgomery, Ertel and Uberall, Conf. Proc. TRIUMF, Vancouver (1979) Paper 5C3
- 1979MU12 H. Muther, Nucl. Phys. A328 (1979) 429
- 1979MU1B Mukhopadhyay, Toki and Weise, Conf. Proc. TRIUMF, Vancouver (1979) Paper 5B13
- 1979MU1D Mukherjee, Agarwal, Maheshwari and Sood, Nucl. Interactions, Canberra, Australia (1979) 439
- 1979NA03 K. Nagatani and J.C. Peng, Phys. Rev. C19 (1979) 747
- 1979NA1J Nagl and Uberall, Nucl. Interactions, Canberra, Australia (1979) 494
- 1979NA1M Nagl and Uberall, 1978 RPI Symp. Photopion Nucl. Phys. (1979) 155
- 1979NA1R Nath, Firk and Chiu, Proc. 3rd Symp. on Neutron Capture Gamma Rays, 1978 (1979) 701
- 1979NO04 M. Nomura, Phys. Lett. B85 (1979) 187
- 1979OE02 W. Oelert, W. Chung, M. Betigeri, A. Djaloeis, C. Mayer-Boricke and P. Turek, Phys. Rev. C20 (1979) 459
- 1979OH1A Ohashi et al., 1978 RPI Symp. Photopion Nucl. Phys. (1979) 193
- 1979OR01 M.E. Ortiz, A. Dacal, A. Menchaca-Rocha, M. Buenerd, D.L. Hendrie, J. Mahoney, C. Olmer and D.K. Scott, Phys. Lett. B84 (1979) 63
- 1979OS07 E. Oset and W. Weise, Nucl. Phys. A329 (1979) 365
- 1979OS1G E. Oset, W. Weise and R. Brockmann, Phys. Lett. B82 (1979) 344
- 1979PA02 G. Pantis and D.W.L. Sprung, Can. J. Phys. 57 (1979) 132
- 1979PAZY J.Y. Park, W. Scheid and W. Greiner, Bull. Amer. Phys. Soc. 24 (1979) 665, HK3
- 1979PE03 J.M. Pearson, B. Rouben, G. Saunier and F. Brut, Nucl. Phys. A317 (1979) 447
- 1979PE1C Perroud, 1978 RPI Symp. Photopion Nucl. Phys. (1979) 69
- 1979PE1E Penzias, Rev. Mod. Phys. 51 (1979) 425
- 1979PEZP J.C. Peng, D.M. Drake, J.D. Moses, N. Stein and J.W. Sunier, Bull. Amer. Phys. Soc. 24 (1979) 842, FB4
- 1979PEZR J.F. Petersen, R.J. Ascutto and E.A. Seglie, Bull. Amer. Phys. Soc. 24 (1979) 816, AB10
- 1979PH01 R.L. Phillips, K.A. Erb, D.A. Bromley and J. Weneser, Phys. Rev. Lett. 42 (1979) 566



1979PH05 D.-L. Pham and R. de Swiniarski, *Z. Phys.* A291 (1979) 327  
 1979PH07 T.W. Phillips and R.G. Johnson, *Phys. Rev. C*20 (1979) 1689  
 1979PI1C Pickar et al., *Bull. Amer. Phys. Soc.* 24 (1979) 819  
 1979PO08 E.C. Pollacco, C. Garrett and D.C. Weisser, *Phys. Rev. C*19 (1979) 2073  
 1979PO1D Povh, *Bull. Amer. Phys. Soc.* 24 (1979) 69  
 1979PR04 V.S. Prokopenko, V.D. Sklyarenko, V.K. Chernievskii and A.V. Shustov, *Yad. Fiz.* 29 (1979) 1223; *Sov. J. Nucl. Phys.* 29 (1979) 630  
 1979PR1C Primakoff, *NATO Inst. Vol.* 45 (1979) 3  
 1979RA10 Rae et al., *Nucl. Phys.* A319 (1979) 239  
 1979RA18 N.K. Rao, S.C. Gupta, T.Y. Singh and Y. Prakash, *J. Phys. Soc. Jpn.* 46 (1979) 1683  
 1979RA1C Ramaty, Kozlovsky and Lingenfelter, *Astrophys. J. Suppl.* 40 (1979) 487  
 1979RA21 R. Rascher, W.F.J. Muller and K.P. Lieb, *Phys. Rev. C*20 (1979) 1028  
 1979RE1A Redwine, *AIP Conf. Proc.* 54 (1979) 501  
 1979REZS T.R. Renner, M. Gai, P. Braun-Munzinger, G.M. Berkowitz, C.M. Jachcinski and C.D. Uhlhorn, *Bull. Amer. Phys. Soc.* 24 (1979) 843, FB14  
 1979REZT T.R. Renner, C.D. Uhlhorn, P. Braun-Munzinger, J. Barrette and M.J. Levine, *Bull. Amer. Phys. Soc.* 24 (1979) 842, FB5  
 1979RH1A Rho, *NATO Inst. Vol.* 45 (1979) 105  
 1979RO02 D. Robson, *Phys. Rev. Lett.* 42 (1979) 876  
 1979RO04 I. Rotter, *J. Phys. (London)* G5 (1979) 685  
 1979RO1B Rotter, *J. Phys. (London)* G5 (1979) 1575  
 1979RO1J Rotter, *J. Phys. (London)* G5 (1979) 251  
 1979RO1L Rosenfelder, 1978 RPI Symp. Photopion *Nucl. Phys.* (1979) 367  
 1979ROZH A. Roy, K.W. Kemper and A.D. Frawley, *Bull. Amer. Phys. Soc.* 24 (1979) 851, GB1  
 1979SA1L Sandorfi, *BNL-51115* (1979) 405  
 1979SA1M Sackman, *CAP-551* (1979)  
 1979SA26 F. Saint-Laurent, M. Conjeaud, S. Harar, J.M. Loiseaux, J. Menet and J.B. Viano, *Nucl. Phys.* A327 (1979) 517  
 1979SA27 G.R. Satchler, *Nucl. Phys.* A329 (1979) 233  
 1979SA29 S.J. Sanders, L.M. Martz and P.D. Parker, *Phys. Rev. C*20 (1979) 1743  
 1979SA30 L.N. Savushkin, *Yad. Fiz.* 30 (1979) 660; *Sov. J. Nucl. Phys.* 30 (1979) 340  
 1979SA38 H. Sakaguchi, M. Nakamura, K. Hatanaka, A. Goto, T. Noro, F. Ohtani, H. Sakamoto and S. Kobayashi, *Phys. Lett.* B89 (1979) 40

- 1979SAZM A. Sandorfi, J. Calarco, R. Rand and H.A. Schwettman, Bull. Amer. Phys. Soc. 24 (1979) 851, GB5
- 1979SC08 T.C. Schweizer, R.R. Doering, S.T. Thornton, L.C. Dennis, K.R. Cordell and R.L. Parks, Phys. Rev. C19 (1979) 1408
- 1979SC10 J.N. Scheurer, D. Bertault, M. Caussanel, J.L. Quebert and J.P. Fouan, Nucl. Phys. A319 (1979) 274
- 1979SC1E Schmitt, Borkowski, Simon and Walther, Int. Conf. Nucl. Phys. with Electromag. Interact., Mainz (1979) 6.9
- 1979SE04 F. Seiler and H.W. Roser, Nucl. Phys. A315 (1979) 45
- 1979SH1E Shoda, Nahara, Ohashi and Yamazaki, Conf. Proc. TRIUMF, Vancouver (1979) Paper 5A4
- 1979SH1P Shakin, AIP Conf. Proc. 54 (1979) 550
- 1979SH24 A.A. Shirokova and K.V. Shitikova, Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 2396; Bull. Acad. Sci. USSR Phys. Ser. 43 (1979) 132
- 1979SI05 B. Sinha, Phys. Rev. Lett. 42 (1979) 690
- 1979SI06 B. Sinha and S.A. Moskowsky, Phys. Lett. B81 (1979) 289
- 1979SL02 R.J. Slobodrian, R. Roy, C. Rioux, R. Pigeon and S.S. Dasgupta, Z. Phys. A291 (1979) 261
- 1979SN01 K.A. Snover, P.G. Ikossi and T.A. Trainor, Phys. Rev. Lett. 43 (1979) 117
- 1979SN1A Snover, Proc. 3rd Symp. on Neutron Capture Gamma Rays, 1978 (1979) 319
- 1979SP1D Spergel, Lazareth and Levy, Bull. Amer. Phys. Soc. 24 (1979) 660
- 1979SR1B Srinivasa Rao and Susila, AIP Conf. Proc. 54 (1979) 430
- 1979ST02 K. Stricker, H. McManus and J.A. Carr, Phys. Rev. C19 (1979) 929
- 1979ST1D Stanley, Glover and Petrovich, Bull. Amer. Phys. Soc. 24 (1979) 816
- 1979ST1Q Stehling et al., Helv. Phys. Acta 52 (1979) 93
- 1979ST1R Stock, Nukleonika 24 (1979) 165
- 1979ST20 S. Stringari and D. Vautherin, Phys. Lett. B88 (1979) 1
- 1979STZU D.P. Stanley, R.J. Philpott, D. Halderson and F. Petrovich, Bull. Amer. Phys. Soc. 24 (1979) 592, BL9
- 1979SU08 P.R. Subramanian and V. Devanathan, Phys. Rev. C20 (1979) 1615
- 1979SU1F Suzuki and Kubo, Tsukuba Symp. on Polarization Phenomena, Nov. 1979; Ed., K. Yagi (1979) 211
- 1979SW1B Sweigart and Mengel, Astrophys. J. 229 (1979) 624
- 1979TA07 O. Tanimura and T. Tazawa, Phys. Lett. B83 (1979) 22

- 1979TA08 Y. Tanaka, Y. Oda, F. Petrovich and R.K. Sheline, Phys. Lett. B83 (1979) 279
- 1979TA12 O. Tanimura and T. Tazawa, Phys. Rev. C20 (1979) 183
- 1979TA1K O. Tanimura and T. Tazawa, Nucl. Phys. A321 (1979) 490
- 1979TE1A Terlecki et al., Microscopic Optical Potentials, Hamburg, Germany (1979) 410
- 1979TI1B Tinsley, Astrophys. J. 229 (1979) 1046
- 1979TO19 H. Toki and W. Weise, Z. Phys. A292 (1979) 389
- 1979TR1B Truol, Proc. Mainz, 1979, Springer Lect. Notes 108 (1979) 351
- 1979TR1H Truex and Banerjee, AIP Conf. Proc. 54 (1979) 263
- 1979UL1A Ullrich, AIP Conf. Proc. 54 (1979) 154
- 1979UN01 E. Ungricht, D. Balzer, M. Hugi, J. Lang, R. Muller, L. Jarczyk, B. Kamys and A. Strzalkowski, Nucl. Phys. A313 (1979) 376
- 1979US01 K.F. Ustimenkov, A.S. Deineko, I.Ya. Malakhov, Yu.G. Mashkarov, I.I. Zalyubovskii and V.E. Storizhko, Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 2189; Bull. Acad. Sci. USSR Phys. Ser. 43 (1979) 144
- 1979UZ1A Uzureau, Fieni, Cocu and Michaudon, 5th Sess. D'etudes Biennale de Phys. Nucl., Aussois (France) (1979)
- 1979VA12 K. Van Bibber, D.L. Hendrie, D.K. Scott, H.H. Wieman, L.S. Schroeder, J.V. Geaga, S.A. Cessin, R. Treuhaft, Y.J. Grossiord and J.O. Rasmussen, Phys. Rev. Lett. 43 (1979) 840; Erratum, Phys. Rev. Lett. 43 (1979) 1274
- 1979VA17 J.P. Vary, R. Belehrad and B.J. Dalton, Nucl. Phys. A328 (1979) 526
- 1979VA1B Van Bibber, BNL-51115 (1979) 365
- 1979VAZV J. van Orden, M.K. Banerjee and W. Truex, Bull. Amer. Phys. Soc. 24 (1979) 677, JG3
- 1979VE02 E. Ventura, J.R. Calarco, C.C. Chang, E.M. Diener, D.G. Mavis, S.S. Hanna and G.A. Fisher, Phys. Rev. C19 (1979) 1705
- 1979VE09 G.A. Vershinin and I.P. Chernov, Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 1047; Bull. Acad. Sci. USSR Phys. Ser. 43 (1979) 129
- 1979VE1C Vershinin, Izv. Vuz. Fiz. (USSR) 22 (1979) 44
- 1979VE1D Vergados, Conf. Proc. TRIUMF, Vancouver (1979) Paper 5D14
- 1979VI05 A. Vidal-Quadras and M. Ortega, Nuovo Cim. A49 (1979) 235
- 1979VI13 S.E. Vigdor, D.G. Kovar, P. Sperr, J. Mahoney, A. Menchaca-Rocha, C. Olmer and M.S. Zisman, Phys. Rev. C20 (1979) 2147
- 1979VL01 V.A. Vladimirov, N.G. Goncharova and F.A. Zhivopistsev, Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 2311; Bull. Acad. Sci. USSR Phys. Ser. 43 (1979) 57

- 1979VO08 F.K. Vosniakos, N.E. Davison, W.R. Falk, O. Abou-Zeid and S.P. Kwan, Nucl. Phys. A332 (1979) 157
- 1979WA09 J. Wambach, F. Osterfeld, J. Speth and V.A. Madsen, Nucl. Phys. A324 (1979) 77
- 1979WA1G Walker, NATO Inst. Vol. 45 (1979) 351
- 1979WA1J Walker, AIP Conf. Proc. 54 (1979) 206
- 1979WA1L Wang et al., Ann. Rept. Inst. Phys. Acad. Sin. 9 (1979) 71
- 1979WE1F Webber, Kish and Yushak, Bull. Amer. Phys. Soc. 24 (1979) 692
- 1979WI1A Winhold, 1978 RPI Symp. Photopion Nucl. Phys. (1979) 19
- 1979WI1B Wildermuth and Kanellopoulos, Rept. Prog. Phys. 42 (1979) 1719
- 1979WI1D Willet, Ling, Mahoney and Jacobson, Astrophys. J. 234 (1979) 753
- 1979WI1E Winhold et al., Int. Conf. Nucl. Phys. with Electromag. Interact., Mainz (1979) 6.16
- 1979WIZW S.W. Wissink, J.R. Calarco and S.S. Hanna, Bull. Amer. Phys. Soc. 24 (1979) 646, GK6
- 1979WO07 S.E. Woosley, W.A. Fowler, J.A. Holmes and B.A. Zimmerman, At. Data Nucl. Data Tables 22 (1978) 371
- 1979WO1C Wong, BNL-51115 (1979) 329
- 1979WU10 A. Wulschleger and F. Scheck, Nucl. Phys. A326 (1979) 325
- 1979YO04 K.C. Young Jr., R.W. Zurmuhle, J.M. Lind and D.P. Balamuth, Nucl. Phys. A330 (1979) 452
- 1979ZA07 J.G. Zabolitzk and, W. Ey, Nucl. Phys. A328 (1979) 507
- 1979ZA1B Zamick, NATO Inst. Vol. 45 (1979) 397
- 1979ZE1B Zelenskaya and Teplov, Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 2375
- 1979ZY02 J.L. Zyskind and P.D. Parker, Nucl. Phys. A320 (1979) 404
- 1980AB1B Ableev et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 71
- 1980AB1D Abe, Kondo and Matsuse, Prog. Theor. Phys. Suppl. 68 (1980) 303
- 1980AG08 D.A. Agrello, V.C. Aguilera-Navarro and J.N. Maki, Lett. Nuovo Cim. 28 (1980) 310
- 1980AJ01 F. Ajzenberg-Selove and C.L. Busch, Nucl. Phys. A336 (1980) 1
- 1980AK02 V.D. Aksinenko et al. and SKM-200 Collaboration, Nucl. Phys. A348 (1980) 518
- 1980AL1D Alma-Ata (Dubna) Tbolisi Collaboration, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 519
- 1980AL24 J.P. Albanese, J. Arvieux, J. Bolger, E. Boschitz, C.H.Q. Ingram, J. Jansen and J. Zichy, Nucl. Phys. A350 (1980) 301
- 1980AM1D R.D. Amado, F. Lenz, J.A. McNeil and D.A. Sparrow, Phys. Rev. C22 (1980) 2094

1980AN16 N. Anantaraman, H.W. Fulbright and P.M. Stwertka, Phys. Rev. C22 (1980) 501  
 1980AN1G Anderson et al., Bull. Amer. Phys. Soc. 25 (1980) 729  
 1980AN1M Anagnostos, Touliatos, Kyritsis and Yapitzakis, Atomkernenerg. Kerntech. 35 (1980) 60  
 1980AN21 N. Anantaraman, Phys. Rev. C22 (1980) 945  
 1980AN30 T. Ando, K. Ikeda and A. Tohsaki-Suzuki, Prog. Theor. Phys. 64 (1980) 1608  
 1980ANYZ K. Ando and H. Bando, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 6  
 1980ANZA K. Ando and H. Bando, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 5  
 1980AP02 B. Apagyi and T. Vertse, Phys. Rev. C21 (1980) 779  
 1980AR12 A. Arima and D. Strottman, Phys. Lett. B96 (1980) 23  
 1980AR1E J. Arvieux, Nucl. Phys. A335 (1980) 353  
 1980AS1A D. Ashery, Nucl. Phys. A335 (1980) 385  
 1980AY01 T. Aytimur and J.P. Svenne, Can. J. Phys. 58 (1980) 1026  
 1980BA12 M.K. Banerjee and S.J. Wallace, Phys. Rev. C21 (1980) 1996  
 1980BA1G J. Bartke, Nucl. Phys. A335 (1980) 481  
 1980BA1Q Barfoot et al., Bull. Amer. Phys. Soc. 25 (1980) 787  
 1980BA1T Bar-Touv and Moalem, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 782  
 1980BA2K Barashencov and Musulmanbecov, Z. Phys. A296 (1980) 371  
 1980BA2R Barnes, OAP-593 (1980)  
 1980BA31 B. Bassalleck, H.D. Engelhardt, W.D. Klotz, C.W. Lewis, F. Takeuchi, H. Ullrich and M. Furic, Nucl. Phys. A343 (1980) 365  
 1980BA36 G. Backenstoss, W. Kowald, I. Schwanner, L. Tauscher, H.J. Weyer, D. Gotta and R. Guigas, Phys. Lett. B95 (1980) 212  
 1980BA44 D. Baye, Phys. Lett. B97 (1980) 17  
 1980BA48 J. Bartel and H. Feldmeier, Z. Phys. A297 (1980) 333  
 1980BAZF V.V. Balashov, H.W. Barz, I. Rotter and R. Wunsch, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 143  
 1980BAZG P. Barreau, M. Bernheim, A. Bussiere, M. Finn, J. Morgenstern, J. Mougey, D. Royer, D. Tarnowski, S. Turck-Chieze, S. Frullani, et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 125  
 1980BE02 J.R. Beene, R.M. DeVries, D. Shapira and M.R. Clover, Phys. Rev. C21 (1980) 167  
 1980BE03 R.R. Betts, M.M. Hindi, S.B. DiCenzo and P.D. Parker, Phys. Rev. C21 (1980) 175  
 1980BE04 F.D. Becchetti, K.T. Hecht, J. Janecke, D. Overway and G. Kekelis, Phys. Rev. C21 (1980) 444

- 1980BE15 F.D. Becchetti, K.T. Hecht, J. Janecke, D. Overway and G. Kekelis, Nucl. Phys. A339 (1980) 132
- 1980BE19 B. Behera, K.C. Panda and R.K. Satpathy, Phys. Rev. C21 (1980) 1883
- 1980BE24 Ya.A. Berdnikov and Yu.R. Gismatullin, Yad. Fiz. 31 (1980) 1139; Sov. J. Nucl. Phys. 31 (1980) 588
- 1980BE25 B. Behera, K.C. Panda and R.K. Satpathy, Phys. Rev. C22 (1980) 148
- 1980BE33 F.D. Becchetti, D. Overway, J. Janecke and W.W. Jacobs, Nucl. Phys. A344 (1980) 336
- 1980BE35 M. Betz and A.K. Kerman, Nucl. Phys. A345 (1980) 493
- 1980BE38 G. Bertsch, Phys. Lett. B95 (1980) 157
- 1980BE56 Ya.A. Berdnikov, Yu.R. Gismatullin and A.A. Melentev, Yad. Fiz. 31 (1980) 1433; Sov. J. Nucl. Phys. 31 (1980) 744
- 1980BH1A R.S. Bhalerao, L.C. Liu and C.M. Shakin, Phys. Rev. C21 (1980) 2103
- 1980BH1C Bhalerao and Shakin, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 705
- 1980BO1B Bosted et al., Bull. Amer. Phys. Soc. 25 (1980) 559
- 1980BO1G A. Bouyssy, Phys. Lett. B91 (1980) 15
- 1980BO1P Bohigas, Van Giai and Vautherin, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 225
- 1980BO24 P.E. Bosted, K.I. Blomqvist, A.M. Bernstein, S.A. Dytman and R.A. Miskimen, Phys. Rev. Lett. 45 (1980) 1544
- 1980BOZM P.F. Bortignon and G. Galilei, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 183
- 1980BOZN O. Bohigas, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 116
- 1980BR08 B.A. Brown and B.H. Wildenthal, Phys. Rev. C21 (1980) 2107
- 1980BR13 B.A. Brown, W. Chung and B.H. Wildenthal, Phys. Rev. C22 (1980) 774
- 1980BR1A W.H. Breunlich, Nucl. Phys. A335 (1980) 137
- 1980BR1H H. Breuer, G.J. Wagner, K.T. Knopfle, G. Mairle and P. Doll, Phys. Lett. B96 (1980) 35
- 1980BR21 B.A. Brown, W.A. Richter and N.S. Godwin, Phys. Rev. Lett. 45 (1980) 1681
- 1980BU15 G.R. Bureson, G.S. Blanpied, G.H. Daw, A.J. Viescas, C.L. Morris, H.A. Thiessen, S.J. Greene, W.J. Braithwaite, W.B. Cottingame, D.B. Holtkamp et al., Phys. Rev. C22 (1980) 1180
- 1980BU1C Buti et al., Bull. Amer. Phys. Soc. 25 (1980) 574
- 1980BY1A Byrd et al., Bull. Amer. Phys. Soc. 25 (1980) 592
- 1980CA15 B. Castel, R.Y. Cusson and L. Zamick, Nucl. Phys. A341 (1980) 93

- 1980CA1J Calarco, Bull. Amer. Phys. Soc. 25 (1980) 737
- 1980CA1M Canal, Isern and Labay, Astrophys. J. 241 (1980) L33
- 1980CA1P Carlos, J. Phys. (Paris) 41 (1980) C3-149
- 1980CE01 R.A. Cecil, B.D. Anderson, A.R. Baldwin, R. Madey, A. Galonsky, P. Miller, L. Young and F.M. Waterman, Phys. Rev. C21 (1980) 2471
- 1980CE1B Cerruti et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 583
- 1980CH03 W.K. Cheng, B. Loraño and B. Goulard, Phys. Rev. C21 (1980) 374
- 1980CH1E Chapuran et al., Bull. Amer. Phys. Soc. 25 (1980) 591
- 1980CH20 P. Christillin, M. Rosa-Clot and S. Servadio, Nucl. Phys. A345 (1980) 317
- 1980CH25 P. Christillin, E. Lipparini, S. Stringari and M. Traini, Phys. Lett. B95 (1980) 344
- 1980CL1B Clayton, Nukleonika 25 (1980) 1477, 1491
- 1980CL1C Clement et al., Polarization, Santa Fe (1980) 2.65
- 1980CO08 A.J. Cole, N. Longequeue, J. Menet, J.J. Lucas, R. Ost and J.B. Viano, Nucl. Phys. A341 (1980) 284
- 1980CO1A Cottingame and Holtkamp, Bull. Amer. Phys. Soc. 25 (1980) 503
- 1980CO1P Cowan, Cameron and Truran, Astrophys. J. 241 (1980) 1090
- 1980CO1R Cook, Stone and Vogl, Astrophys. J. 238 (1980) L97
- 1980CR01 J.G. Cramer and R.M. DeVries, Phys. Rev. C22 (1980) 91
- 1980CR03 J.F. Crawford, M. Daum, G.H. Eaton, R. Frosch, H. Hirschmann, R. Horisberger, J.W. McCulloch, E. Steiner, R. Hausammann, R. Hess et al., Phys. Rev. C22 (1980) 1184
- 1980CU03 A. Cunsolo, A. Foti, G. Imme, G. Pappalardo, G. Raciti, F. Rizzo and N. Saunier, Phys. Rev. C21 (1980) 952
- 1980CU08 A. Cunsolo, A. Foti, G. Imme, G. Pappalardo, G. Raciti and N. Saunier, Phys. Rev. C21 (1980) 2345
- 1980CU09 P. Cuzzocrea, A. De Rosa, G. Inghima, E. Perillo, E. Rosato, M. Sandoli and G. Spadaccini, Lett. Nuovo Cim. 28 (1980) 515
- 1980DA1C K.T.R. Davies, H. Flocard, S. Krieger and M.S. Weiss, Nucl. Phys. A342 (1980) 111
- 1980DE1F B. Desplanques, Nucl. Phys. A335 (1980) 147
- 1980DE1H De Vries et al., Bull. Amer. Phys. Soc. 25 (1980) 506
- 1980DE1V Dehnhard, Bull. Amer. Phys. Soc. 25 (1980) 732
- 1980DE1Z Devries, DiGiacomo and Peng, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 418
- 1980DE24 J.P. Dedonder, J.P. Maillet and C. Schmit, Ann. Phys. 127 (1980) 1
- 1980DE28 R.M. DeVries and J.C. Peng, Phys. Rev. C22 (1980) 1055

- 1980DE29 V. Devanathan, V. Girija and G.N. Sivarama Prasad, *Can. J. Phys.* 58 (1980) 1151
- 1980DE2A P.A. Deutchman and L.W. Townsend, *Phys. Rev. Lett.* 45 (1980) 1622
- 1980DE2G Dememtii, Ogurtsov, Omelaenko and Afanasev, *Ukr. Fiz. Zh.* 25 (1980) 628, 634
- 1980DE2K Dennis, Frawley, Kemper and Szymakowski, *Bull. Amer. Phys. Soc.* 25 (1980) 523
- 1980DE30 A. Dellafiore and M. Traini, *Nucl. Phys.* A344 (1980) 509
- 1980DEYU R. De Leo, G. D'Erasmus, E.M. Fiore, H.V. Geramb, S. Micheletti, A. Pantaleo and M. Pignanelli, *Proc. Int. Conf. on Nucl. Phys., Berkeley* (1980) 203
- 1980DI03 D. Dieumegard, B. Maurel and G. Amsel, *Nucl. Instrum. Meth. Phys. Res.* 168 (1980) 93
- 1980DI1B Digregorio et al., *Bull. Amer. Phys. Soc.* 25 (1980) 523
- 1980DM1A Dmitriev, Kosmach, Molchanov and Ostroumov, *Yad. Fiz.* 31 (1980) 119; *Sov. J. Nucl. Phys.* 31 (1980) 62
- 1980DO01 G. Do Dang and S. Ramavataram, *J. Phys. (London)* G6 (1980) 47
- 1980DO1G C.B. Dover, L. Ludeking and G.E. Walker, *Phys. Rev.* C22 (1980) 2073
- 1980DR08 O. Dragun and H. Uberall, *Phys. Lett.* B94 (1980) 24
- 1980DU13 D. Duplain and B. Goulard, *Can. J. Phys.* 58 (1980) 1099
- 1980DU21 E.I. Dubovoi, *Izv. Akad. Nauk SSSR Ser. Fiz.* 44 (1980) 2434; *Bull. Acad. Sci. USSR Phys. Ser.* 44 (1980) 2341
- 1980DW1A Dworzecka, Kan and Griffin, *Bull. Amer. Phys. Soc.* 25 (1980) 574
- 1980ER01 R.A. Eramzhyan, M. Gmitro and H.R. Kissener, *Nucl. Phys.* A338 (1980) 436
- 1980ER1D Erb, *Proc. Int. Conf. in Nucl. Far from Stability; Eds., J.H. Hamilton et al.* (1980) 311
- 1980FA01 A. Faessler, H. Muther, K. Shimizu and W. Wadia, *Nucl. Phys.* A333 (1980) 428
- 1980FA04 A. Faessler, T.T.S. Kuo and H. Muther, *Z. Phys.* A294 (1980) 95
- 1980FA06 E. Fabrici, S. Micheletti, M. Pignanelli, F.G. Resmini, R. De Leo, G. D'Erasmus, A. Pantaleo, J.L. Escudie and A. Tarrats, *Phys. Rev.* C21 (1980) 830
- 1980FA07 E. Fabrici, S. Micheletti, M. Pignanelli, F.G. Resmini, R. De Leo, G. D'Erasmus and A. Pantaleo, *Phys. Rev.* C21 (1980) 844
- 1980FA1D Farhan, Uberall, Dragun and Maqueda, *Proc. Int. Conf. on Nucl. Phys., Berkeley* (1980) 507
- 1980FE01 D.H. Feng, M.A. Nagarajan, M.R. Strayer, M. Vallieres and W.T. Pinkston, *Phys. Rev. Lett.* 44 (1980) 1037
- 1980FL02 H. Flocard, P.H. Heenen and D. Vautherin, *Nucl. Phys.* A339 (1980) 336
- 1980FR05 A.D. Frawley, A. Roy and N.R. Fletcher, *Phys. Rev. Lett.* 44 (1980) 1377



- 1980FR10 W.S. Freeman, H.W. Wilschut, T. Chapuran, W.F. Piel, Jr. and P. Paul, Phys. Rev. Lett. 45 (1980) 1479
- 1980FR1F W.E. Frahn, Nucl. Phys. A337 (1980) 324, 351
- 1980FR1H Freedman, Miller and Henly, Bull. Amer. Phys. Soc. 25 (1980) 725
- 1980FR1N Frawley, Fletcher, Dennis and Abdo, Bull. Amer. Phys. Soc. 25 (1980) 727
- 1980FRZN J. Franz and N. Hamann, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 168
- 1980FU05 T. Fujita and J. Hufner, Nucl. Phys. A343 (1980) 493
- 1980FU1D Fulton, Cormier and Herman, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 235
- 1980FU1F Fujiwara and Horiuchi, Prog. Theor. Phys. 63 (1980) 895
- 1980FU1G Furutani et al., Prog. Theor. Phys. Suppl. 68 (1980) 193
- 1980FU1H Fujiwara et al., Prog. Theor. Phys. Suppl. 68 (1980) 29
- 1980GA1C A. Gal and C.B. Dover, Phys. Rev. Lett. 44 (1980) 379
- 1980GA1E Gai, Bull. Amer. Phys. Soc. 25 (1980) 592
- 1980GA1J Gai, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 424
- 1980GAZX M. Gai, G.M. Berkowitz, P. Braun-Munzinger, C.M. Jachcinski, C.E. Ordonez, T.R. Renner and C.D. Uhlhorn, Bull. Amer. Phys. Soc. 25 (1980) 592, JE11
- 1980GI05 M.J. Giannoni and P. Quentin, Phys. Rev. C21 (1980) 2076
- 1980GO05 K. Goeke, B. Castel and P.-G. Reinhard, Nucl. Phys. A339 (1980) 377
- 1980GO08 L.J.B. Goldfarb and P. Nagel, Nucl. Phys. A341 (1980) 494
- 1980GO13 H. Goringer and B. Schoch, Phys. Lett. B97 (1980) 41
- 1980GO1Q Gorbatov, Krylov and Solovei, Yad. Fiz. 32 (1980) 636
- 1980GR05 R.D. Graves, B.A. Lamers, A. Nagl, H. Uberall, V. Devanathan and P.R. Subramanian, Can. J. Phys. 58 (1980) 48
- 1980GR10 R.E.L. Green and R.G. Korteling, Phys. Rev. C22 (1980) 1594
- 1980GR15 P. Grabmayr, J. Rapaport and R.W. Finlay, Nucl. Phys. A350 (1980) 167
- 1980GR1M Greene et al., Bull. Amer. Phys. Soc. 25 (1980) 504
- 1980GR1N Greene et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 687
- 1980GU1B R. Guardiola and A. Polls, Nucl. Phys. A342 (1980) 385
- 1980HA07 M.N. Harakeh, Phys. Lett. B90 (1980) 13
- 1980HA14 K. Hatanaka, K. Imai, S. Kobayashi, T. Matsusue, M. Nakamura, K. Nisimura, T. Noro, H. Sakamoto, H. Shimizu and J. Shirai, Nucl. Phys. A340 (1980) 93
- 1980HA35 D. Halderson and R.J. Philpott, Nucl. Phys. A345 (1980) 141
- 1980HE07 V. Heil and P. Manakos, Z. Phys. A294 (1980) 331

- 1980HE1E Hearst, *Bull. Amer. Phys. Soc.* 25 (1980) 793
- 1980HI1C Hirsekorn, *Z. Phys.* A297 (1980) 141
- 1980HO13 D.R. Holtkamp, W.J. Braithwaite, W. Cottingame, S.J. Greene, R.J. Joseph, C.F. Moore, C.L. Morris, J. Piffaretti, E.R. Siciliano, H.A. Thiessen et al., *Phys. Rev. Lett.* 45 (1980) 420
- 1980HO14 T. Honda, Y. Kudo and H. Horie, *Prog. Theor. Phys.* 63 (1980) 872
- 1980HO1L Holtkamp and Cottingame, *Proc. Int. Conf. on Nucl. Phys., Berkeley* (1980) 699
- 1980HO24 Y. Horikawa, M. Thies and F. Lenz, *Nucl. Phys.* A345 (1980) 386
- 1980HU02 M.S. Hussein, L.F. Canto and R. Donangelo, *Phys. Rev.* C21 (1980) 772
- 1980HU12 G. Hulke, C. Rolfs and H.P. Trautvetter, *Z. Phys.* A297 (1980) 161
- 1980HY03 H. Hyuga, A. Arimaa and K. Shimizu, *Nucl. Phys.* A336 (1980) 363
- 1980IK1A Ikossi, Snover, Adelberger and Lesko, *Bull. Amer. Phys. Soc.* 25 (1980) 577
- 1980IK1B Ikeda, Horiuchi and Saito, *Prog. Theor. Phys. Suppl.* 68 (1980) 1
- 1980IS09 B.S. Ishkhanov, V.I. Mokeev, E.S. Omarov, I.M. Piskarev and V.M. Sorvin, *Yad. Fiz.* 31 (1980) 1407; *Sov. J. Nucl. Phys.* 31 (1980) 730
- 1980IS1G Ishkhanov et al., *Proc. Int. Conf. on Nucl. Phys., Berkeley* (1980) 861
- 1980IZ1A Izumoto, Krewald and Faessler, *Proc. Int. Conf. on Nucl. Phys., Berkeley* (1980) 502
- 1980JA06 C.M. Jachcinski, P. Braun-Munzinger, G.M. Berkowitz, R.H. Freifelder, M. Gai, T.R. Renner and C.D. Uhlhorn, *Phys. Rev.* C22 (1980) 101
- 1980JA1D M. Jaminon, C. Mahaux and P. Rochus, *Phys. Rev.* C22 (1980) 2027
- 1980JE1C Jenkins et al., *Proc. Int. Conf. on Nucl. Phys., Berkeley* (1980) 685
- 1980JU01 J.W. Jury, B.L. Berman, D.D. Paul, P. Meyer and J.G. Woodworth, *Phys. Rev.* C21 (1980) 503
- 1980KA1L B. Karaoglu, T. Karapiperis and E.J. Moniz, *Phys. Rev.* C22 (1980) 1806
- 1980KA1M Kasatkin, Gonchar and Inopin, *Ukr. Fiz. Zh.* 25 (1980) 705
- 1980KA1Q Kaler, *Astrophys. J.* 239 (1980) 78
- 1980KA28 K.-K. Kan, *Phys. Rev.* C22 (1980) 2228
- 1980KE02 M.J. Kenny, J.R. Bird and E. Clayton, *Nucl. Instrum. Meth. Phys. Res.* 168 (1980) 115
- 1980KE10 K.W. Kemper and T.R. Ophel, *Aust. J. Phys.* 33 (1980) 197
- 1980KE14 J. Kelly, W. Bertozzi, T.N. Buti, F.W. Hersman, C. Hyde, M.V. Hynes, B. Norum, F.N. Rad, A.D. Bacher, G.T. Emery et al., *Phys. Rev. Lett.* 45 (1980) 2012
- 1980KH09 S.A.E. Khallaf, *Rev. Roum. Phys.* 25 (1980) 741
- 1980KH1C Khodyachikh, Vatset, Dogyust and Kirichenko, *Ukr. Fiz. Zh.* 25 (1980) 229

- 1980KI06 P. Kitching, C.A. Miller, W.C. Olsen, D.A. Hutcheon, W.J. McDonald and A.W. Stetz, Nucl. Phys. A340 (1980) 423
- 1980KI1E Kirichenko, Vatset, Dogyust and Khodyachikh, Ukr. Fiz. Zh. 25 (1980) 798, 804
- 1980KO02 J.J. Kolata, R.M. Freeman, F. Hass, B. Heusch and A. Gallmann, Phys. Rev. C21 (1980) 579
- 1980KO08 S. Kox, A.J. Cole and R. Ost, Phys. Rev. Lett. 44 (1980) 1204
- 1980KO10 C.M. Ko, Phys. Rev. C21 (1980) 2672
- 1980KO1D Kovar et al., Bull. Amer. Phys. Soc. 25 (1980) 524
- 1980KO1V Koptev, Maev, Makarov and Khanzadeev, Yad. Fiz. 31 (1980) 1501
- 1980KO1Y Kozlowski et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 229
- 1980KO21 Y. Kondo, D.A. Bromley and Y. Abe, Prog. Theor. Phys. 63 (1980) 722
- 1980KO24 Y. Kondo, D.A. Bromley and Y. Abe, Phys. Rev. C22 (1980) 1068
- 1980KO27 J.J. Kolata, Phys. Lett. B95 (1980) 215
- 1980KR01 W. Kretschmer, G. Probstle and W. Stach, Nucl. Phys. A333 (1980) 13
- 1980KR1G Kretschmer et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 848
- 1980KU1E Kumar, Proc. Int. Conf. in Nucl. Far from Stability; Eds., J.H. Hamilton et al. (1980) 265
- 1980KU1F Kubono, Bond and Horn, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 542
- 1980LA16 T.L. Larry and W.P. Beres, Phys. Rev. C22 (1980) 1145
- 1980LA1C R.H. Landau, Nucl. Phys. A335 (1980) 289
- 1980LA1L Laul, Bull. Amer. Phys. Soc.25 (1980) 770
- 1980LA1M Langanke, Leutenantsmeier, Stadmann and Weiguny, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 498
- 1980LA1N Larry and Beres, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 496
- 1980LE02 T.-S.H. Lee and D. Kurath, Phys. Rev. C21 (1980) 293
- 1980LE11 S.M. Lee, T. Matsuse and A. Arima, Phys. Rev. Lett. 45 (1980) 165
- 1980LE21 M. Lemere, Y.C. Tang, E.J. Kanellopoulos and W. Sunkel, Nucl. Phys. A348 (1980) 321
- 1980LE26 H. Leeb and E.W. Schmid, Z. Phys. A298 (1980) 113
- 1980LI09 M. Libert-Heinemann, D. Baye and P.-H. Heenen, Nucl. Phys. A339 (1980) 429
- 1980LI1H Liu, We, Hwang and Li, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 688
- 1980LI1J Lieb et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 715
- 1980LI1L Liu et al., Phys. Energ. Fortis Phys. Nucl. (China) 4 (1980) 394

- 1980LO02 M. Lozano and G. Madurga, Phys. Lett. B90 (1980) 50
- 1980LU02 Y -W. Lui, O. Karban, S. Roman, R.K. Bhowmik, J.M. Nelson and E.C. Pollacco, Nucl. Phys. A333 (1980) 205
- 1980MA06 S.I. Manaenkov, Yad. Fiz. 31 (1980) 359; Sov. J. Nucl. Phys. 31 (1980) 189
- 1980MA10 G. Mairle, K.T. Knopfle, H. Riedesel, G.J. Wagner, V. Bechtold and L. Friedrich, Nucl. Phys. A339 (1980) 61
- 1980MA1N Maher et al., Bull. Amer. Phys. Soc. 25 (1980) 723
- 1980MA34 G. Madurga, M. Lozano and A. Jadraque, Phys. Lett. B95 (1980) 358
- 1980MC1C W.J. McDonald, Nucl. Phys. A335 (1980) 463
- 1980MC1D McGrory, Bull. Amer. Phys. Soc. 25 (1980) 573
- 1980MC1G McCutcheon, Dickman, Shuter and Roger, Astrophys. J. 237 (1980) 9
- 1980MC1H McKlveen, Bull. Amer. Phys. Soc. 25 (1980) 771
- 1980ME03 L.R. Mead and J.W. Clark, Phys. Lett. B90 (1980) 331
- 1980ME07 A. Mekjian and L. Zamick, Phys. Lett. B92 (1980) 249
- 1980ME1B Mewaldt, Spalding, Stone and Vogt, Bull. Amer. Phys. Soc. 25 (1980) 546
- 1980MI01 T. Mikumo, M. Sasagase, M. Sato, T. Ooi, Y. Higashi, Y. Nagashima and M. Yamanouchi, Phys. Rev. C21 (1980) 620
- 1980MI05 R.E. Mischke, A. Blomberg, P.A.M. Gram, J. Jansen, J. Zichy, J. Bolger, E. Boschitz, C.H.Q. Ingram and G. Probstle, Phys. Rev. Lett. 44 (1980) 1197
- 1980MI11 G.A. Miller and J.V. Noble, Phys. Rev. C22 (1980) 1211
- 1980MI1B Mikumo, UTTAC-28 (1979); NSSRO-26 (1980)
- 1980MO1C J. Mougey, Nucl. Phys. A335 (1980) 35
- 1980MO1L Morgan, Astrophys. J. 238 (1980) 674
- 1980MO1M Molinari, Phys. Rept. 64 (1980) 283
- 1980MU01 H. Muther, Y.R. Waghmare and A. Faessler, Z. Phys. A294 (1980) 87
- 1980MU1F Muther, faessler, Shimizu and Wadia, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 13
- 1980MY01 W.D. Myers and W.J. Swiatecki, Nucl. Phys. A336 (1980) 267
- 1980NA10 I. Navon, E. Piasetzky, D. Ashery, A. Altman, G. Azuelos and F.W. Schlegel, Phys. Lett. B95 (1980) 365
- 1980NA1B Nagl and Uberall, Bull. Amer. Phys. Soc. 25 (1980) 606
- 1980NG01 H. Ngo and Ch. Ngo, Nucl. Phys. A348 (1980) 140
- 1980NI04 A. Niiler and R. Birkmire, Nucl. Instrum. Meth. Phys. Res. 168 (1980) 105

- 1980NI11 H. Nishioka and R.C. Johnson, Phys. Rev. C22 (1980) 2457
- 1980OB1B Obenshain et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 701
- 1980OH05 M. Ohta and S. Okai, Prog. Theor. Phys. 63 (1980) 881
- 1980OK05 I.P. Okhrimenko and A.I. Steshenko, Yad. Fiz. 32 (1980) 381; Sov. J. Nucl. Phys. 32 (1980) 197
- 1980OLZW D.L. Olson, B.L. Berman, D.E. Greiner, H.H. Heckman, P.J. Lindstrom, G.D. Westfall and H.J. Crawford, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 220
- 1980OS1A E. Oset and W. Weise, Phys. Lett. B94 (1980) 19
- 1980OV1A Overway, Becchetti and Janecke, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 420
- 1980PA01 L.A. Parks, D.P. Stanley, L.H. Courtney and K.W. Kemper, Phys. Rev. C21 (1980) 217
- 1980PA08 M. Paul, S.J. Sanders, D.F. Geesaman, W. Henning, D.G. Kovar, C. Olmer, J.P. Schiffer, J. Barrette and M.J. LeVine, Phys. Rev. C21 (1980) 1802
- 1980PA1H Park and Scheid, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 636
- 1980PE09 D.R. Peterson and K.T. Hecht, Nucl. Phys. A344 (1980) 361
- 1980PO1A B. Povh, Nucl. Phys. A335 (1980) 233
- 1980PR09 G. Proudfoot, H.S. Bradlow, P.S. Fisher, N.S. Godwin, J. King, D. Sinclair and W.D.M. Rae, Nucl. Phys. A345 (1980) 278
- 1980PR1C Prakash, Shlomo, Nilsson and Bondorf, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 635
- 1980QU1A Quentin, Proc. Int. Conf. in At. Masses and Fund. Constants; Eds., Nolen and Benenson (1980) 327
- 1980RA12 W.D. Rae, R.G. Stokstad, B.G. Harvey, A. Dacal, R. Legrain, J. Mahoney, M.J. Murphy and T.J.M. Symons, Phys. Rev. Lett. 45 (1980) 884
- 1980RA1F Racca et al., Bull. Amer. Phys. Soc. 25 (1980) 733
- 1980RE1A Reames, von Roseninge and McGuire, Bull. Amer. Phys. Soc. 25 (1980) 597
- 1980RH1A M. Rhoades-Brown, M.H. Macfarlane and S.C. Pieper, Phys. Rev. C21 (1980) 2436
- 1980RO16 V.H. Rotberg and W. Mittig, Phys. Rev. C22 (1980) 1574
- 1980SA1D Samanta et al., Bull. Amer. Phys. Soc. 25 (1980) 593
- 1980SA1E R. Sartor and C. Mahaux, Phys. Rev. C21 (1980) 2613
- 1980SA1G Sandhya Devi et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 415
- 1980SA1H Sasagase et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 527
- 1980SA1J Samanta et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 878

- 1980SA1L Sato et al., Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 536
- 1980SC1B J.P. Schiffer, Nucl. Phys. A335 (1980) 339
- 1980SC1E Schoch and Goringer, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 682
- 1980SC1F Schultheis and Schultheis, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 267
- 1980SC1G Scott, Lectures Presented at the Int. School on Nucl. Phys., Alushta, Crimea, USSR, 14-25 April (1980)
- 1980SC24 I. Schwanner, R. Abela, G. Backenstoss, W. Kowald, P. Pavlopoulos, L. Tauscher, H.J. Weyer, P. Blum, M. Dorr, W. Fetscher et al., Phys. Lett. B96 (1980) 268
- 1980SC27 B. Schoch, H. Goringer, P. Jennewein, F. Klein, G. Luhrs and F. Zettl, Phys. Rev. C22 (1980) 2630
- 1980SE11 R. Seki, K. Masutani, M. Oka and K. Yazaki, Phys. Lett. B97 (1980) 200
- 1980SH10 D. Shapira, J.L.C. Ford, Jr., J. Gomez del Campo and P.H. Stelson, Phys. Rev. C21 (1980) 1824
- 1980SH1A Shepard et al., Bull. Amer. Phys. Soc. 25 (1980) 594
- 1980SH1D Shkolnik, Dehnhard and Franey, Bull. Amer. Phys. Soc. 25 (1980) 592
- 1980SH1L Shkolnik, Franey and Dehnhard, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 588
- 1980SH1N K.V. Shiticova, Nucl. Phys. A331 (1979) 365
- 1980SI03 M. Silver and N. Austern, Phys. Rev. C21 (1980) 272
- 1980SI09 B. Sinha, Phys. Rev. Lett. 44 (1980) 1207
- 1980SI1J Sinha, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 596
- 1980SP04 J. Speth, V. Klemt, J. Wambach and G.E. Brown, Nucl. Phys. A343 (1980) 382
- 1980SP1A D.A. Sparrow, Phys. Rev. Lett. 44 (1980) 625
- 1980SP1E J. Speth and J. Wambach, Nucl. Phys. A347 (1980) 389
- 1980ST15 P. Stoler, E.J. Winhold, F. O'Brien, P.F. Yergin, D. Rowley, K. Min, J. LeRose, A.M. Bernstein, K.I. Blomqvist, G. Franklin et al., Phys. Rev. C22 (1980) 911
- 1980ST1K Strikman and Frankfurt, Yad. Fiz. 32 (1980) 1403
- 1980ST25 K. Stricker, J.A. Carr and H. McManus, Phys. Rev. C22 (1980) 2043
- 1980SU03 T. Suzuki, R.J. Mikula, D.M. Garner, D.G. Fleming and D.F. Measday, Phys. Lett. B95 (1980) 202
- 1980SU07 Y. Suzuki, Prog. Theor. Phys. 64 (1980) 2041
- 1980TA03 O. Tanimura, Phys. Lett. B90 (1980) 204
- 1980TA14 O. Tanimura and T. Tazawa, Nucl. Phys. A346 (1980) 266
- 1980TA1B Tabor, Dennis, Neuschaefer and Theisen, Bull. Amer. Phys. Soc. 25 (1980) 524

- 1980TA1D Tavares et al., Lett. Nuovo Cim. 27 (1980) 358
- 1980TA1E Tanimura and Tazawa, Phys. Rept. 61 (1980) 253
- 1980TA1G Takigawa, Plagnol and Marty, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 427
- 1980TA1L Tadic, Rept. Prog. Phys. 43 (1980) 67
- 1980TH01 H.A. Thiessen, Nucl. Phys. A335 (1980) 329
- 1980TH1C Thomas and Landau, Phys. Rept. 58 (1980) 121
- 1980TO11 V. Tornow, G. Orlandini, M. Traini, D. Drechsel and H. Arenhovel, Nucl. Phys. A348 (1980) 157
- 1980TO1D Tohsaki-Suzuki, Kamimura and Ikeda, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 411
- 1980TO1E Tahsaki-Suzuki, Kamimura and Ikeda, Prog. Theor. Phys. Suppl. 68 (1980) 359
- 1980TR02 H.-J. Trost, A. Schwarz, U. Feindt, F.H. Heimlich, S. Heinzl, J. Hintze, F. Korber, R. Lekebusch, P. Lezoch, G. Mock et al., Nucl. Phys. A337 (1980) 377
- 1980TR1E Tribble, Proc. Int. Conf. in At. Masses and Fund. Constants; Eds., Nolen and Benenson (1980) 13
- 1980TR1H Tripathi, Faessler and Shimizu, Z. Phys. A297 (1980) 275
- 1980TR1K Truran, Nukleonika 25 (1980) 1463
- 1980TR1L Trost, Schwarz, Lezoch and Strohmusch, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 443
- 1980VA03 R. Vandenbosch, Nucl. Phys. A339 (1980) 167
- 1980VA05 J.P. Vary, R.H. Behrard and R.J. McCarthy, Phys. Rev. C21 (1980) 1626
- 1980VA07 J.W. Van Orden, W. Truex and M.K. Banerjee, Phys. Rev. C21 (1980) 2628
- 1980VI1B Vichniac, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 556
- 1980VO1D von Oertzen, Nukleonika 25 (1980) 939
- 1980WA07 C.W. Wang, N.S. Chant, P.G. Roos, A. Nadasen and T.A. Carey, Phys. Rev. C21 (1980) 1705
- 1980WA16 R. Wada, T. Murakami, E. Takada, M. Fukada and K. Takimoto, Phys. Rev. C22 (1980) 557
- 1980WA1E Wang, Li and Zhang, Phys. Energ. Fortis Phys. Nucl. (China) 4 (1980) 63
- 1980WA1J Waroquier, Heyde and Provoost, Proc. Int. Conf. on Nucl. Phys., Berkeley (1980) 738
- 1980WA1K Walter and Byrd, Proc. Int. Conf. in the (p, n) Reaction and the Nucleon-Nucleon Force (1980) 469
- 1980WE03 M.E. Werby, M.R. Strayer and M.A. Nagarajan, Phys. Rev. C21 (1980) 2235
- 1980WE10 M.F. Werby, W.H. Bassichis and M.R. Strayer, Nuovo Cim. A58 (1980) 219

1980WE1B Wells, Balamuth, Bybell and Mulligan, *Bull. Amer. Phys. Soc.* 25 (1980) 738  
 1980WE1D Weller and Roberson, *Rev. Mod. Phys.* 52 (1980) 699  
 1980WH1A C.A., Jr. Whitten, *Nucl. Phys.* A335 (1980) 419  
 1980WI09 J.P. Wieleczko, S. Harar, M. Conjeaud and F. Saint-Laurent, *Phys. Lett.* B93 (1980) 35  
 1980WI1E Wilschut et al., *Bull. Amer. Phys. Soc.* 25 (1980) 591  
 1980WI1P Wilschut, Braun-Munzinger, Freifelder and Renner, *Bull. Amer. Phys. Soc.* 25 (1980) 726  
 1980WO01 R. Wolf, U. Mosel and S.C. Pieper, *Z. Phys.* A294 (1980) 261  
 1980WO06 C.-Y. Wong and K.T.R. Davies, *Phys. Lett.* B96 (1980) 258  
 1980WU01 R. Wunsch, *Nucl. Phys.* A336 (1980) 446  
 1980WU02 J.R. Wu, *Phys. Lett.* B91 (1980) 169  
 1980YA1B Yasue et al., *Proc. Int. Conf. on Nucl. Phys.*, Berkeley (1980) 259  
 1980ZI02 M.S. Zisman, J.G. Cramer, D.A. Goldberg, J.W. Watson and R.M. DeVries, *Phys. Rev.* C21 (1980) 2398  
 1980ZO1A Zofka, *Czech. J. Phys.* B30 (1980) 95  
 1981AB1A Abe, *RIFP-421* (1981) 428  
 1981AC1A J.C. Acquadro, M.S. Hussein, D. Pereira and O. Sala, *Phys. Lett.* B100 (1981) 381  
 1981AG02 D.A. Agrello and O. Portilho, *Phys. Rev.* C23 (1981) 1898  
 1981AJ01 F. Ajzenberg-Selove, *Nucl. Phys.* A360 (1981) 1  
 1981AL12 N. Alamanos, M. Laméhi-Rachti, C. Levi, L. Papineau and P. Talon, *Nucl. Phys.* A363 (1981) 477  
 1981AN1D Anikina et al., *Proc. Versailles Conf.* (1981) 447  
 1981ANZX B.D. Anderson, M. Ahmad, A.R. Baldwin, A. Fazely, A. Kalenda, R. Madey, R.J. McCarthy, P.C. Tandy, J.W. Watson, W. Bertozzi et al., *Bull. Amer. Phys. Soc.* 26 (1981) 535, AG4  
 1981AR1D A. Arima, *Nucl. Phys.* A354 (1981) 19  
 1981AS1D D. Ashery, *Nucl. Phys.* A354 (1981) 555  
 1981AT1A Atkin and Dumbrajs, *Proc. Versailles Conf.* (1981) 247  
 1981AU01 E.H. Auerbach, C.B. Dover and S.H. Kahana, *Phys. Rev. Lett.* 46 (1981) 702  
 1981BA02 R.A. Baldock, B.A. Robson and R.F. Barrett, *Nucl. Phys.* A351 (1981) 157  
 1981BA04 J. Bar-Touv and A. Moalem, *Nucl. Phys.* A351 (1981) 285  
 1981BA10 P. Barreau, M. Bernheim, S. Boffi, A. Bussiere, G.P. Capitani, S. Frullani, C. Giusti, J. Mougey, J. Morgenstern, F. Pacati et al., *Nucl. Phys.* A358 (1981) 371c



- 1981BA12 F.C. Barker, R. Smith, I. Morrison and K. Amos, *J. Phys. (London) G7* (1981) 657
- 1981BA1G Basak et al., Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 593
- 1981BA1N Bason et al., *Proc. Versailles Conf.* (19801) 293
- 1981BA1P Bauer et al., *Proc. Versailles Conf.* (19801) 321
- 1981BA1Q Banaigs et al., *Proc. Versailles Conf.* (19801) 568
- 1981BE09 J.J. Bevelacqua and S.V. Prewett, *Can. J. Phys.* 59 (1981) 231
- 1981BE17 R. Bertini, O. Bing, P. Birien, K. Braune, W. Bruckner, H. Catz, A. Chaumeaux, M.A. Faessler, R.-W. Frey, D. Garreta et al., *Nucl. Phys.* A360 (1981) 315
- 1981BH02 R.K. Bhowmik, E.C. Pollacco, J.B.A. England, G.C. Morrison and N.E. Sanderson, *Nucl. Phys.* A363 (1981) 516
- 1981BI07 A.N. Bice, A.C. Shotter, D.P. Stahel and J. Cerny, *Phys. Lett.* B101 (1981) 27
- 1981BL04 J.P. Blaizot and B. Grammaticos, *Nucl. Phys.* A355 (1981) 115
- 1981BO06 T.J. Bowles, D.F. Geesaman, R.J. Holt, H.E. Jackson, J. Julien, R.M. Laszewski, J.R. Specht, E.J. Stephenson, R.P. Redwine, L.L. Rutledge, Jr. et al., *Phys. Rev.* C23 (1981) 439
- 1981BO09 A. Bouyssy, *Phys. Lett.* B99 (1981) 373
- 1981BO14 S. Boffi, C. Giusti and F.D. Pacati, *Nucl. Phys.* A359 (1981) 91
- 1981BO18 D.H. Boal, R.E.L. Green, R.G. Korteling and M. Soroushian, *Phys. Rev.* C23 (1981) 2788
- 1981BO1M Boffi, Giusti and Pacati, *Proc. Versailles Conf.* (1981) 116
- 1981BO1P S. Boffi, C. Giusti and F.D. Pacati, *Nucl. Phys.* A358 (1981) 271
- 1981BO20 O. Bohigas, Nguyen Van Giai and D. Vautherin, *Phys. Lett.* B102 (1981) 105
- 1981BR05 M.E. Brandan and A. Menchaca-Rocha, *Phys. Rev.* C23 (1981) 1272
- 1981BR1F Brockmann and Weise, *Proc. Versailles Conf.* (1981) 376
- 1981BU04 V.V. Burov, V.N. Dostovalov, M. Kaschiev and K.V. Shitikova, *J. Phys. (London) G7* (1981) 137
- 1981BU1C Buti et al., *Bull. Amer. Phys. Soc.* 26 (1981) 590
- 1981BU1E Budkley et al., *Proc. Versailles Conf.* (1981) 340
- 1981BY01 R.C. Byrd, C.E. Floyd, K. Murphy, P.P. Guss, R.L. Walter and S.R. Cotanch, *Nucl. Phys.* A351 (1981) 189
- 1981BY1B Byrd and Walter, Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 1475
- 1981CA02 T.A. Carey, P.G. Roos, N.S. Chant, A. Nadasen and H.L. Chen, *Phys. Rev.* C23 (1981) 576
- 1981CA1D L.S. Cardman, *Nucl. Phys.* A354 (1981) 173

- 1981CA1E Carter et al., S. African J. Phys. 4 (1981) 13
- 1981CA1F Cavinato, Maragoni and Saruis, Proc. Versailles Conf. (1981) 81
- 1981CH1B W.K. Cheng and B. Goulard, Phys. Rev. C23 (1981) 869
- 1981CH1U Chrien et al., Proc. Versailles Conf. (1981) 384
- 1981CH28 A.S. Cherkasov, Izv. Akad. Nauk SSSR Ser. Fiz. 45 (1981) 138
- 1981CHZV H.L. Chen, P.G. Roos, N.S. Chant, A. Nadasen and T.A. Carey, Bull. Amer. Phys. Soc. 26 (1981) 579, EG6
- 1981CI03 M.A. Cirit and F. Yazici, Phys. Rev. C23 (1981) 2627
- 1981CO08 W.D. Cornelius, J.M. Moss and T. Yamaya, Phys. Rev. C23 (1981) 1364
- 1981CO1C Conzett, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 1195
- 1981CO1K Couvert and Dillig, Proc. Versailles Conf. (1981) 119
- 1981CU04 R.Y. Cusson and B. Castel, Phys. Rev. C23 (1981) 1279
- 1981CU1J Cusson and Castel, Proc. Versailles Conf. (1981) 547
- 1981DA1C R.H. Dalitz, Nucl. Phys. A354 (1981) 101
- 1981DE13 J.-L. Dethier and Fl. Stancu, Phys. Rev. C23 (1981) 1503
- 1981DE15 L.C. Dennis, A. Roy, A.D. Frawley and K.W. Kemper, Nucl. Phys. A359 (1981) 455
- 1981DE16 K.R.S. Devi, A.K. Dhar and M.R. Strayer, Phys. Rev. C23 (1981) 2062
- 1981DE1T Dementij, Fartushnyj and Afanasev, Proc. Versailles Conf. (1981) 127
- 1981DE20 P.A. DeYoung, J.J. Kolata, R.C. Luhn, R.E. Malmin and S.N. Tripathi, Phys. Rev. C24 (1981) 166
- 1981DO01 A.K. Dozier and J.S. Chalmers, Phys. Rev. C23 (1981) 399
- 1981DO02 A.K. Dozier and J.S. Chalmers, Phys. Rev. C23 (1981) 563
- 1981DR02 D.M. Drake, J.D. Moses, J.C. Peng, N. Stein and J.W. Sunier, Phys. Lett. B100 (1981) 236
- 1981DU1C Dumbrajs and Martinis, Proc. Versailles Conf. (1981) 240
- 1981DU1D Dubovik and Tosunyan, Proc. Versailles Conf. (1981) 471
- 1981DU1E Dunphy et al., Astrophys. J. 244 (1981) 1081
- 1981DY02 R. Dymarz, J.L. Molina and K.V. Shitikova, Z. Phys. A299 (1981) 245
- 1981EC02 J.S. Eck, J. Nurzynski, T.R. Ophel, P.D. Clark, D.F. Hebbard and D.C. Weisser, Phys. Rev. C23 (1981) 2068
- 1981EG01 Ch. Egelhaaf, G. Bohlen, H. Fuchs, A. Gamp, H. Homeyer and H. Kluge, Phys. Rev. Let. 46 (1981) 813
- 1981EI1A J.M. Eisenberg, Nucl. Phys. A355 (1981) 269

1981EL1C El-Nadi et al., Proc. Versailles Conf. (1981) 456  
1981EM02 K. Emrich and J.G. Zabolitzky, Nucl. Phys. A351 (1981) 439  
1981EM1A K. Emrich, Nucl. Phys. A351 (1981) 397  
1981ER1C Eramzhyan et al., Proc. Versailles Conf. (1981) 503  
1981FR11 A.D. Frawley, A. Roy, J.F. Mateja and N.R. Fletcher, Nucl. Phys. A363 (1981) 280  
1981FR12 W.A. Friedman, Phys. Rev. C24 (1981) 125  
1981FR1E Freedman, Miller and Henley, Proc. Versailles Conf. (1981) 422  
1981FR1F Friedman, Proc. Versailles Conf. (1981) 349  
1981FU05 C.B. Fulmer, J.B. Ball, R.L. Ferguson, R.L. Robinson and J.R. Wu, Phys. Lett. B100 (1981) 305  
1981GA1C Garcia-Munoz, Guzik, Simpson and Wefel, Bull. Amer. Phys. Soc. 26 (1981) 557  
1981GA1D Gai, Bull. Amer. Phys. Soc. 26 (1981) 612  
1981GA1F Gasparian, Proc. Versailles Conf. (1981) 514  
1981GI1B Giriya and Devanathan, Proc. Versailles Conf. (1981) 120  
1981GI1C Giffon et al., Proc. Versailles Conf. (1981) 500  
1981GOZY A. Gokmen, H. Breuer, B.G. Glagola, A.C. Mignerey, K. Kwiatkowski and V.E. Viola, Bull. Amer. Phys. Soc. 26 (1981) 580, EG9  
1981GR08 K. Grotowski, P. Belery, Th. Delbar, Y. El Masri, Gh. Gregoire, R. Janssens, J. Vervier, G. Paic, M. Albinska, J. Albinski et al., Phys. Rev. C23 (1981) 2513  
1981GR1J Greene et al., Bull. Amer. Phys. Soc. 26 (1981) 582  
1981GR1K Greene et al., Proc. Versailles Conf. (1981) 314  
1981GU1B Gurbanovich and Zelenskaya, Proc. Versailles Conf. (1981) 142  
1981GU1D Guzik, Astrophys. J. 244 (1981) 695  
1981HA14 M.N. Harakeh and A.E.L. Dieperink, Phys. Rev. C23 (1981) 2329  
1981HA18 F. Haas and Y. Abe, Phys. Rev. Lett. 46 (1981) 1667  
1981HA1T S.S. Hanna, Nucl. Phys. A358 (1981) 229  
1981HAZV J.J. Hamill, D.A. Lind, R.J. Peterson, R.S. Raymond, P.A. Smith, M. Yasue and C.D. Zafiratos, Bull. Amer. Phys. Soc. 26 (1981) 579, EG7  
1981HE01 P.-H. Heenen, Phys. Lett. B99 (1981) 298  
1981HU1B Hungerford et al., Bull. Amer. Phys. Soc. 26 (1981) 606  
1981HU1C Ed V. Hungerford, Nucl. Phys. A353 (1981) 75  
1981HU1D J. Hufner and M.C. Nemes, Phys. Rev. C23 (1981) 2538

- 1981HYZZ C. Hyde, W. Bertozzi, T. Buti, M. Deady, W. Hersman, J. Kelly, S. Kowalski, R. Lourie, B. Pugh, C.P. Sargent et al., *Bull. Amer. Phys. Soc.* 26 (1981) 27, DE15
- 1981IO01 D.B. Ion and R. Ion-Mihai, *Nucl. Phys. A360* (1981) 400
- 1981KA09 N.I. Kassis and D.M. Arafah, *J. Phys. (London) G7* (1981) 165
- 1981KA12 Y. Kawazoe and T. Tsukamoto, *Phys. Rev. C23* (1981) 2364
- 1981KA1K Karban, Basak and Roman, Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 706
- 1981KA1L Karban, Basak, Morrison, Nelson and Roman, Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 703
- 1981KA1N Kaletka et al., *Proc. Versailles Conf.* (1981) 300
- 1981KH04 Yu.I. Kharitonov, Yu.F. Smirnov and L.A. Sliv, *Izv. Akad. Nauk SSSR Ser. Fiz.* 45 (1981) 66
- 1981KH1B Khairozzaman, *Current Sci.* 50 (1981) 21
- 1981KI1D Kirpichnikov et al., *Proc. Versailles Conf.* (1981) 324
- 1981KO07 J.J. Kolata, C. Beck, R.M. Freeman, F. Haas and B. Heusch, *Phys. Rev. C23* (1981) 1056
- 1981KO1G Koch and moniz, *Proc. Versailles Conf.* (1981) 420
- 1981KR1A Kretschmer, Probstle and Stach, Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 724
- 1981KR1B Kretschmer and Renner, Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 1329
- 1981LA08 A. Lazzarini, H. Doubre, K.T. Lesko, V. Metag, A. Seamster, R. Vandenbosch and W. Merryfield, *Phys. Rev. C24* (1981) 309
- 1981LE04 S.M. Lee, Y. Higashi, Y. Nagashima, S. Hanashima, M. Sato, H. Yamaguchi, M. Yamanouchi and T. Matsuse, *Phys. Lett. B98* (1981) 418
- 1981LE06 E. Levin and J.M. Eisenberg, *Nucl. Phys. A355* (1981) 277
- 1981LI03 E. Lipparini and S. Stringari, *Phys. Lett. B99* (1981) 183
- 1981LI04 G.-L. Li, C.-H. Li and T.-S.H. Lee, *Phys. Lett. B99* (1981) 200
- 1981LI1M Liu and Li, *Proc. Versailles Conf.* (191) 286
- 1981MA14 G. Mairle, G.J. Wagner, K.T. Knopfle, Ken Pao Liu, H. Riedesel, V. Bechtold and L. Friedrich, *Nucl. Phys. A363* (1981) 413
- 1981MA1E Mairle et al., Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 685
- 1981MA1G N. Masuda, K. Inoue and Y. Ito, *Phys. Rev. C23* (1981) 1543; *Erratum Phys. Rev. C24* (1981) 1820
- 1981MA1H Masutani and Yazaki, *Proc. Versailles Conf.* (198) 279
- 1981MA1J Maday et al., *Proc. Versailles Conf.* (198) 538
- 1981MA1W Mairle et al., Santa Fe 1980, *AIP Conf. Proc.* 69 (1981) 739

1981ME03 M.C. Mermaz, Phys. Rev.C23 (1981) 755  
 1981ME1E Meyer and Elbaz, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 1091  
 1981MI1B C.A. Miller, Nucl. Phys. A353 (1981) 157  
 1981MO11 I. Morrison and K. Amos, Phys. Rev. C23 (1981) 1679  
 1981MO1D E.J. Moniz, Nucl. Phys. A354 (1981) 535  
 1981MO1H J. Mougey, Nucl. Phys. A358 (1981) 293  
 1981MO1L Moss, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 334  
 1981MU01 K. Murphy, R.C. Byrd, P.P. Guss, C.E. Floyd and R.L. Walter, Nucl. Phys. A355 (1981) 1  
 1981MU1D Murphy et al., Santa Fe 1980, AIP Conf. Proc. 69 (1981) 1478  
 1981NG01 Nguyen Van Giai, N. Auerbach and A.Z. Mekjian, Phys. Rev. Lett. 46 (1981) 1444  
 1981NO1B Northcliffe, Cornelius, York and Hiebert, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 1335  
 1981OB1B Obenshain et al., Proc. Versailles Conf. (1981) 290  
 1981OBZZ F.E. Obenshain, F.E. Bertrand, M. Blecher, R.L. Burman, R.D. Edge, K. Gotow, E.E. Gross, M. Hamm, M.J. Leitch, M.A. Moinester et al., Bull. Amer. Phys. Soc. 26 (1981) 581, EH6  
 1981OR1B Orlandini, Traini and Dellagiacomma, Proc. Versailles Conf. (1981) 117  
 1981OS04 E. Oset and D. Strottman, Nucl. Phys. A355 (1981) 437  
 1981OS07 R. Ost, S. Kox, A.J. Cole, N. Longequeue, J.J. Lucas, J. Menet and J.B. Viano, Nucl. Phys. A361 (1981) 453  
 1981OV02 D. Overway, J. Janecke, F.D. Becchetti, C.E. Thorn and G. Kekelis, Nucl. Phys. A366 (1981) 299  
 1981PE01 J.C. Peng, R.M. DeVries and N.J. DiGiacomo, Phys. Lett. B98 (1981) 244  
 1981PE1C F. Petrovich and W.G. Love, Nucl. Phys. A354 (1981) 499  
 1981PH1B Philpott, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 1144  
 1981PR03 B.M. Preedom, S.H. Dam, C.W. Darden III, R.D. Edge, D.J. Malbrough, T. Marks, R.L. Burman, M. Hamm, M.A. Moinester, R.P. Redwine et al., Phys. Rev. C23 (1981) 1134  
 1981RA08 J. Raynal, Phys. Rev. C23 (1981) 2571  
 1981RA1B Ray, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 295  
 1981RO06 G. Rosensteel and D.J. Rowe, Phys. Rev. Lett. 47 (1981) 223  
 1981RO08 R.M. Rockmore and A.N. Kamal, Phys.Rev. C24 (1981) 236  
 1981RO1H Roman, Santa Fe 1980, AIP Conf. Proc.69 (1981) 282

1981RO1N Rosenfelder, Proc. Versailles Conf. (1981) 246  
 1981SA02 S.K. Samaddar, D. Sperber and M. Zielinska-Pfabe, Phys. Lett. B98 (1981) 340  
 1981SA07 A.M. Sandorfi, M.T. Collins, D.J. Millener, A.M. Nathan and S.F. LeBrun, Phys. Rev. Lett. 46 (1981) 884  
 1981SA12 R. Sartor, A. Faessler, S.B. Khadkikar and S. Krewald, Nucl. Phys. A359 (1981) 467  
 1981SA14 A.N. Saharia, R.M. Woloshyn and L.S. Kisslinger, Phys. Rev. C23 (1981) 2140  
 1981SA1F Sakaguchi et al., AIP Conf. Proc. 69 (1981) 445  
 1981SA1K Sartor and Stancu, Proc. Versailles Conf. (1981) 143  
 1981SC05 H. Schobbert, H.U. Gersch and H.J. Wiebicke, J. Phys. (London) G7 (1981) L73  
 1981SC1G B. Schoch, Nucl. Phys. A358 (1981) 307  
 1981SCZX E.C. Schloemer, M. Gai, J.E. Freedman, J.M. Manoyan, D.A. Bromley and H. Voit, Bull. Amer. Phys. Soc. 26 (1981) 610, HI6  
 1981SE06 M. Seya, M. Kohno and S. Nagata, Prog. Theor. Phys. 65 (1981) 204  
 1981SH1H Shimizu, Polls, Muther and Faessler, Proc. Versailles Conf. (1981) 428  
 1981SI01 S.H. Sie, J.O. Newton, J.R. Leigh and R.M. Diamond, Phys. Rev. Lett. 46 (1981) 405  
 1981SI1B I. Sick, Nucl. Phys. A354 (1981) 37  
 1981SI1E Sinha, Proc. Versailles Conf. (1981) 465  
 1981SN1A Snover, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 321  
 1981SP1A J. Speth and T. Suzuki, Nucl. Phys. A358 (1981) 139  
 1981SU05 Y. Suzuki and B. Imanishi, Phys. Rev. C23 (1981) 2414  
 1981TA01 T. Tazawa and O. Tanimura, Phys. Rev. Lett. 46 (1981) 408  
 1981TA02 E. Takada, T. Shimoda, N. Takahashi, T. Yamaya, K. Nagatani, T. Udagawa and T. Tamura, Phys. Rev. C23 (1981) 772  
 1981TA08 T. Takaki, Prog. Theor. Phys. 65 (1981) 241  
 1981TA14 O. Tanimura and U. Mosel, Phys. Rev. C24 (1981) 321  
 1981TH1B A.W. Thomas, Nucl. Phys. A354 (1981) 51  
 1981TH1D Thies, Proc. Versailles Conf. (1981) 426  
 1981THZY S.T. Thornton, R.L. Parks, K.R. Cordell and C.-A. Wiedner, Bull. Amer. Phys. Soc. 26 (1981) 611, HI13  
 1981TO1F L.W. Townsend and P.A. Deutchman, Nucl. Phys. A355 (1981) 505  
 1981TO1J Towner and Khanna, Proc. Versailles Conf. (1981) 400  
 1981TR03 W. Trautmann, W. Dahme, W. Dunnweber, W. Hering, C. Lauterbach, H. Puchta, W. Kuhn and J.P. Wurm, Phys. Rev. Lett. 46 (1981) 1188

1981TUZZ V. Tutunjian and D.R. Harrington, Bull. Amer. Phys. Soc. 26 (1981) 622, JH5  
 1981UB01 H. Uberall, A.R. Farhan, O. Dragun and E. Maqueda, Nucl. Phys. A362 (1981) 241  
 1981UC01 F. Uchiyama, Phys. Rev. C23 (1981) 935  
 1981VA1E R. Vandenbosch and A.J. Lazzarini, Phys. Rev. C23 (1981) 1074  
 1981VA1H Vaz, Alexander and Satchler, Phys. Rept. 69 (1981) 373  
 1981VA1J Van Giai and Auerbach, Proc. Versailles Conf. (1981) 498  
 1981VI01 F.J. Vinas, M. Lozano and G. Madurga, Phys. Rev. C23 (1981) 780  
 1981VO01 C. Volant and S. Gary, J. Phys. (Paris) 42 (1981) 27  
 1981VOZX H. Voit, M. Gai, J.E. Freedman, J.M. Manoyan, E.C. Schloemer, S.J. Willett and D.A. Bromley, Bull. Amer. Phys. Soc. 26 (1981) 612, HI15  
 1981WA1F Walter et al., Santa Fe 1980, AIP Conf. Proc. 69 (1981) 1326  
 1981WA1G Walter, Santa Fe 1980, AIP Conf. Proc. 69 (1981) 344  
 1981WE1C W. Weise, Nucl. Phys. A358 (1981) 163  
 1981WH01 W.R. Wharton and B.D. Keister, Phys. Rev. C23 (1981) 1141  
 1981WH1D Wharton et al., Proc. Versailles Conf. (1981) 327  
 1981WI01 H.J. Wiebicke and M.V. Zhukov, Nucl. Phys. A351 (1981) 321  
 1981WI1D M.E. Wiedenbeck and D.E. Greiner, Phys. Rev. Lett. 46 (1981) 682  
 1981WI1E Wienhard et al., Santa Fe 1980, AIP Conf. Proc. 69 (1981) 747  
 1981WI1G Wilson, Langer and Goldsmith, Astrophys. J. 243 (1981) L47  
 1981WIZW H.W. Wilschut, P. Braun-Munzinger, T.R. Renner, R.H. Freifelder, J.S. Karp and G.M. Berkowitz, Bull. Amer. Phys. Soc. 26 (1981) 610, HI5  
 1981YA1A Yamazaki et al., Proc. Versailles Conf. (1981) 115  
 1981ZA1E Zamick, Proc. Versailles Conf. (1981) 89  
 1982AM02 L.L. Ames, Phys. Rev. C25 (1982) 729  
 1983AJ01 F. Ajzenberg-Selove, Nucl. Phys. A392 (1983) 1; Erratum Nucl. Phys. A413 (1984) 168  
 BU77C Unknown Source

