

# Energy Levels of Light Nuclei $A = 16$

F. Ajzenberg-Selove

*University of Pennsylvania, Philadelphia, Pennsylvania 19104-6396*

**Abstract:** An evaluation of  $A = 16$ – $17$  was published in *Nuclear Physics A460* (1986), p. 1. This version of  $A = 16$  differs from the published version in that we have corrected some errors discovered after the article went to press. Figures and introductory tables have been omitted from this manuscript. [Reference](#) key numbers have been changed to the NNDC/TUNL format.

(References closed June 01, 1986)

The original work of Fay Ajzenberg-Selove was supported by the US Department of Energy [DE-AC02-76-ER02785]. Later modification by the TUNL Data Evaluation group was supported by the US Department of Energy, Office of High Energy and Nuclear Physics, under: Contract No. DEFG05-88-ER40441 (North Carolina State University); Contract No. DEFG05-91-ER40619 (Duke University).

## Table of Contents for $A = 16$

*Below is a list of links for items found within the PDF document. Figures from this evaluation have been scanned in and are available on this website or via the link below.*

A. Nuclides:  [\$^{16}\text{He}\$](#) ,  [\$^{16}\text{Be}\$](#) ,  [\$^{16}\text{B}\$](#) ,  [\$^{16}\text{C}\$](#) ,  [\$^{16}\text{N}\$](#) ,  [\$^{16}\text{O}\$](#) ,  [\$^{16}\text{F}\$](#) ,  [\$^{16}\text{Ne}\$](#) ,  [\$^{16}\text{Na}\$](#) ,  [\$^{16}\text{Mg}\$](#) ,  [\$^{16}\text{Al}\$](#) ,  [\$^{16}\text{Si}\$](#)

B. Tables of Recommended Level Energies:

[Table 16.1](#): Energy levels of  $^{16}\text{C}$

[Table 16.3](#): Energy levels of  $^{16}\text{N}$

[Table 16.10](#): Energy levels of  $^{16}\text{O}$

[Table 16.24](#): Energy levels of  $^{16}\text{F}$

[Table 16.26](#): Energy levels of  $^{16}\text{Ne}$

C. [References](#)

D. Figures:  [\$^{16}\text{C}\$](#) ,  [\$^{16}\text{N}\$](#) ,  [\$^{16}\text{O}\$](#) ,  [\$^{16}\text{F}\$](#) , [Isobar diagram](#)

E. Erratum to this Publication: [PS](#) or [PDF](#)

### <sup>16</sup>He

(Not illustrated)

This nucleus has not been observed. See also (1982AV1A, 1983ANZQ; theor.).

### <sup>16</sup>Be

(Not illustrated)

This nucleus has not been observed. Its atomic mass excess is calculated to be 59.22 MeV. It is then unstable with respect to breakup into <sup>14</sup>Be + 2n by 2.98 MeV: see (1974TH01, 1986AJ01). The first three excited states with  $J^\pi = 2^+, 4^+, 4^+$  are calculated to be at 1.90, 5.08 and 6.51 MeV in a  $(0 + 1)\hbar\omega$  space shell model calculation (1985PO10). See also (1983ANZQ; theor.).

### <sup>16</sup>B

(Not illustrated)

This nucleus has not been observed in the 4.8 GeV proton bombardment of a uranium target: it is particle unstable. Its mass excess is predicted to be 37.97 MeV: it would then be unstable with respect to decay into <sup>15</sup>B + n by 0.93 MeV: see (1982AJ01, 1985WA02). The ground state is predicted to have  $J^\pi = 0^-$  and the first three excited states are predicted to lie at 0.95, 1.10, and 1.55 MeV [ $J^\pi = 2^-, 3^-, 4^-$ ] in a  $(0 + 1)\hbar\omega$  space shell model calculation (1985PO10). See also (1983ANZQ; theor.).

### <sup>16</sup>C

(Figs. 1 and 5)

GENERAL: (See also (1982AJ01).)

*Nuclear models:* (1982LA26, 1984SA37).

*Complex reactions involving <sup>16</sup>C:* (1982FI10, 1983FR1A, 1983WI1A, 1984HI1A, 1985PO11, 1986CS1A).

*Hypernuclei* (States observed in the <sup>16</sup>O(K<sup>-</sup>, π<sup>+</sup>) reaction at  $E_{K^-} = 450$  MeV/c are interpreted as due to the recoil-less production of Σ<sup>-</sup> particles in the p<sub>3/2</sub> and p<sub>1/2</sub> orbits of the <sup>16</sup><sub>Σ</sub>C hypernucleus (1985BE31).): (1982DO1L, 1982PI02, 1983BA1Y, 1984AS1D, 1985BE31, 1986MI1N, 1986ZO1A).

*Other topics:* (1984PO11, 1985AN28, 1985BA51, 1985FL1D).

*Ground state properties of <sup>16</sup>C:* (1983ANZQ, 1984FR13, 1985AN28).

Table 16.1: Energy Levels of  $^{16}\text{C}$

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau_{1/2}$ (sec) or $\Gamma$ (keV)	Decay	Reactions
0	$0^+; 2$	$\tau_{1/2} = 0.747 \pm 0.008$	$\beta^-$	1, 2
$1.766 \pm 10$	$2^+$		$\gamma$	2
$3.027 \pm 12$	$(0^+)$		$(\gamma)$	2
$3.986 \pm 7$	$2$		$\gamma$	2
$4.088 \pm 7$	$3^{(+)}$		$\gamma$	2
$4.142 \pm 7$	$4^+$		$\gamma$	2
$6.109 \pm 15$	$(2^+, 3^-, 4^+)$	$\Gamma \leq 25$		2

Table 16.2: The  $\beta^-$  decay of  $^{16}\text{C}$

Decay to $^{16}\text{N}^*$ (MeV)	$J^\pi$	Branch (%)	$\log f_0 t$
0.120	$0^-$	$0.68^{+0.09}_{-0.11}$ <sup>a</sup>	$6.70^{+0.07}_{-0.05}$
0.298	$3^-$	$< 0.5$ <sup>b</sup>	$> 6.83$
0.397	$1^-$	$< 0.1$ <sup>a</sup>	$> 7.46$
3.35	$1^+$	$84.4 \pm 1.7$ <sup>b</sup>	$3.551 \pm 0.012$
4.32	$1^+$	$15.6 \pm 1.7$ <sup>b</sup>	$3.83 \pm 0.05$

<sup>a</sup> (1983GA03). See also (1984GA1A).

<sup>b</sup> (1976AL02).

$$1. {}^{16}\text{C}(\beta^-){}^{16}\text{N} \quad Q_m = 8.012$$

The half-life of  $^{16}\text{C}$  is  $0.747 \pm 0.008$  sec: it decays to  $^{16}\text{N}^*(0.12, 3.35, 4.32)$  [ $J^\pi = 0^-, 1^+, 1^+$ ]: see Table 16.2. See also (1983SN03) for a discussion of the decay of  $^{16}\text{C}$  to  $1^+$  states in  $^{16}\text{N}$  and (1985KI06; theor.).

$$2. {}^{14}\text{C}(t, p){}^{16}\text{C} \quad Q_m = -3.013$$

States of  $^{16}\text{C}$  observed in this reaction are displayed in Table 16.3 of (1982AJ01) and in Table 16.1 here.

$^{16}\text{N}$   
(Figs. 2 and 5)

GENERAL: (See also (1982AJ01).)

*Model calculations:* (1984BA24, 1984KA1H, 1984VA06).

*Complex reactions involving  $^{16}\text{N}$ :* (1981ME13, 1981OL1C, 1983EN04, 1983FR1A, 1983MA06, 1983OL1A, 1983PL1A, 1983SA06, 1983WI1A, 1984GR08, 1984HI1A, 1984HO23, 1984KA1H, 1985BE40, 1985PO11, 1986HA1P).

*Reactions involving muons nad neutrinos* (See also reaction 14.): (1981GM02, 1981TO16, 1983EG03, 1983JA10, 1984JA06, 1984KI09, 1984NO03, 1984SR05, 1985CH04, 1985DO04, 1985NO10, 1986GM03, 1986MC02, 1986NO04, 1986RO06).

*Reactions involving pions* (See also reaction 15.): (1981GM03, 1981RA16, 1982DE14, 1982GI12, 1983AS01, 1983ER02, 1983ER06, 1983MO1J, 1984AS05, 1984KA31).

*Hypernuclei:* (1982KA1D, 1983CH1T, 1983FE07, 1983SH1E, 1984AS1D, 1984CH1G, 1984ZH1B).

*Other topics:* (1982BR08, 1985AN28).

*Ground state properties of  $^{16}\text{N}$ :* (1983ANZQ, 1985AN28).

For a comparison of analog states in  $^{16}\text{N}$  and  $^{16}\text{O}$ , see (1983KE06, 1983SN03).

1.  $^{16}\text{N}(\beta^-)^{16}\text{O}$   $Q_m = 10.419$

The half-life of  $^{16}\text{N}$  is  $7.13 \pm 0.02$  sec: see Table 16.3 in (1971AJ02). From the character of the beta decay [see Table 16.21] it is concluded that  $^{16}\text{N}_{\text{g.s.}}$  has  $J^\pi = 2^-$ : see  $^{16}\text{O}$ . The  $\beta$ -decay of  $^{16}\text{N}^*(0.12)$  [ $J^\pi = 0^-$ ] to  $^{16}\text{O}_{\text{g.s.}}$  has been studied. The  $\beta$ -decay rate  $\lambda_\beta = 0.45 \pm 0.05 \text{ sec}^{-1}$  which implies  $g_P/g_A = 11 \pm 2$  (1983GA18);  $\lambda_\beta = 0.48 \pm 0.024 \text{ sec}^{-1}$ ,  $g_P/g_A = 11 - 12$  (1985HA22). (1985HE08) recalculate  $\lambda_\beta = 0.489 \pm 0.02 \text{ sec}^{-1}$  and suggest that pion exchange currents must be included in the nucleon exchange current. See also (1982AJ01, 1982GA05) and (1983MI20). The half-life of  $^{16}\text{N}^*(0.12)$  is  $5.26 \pm 0.06 \mu\text{sec}$  [see (1982AJ01)],  $5.40 \pm 0.05 \mu\text{sec}$  (1983MI20). See also (1984GA1A, 1985MI1A) and (1981TO16, 1983JA10, 1983RH1A, 1984HO1L, 1984JA06, 1984NO03, 1985DO04, 1985TO20, 1986MC02, 1986NO04, 1986RO06; theor.).

2.  $^7\text{Li}(^{11}\text{B}, \text{pn})^{16}\text{N}$   $Q_m = 2.532$

Gamma rays with  $E_\gamma = 120.42 \pm 0.12$ ,  $298.22 \pm 0.08$  and  $276.85 \pm 0.10$  keV from the ground state decays of  $^{16}\text{N}^*(0.12, 0.30)$  and the decay of the state at  $397.27 \pm 0.10$  keV to the first excited state have been studied.  $\tau_m$  for  $^{16}\text{N}^*(0.30, 0.40)$  are, respectively,  $133 \pm 4$  and  $6.60 \pm 0.48$  psec (1983KO01).

Table 16.3: Energy Levels of  $^{16}\text{N}$ 

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau$ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
0	$2^-; 1$	$\tau_{1/2} = 7.13 \pm 0.02$ sec	$\beta^-$	1, 2, 4, 5, 7, 9, 10, 12, 15, 16, 17, 18, 19, 21, 22
$0.12042 \pm 0.12$	$0^-$	$\tau_m = 7.58 \pm 0.09$ $\mu\text{sec}$	$\gamma, \beta^-$	1, 2, 4, 5, 7, 9, 12, 13, 14, 15, 16, 17, 18, 21, 22
$0.29822 \pm 0.08$	$3^-$	$131.7 \pm 1.9$ psec	$\gamma$	2, 4, 5, 7, 8, 9, 12, 15, 16, 17, 18, 19, 21, 22
$0.39727 \pm 0.10$	$1^-$	$ g  = 0.532 \pm 0.020$ $\tau_m = 5.63 \pm 0.05$ psec	$\gamma$	2, 4, 5, 7, 9, 12, 14, 15, 16, 17, 18, 21, 22
$3.3528 \pm 2.6$	$1^+$	$g = -1.83 \pm 0.13$ $\Gamma = 15 \pm 5$	n	4, 5, 7, 9, 11, 12, 13, 18, 19, 21
$3.5227 \pm 2.6$	$2^+$	3	n	4, 5, 7, 9, 11, 12, 18, 19, 21
$3.9627 \pm 2.6$	$3^+$	$\leq 2$	n	4, 5, 7, 8, 9, 11, 12, 18, 19, 21
$4.3204 \pm 2.7$	$1^+$	$20 \pm 5$	n	4, 7, 9, 11, 12, 13
$4.3914 \pm 2.7$	$1^-$	$82 \pm 20$	n	4, 5, 7, 9, 11, 12
$4.76 \pm 50$	$1^-$	$250 \pm 50$	n	9, 11, 12
$4.7828 \pm 2.7$	$2^+$	$59 \pm 8$	n	4, 5, 7, 9, 11, 12
$5.0537 \pm 2.7$	$2^-$	$19 \pm 6$	n	4, 7, 9, 11, 12
$5.129 \pm 7$	$\geq 2^a$	$\leq 7 \pm 4$	n	4, 5, 7, 9, 11, 12, 19
$5.150 \pm 7$	$(2, 3)^- a$	$\leq 7 \pm 4$	n	4, 5, 7, 9, 11, 12, 19
$5.2301 \pm 2.6$	$3^+$	$\leq 4$	n	4, 7, 9, 11, 12, 21
$5.25 \pm 70$	$2^-$	$320 \pm 80$	n	9, 12
$5.318 \pm 3$	$1^+$	(260)	n	4, 11
$5.5216 \pm 2.5$	$3^+$	$\leq 7 \pm 4$	n	4, 5, 7, 9, 11, 12, 18, 19, 21
$5.7317 \pm 2.5$	$(5^+)$	$\leq 7 \pm 4$	n	4, 5, 7, 8, 9, 11, 12, 18, 19, 21
$6.003 \pm 3$	$1^-$	$270 \pm 30$	n	4, 9, 11, 21
$6.1707 \pm 2.4$	$(4^-)^a$	$\leq 7 \pm 4$	n	4, 5, 7, 9, 12, 16, 18, 19, 21

Table 16.3: Energy Levels of  $^{16}\text{N}$  (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau$ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
6.3739 $\pm$ 2.8	(3 <sup>-</sup> )	30 $\pm$ 6	n	4, 5, 9, 11, 12, 19, 21
6.426 $\pm$ 7		300 $\pm$ 30		9, 12
6.5054 $\pm$ 2.8	1 <sup>+</sup>	34 $\pm$ 6	(n)	4, 9, 11, 12, 21
6.6085 $\pm$ 2.8	(4)	$\leq$ 7 $\pm$ 4		4, 5, 9, 12, 21
6.845 $\pm$ 4		$\leq$ 7 $\pm$ 4		5, 7, 9, 12, 21
(6.84)	$\geq$ 2	$>$ 140	n	11
7.02 $\pm$ 20	1 <sup>+</sup>	22 $\pm$ 5	n	9, 11, 12, 21
7.134 $\pm$ 7		$\leq$ 7 $\pm$ 4		7, 9, 12, 21
7.250 $\pm$ 7	$\geq$ 2	17 $\pm$ 5	n	5, 9, 11, 12, 21
7.572 $\pm$ 4	$\geq$ 3 <sup>b</sup>	$\leq$ 7 $\pm$ 4	n	5, 7, 8, 9, 11, 12, 21
7.637 $\pm$ 4	(3, 4, 5) <sup>+ b</sup>	$\leq$ 7 $\pm$ 4		5, 7, 8, 9, 12, 21
7.674 $\pm$ 4	(b)	$\leq$ 7 $\pm$ 4	n	5, 7, 9, 11, 12, 19, 21
7.877 $\pm$ 9	$\geq$ 4	100 $\pm$ 15	n	5, 9, 11, 12, 16, 21
8.048 $\pm$ 9		85 $\pm$ 15	n	9, 11, 21
8.199 $\pm$ 5	(3, 2) <sup>+</sup>	28 $\pm$ 8		7, 9, 21
8.282 $\pm$ 8		24 $\pm$ 8		9, 21
8.365 $\pm$ 8	$\geq$ 1	18 $\pm$ 8	n	5, 9, 11, 21
8.49 $\pm$ 30	$\geq$ 1	$\leq$ 50	n	11, 21
8.72	$\geq$ 1	40	n	11
8.819 $\pm$ 15		$\leq$ 50	n	5, 11, 21
9.035 $\pm$ 15		$\leq$ 50		21
9.16 $\pm$ 30	$\geq$ 2	100	n	11, 21
9.34 $\pm$ 30		$\leq$ 50	n	11, 21
9.459 $\pm$ 15	$\geq$ 2	100	n	5, 11, 19, 21
9.760 $\pm$ 10	$T = 1$	15 $\pm$ 8		5, 7, 21
9.813 $\pm$ 10	$T = 1$			7
9.928 $\pm$ 7	0 <sup>+</sup> ; $T = 2$	$<$ 12		7, 20
10.055 $\pm$ 15	$\geq$ 3	30	n	5, 11, 21
10.37 $\pm$ 40	$\geq$ 2	165	n	5, 11
10.71	$\geq$ 2	120	n	11
11.16 $\pm$ 40				5

Table 16.3: Energy Levels of  $^{16}\text{N}$  (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\tau$ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
11.49	$\geq 3$		n	11
11.61	$\geq 3$	220	n, d	6, 11
$11.701 \pm 7$	$1^-, 2^+; T = 2$	$< 12$		7
$11.75 \pm 40$		$< 50$		5
(11.92)		390	n, d	6
(12.09)			n	11
$12.39 \pm 60$		290	n, p, d	5, 6
$12.57 \pm 60$		180	n, p, d	5, 6
12.88		155	n, p, d	6, 11
(12.97)		175	n, d	6
$13.11 \pm 60$			n, (d)	5, 6, 11
13.83			n	11
$14.36 \pm 50$	$(3)^+$	180	d	5, 6

<sup>a</sup> See also Table 16.4.

<sup>b</sup> See also Table 16.5.

3. (a)  ${}^9\text{Be}({}^7\text{Li}, t){}^{13}\text{C}$   $Q_m = 8.180$   $E_b = 20.572$   
 (b)  ${}^9\text{Be}({}^7\text{Li}, \alpha){}^{12}\text{B}$   $Q_m = 10.460$   
 (c)  ${}^9\text{Be}({}^7\text{Li}, {}^8\text{Li}){}^8\text{Be}$   $Q_m = -17.611$

See (1982AJ01).

4.  ${}^{10}\text{B}({}^7\text{Li}, p){}^{16}\text{N}$   $Q_m = 13.986$

See Table 16.4 and (1982AJ01).

5.  ${}^{13}\text{C}(\alpha, p){}^{16}\text{N}$   $Q_m = -7.421$



Table 16.4: States of  $^{16}\text{N}$  from  $^{10}\text{B}(^7\text{Li}, \text{p})$  <sup>a</sup>

$E_x$ <sup>b</sup> (MeV)	$J$ <sup>c</sup>	$E_x$ <sup>b</sup> (MeV)	$J$ <sup>c</sup>
0		5.142	e
0.124		5.230	f
0.296		5.318	0, 1
0.400		5.525	4, 3 <sup>g</sup>
3.352	c	5.734	h
3.524	c	6.002	1 <sup>f</sup>
3.964	c	6.172	i
4.321	c	6.374	c
4.392	c	6.504	c
4.785	c	6.608	4 <sup>j</sup>
5.054	1, 2 <sup>d</sup>		

<sup>a</sup> (1984FO07); angular distributions at  $E(^7\text{Li}) = 16.0$  MeV. See also reaction 3 in (1982AJ01).

<sup>b</sup>  $\pm 3$  keV.

<sup>c</sup> Based on the assumption that the angle-integrated cross section is proportional to  $2J + 1$ . States labelled <sup>c</sup> have  $J$  consistent with known values.

<sup>d</sup> If a doublet,  $J = 1$  and 0.

<sup>e</sup> Doublet: The sum of the two  $J = 7, 8$  or 6. (1984FO07) suggest  $4^+(5^+, 3^+)$  for  $J^\pi$  of  $^{16}\text{N}^*(5.13)$  and  $3^-(2^-)$  for the  $J^\pi$  of  $^{16}\text{N}^*(5.15)$  with the combination  $3^+, 2^-$  extremely unlikely.

<sup>f</sup> Narrow state.

<sup>g</sup> If a doublet, and if one state is  $3^+$ , the second member would have  $J = 0$ .

<sup>h</sup> If a doublet of which one member is  $5^+$ , the other would have  $J = 2$  (1, 3).

<sup>i</sup> (1984FO07) suggest an unresolved doublet: one of the states is a  $4^-$  state, the other has  $J = 2, 1$ .

<sup>j</sup>  $J = 4$ , if a single state.

Table 16.5: States of  $^{16}\text{N}$  from  $^{13}\text{C}(\alpha, \text{p})$  <sup>a</sup>

$E_x$ (MeV)	$E_x$ (MeV)	$E_x$ (MeV)	$E_x$ (MeV)
0	$5.14 \pm 0.04$ <sup>b</sup>	7.572 <sup>f</sup>	$10.07 \pm 0.04$
0.120	5.522	7.637 <sup>f</sup>	$10.37 \pm 0.04$
0.298	5.732	7.674 <sup>f</sup>	$11.16 \pm 0.04$ <sup>c</sup>
0.397	6.171	7.877 <sup>e</sup>	$11.75 \pm 0.04$ <sup>c,g</sup>
3.353	6.374	$8.39 \pm 0.03$	$12.39 \pm 0.06$
3.522	6.609 <sup>c</sup>	$8.82 \pm 0.03$	$12.57 \pm 0.06$
3.963	6.845 <sup>c</sup>	$9.46 \pm 0.03$	$13.11 \pm 0.06$
4.391	7.250 <sup>d</sup>	$9.77 \pm 0.03$	$14.30 \pm 0.06$
4.783			

<sup>a</sup> (1983HA32);  $E_\alpha = 34.9$  MeV; DWBA analysis.

<sup>b</sup> Unresolved.

<sup>c</sup> Very sharp.

<sup>d</sup>  $\Gamma = 17$  keV.

<sup>e</sup>  $\Gamma = 100$  keV.

<sup>f</sup> Suggested  $J^\pi = (4^+, 5^+), (4^-), (5^-)$  for  $^{16}\text{N}^*(7.57, 7.64, 7.67)$ , respectively.

<sup>g</sup>  $\Gamma < 50$  keV; not to be identified with the  $T = 2$  state at 11.70 MeV.

At  $E_\alpha = 34.9$  MeV the spectrum is dominated by a state at  $E_x = 11.75 \pm 0.04$  MeV: see Table 16.5. Angular distributions have been analyzed with DWBA, whose predictions depend strongly on the choice of the  $\alpha$ -particle optical potential (1983HA32). See also (1982AJ01).

6. (a)  $^{14}\text{C}(\text{d}, \gamma)^{16}\text{N}$   $Q_m = 10.474$   
 (b)  $^{14}\text{C}(\text{d}, \text{n})^{15}\text{N}$   $Q_m = 7.9829$   $E_b = 10.474$   
 (c)  $^{14}\text{C}(\text{d}, \text{p})^{15}\text{C}$   $Q_m = -1.0065$   
 (d)  $^{14}\text{C}(\text{d}, \text{d})^{14}\text{C}$

For reaction (a) see (1971AJ02). Resonances observed in reactions (b, c, d) are displayed in Table 16.5 of (1982AJ01).

7.  $^{14}\text{C}(\text{}^3\text{He}, \text{p})^{16}\text{N}$   $Q_m = 4.980$

Proton groups have been observed to  $^{16}\text{N}$  states with  $E_x < 12$  MeV and angular distributions [with  $E(\text{}^3\text{He}) \leq 15$  MeV] lead to the  $J^\pi$  assignments shown in Table 16.6.

Table 16.6: Excited states in  $^{16}\text{N}$  from  $^{14}\text{C}(^3\text{He}, \text{p})$  <sup>a</sup>

$E_x$ (MeV $\pm$ keV)	$\Gamma$ (keV)	$J^\pi; T$	$E_x$ (MeV $\pm$ keV)	$\Gamma$ (keV)	$J^\pi; T$
0.121 $\pm$ 6		0 <sup>-</sup>	5.724 $\pm$ 5		5 <sup>+</sup>
0.298 $\pm$ 6		3 <sup>-</sup>	6.168 $\pm$ 5		
0.396 $\pm$ 7			6.843 $\pm$ 5		
3.348 $\pm$ 7		1 <sup>+</sup>	7.113 $\pm$ 5		
3.517 $\pm$ 7		2 <sup>+</sup> , (3) <sup>+</sup>	7.570 $\pm$ 5		
3.958 $\pm$ 7		(2) <sup>+</sup> , 3 <sup>+</sup>	7.636 $\pm$ 5		
4.313 $\pm$ 9		1 <sup>+</sup>	7.673 $\pm$ 5		
4.386 $\pm$ 9			8.205 $\pm$ 5		
4.768 $\pm$ 11			9.760 $\pm$ 10	15 $\pm$ 8	$T = 1$
5.052 $\pm$ 9			9.813 $\pm$ 10		$T = 1$
5.137 $\pm$ 9			9.928 $\pm$ 7	< 12	0 <sup>+</sup> ; 2
5.234 $\pm$ 9		(1, 2, 3) <sup>+</sup>	11.701 $\pm$ 7	< 12	1 <sup>-</sup> , 2 <sup>+</sup> ; 2
5.512 $\pm$ 5		(1, 2, 3) <sup>+</sup>			

<sup>a</sup> For references see Table 16.5 in (1977AJ02).

8.  $^{14}\text{C}(\alpha, \text{d})^{16}\text{N}$   $Q_m = -13.373$

At  $E_\alpha = 46$  MeV the angular distributions of the groups to  $^{16}\text{N}^*(0.30, 3.96, 5.73, 7.60)$  have been determined: the most strongly populated state is the (5<sup>+</sup>) state  $^{16}\text{N}^*(5.73)$ : see (1971AJ02).

9.  $^{14}\text{N}(\text{t}, \text{p})^{16}\text{N}$   $Q_m = 4.842$

Observed proton groups are displayed in Table 16.7. See also (1981OS1H).

10.  $^{15}\text{N}(\text{n}, \gamma)^{16}\text{N}$   $Q_m = 2.491$

The thermal cross section is  $24 \pm 8 \mu\text{b}$ : see (1981MUZQ).

11.  $^{15}\text{N}(\text{n}, \text{n})^{15}\text{N}$   $E_b = 2.491$

Table 16.7: States in  $^{16}\text{N}$  from  $^{14}\text{N}(t, p)$  <sup>a</sup>

$E_x$ (MeV $\pm$ keV)	$\Gamma$ (keV)	$L$	$J^\pi$
0		3	$2^- f$
$0.120 \pm 10$		1	$0^- f$
$0.300 \pm 10$		3	$3^- f$
$0.399 \pm 10$ <sup>b</sup>		1	$1^- f$
$3.359 \pm 10$	$15 \pm 5$	0	$1^+ f$
$3.519 \pm 10$	$\leq 7 \pm 4$	d	
$3.957 \pm 10$	$\leq 7 \pm 4$	2	$3^+ f$
$4.318 \pm 10$	$20 \pm 5$	0	$1^+ f$
$4.391 \pm 10$	$82 \pm 20$	1	$1^- f$
$4.725 \pm 10$ <sup>c</sup>	$290 \pm 30$	1	$1^-$
$4.774 \pm 10$	$59 \pm 8$	2	$2^- f$
$5.053 \pm 10$	$19 \pm 6$	(1 + 3)	$2^-$
$5.130 \pm 10$	$\leq 7 \pm 4$	d	
$5.150 \pm 10$	$\leq 7 \pm 4$		
$5.226 \pm 10$	$\leq 7 \pm 4$	2	(1, 2, 3) <sup>+</sup>
$5.305 \pm 10$ <sup>c</sup>	$260 \pm 30$	d	
$5.520 \pm 10$	$\leq 7 \pm 4$	(0, 1) + 2 + 4 <sup>e</sup>	
$5.730 \pm 10$	$\leq 7 \pm 4$	(1, 3) + 4 <sup>e</sup>	
$6.009 \pm 10$	$270 \pm 30$	1	$1^-$
$6.167 \pm 10$	$\leq 7 \pm 4$	(3)	(4 <sup>-</sup> )
$6.371 \pm 10$	$30 \pm 6$	(3)	(3 <sup>-</sup> )
$6.422 \pm 10$	$300 \pm 30$	$0^+(2, 4)$ <sup>e</sup>	
$6.512 \pm 10$	$34 \pm 6$	$0^+(2, 3)$	$1^+$
$6.613 \pm 10$	$\leq 7 \pm 4$	(2 + 4) or 3	
$6.854 \pm 10$	$\leq 7 \pm 4$	3 or (2 + 4)	
$7.006 \pm 10$	$22 \pm 5$	$0(+2)$	$1^+$
$7.133 \pm 10$	$\leq 7 \pm 4$	(3, 2)	
$7.250 \pm 10$	$17 \pm 5$	(2 + 4) or 3	
$7.573 \pm 10$	$\leq 7 \pm 4$	3 or (2 + 4)	$3, 4^-$
$7.640 \pm 10$	$\leq 7 \pm 4$	4	(3, 4, 5) <sup>+</sup>

Table 16.7: States in  $^{16}\text{N}$  from  $^{14}\text{N}(t, p)$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$\Gamma$ (keV)	$L$	$J^\pi$
$7.675 \pm 10$	$\leq 7 \pm 4$	(1 + 4)	
$7.876 \pm 10$	$100 \pm 15$	1 + 4 <sup>e</sup>	
$8.043 \pm 10$	$85 \pm 15$	(2 + 4) or 3	
$8.183 \pm 10$	$28 \pm 8$	2(+4)	(3, 2) <sup>+</sup>
$8.280 \pm 10$	$24 \pm 8$	(1)	((0, 1, 2) <sup>-</sup> )
$8.361 \pm 10$	$18 \pm 8$	(1 + 4) <sup>e</sup>	

<sup>a</sup> For references see Table 16.7 in (1982AJ01).

<sup>b</sup>  $\tau_m = 5.1 \pm 0.3$  psec.

<sup>c</sup> The errors listed here for the  $E_x$  to these two broad peaks are probably underestimates: I am indebted to Dr. H. Fuchs for his comments.

<sup>d</sup> Results are ambiguous.

<sup>e</sup> May be a doublet.

<sup>f</sup> Identified with shell-model counterparts.

The scattering amplitude (bound)  $a = 6.44 \pm 0.03$  fm,  $\sigma_{\text{free}} = 4.59 \pm 0.05$  b,  $\sigma_{\text{inc}}^{\text{spin}}$  (bound nucleus)  $< 1$  mb (1979KO26). The total cross section has been measured for  $E_n = 0.4$  to 32 MeV: see (1977AJ02, 1981MUZQ). Observed resonances are displayed in Table 16.8. See also (1985PA11, 1985RO1J; theor.).

$$12. \ ^{15}\text{N}(d, p)^{16}\text{N} \quad Q_m = 0.266$$

Levels derived from observed proton groups and  $\gamma$ -rays are shown in Table 16.9. Gamma transitions are shown in the inset of Fig. 2. The very strong evidence for  $J^\pi = 2^-, 0^-, 3^-$  and  $1^-$ , respectively for  $^{16}\text{N}^*(0, 0.12, 0.30, 0.40)$  is reviewed in (1971AJ02). These states provide a probe of the residual interaction relating the 1p and 2s 1d shells: see (1984BI03) for a comparison of experiment and theory for M1 observables. See also (1983GA18) and (1985PA11; theor.).

$$13. \ ^{16}\text{C}(\beta^-)^{16}\text{N} \quad Q_m = 8.012$$

See  $^{16}\text{C}$ .

Table 16.8: Resonances in  $^{15}\text{N}(n, n)^{15}\text{N}$  <sup>a,b</sup>

$E_n$ (MeV $\pm$ keV)	$\Gamma_{\text{lab}}$ (keV)	$E_x$ (MeV)	$J^\pi$
0.921	14	3.354	1 <sup>+</sup> <sup>c</sup>
1.095	3	3.517	1
1.563	$\leq 2$	3.955	1
1.944	29	4.312	1 <sup>+</sup> <sup>d</sup>
2.038	56	4.400	1 <sup>-</sup> <sup>d</sup>
2.30 $\pm$ 70 <sup>e</sup>	410 $\pm$ 100 <sup>e</sup>	4.65	1 <sup>-</sup> <sup>d</sup>
2.399	107	4.738	2 <sup>+</sup> <sup>d</sup>
2.732	35	5.050	1 <sup>-</sup>
2.830	12	5.142	3 <sup>(-)</sup>
2.84 $\pm$ 70 <sup>f</sup>	710 $\pm$ 100 <sup>f</sup>	5.15	2 <sup>-</sup> <sup>d</sup>
2.915	4	5.222	$\geq 2$
2.93	260	5.24	1 <sup>+</sup>
3.225		5.512	
3.454	24	5.727	1 <sup>+</sup>
3.69	297	5.95	1 <sup>-</sup>
3.987	88	6.226	(1 <sup>+</sup> )
4.126	78	6.356	(3 <sup>-</sup> )
4.252	113	6.474	(2 <sup>+</sup> )
4.64	$> 150$	6.84	$\geq 2$
4.80	37	6.99	$\geq 1$
5.055	25	7.227	$\geq 2$
5.43	30	7.58	$\geq 3$
5.56		7.70	
5.73	165	7.86	$\geq 4$
5.90		8.02	
6.28		8.37	$\geq 1$
6.42		8.51	$\geq 1$
6.65	45	8.72	$\geq 1$
6.76		8.82	
7.10	110	9.14	$\geq 2$

Table 16.8: Resonances in  $^{15}\text{N}(n, n)^{15}\text{N}$  <sup>a,b</sup> (continued)

$E_n$ (MeV $\pm$ keV)	$\Gamma_{\text{lab}}$ (keV)	$E_x$ (MeV)	$J^\pi$
7.31		9.34	
7.44	105	9.46	$\geq 2$
7.71	150	9.71	$\geq 2$
8.07	30	10.05	$\geq 3$
8.30	175	10.27	$\geq 2$
8.77	130	10.71	$\geq 2$
9.61		11.49	$\geq 3$
9.77		11.64	$\geq 3$
10.25		12.09	
10.64		12.46	
11.09		12.88	
11.41		13.12	
12.10		13.83	

<sup>a</sup> For references see Table 16.7 in (1977AJ02).

<sup>b</sup> Below  $E_n = 4.5$  MeV, the multilevel  $R$ -matrix formalism was used to determine  $E_\lambda$ ,  $\Gamma_\lambda$  and whenever possible  $J^\pi$  by a  $\chi^2$  fitting and minimization technique. Above this energy the  $2J + 1$  dependence was used; the parity cannot be determined because no marked interference effects are observed between resonance and potential scattering. Above 5.65 MeV all  $J$ -values are lower limits because the inelastic channel is open. [A channel radius  $a = 4.69$  fm was used.]

<sup>c</sup> Parity determined from angular distribution.

<sup>d</sup>  $J^\pi$  also obtained by phase-shift analysis.

<sup>e</sup> The phase-shift analysis indicates that the resonance is at  $E_n = 2.42 \pm 0.08$  MeV with  $\Gamma = 250 \pm 50$  keV. This is one of two ( $d_{3/2}p_{1/2}^{-1}$ ) single-particle resonances.

<sup>f</sup> The phase-shift analysis finds  $E_\lambda = 2.94 \pm 0.1$  MeV,  $\Gamma = 320 \pm 80$  keV. This is the other ( $d_{3/2}p_{1/2}^{-1}$ ) single-particle resonance.

Table 16.9: Levels of  $^{16}\text{N}$  from  $^{15}\text{N}(\text{d}, \text{p})$  and  $^{18}\text{O}(\text{d}, \alpha)$  <sup>a</sup>

$E_x$ <sup>b</sup> (MeV $\pm$ keV)	$l_n$ <sup>b</sup>	$E_x$ <sup>c</sup> (MeV $\pm$ keV)	$J\pi$ <sup>a</sup>
0		0	$2^-$
$0.1201 \pm 0.5$ <sup>d</sup>		$0.119 \pm 15$	$0^-$
$0.2962 \pm 1.0$ <sup>e</sup>		$0.301 \pm 15$	$3^-$
$0.3973 \pm 1.0$ <sup>e</sup>		$0.400 \pm 15$	$1^-$
$3.365 \pm 10$		$3.358 \pm 15$	$1^-$
$3.523 \pm 10$	2 or 1 + 3	$3.524 \pm 15$	$2^+$
$3.964 \pm 10$	3	$3.964 \pm 15$	$3^+$ <sup>h</sup>
$4.325 \pm 10$	1	$4.324 \pm 15$	$1^+$
4.40	0	$4.383 \pm 15$	$(0, 1)^-$
$4.715 \pm 10$	1		$(1, 2, 3)^+$
$4.780 \pm 10$		$4.787 \pm 15$	
$(4.90 \pm 10)$			
$5.032 \pm 10$	2	$5.065 \pm 15$	$2^-$
$5.128 \pm 10$	$\geq 2$		$\geq 2$
		$5.139 \pm 15$	
$5.150 \pm 10$	2		$(2, 3)^-$
$5.231 \pm 10$	3	$5.240 \pm 15$	$3^+$
$5.310 \pm 10$			
$5.523 \pm 10$	3	$5.528 \pm 15$	$3^+$
$5.739 \pm 10$	2	$5.740 \pm 15$	$(1, 2)$ <sup>i</sup>
		$6.01 \pm 15$	
$6.170 \pm 10$	$\geq 3$	$6.168 \pm 15$	$4^-$ <sup>h</sup>
$(6.28 \pm 10)$	1		$(0, 1, 2)^+$
$6.376 \pm 10$	2	$6.37 \pm 15$	$(1, 2, 3)^-$
$6.431 \pm 10$			
$6.514 \pm 10$	1	$6.512 \pm 15$	$(0, 1, 2)^+$
$6.609 \pm 10$		$6.620 \pm 15$	
$(6.79 \pm 10)$			
$6.847 \pm 10$		$6.852 \pm 15$	
$7.034 \pm 10$		$7.01 \pm 15$	
$7.135 \pm 10$		$7.141 \pm 15$	
$7.250 \pm 10$		$7.247 \pm 15$	



Table 16.9: Levels of  $^{16}\text{N}$  from  $^{15}\text{N}(\text{d}, \text{p})$  and  $^{18}\text{O}(\text{d}, \alpha)$  <sup>a</sup> (continued)

$E_x$ <sup>b</sup> (MeV $\pm$ keV)	$l_n$ <sup>b</sup>	$E_x$ <sup>c</sup> (MeV $\pm$ keV)	$J\pi$ <sup>a</sup>
7.577 $\pm$ 10		7.596 $\pm$ 15	
7.638 $\pm$ 10		7.64 $\pm$ 15	
7.676 $\pm$ 10		7.683 $\pm$ 15	
7.840 $\pm$ 10		7.88 $\pm$ 15	
		8.06 $\pm$ 15	
		8.18 $\pm$ 15	
		8.286 $\pm$ 15	
		8.374 $\pm$ 15	
		8.49 $\pm$ 30 <sup>f</sup>	
		8.819 $\pm$ 15 <sup>g</sup>	
		9.035 $\pm$ 15	
		(9.16 $\pm$ 30)	
		(9.34 $\pm$ 30)	
		9.459 $\pm$ 15	
		(9.66 $\pm$ 40)	
		9.794 $\pm$ 15 <sup>g</sup>	
		9.90 $\pm$ 30	
		10.055 $\pm$ 15 <sup>g</sup>	
		(10.17 $\pm$ 30)	
		(10.26 $\pm$ 30)	

<sup>a</sup> For the earlier references and additional information see Table 16.9 in (1982AJ01).

<sup>b</sup>  $^{15}\text{N}(\text{d}, \text{p})^{16}\text{N}$ .

<sup>c</sup>  $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$ .

<sup>d</sup>  $\tau_m = 7.58 \pm 0.09 \mu\text{sec}$ .

<sup>e</sup>  $\tau_m = 131.7 \pm 1.9$  and  $5.63 \pm 0.05$  psec, respectively, for  $^{16}\text{N}^*(0.30, 0.40)$ ;  $|g| = 0.532 \pm 0.020$  for  $^{16}\text{N}^*(0.30)$  (1984BI03).

<sup>f</sup>  $\Gamma$  for this level and the ones listed below  $\leq 40 - 50$  keV.

<sup>g</sup> These levels appear to be correlated with thresholds for neutron emission to excited states of  $^{15}\text{N}$ .

<sup>h</sup> (1982MA25):  $E_d = 52$  MeV.

<sup>i</sup> A closely spaced doublet appears to be present. At least one of the states has unnatural parity.

$$14. {}^{16}\text{O}(\mu^-, \nu){}^{16}\text{N} \quad Q_m = 95.240$$

Partial  $\mu^-$ -capture rates to  ${}^{16}\text{N}^*(0.12, 0.40)$  [ $J^\pi = 0^-, 1^-$ ] are consistent with the assumption of a large mesonic exchange effect in the time part of the weak axial current (1979GU06). See also (1982FR08, 1983VA1E),  ${}^{15}\text{N}$  in (1986AJ01) and the “General” section here.

$$15. {}^{16}\text{O}(\gamma, \pi^+){}^{16}\text{N} \quad Q_m = -149.986$$

The angular distribution of the  $\pi^+$  to the four lowest states of  ${}^{16}\text{N}$  (unresolved) has been measured at  $E_e = 200$  MeV (1983SH41), and for  $E_{\pi^+} = 30$  MeV (1983JE08). See also (1982COZV, 1984BLZY).

$$16. {}^{16}\text{O}(n, p){}^{16}\text{N} \quad Q_m = -9.637$$

At  $E_n = 59.6$  MeV differential cross sections for the protons to the first four states of  ${}^{16}\text{N}$  (unresolved) and to  ${}^{16}\text{N}^*(6.2, 7.8)$  have been analyzed by DWBA. Comparisons are made with results from the  ${}^{16}\text{O}(\gamma, n)$  and  ${}^{15}\text{N}(p, \gamma_0)$  reactions in the GDR region of  ${}^{16}\text{O}$  (1982NE04, 1984BR03). See also (1983SCZR).

$$17. {}^{16}\text{O}(t, {}^3\text{He}){}^{16}\text{N} \quad Q_m = -10.401$$

At  $E_t = 23.5$  MeV  ${}^{16}\text{N}^*(0, 0.30)$  [ $J^\pi = 2^-, 3^-$ ] are strongly populated relative to  ${}^{16}\text{N}^*(0.12, 0.40)$  [ $J^\pi = 0^-, 1^-$ ]: see (1982AJ01).

$$18. {}^{16}\text{O}({}^7\text{Li}, {}^7\text{Be}){}^{16}\text{N} \quad Q_m = -11.281$$

Angular distributions are reported at  $E({}^7\text{Li}) = 50$  MeV to  ${}^{16}\text{N}^*(0, 0.30, 6.17)$  [ $J^\pi = 2^-, 3^-, 4^-$ ] and analyzed with microscopic DWBA calculations.  ${}^{16}\text{N}^*(0.12, 0.40, 3.35, 3.52, 3.96, 5.52, 5.73)$  are also populated (1984CO20). See also (1984GA1N) [ $E({}^7\text{Li}) = 78$  MeV; angular distribution to  ${}^{16}\text{N}^*(6.2)$ ], (1983PU01) and (1984BA53; theor.).

$$19. {}^{17}\text{O}(d, {}^3\text{He}){}^{16}\text{N} \quad Q_m = -8.287$$

See Table 16.10 in (1982AJ01).

$$20. \text{}^{18}\text{O}(\text{p}, \text{}^3\text{He})\text{}^{16}\text{N} \quad Q_{\text{m}} = -14.107$$

At  $E_{\text{p}} = 43$  MeV, the angular distribution of the  ${}^3\text{He}$  nuclei corresponding to a state at  $E_{\text{x}} = 9.9$  MeV fixes  $L = 0$  and therefore  $J^{\pi} = 0^{+}$  for  ${}^{16}\text{N}^{*}(9.9)$ : it is presumably the  $T = 2$  analog of the ground state of  ${}^{16}\text{C}$ : see (1982AJ01). See also (1985BLZY).

$$21. \text{}^{18}\text{O}(\text{d}, \alpha)\text{}^{16}\text{N} \quad Q_{\text{m}} = 4.247$$

Alpha particle groups observed in this reaction are displayed in Table 16.9. For polarization studies see (1982MA25) and  ${}^{20}\text{F}$  in (1983AJ01, 1987AJ02).  $\tau_{\text{m}}$  for  ${}^{16}\text{N}^{*}(0.40) = 6.5 \pm 0.5$  psec and  $|g| = 1.83 \pm 0.13$ : see (1982AJ01).

$$22. \text{}^{19}\text{F}(\text{n}, \alpha)\text{}^{16}\text{N} \quad Q_{\text{m}} = -1.523$$

See (1982AJ01) and  ${}^{20}\text{F}$  in (1983AJ01).

GENERAL: (See also (1982AJ01).)

*Shell model:* (1978WI1B, 1981AN18, 1981BR16, 1981CO1X, 1981DE2G, 1981FO12, 1982AB05, 1982BR08, 1982HA19, 1982RA1N, 1982RE05, 1983DE37, 1983GL05, 1983GL1B, 1983MI26, 1983VA31, 1983WA17, 1983WA23, 1984BA04, 1984BO11, 1984CL10, 1984FA1F, 1984JA09, 1984MA11, 1984PRZY, 1984SA26, 1984VA06, 1984ZI04, 1984ZW1A, 1985AD04, 1985AN16, 1985CA26, 1985EL12, 1985GOZN, 1985KL04, 1985MI23, 1985PH01, 1985YE02, 1986DR04).

*Collective, deformed and rotational models:* (1981DE2G, 1982AB05, 1982BR08, 1982KU1K, 1982OS1C, 1982PA1E, 1982RA1N, 1983IK02, 1983MA29, 1983SC08, 1984BA04, 1984BU25, 1984CA1X, 1984DH03, 1984FL04, 1984SA37, 1984ZI04, 1985BA11, 1985EL12, 1985RO1G, 1986SU01).

*Cluster and  $\alpha$ -particle models:* (1981AG1B, 1981FU1G, 1981KN12, 1981MA1G, 1982KI1C, 1982KU1F, 1982PA1E, 1982SMZM, 1982SU1B, 1982VA11, 1983CA12, 1983FU1D, 1983GI06, 1983GL05, 1983JA09, 1983KA39, 1983PI03, 1983SH38, 1983UE1B, 1984AU14, 1984BA04, 1984BA48, 1984DH03, 1984IK01, 1984OK04, 1985BA26, 1985EL12, 1985KW02, 1985VO1E, 1986SU01).

*Special states:* (1978WI1B, 1981DE2G, 1981ME1H, 1981SP1D, 1981SU09, 1981TO14, 1981TO16, 1982AB05, 1982BR08, 1982BR1M, 1982BU24, 1982HA19, 1982NA03, 1982OS1C, 1982PA1E, 1982RA1N, 1982RO01, 1982SMZM, 1982WE1J, 1982ZA1D, 1983AD1B, 1983AU1B, 1983BI1C, 1983DE1X, 1983IK02, 1983SP1B, 1983UE1B, 1983VA13, 1983VA31, 1983WA17, 1983WI15, 1984AD1E, 1984AU14, 1984BA04, 1984BA48, 1984BU25, 1984CA11, 1984CA07, 1984CL10, 1984CO02, 1984CZ01, 1984CZ02, 1984FL04, 1984HA14, 1984MO13, 1984NA26, 1984SA37, 1984ST1E, 1984VA06, 1984ZW1A, 1985BA11, 1985BA26, 1985BE2K, 1985BO18, 1985CA25, 1985CA08, 1985CH27, 1985CO01, 1985EL12, 1985FU05, 1985FUZZ, 1985GOZN, 1985HA18, 1985HA1J, 1985MI10, 1985PH01, 1985RO1G, 1985VO1E, 1986CZ01, 1986PI02, 1986SU01, 1986WA1T, 1986WI1P).

*Electromagnetic transitions:* (1981DWZZ, 1981SU09, 1982HA19, 1982LA26, 1983IK02, 1983VA08, 1983VA13, 1983WA17, 1984BA48, 1984CA11, 1984CA1W, 1984CZ01, 1984DE23, 1984HA14, 1984MO13, 1984NA26, 1984OR01, 1984SA26, 1984WE13, 1985AD04, 1985CA26, 1986DR04, 1986ER1A, 1986SU01, 1987RA01).

*Giant resonances:* (See also reactions 36 and 37.) (1981GA12, 1981KN12, 1981KO41, 1981SP1D, 1982CA1H, 1982DE51, 1982GO1T, 1982NA20, 1983BA65, 1983DA23, 1983DE37, 1983IS1F, 1983KA07, 1983KA28, 1983ME1K, 1983VA13, 1983WA1P, 1983WA1Q, 1983WA17, 1984AN10, 1984IS1B, 1984OR01, 1985CA06, 1985CA26, 1985CA08, 1985GI1G, 1986AD1B, 1986BLZZ, 1986ER1A, 1986ISZZ, 1986NA1H).

*Astrophysical questions:* (1981BE2K, 1981DE2C, 1981LA1L, 1981WA1Q, 1981WE1F, 1982BU1A, 1982CA1A, 1982HI1E, 1982WI1B, 1982WO1A, 1983AL23, 1983BO1F, 1983HA1P, 1983IB1A,

1983SI1B, 1983WE1A, 1984BL1J, 1984CO1H, 1984HA1R, 1984HA1Z, 1984LA1J, 1984NO1B, 1984TR1C, 1985AR1A, 1985BR1E, 1985DW1A, 1985HA1Z, 1985HA1R, 1985KO2A, 1986DO1L, 1986TH1E).

*Applications:* (1982BE64, 1983AM1A, 1983FA1F, 1983GO2D, 1983GR1L, 1983KI1D, 1983LI1T, 1984CA1D, 1985HA38, 1985WA1R, 1985YO1B, 1986DU1K, 1986SI1L).

*Complex reactions involving  $^{16}\text{O}$ :* (1981EG02, 1981LA10, 1981MA1G, 1981NA07, 1981OL1C, 1982BJ01, 1982HI1G, 1982HO10, 1982MA1Z, 1982MO1K, 1982SI1C, 1982TA02, 1982VI01, 1982YU1A, 1983BE02, 1983BH09, 1983CH23, 1983DE26, 1983FR1G, 1983FR17, 1983FR1A, 1983IS1E, 1983JA05, 1983KW01, 1983LE1R, 1983LE1F, 1983OL1A, 1983PL1A, 1983SA06, 1983SI1A, 1983SO08, 1983VA23, 1983WE1C, 1983WI1A, 1984AI1B, 1984AN1G, 1984AS1D, 1984BA2F, 1984DE1Q, 1984FI17, 1984GR08, 1984HI1A, 1984HO23, 1984KA1J, 1984MA1P, 1984MU1G, 1984NA12, 1984PO03, 1984SI15, 1984SJ01, 1984ST1B, 1984TS03, 1984XI1B, 1985AG1A, 1985DA18, 1985GU08, 1985HO05, 1985KA1E, 1985KA1G, 1985KAZQ, 1985LI1B, 1985MC03, 1985MO08, 1985PO11, 1985RO10, 1985SA1W, 1985SH1G, 1985SI19, 1985ST20, 1985ST1B, 1985TO12, 1985UT01, 1985WA22, 1986MA19, 1986PA05, 1986RA1L, 1986SH2B, 1986UT01, 1986VA10, 1986WE1C).

*Muon and neutrino capture and reactions:* (1981GM02, 1981IS11, 1981OH06, 1981TO16, 1982DU04, 1982GA1A, 1982NA01, 1983EG03, 1983GM1A, 1983JA10, 1983VA1E, 1984GM1B, 1984JA06, 1984KI09, 1984NO03, 1984SR05, 1985BE2K, 1985CH04, 1985DO04, 1985GA1P, 1985NO10, 1986GM03, 1986MC02, 1986NO04, 1986RO06).

*Pion capture and reactions* (See also reactions 37 and 40.): (1979MI1A, 1980SH1R, 1981AN1H, 1981BE63, 1981BE2P, 1981CI04, 1981FE2A, 1981FR14, 1981FR17, 1981FR18, 1981GA1K, 1981GI1E, 1981GM03, 1981GO1K, 1981HO1G, 1981IS11, 1981LI1Q, 1981LI1T, 1981LI1W, 1981MA23, 1981OS1A, 1981RA16, 1981RO14, 1981SEZR, 1981ST19, 1981WE1G, 1982BE51, 1982BE1A, 1982BI08, 1982BL20, 1982CA03, 1982CH34, 1982DE1K, 1982DE24, 1982DO01, 1982ER04, 1982FR17, 1982GI12, 1982GO1B, 1982GOZX, 1982GR02, 1982GR1F, 1982IL02, 1982IN1A, 1982KA16, 1982KA14, 1982LI10, 1982LI1L, 1982MA22, 1982MO1G, 1982MO12, 1982MO1W, 1982OS01, 1982OS1C, 1982PI06, 1982RE15, 1982RI1A, 1982TH1C, 1982TH08, 1982WH1A, 1982ZA1E, 1983AM1C, 1983AS01, 1983BEYZ, 1983BI1N, 1983BL10, 1983CO08, 1983ER02, 1983ER04, 1983ER06, 1983GE12, 1983GI02, 1983GM1A, 1983GR07, 1983HO14, 1983KA08, 1983KI01, 1983KO2B, 1983MA16, 1983MA56, 1983MO1M, 1983PE14, 1983RI1C, 1983RIZW, 1983SE10, 1983SE11, 1983SH41, 1983SP1B, 1983TR1E, 1983TR1J, 1983YU1A, 1983ZA1D, 1984AL20, 1984AS05, 1984BE1Q, 1984BO1L, 1984BU11, 1984CA07, 1984CE1D, 1984CO02, 1984CO1U, 1984CZ01, 1984EF03, 1984GE1A, 1984GIZZ, 1984GI05, 1984GI1H, 1984GM01, 1984GR27, 1984KA36, 1984KA31, 1984KI17, 1984KY01, 1984LI25, 1984LI16, 1984MA1T, 1984MA33, 1984MA63, 1984SC09, 1984TR15, 1984WU05, 1985ALZX, 1985AN1G, 1985AR15, 1985BE1C, 1985BE1K, 1985BI01, 1985ER03, 1985FU05, 1985GI06, 1985KA30, 1985KO06, 1985LA20, 1985LE1E, 1985MA1X, 1985MA1K, 1985OH09, 1985RE1D, 1985RO17, 1985RO1M, 1985WH01, 1985WO1C, 1986AN40, 1986BO03, 1986CZ01, 1986ER1A, 1986FO03, 1986KA05, 1986RO03, 1986ZO1A).

*K-mesons and other meson interactions:* (1981BO09, 1981PO1F, 1981TO14, 1982BO1U, 1982PI02, 1982PO1C, 1983BA1Y, 1983BA71, 1983FE07, 1983GA17, 1983GE13, 1983GE1C, 1983MA1V, 1983PO1D, 1983TO21, 1984BO1H, 1984MA1F, 1984SIZZ, 1985BE31, 1985BE62, 1985CO1H, 1985GA1E, 1986BR1U, 1986DA1G, 1986HA1Y, 1986KI1K, 1986MI1N, 1986RO1X, 1986SH1K, 1986ZO1A).

*Hypernuclei:* (1981BO09, 1981PO1F, 1981RA18, 1982BA17, 1982BO1U, 1982BR1Q, 1982DA1Q, 1982DEZQ, 1982DO1L, 1982DO1M, 1982ER1E, 1982JO1C, 1982KA1D, 1982PO1C, 1983AU1A, 1983BA2P, 1983FE07, 1983JO1E, 1983MA1F, 1983PO1D, 1983SH38, 1983SH1E, 1983SI1E, 1983SI1H, 1984AS1D, 1984BA1N, 1984BO1H, 1984HA1D, 1984MA1F, 1984MI1E, 1984SIZZ, 1984ZH1B, 1985AH1A, 1985DEZY, 1985HA1X, 1985OS1C, 1985WA1N, 1985YA1B, 1985YA1C, 1985YA1K, 1985ZH1E, 1986BR1V, 1986DA1G, 1986DA1B, 1986HA1Y, 1986MA1W, 1986RO1X, 1986YA1Q, 1986YA1F, 1986ZO1A).

*Antinucleon interactions:* (1982BO24, 1982GR1J, 1982ZH1G, 1983GR11, 1983HE23, 1983NI07, 1983SU04, 1984DA23, 1984DA20, 1984MA17, 1984PO1A, 1984SU07, 1984WO01, 1985BA09, 1985BA51, 1985DA24, 1985DO1E, 1985DU05, 1985LE1B, 1985LI16, 1986SP01).

*Other topics:* (1978WI1B, 1981AN18, 1981BL1K, 1981BR16, 1981CA1H, 1981FO12, 1981GA1N, 1981GU10, 1981RA18, 1981SH1M, 1981ZH1G, 1982AB1J, 1982BA2G, 1982BO01, 1982BR08, 1982BR1M, 1982BR1U, 1982BU24, 1982CA12, 1982DE1N, 1982DR1E, 1982FA04, 1982HU12, 1982KU1F, 1982MO20, 1982NA03, 1982NE1E, 1982NG01, 1982PA22, 1982RE05, 1982SA31, 1982SH1H, 1982VE02, 1982ZA1D, 1983AD1B, 1983AR1J, 1983BA1U, 1983BI1C, 1983BIZU, 1983DA03, 1983DA23, 1983DE1W, 1983DO1D, 1983EI01, 1983FU1D, 1983GR26, 1983MA35, 1983ME1J, 1983ME1K, 1983MI1J, 1983MI26, 1983SH2D, 1983ST1K, 1983TR1K, 1983UE1B, 1983WA16, 1984BO53, 1984CA1X, 1984CL06, 1984CL10, 1984CZ01, 1984CZ02, 1984DH04, 1984DU04, 1984GO14, 1984GR18, 1984HO1N, 1984MA11, 1984PRZY, 1984SA26, 1984SH1X, 1984YA1F, 1985AD04, 1985AN28, 1985BA1A, 1985BO18, 1985BO30, 1985CA04, 1985CA25, 1985FU05, 1985GO1W, 1985KU1N, 1985MI10, 1985PH01, 1985PR02, 1985TR03, 1986DR04, 1986FO03, 1986PI02, 1986SA02, 1986YA1F, 1987RA01).

*Ground state of  $^{16}\text{O}$ :* (1978WI1B, 1979MA1C, 1981AG1B, 1981BO39, 1981DE24, 1981DU16, 1981JA07, 1981VA1N, 1981ZA05, 1982AN1F, 1982BA2G, 1982BO01, 1982BR24, 1982BR1M, 1982CA12, 1982DE35, 1982FA04, 1982FR01, 1982KR1C, 1982LI07, 1982LO13, 1982MO20, 1982NE1E, 1982NG01, 1982SH1H, 1982TR1B, 1982ZA1D, 1982ZE1A, 1983ANZQ, 1983AR1J, 1983AU1B, 1983BI09, 1983BR1P, 1983DA03, 1983ES02, 1983GI06, 1983GO23, 1983GO16, 1983MA35, 1983MI26, 1983VA13, 1983VA31, 1983WA16, 1983WA23, 1984ANZW, 1984AU14, 1984BA41, 1984BA2F, 1984BA48, 1984BE27, 1984BO11, 1984BO53, 1984BR25, 1984DE23, 1984DH03, 1984FA1F, 1984FL04, 1984GE1A, 1984GO1G, 1984GO14, 1984HA14, 1984IK01, 1984JA09, 1984MA11, 1984ST1E, 1984WE04, 1984WU05, 1984ZI04, 1985AD04, 1985AN16, 1985AN28, 1985BE2K, 1985BO18, 1985BU03, 1985CA38, 1985CL1A, 1985GA1N, 1985GH01, 1985GOZN, 1985HA18, 1985HE15, 1985JA06, 1985KO02, 1985MI23, 1985WE09, 1986DR04, 1986PI02, 1986RR03, 1986RO03, 1986VI03, 1986WI04).

$$\langle r^2 \rangle^{1/2} = 2.710 \pm 0.015 \text{ fm (1978KI01)}.$$

Abundance =  $(99.762 \pm 0.015)\%$  (1984DE53).

$|g| = +0.55 \pm 0.03$  for  $^{16}\text{O}^*(6.13)$  [see (1982AJ01)].

Table 16.10: Energy Levels of  $^{16}\text{O}$  <sup>a</sup>

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
0	$0^+; 0$		stable		2, 3, 7, 8, 9, 10, 11, 12, 13, 14, 15, 18, 19, 20, 26, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74
$6.0494 \pm 1.0$	$0^+; 0$	$0^+$	$\tau_m = 96 \pm 7$ psec	$\pi$	2, 3, 7, 8, 9, 11, 13, 15, 17, 19, 26, 28, 29, 30, 34, 35, 39, 40, 43, 50, 51, 53, 61, 62, 65, 66, 68, 71, 73
$6.129893 \pm 0.04$	$3^-; 0$		$\tau_m = 26.6 \pm 0.7$ psec $g = +0.556 \pm 0.004$	$\gamma$	2, 3, 7, 8, 9, 11, 13, 14, 15, 17, 26, 27, 28, 29, 30, 33, 34, 35, 39, 40, 41, 42, 43, 45, 46, 47, 49, 50, 61, 62, 63, 65, 66, 68, 71, 73
$6.9171 \pm 0.6$	$2^+; 0$	$0^+$	$\tau_m = 6.78 \pm 0.19$ fsec	$\gamma$	2, 3, 7, 8, 9, 11, 13, 15, 26, 27, 28, 29, 30, 33, 34, 38, 39, 40, 41, 42, 43, 45, 46, 49, 50, 51, 62, 63, 65, 66, 68, 71, 73
$7.11685 \pm 0.14$	$1^-; 0$		$\tau_m = 12.0 \pm 0.7$ fsec	$\gamma$	2, 3, 7, 8, 9, 13, 15, 26, 27, 28, 29, 30, 33, 34, 35, 38, 39, 40, 42, 43, 46, 61, 62, 63, 65, 66, 68, 73
$8.8719 \pm 0.5$	$2^-; 0$		$\tau_m = 180 \pm 16$ fsec	$\gamma, \alpha$	2, 3, 7, 8, 12, 15, 26, 27, 29, 33, 34, 35, 39, 41, 42, 43, 45, 46, 62, 63, 68, 73
$9.585 \pm 11$	$1^-; 0$	$0^-$	$\Gamma = 420 \pm 20$	$\gamma, \alpha$	3, 5, 7, 8, 26, 34, 35, 41, 42, 43, 45, 46, 50, 51

Table 16.10: Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

(MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_{\text{m}}$ (keV)	Decay	Reactions
9.8445 $\pm$ 0.5	2 <sup>+</sup> ; 0		0.625 $\pm$ 0.100	$\gamma, \alpha$	2, 3, 5, 7, 8, 15, 26, 27, 29, 33, 34, 35, 39, 42, 43, 45, 46, 50, 51, 61, 63, 65, 68, 71, 73
10.356 $\pm$ 3	4 <sup>+</sup> ; 0	0 <sup>+</sup>	26 $\pm$ 3	$\gamma, \alpha$	2, 3, 5, 7, 8, 9, 10, 12, 15, 17, 26, 27, 29, 34, 39, 42, 43, 45, 46, 50, 51, 57, 61, 63, 66, 68, 73
10.957 $\pm$ 1	0 <sup>-</sup> ; 0		$\tau_{\text{m}} = 8 \pm 5$ fsec		2, 26, 33, 34, 42, 43, 63, 68
11.080 $\pm$ 3	3 <sup>+</sup> ; 0		$\Gamma < 12$	$\gamma$	2, 26, 33, 34, 63, 68
11.0967 $\pm$ 1.6	4 <sup>+</sup> ; 0		0.28 $\pm$ 0.05	$\gamma, \alpha$	2, 3, 5, 7, 9, 10, 12, 15, 26, 27, 39, 42, 43, 45, 46, 50, 51, 68
(11.26) <sup>b</sup>	(0 <sup>+</sup> ; 0)		(2500)	( $\alpha$ )	5, 34
11.520 $\pm$ 4	2 <sup>+</sup> ; 0		71 $\pm$ 3	$\gamma, \alpha$	2, 3, 5, 15, 26, 39, 40, 42, 43, 45, 46, 50, 51, 57
11.60 $\pm$ 20	3 <sup>-</sup> ; 0	0 <sup>-</sup>	800 $\pm$ 100	$\alpha$	5, 10, 50, 51
12.049 $\pm$ 2	0 <sup>+</sup> ; 0		1.5 $\pm$ 0.5	$\gamma, \alpha$	5, 15, 19, 26, 39, 42, 43, 45, 46, 50, 51
12.440 $\pm$ 2	1 <sup>-</sup> ; 0		91 $\pm$ 6	$\gamma, \text{p}, \alpha$	3, 4, 5, 26, 30, 32, 33, 34, 39, 43, 46, 50, 51
12.530 $\pm$ 1	2 <sup>-</sup> ; 0		$(97 \pm 10) \times 10^{-3}$	$\gamma, \text{p}, \alpha$	2, 15, 26, 30, 32, 33, 34, 39, 42, 43, 46, 62
12.796 $\pm$ 4	0 <sup>-</sup> ; 1		40 $\pm$ 4	p	26, 32, 33, 34, 42
12.9686 $\pm$ 0.4	2 <sup>-</sup> ; 1		1.60 $\pm$ 0.14	$\gamma, \text{p}, \alpha$	15, 26, 30, 32, 33, 34, 39, 61, 62, 63
13.020 $\pm$ 10	2 <sup>+</sup> ; 0		150 $\pm$ 10	$\gamma, \text{p}, \alpha$	3, 5, 39, 42, 43, 45, 46, 50, 51, 57
13.090 $\pm$ 8	1 <sup>-</sup> ; 1		130 $\pm$ 5	$\gamma, \text{p}, \alpha$	3, 4, 5, 7, 26, 33, 34, 39, 63
13.129 $\pm$ 10	3 <sup>-</sup> ; 0		110 $\pm$ 30	$\gamma, \text{p}, \alpha$	2, 3, 4, 5, 26, 33
13.259 $\pm$ 2	3 <sup>-</sup> ; 0		21 $\pm$ 1	$\gamma, \text{p}, \alpha$	3, 4, 5, 26, 32, 33, 34, 39, 42, 61, 62, 63, 65, 67
13.664 $\pm$ 3	1 <sup>+</sup> ; 0		64 $\pm$ 3	$\gamma, \text{p}, \alpha$	26, 30, 32, 43
13.869 $\pm$ 20	4 <sup>+</sup> ; 0		89 $\pm$ 2	p, $\alpha$	2, 5, 26, 32, 39, 42, 45, 46, 50, 51
13.980 $\pm$ 2	2 <sup>-</sup>		20 $\pm$ 2	p, $\alpha$	2, 26, 27, 32



Table 16.10: Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

(MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_{\text{m}}$ (keV)	Decay	Reactions
14.032 $\pm$ 15	$0^+$		185 $\pm$ 35	$\gamma, \alpha$	5, 39
14.1 $\pm$ 100	$3^-$		750 $\pm$ 200	$\alpha$	5
14.302 $\pm$ 3	$4^{(-)}$		34 $\pm$ 12		15, 26, 27
14.399 $\pm$ 2	$5^+$		27 $\pm$ 5		2, 8, 15, 26, 27
14.620 $\pm$ 20	$(4^+)$		490 $\pm$ 15	$\alpha$	5, 7
14.660 $\pm$ 20	$5^-$	$0^-$	670 $\pm$ 15	$\alpha$	5, 7, 8, 9, 10, 50, 51
14.8153 $\pm$ 1.6	$6^+; 0$		70 $\pm$ 8	$\alpha$	2, 5, 7, 15, 26, 27, 45, 46, 50, 51
14.926 $\pm$ 2	$2^+$		54 $\pm$ 5	$\text{p}, \alpha$	2, 26, 32, 39
15.097 $\pm$ 5	$0^+$		166 $\pm$ 30	$\text{p}, \alpha$	4, 5, 26, 32
15.196 $\pm$ 3	$2^-; 0$		63 $\pm$ 4	$\text{p}, \alpha$	26, 27, 32, 39, 42, 45, 61, 62, 63
15.26 $\pm$ 50	$2^+; (0)$		300 $\pm$ 100	$\text{p}, \alpha$	32, 39, 42, 45
15.408 $\pm$ 2	$3^-; 0$		132 $\pm$ 7	$\text{p}, \alpha$	4, 5, 26, 27, 32, 39, 42, 46, 50, 51, 57, 61, 62, 63
15.785 $\pm$ 5	$3^+$		40 $\pm$ 10		15, 26, 27
15.828 $\pm$ 30	$3^-$		700 $\pm$ 120	$\alpha$	5, 39
16.20 $\pm$ 90	$1^-; 0$		580 $\pm$ 60	$\gamma, \text{p}, \alpha$	3, 26, 32
16.209 $\pm$ 2	$1^+; 1$		19 $\pm$ 3	$\gamma, \text{n}, \text{p}$	26, 27, 30, 31, 32, 37, 39
16.275 $\pm$ 7	$6^+$		420 $\pm$ 20	$\alpha$	2, 5, 7, 8, 9, 10, 17, 27, 50, 51, 57
16.352 $\pm$ 8	$2^+$		61 $\pm$ 8	$\text{p}, \alpha$	4, 5, 26, 32, 42, 45, 46, 65
16.4423 $\pm$ 1.6	$2^+; 1$		25 $\pm$ 2	$\gamma, \text{n}, \text{p}, \alpha$	3, 4, 5, 26, 32, 39
16.817 $\pm$ 2	$(2^-; 0 + 1)$		28 $\pm$ 3	$\gamma, \text{p}, \alpha$	15, 26, 30, 32
16.844 $\pm$ 21	$4^+$		570 $\pm$ 60	$\alpha$	5
16.93 $\pm$ 50	$2^+$		$\approx$ 280	$\alpha, {}^8\text{Be}$	5, 6
17.09 $\pm$ 40	$1^-; 1$		380 $\pm$ 40	$\gamma, \text{p}$	30, 32
17.129 $\pm$ 5	$2^+$		107 $\pm$ 14	$\text{n}, \text{p}, \alpha$	4, 5
17.140 $\pm$ 10	$1^+; 1$		34 $\pm$ 3	$\gamma, \text{n}, \text{p}, \alpha$	5, 30, 31, 32, 39
17.197 $\pm$ 17	$2^+$		160 $\pm$ 60	$\alpha, {}^8\text{Be}$	2, 5, 6, 27, 34, 42, 45, 46
17.282 $\pm$ 11	$1^-; 1$		78 $\pm$ 5	$\gamma, \text{n}, \text{p}, \alpha$	4, 30, 31, 32, 37, 39
17.510 $\pm$ 26	$1^-$		180 $\pm$ 60	$\alpha$	5
17.555 $\pm$ 21	$(6^+)$		180 $\pm$ 70	$\text{n}, \alpha$	4, 5
17.609 $\pm$ 7	$2^+; (1)$		114 $\pm$ 14	$\text{p}, \alpha$	4, 5, 32
17.72	$(0^+, 2^+)$		$\approx$ 75	$\text{p}, \alpha, {}^8\text{Be}$	5, 6

Table 16.10: Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

(MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
17.775 $\pm$ 11	4 <sup>-</sup> ; 0		45 $\pm$ 7	p	15, 39, 40, 42, 45, 46, 62, 63
17.784 $\pm$ 15	4 <sup>+</sup>		400 $\pm$ 40	n, $\alpha$ , $^8\text{Be}$	4, 5, 6, 39, 50, 51
17.877 $\pm$ 6	(1, 2) <sup>-</sup> ; 1		24 $\pm$ 3	$\gamma$ , p, ( $\alpha$ )	30, 32, 37
18.016 $\pm$ 1	4 <sup>+</sup> ; (0)		14 $\pm$ 2	n, p, $\alpha$ , $^8\text{Be}$	4, 5, 6, 15
18.029 $\pm$ 5	3 <sup>(-)</sup> ; 1		26 $\pm$ 4	$\gamma$ , n, p, $\alpha$	15, 30, 31, 32, 39, 62
18.089 $\pm$ 25	(0 <sup>+</sup> )		288 $\pm$ 44	( $\gamma$ ), n, p, $\alpha$	3, 4, 5, 31, 42, 46
18.202 $\pm$ 8	2 <sup>+</sup>		220 $\pm$ 50	$\gamma$ , p	32, 39, 42, 46
18.29			$\approx$ 380	$\gamma$ , p, $\alpha$	3, 4, 5
18.404 $\pm$ 12	5 <sup>-</sup>		550 $\pm$ 40	$\alpha$	5
18.430 $\pm$ 15	2 <sup>+</sup> ; 0		90 $\pm$ 40	p	32, 42, 45, 46
18.484 $\pm$ 6	1 <sup>-</sup>		35 $\pm$ 6	p	32
18.6	(1 <sup>-</sup> , 5 <sup>-</sup> )		$\approx$ 150	$\alpha$	5
18.6	(4 <sup>+</sup> )		$\approx$ 300	$\alpha$ , $^8\text{Be}$	5, 6
18.640 $\pm$ 15	(5 <sup>+</sup> )		22 $\pm$ 7	(n, p)	2, 15, 39
18.773 $\pm$ 22	1 <sup>-</sup>		215 $\pm$ 45	p, $\alpha$	4, 5
18.785 $\pm$ 6	4 <sup>+</sup>		260 $\pm$ 20	n, p, $\alpha$ , $^8\text{Be}$	4, 5, 6
18.79 $\pm$ 10	1 <sup>+</sup> ; 1		120 $\pm$ 20	$\gamma$ , p	30, 32, 39
18.977 $\pm$ 6	4 <sup>-</sup> ; 1		8.2 $\pm$ 3.8	$\gamma$ , p, $\alpha$	15, 30, 32, 39, 40, 42, 45, 62, 63
19.001 $\pm$ 24	2 <sup>-</sup> ; 1		420 $\pm$ 50	$\gamma$ , p	30, 32, 39
19.08 $\pm$ 30	2 <sup>+</sup> ; (1)		$\approx$ 120	$\gamma$ , (n), p, $\alpha$	4, 5, 10, 30, 32
19.206 $\pm$ 12	3 <sup>-</sup> ; 1		68 $\pm$ 10		39, 62, 63
19.253 $\pm$ 30	(5 <sup>-</sup> )		50 $\pm$ 45	n, $\alpha$	4, 5
19.257 $\pm$ 9	2 <sup>+</sup> ; (1)		155 $\pm$ 25	$\gamma$ , p, $\alpha$	4, 5, 30, 32
19.319 $\pm$ 14	(6 <sup>+</sup> )		65 $\pm$ 35	p, $\alpha$ , $^8\text{Be}$	4, 5, 6
19.375 $\pm$ 2	4 <sup>+</sup>		23 $\pm$ 4	p, $\alpha$	4, 5
19.47 $\pm$ 30	1 <sup>-</sup> ; 1		200 $\pm$ 70	$\gamma$ , p	30, 32, 39
19.539 $\pm$ 19	2 <sup>+</sup> ; 0		255 $\pm$ 75	n, $\alpha$	2, 4, 5, 42, 46
19.754 $\pm$ 16	2 <sup>+</sup>		290 $\pm$ 50	p, $\alpha$	4, 5
19.808 $\pm$ 11	4 <sup>-</sup> ; 0		32 $\pm$ 4		15, 40, 42, 62, 63
19.895 $\pm$ 7	3; 1		42 $\pm$ 9	$\gamma$ , p, $\alpha$	2, 30, 32
20.055 $\pm$ 13	2 <sup>+</sup> ; 0		400 $\pm$ 32	$\gamma$ , n, p, $\alpha$	3, 4, 5, 45, 46
20.412 $\pm$ 17	2 <sup>-</sup> ; 1		190 $\pm$ 20	$\gamma$ , n, p	30, 31, 32, 39, 62, 63
20.541 $\pm$ 2	5 <sup>-</sup>		11 $\pm$ 2	p, $\alpha$	2, 4, 5
20.560 $\pm$ 2	even $\pi$		< 5	p, $\alpha$	4, 5
20.615 $\pm$ 3	even $\pi$		< 10	$\alpha$	5

Table 16.10: Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

(MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
(20.8)			( $\approx 60$ )	n, p, $\alpha$	4
20.857 $\pm$ 14	7 <sup>-</sup>	0 <sup>-</sup>	900 $\pm$ 60	$\alpha$	5, 7, 8, 9, 10
20.945 $\pm$ 20	1 <sup>-</sup> ; 1		300 $\pm$ 10	$\gamma$ , n, p	30, 31, 32, 39
21.05 $\pm$ 50	(2 <sup>+</sup> ; 0)		298 $\pm$ 43		42, 46
21.052 $\pm$ 6	6 <sup>+</sup>		205 $\pm$ 15	$\alpha$	5
21.175 $\pm$ 15					2
21.50	(1 $\rightarrow$ 4)		120	p	32
21.623 $\pm$ 11	7 <sup>-</sup>		60 $\pm$ 30	n, p, $\alpha$	4, 5
21.648 $\pm$ 3	6 <sup>+</sup>		115 $\pm$ 8	n, $\alpha$	4, 5, 7
21.776 $\pm$ 9	3 <sup>-</sup>		43 $\pm$ 20	n, p, $\alpha$	2, 4, 5
22.04	0 <sup>+</sup>		60	n, d, $\alpha$	4, 21
22.150 $\pm$ 10	1 <sup>-</sup> ; 1		680 $\pm$ 10	$\gamma$ , n, p, d, $\alpha$	10, 20, 22, 25, 30, 31, 32, 36, 37, 38
22.35	2 <sup>+</sup>		175	n, d, $\alpha$	21, 25
22.5 $\pm$ 100	3 <sup>-</sup>		400 $\pm$ 50	p, d, $\alpha$	22, 25, 46
22.65 $\pm$ 30			60	n, $\alpha$ , $^8\text{Be}$	2, 4, 6
22.721 $\pm$ 3	0 <sup>+</sup> ; 2		12.5 $\pm$ 2.5	n, p, d, $\alpha$	4, 5, 19, 22, 25, 65
22.89 $\pm$ 10	1 <sup>-</sup> ; 1		300 $\pm$ 10	$\gamma$ , p, d	20, 22, 30, 32
23.0 $\pm$ 100	6 <sup>+</sup>		$\lesssim 500$	(d), $\alpha$ , $^8\text{Be}$	6, 7, 25
23.1			$\approx 20$	(n), d, $\alpha$ , $^8\text{Be}$	5, 6, 21, 25
23.235 $\pm$ 62	(1 <sup>-</sup> ; 1)		560 $\pm$ 150	n, p, d	21, 22, 23, 31, 42
23.51 $\pm$ 30	(5 <sup>-</sup> )		300	p, d, $\alpha$	2, 5, 10, 22, 23, 25, 45, 46
23.879 $\pm$ 6	6 <sup>+</sup>		26 $\pm$ 4	p, $\alpha$ , $^8\text{Be}$	4, 5, 6, 7
24.07 $\pm$ 30	1 <sup>-</sup> ; 1		550 $\pm$ 40	$\gamma$ , p, $^3\text{He}$	13, 30, 32, 42
24.36 $\pm$ 70	(2 <sup>+</sup> , 3 <sup>-</sup> ); 0		424 $\pm$ 45	n, p	31, 46
24.522 $\pm$ 11	2 <sup>+</sup> ; 2		< 50		19, 65
24.76 $\pm$ 50	(2, 4) <sup>+</sup> ; 1		340 $\pm$ 60	$\gamma$ , n, p	30, 31, 32
25.12 $\pm$ 50	1 <sup>-</sup> ; 1		3000 $\pm$ 300	$\gamma$ , p, $^3\text{He}$ , $\alpha$	13, 30, 32, 38, 45
25.50 $\pm$ 150	1 <sup>-</sup> ; 1		1300 $\pm$ 300	$\gamma$	39, 42
25.6	(3 <sup>-</sup> ); 1		450	$^3\text{He}$ , $\alpha$	5, 13
26.0 $\pm$ 100	1 <sup>-</sup> ; (1)		500 – 1000	$\gamma$ , $^3\text{He}$ , $\alpha$	13
26.363 $\pm$ 62	(2, 4) <sup>+</sup> ; 1		550 $\pm$ 70	$\gamma$ , n, p, $\alpha$	5, 30, 31, 32
27.35 $\pm$ 100	(2, 4) <sup>+</sup> ; 1		830 $\pm$ 110	$\gamma$ , p, $^3\text{He}$ , $\alpha$ , $^8\text{Be}$	13, 30, 32
27.5	(3 <sup>-</sup> ; 0)		$\approx 2500$	$\gamma$ , $^3\text{He}$	13
28.2	7 <sup>-</sup>		1000	$\alpha$	5, 7
28.6 $\pm$ 200				$\gamma$ , $^3\text{He}$	13

Table 16.10: Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

(MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
29.0	$7^-$		1000	$p, \alpha$	5, 7
$29.8 \pm 100$	$9^- + 8^+$		500 – 1000	$^3\text{He}, \alpha$	10, 13
$31.8 \pm 600$				$\gamma, \alpha$	7, 38
34	$10^+(9^-)$		2300	$\alpha$	5, 7
35				$\alpha$	7

<sup>a</sup> See also Tables 16.11 and 16.22.

<sup>b</sup> I am indebted to Professor H.T. Richards concerning his comments on the existence of this level.

1. (a)  $^{10}\text{B}(^6\text{Li}, \gamma)^{16}\text{O}$   $Q_m = 30.8734$
- (b)  $^{10}\text{B}(^6\text{Li}, p)^{15}\text{N}$   $Q_m = 18.7459$   $E_b = 30.8734$
- (c)  $^{10}\text{B}(^6\text{Li}, d)^{14}\text{N}$   $Q_m = 10.1371$
- (d)  $^{10}\text{B}(^6\text{Li}, t)^{13}\text{N}$   $Q_m = 5.8410$
- (e)  $^{10}\text{B}(^6\text{Li}, ^3\text{He})^{13}\text{C}$   $Q_m = 8.0800$
- (f)  $^{10}\text{B}(^6\text{Li}, \alpha)^{12}\text{C}$   $Q_m = 23.7115$
- (g)  $^{10}\text{B}(^6\text{Li}, ^6\text{Li})^{10}\text{B}$

At  $E(^6\text{Li}) = 4.9$  MeV, the cross sections for reactions (b) to (f) leading to low-lying states in the residual nuclei are proportional to  $2J_f + 1$ : this is interpreted as indicating that the reactions proceed via a statistical compound nucleus mechanism. For highly excited states, the cross section is higher than would be predicted by a  $2J_f + 1$  dependence: see (1982AJ01). See also (1983KA1J).

2.  $^{10}\text{B}(^{10}\text{B}, \alpha)^{16}\text{O}$   $Q_m = 26.4137$

States of  $^{16}\text{O}$  observed at  $E(^{10}\text{B}) = 20$  MeV are displayed in Table 16.10 of (1977AJ02). At the higher excitation energies, states are reported at  $E_x = 17.200 \pm 0.020, 17.825 \pm 0.025, 18.531 \pm 0.025, 18.69 \pm 0.03, 18.90 \pm 0.035, 19.55 \pm 0.035, 19.91 \pm 0.02, 20.538 \pm 0.015, 21.175 \pm 0.015, 21.84 \pm 0.025, 22.65 \pm 0.03$  and  $23.51 \pm 0.03$  MeV. The reaction excites known  $T = 0$  states:  $\sigma_t$  follows  $2J_f + 1$  for 11 of 12 groups leading to states of known  $J$ . The angular distributions show little structure: see (1977AJ02).

3.  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$   $Q_m = 7.16195$

Table 16.11: Radiative decays in  $^{16}\text{O}$  <sup>a</sup>

$E_i$ (MeV)	$J_i^\pi; T$	$E_f$ (MeV)	$J_f^\pi; T$	Branch (%)	$\Gamma_{\text{rad}}$ (eV)
6.05	$0^+; 0$	0	$0^+; 0$	100	$3.55 \pm 0.21$ <sup>b</sup>
6.13	$3^-; 0$	0	$0^+; 0$	100	$(2.60 \pm 0.13) \times 10^{-5}$
6.92	$2^+; 0$	0	$0^+; 0$	$> 99$	$0.097 \pm 0.003$ <sup>c</sup>
		6.05	$0^+; 0$	$(2.7 \pm 0.3) \times 10^{-2}$	$(2.7 \pm 0.3) \times 10^{-5}$
		6.13	$3^-; 0$	$\leq 8 \times 10^{-3}$	
7.12	$1^-; 0$	0	$0^+; 0$	$> 99$	$0.055 \pm 0.003$ <sup>c</sup>
		6.05	$0^+; 0$	$< 6 \times 10^{-4}$	
		6.13	$3^-; 0$	$(7.0 \pm 1.4) \times 10^{-2}$	
8.87	$2^-; 0$	0	$0^+; 0$	$7.2 \pm 0.8$	$(2.6 \pm 0.4) \times 10^{-4}$
		6.05	$0^+; 0$	$0.122 \pm 0.033$	$(3.1 \pm 1.0) \times 10^{-6}$
		6.13 <sup>f</sup>	$3^-; 0$	$77.7 \pm 1.6$ <sup>i</sup>	$(2.8 \pm 0.3) \times 10^{-3}$ <sup>d</sup>
		6.92	$2^+; 0$	$3.6 \pm 0.5$ <sup>i</sup>	$(1.5 \pm 0.3) \times 10^{-4}$
		7.12	$1^-; 0$	$11.4 \pm 0.5$ <sup>i</sup>	$(4.2 \pm 0.8) \times 10^{-4}$ <sup>e</sup>
9.59	$1^-; 0$	0	$0^+; 0$	$\approx 100$	$(2.5 \pm 0.4) \times 10^{-2}$
		6.92	$2^+; 0$		$(2.9 \pm 1.0) \times 10^{-3}$
9.84	$2^+; 0$	0	$0^+; 0$	$61 \pm 4$	$(5.7 \pm 0.6) \times 10^{-3}$
		6.05	$0^+; 0$	$18 \pm 4$	$(1.9 \pm 0.4) \times 10^{-3}$
		6.92	$2^+; 0$	$21 \pm 4$	$(2.2 \pm 0.4) \times 10^{-3}$
10.36	$4^+; 0$	0	$0^+; 0$		$(5.6 \pm 2.0) \times 10^{-8}$
		6.13	$3^-; 0$		$< 1.0 \times 10^{-3}$
		6.92	$2^+; 0$	$\approx 100$	$(6.2 \pm 0.6) \times 10^{-2}$
10.96	$0^-; 0$ <sup>g</sup>	7.12	$1^-; 0$	$> 99$	$0.08 \pm 0.05$
11.10	$4^+; 0$	6.13	$3^-; 0$		$(3.1 \pm 1.3) \times 10^{-3}$
		6.92	$2^+; 0$		$(2.5 \pm 0.6) \times 10^{-3}$
11.52	$2^+; 0$	0	$0^+; 0$	91.7	$0.61 \pm 0.02$
		6.05	$0^+; 0$	$4.2 \pm 0.7$	$(3.0 \pm 0.5) \times 10^{-2}$
		6.92	$2^+; 0$	$4.0 \pm 1.0$	$(2.9 \pm 0.7) \times 10^{-2}$
		7.12	$1^-; 0$	$\leq 0.8$	
12.05	$0^+; 0$	0	$0^+; 0$		$4.03 \pm 0.09$ <sup>b</sup>
12.44	$1^-; 0$	0	$0^+; 0$	$\approx 100$	$12 \pm 2$
		6.05	$0^+; 0$	$1.2 \pm 0.4$	$0.12 \pm 0.04$

Table 16.11: Radiative decays in  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_i$ (MeV)	$J_i^\pi; T$	$E_f$ (MeV)	$J_f^\pi; T$	Branch (%)	$\Gamma_{\text{rad}}$ (eV)
12.53	$2^-; 0$	0	$0^+; 0$		$(2.1 \pm 0.6) \times 10^{-2}$
		6.13	$3^-; 0$	$60 \pm 6$	$2.1 \pm 0.2$
		6.92	$2^+; 0$	$< 10$	$< 0.34$
		7.12	$1^-; 0$	$15 \pm 3$	$0.5 \pm 0.1$
		8.87	$2^-; 0$	$25 \pm 3$	$0.9 \pm 0.1$
12.80	$0^-; 1$	7.12	$1^-; 0$	$\approx 100$	$2.5 \pm 0.2$
12.97	$2^-; 1$	0	$0^+; 0$		$(7.1 \pm 0.2) \times 10^{-2}$
		6.13	$3^-; 0$	$63 \pm 6$	$2.3 \pm 0.2$
		7.12	$1^-; 0$	$12 \pm 3$	$0.44 \pm 0.10$
		8.87	$2^-; 0$	$25 \pm 3$	$0.90 \pm 0.10$
13.09 <sup>h</sup>	$1^-; 1$	0	$0^+; 0$	$\approx 100$	$32 \pm 5$
		6.05	$0^+; 0$	$0.58 \pm 0.12$	
		7.12	$1^-; 0$	$3.1 \pm 0.8$	$1.4 \pm 0.4$

<sup>a</sup> See Tables 16.12 in (1971AJ02), 16.15 in (1977AJ02) and 16.12 in (1982AJ01) for the earlier work and for references. See also Table 16.12 here.

<sup>b</sup> Monopole matrix element in  $\text{fm}^2$ .

<sup>c</sup> Weighted mean of earlier measurements and of a newer one reported in reaction 38 (1985MO10).

<sup>d</sup>  $(3.0 \pm 0.4) \times 10^{-4}$  [M1],  $(2.5 \pm 0.2) \times 10^{-3}$  [E2] (1982VE04).

<sup>e</sup>  $(8 \pm 3) \times 10^{-5}$  [M1],  $(3.4 \pm 0.5) \times 10^{-4}$  [E2] (1982VE04).

<sup>f</sup>  $E_\gamma = 2471.5 \pm 0.5$  keV for (8.87  $\rightarrow$  6.13) transition.

<sup>g</sup> Pairs due to this transition are not observed.

<sup>h</sup> For the radiative decay of higher states see Tables 16.12, 16.18, and 16.22.

<sup>i</sup> (1982VE04). See also for  $\delta$ .

The yield of capture  $\gamma$ -rays has been studied for  $E_\alpha$  up to 42 MeV [see Table 16.11 in (1977AJ02) and (1982AJ01)] and (1982KE10;  $E_{\text{c.m.}} = 1.34 \rightarrow 3.38$  MeV;  $^4\text{He}(^{12}\text{C}, \gamma)$ ) and (1985KO11;  $E_\alpha = 3.55$  to 3.60 MeV). Observed resonances are displayed in Table 16.12 here.

This reaction plays an important role in astrophysical processes. The E2  $S(300$  keV) value is calculated to  $0.09$  MeV  $\cdot$  b (1984DE42),  $0.07$  MeV  $\cdot$  b (1985LA10),  $0.10$  MeV  $\cdot$  b (1985FU04). The E1  $S(300$  keV) value is  $0.16$  MeV  $\cdot$  b from fitting the early data [see (1977AJ02)] and  $0.28$  MeV  $\cdot$  b from the (1982KE10) data (1985LA10) [ $0.30$  MeV  $\cdot$  b (1984DE42)]. (1983LA24) calculate that the  $(\alpha, \gamma_3)$   $S$ -factor is too small ( $\lesssim 0.01$  MeV  $\cdot$  b at  $E_{\text{c.m.}} < 1.5$  MeV) to contribute significantly to the total  $S$ -factor (I am indebted to Prof. F.C. Barker for his comments.). The ratio  $\sigma_{\text{E2}}/\sigma_{\text{E1}}$  has been measured for  $E_\alpha = 2.28$  to 3.77 MeV: the data favor a non-negligible contribution of the E2 amplitude to the reaction rate at stellar energies (1985RE09). For other astrophysical studies

see (1982AJ01) and (1981BA2F, 1982BA1D, 1982TO1D, 1983LA24, 1984FO1A, 1984RO1F, 1984TR1C, 1985AR1A, 1985BA1Q, 1985TR1E, 1986TH1E).

In an attempt to determine whether  $^{16}\text{O}^*(9.84)$  is a doublet (1985KO11) have studied the  $(\alpha, \gamma_3)$  reaction [as well as the  $(\alpha, \alpha_0)$  scattering]: in the capture work they find  $E_x = 9845.4 \pm 1$  keV (based on  $Q_m$ ) and, together with the  $(\alpha, \alpha_0)$  results find no evidence for a doublet.  $J^\pi = 2^+$  (1985KO11: see Table 16.12). At higher energies the E2 cross section shows resonances at  $E_x = 13.2, 15.9, 16.5, 18.3, 20.0,$  and  $26.5$  MeV [see Table 16.12]. Some E2 strength is also observed for  $E_x = 14$  to  $15.5$  and  $20.5$  to  $23$  MeV. In the range  $E_\alpha = 7$  to  $27.5$  MeV the  $T = 0$  E2 strength is  $\approx 17\%$  of the sum rule. It appears from this and other experiments that the E2 centroid is at  $E_x \approx 15$  MeV, with a 15 MeV spread. Structures are observed in the yield of  $\gamma$ -rays from the decay to  $^{16}\text{O}^*(14.8 \pm 0.1)$  for  $E_x = 34 - 39$  MeV. It is suggested that these correspond to a giant quadrupole excitation with  $J^\pi = 8^+$  built on the  $6_1^+$  state at  $E_x = 14.815$  MeV: see (1982AJ01). See also (1983KA1J, 1984NA1F) and (1982DU1A, 1982KN1B, 1985CH27, 1986AD1B; theor.).

$$\begin{array}{lll}
 4. \text{ (a) } ^{12}\text{C}(\alpha, n)^{15}\text{O} & Q_m = -8.5019 & E_b = 7.16195 \\
 \text{ (b) } ^{12}\text{C}(\alpha, p)^{15}\text{N} & Q_m = -4.9656 &
 \end{array}$$

For cross section measurements from threshold to  $E_\alpha = 24.7$  MeV (reaction (a)) and to 33 MeV (reaction (b)) [see (1982AJ01)] and at  $E_\alpha = 10.5$  to 20 MeV (1982AM02;  $p_0$ ): see Table 16.12. See also (1981BE19; reaction (b);  $E_\alpha = 18.5, 21.7, 25.4$  MeV), (1983KOZD; excitation function, reaction (a):  $E_\alpha = 21.8$  to  $27.2$  MeV). The excitation curve for  $p_3$  (to  $^{15}\text{N}^*(6.32)$ ), measured for  $E_\alpha = 24$  to 33 MeV, shows a large peak at  $E_x \approx 29$  MeV,  $\Gamma \approx 4$  MeV. It is suggested that it is related to the GQR in  $^{16}\text{O}$ : see (1982AJ01). For the observed resonances see Table 16.12 here. See also (1984NA1F, 1984SH04), (1982WE16; applications) and (1985MA1L; theor.).

$$5. ^{12}\text{C}(\alpha, \alpha)^{12}\text{C} \qquad E_b = 7.16195$$

The yield of  $\alpha$ -particles corresponding to  $^{12}\text{C}^*(0, 4.4, 7.7)$  and of 4.4, 12.7 and 15.1 MeV  $\gamma$ -rays has been studied at many energies in the range  $E_\alpha = 2.5$  to 35.5 MeV [see (1982AJ01)], at  $E_\alpha = 3.52$  to 3.62 MeV (1982FR10;  $\alpha_0$ ), 8 to 26 MeV (1985DY05;  $\alpha_1 \gamma$ ; see for astrophysical implications), 10.5 to 19.8 MeV (1982AM02;  $\alpha_0, \alpha_1$ ; and  $\alpha_2$  from 14.6 MeV), 17.0 to 22.7 MeV (1982KA30;  $\alpha_2$ ), 27 to 42 MeV (1983AR12;  $\alpha_0, \alpha_1, \alpha_2$ ) and at  $E(^{12}\text{C}) = 5.8$  to 13.5 MeV (1982KE10;  $\alpha_0$ ). See also (1981BE2D). Observed resonances are displayed in Table 16.12. Attempts have been made to observe narrow states near  $^{16}\text{O}^*(8.87, 9.85)$ . No evidence has been found for a narrow (100 eV)  $0^+$  state in the vicinity of the  $2^-$  state at 8.87 MeV [see (1982AJ01)] nor for a  $3^-$  state near the  $2^+$  state at 9.84 MeV (1982FR10) [if such a  $3^-$  state were to exist  $\Gamma_{\text{lab}} \lesssim 150$  eV if its  $E_x$  is a few keV higher than that of the  $2^+$  state].

Total cross section measurements are reported by (1982DE20, 1984BU1L, 1984GO03, 1984SA28) and spallation measurements by (1981AN1K, 1982RA31, 1984GO03, 1984GO04, 1985AB02). For pion production see (1981AL1K, 1984AL1L). For two-proton correlations at 4.2 GeV/c see (1985BA2U). See also  $^{12}\text{C}$  in (1985AJ01), (1981BE19, 1981WA1P, 1982WA23, 1984GU1E), (1982FI1C, 1982YA1A, 1983AD1C, 1983AD1D, 1984RE14), (1983OS1G; applications) and (1981FR1T, 1981MA42, 1981SH1A, 1983BA1V, 1983SM1B, 1984NA06, 1984SH22, 1985BA11, 1985BA63, 1986ALZZ; theor.).

$$6. \text{}^{12}\text{C}(\alpha, \text{}^8\text{Be})\text{}^8\text{Be} \qquad Q_m = -7.4585 \qquad E_b = 7.16195$$

The yield of  $^8\text{Be}$  shows a number of resonances: see Table 16.12. There is no evidence below  $E_x \approx 24$  MeV for  $J^\pi = 8^+$  states although the existence of such states below this energy cannot be ruled out since it is possible that the  $L$  of the entrance channel inhibits the formation of such states. Above 26 MeV  $L = 8$  becomes dominant: see (1982AJ01).

$$7. \text{}^{12}\text{C}(\text{}^6\text{Li}, \text{d})\text{}^{16}\text{O} \qquad Q_m = 5.6868$$

This reaction has been studied at many energies: see (1977AJ02) and Table 16.13 here. At the higher energies the spectra are dominated by states with  $J \geq 4$  and natural parity. A study of d- $\alpha$  coincidences [involving  $^{12}\text{C}^*(0, 4.43, 7.66)$ ] has been carried out at  $E(^6\text{Li}) = 75$  and 90 MeV: the highest lying states observed in  $^{16}\text{O}$  [and which have  $\alpha$ -cluster properties and are built on  $^{12}\text{C}_{g.s.}$ ] are  $7^-$  states at  $E_x = 27.7$  and 29.3 MeV (1982AR20). Two broad intense peaks corresponding to  $^{16}\text{O}^*(32, 35)$  are also observed [they decay by  $\alpha_1$ ] and a state at  $\approx 34$  MeV [ $J^\pi = 10^+(9^-)$ ] decays by  $\alpha_2$  [and weakly by  $\alpha_0$ ] (1982AR20, 1983AR12). No  $8^+$  states are reported: see (1982AJ01, 1983AR12).

Cross sections for the population of  $^{16}\text{O}^*(8.87, 10.36, 11.08, 11.097)$  have been studied in the range  $E(^6\text{Li}) = 20$  to 34 MeV: the large cross section to  $^{16}\text{O}^*(11.10)$  [ $J^\pi = 4^+$ ] is the result of multistep processes (1981GL02).

For a study of inclusive deuteron spectra see (1982CU02). See also  $^{18}\text{F}$  in (1983AJ01, 1987AJ02) and (1981AP02, 1981IN02, 1981MA26, 1983GO18, 1983GR1H, 1983OS03, 1984SE20, 1985EL12, 1985SE1H; theor.).

$$8. \text{}^{12}\text{C}(\text{}^7\text{Li}, \text{t})\text{}^{16}\text{O} \qquad Q_m = 4.695$$

This reaction has been studied extensively: see (1977AJ02, 1982AJ01) and Table 16.13 here. See also  $^{19}\text{F}$  in (1983AJ01, 1987AJ02), (1986JAZZ) and (1983PA06, 1985SH22; theor.).



Table 16.12: Resonances in  $^{12}\text{C} + \alpha$ 

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> ( $x$ )	$\Gamma_x$	$\Gamma_{\alpha_0}/\Gamma$	$^{16}\text{O}^*$ (MeV $\pm$ keV)	$J^\pi; T$	Refs. <sup>b</sup>	
1	3.324	$480 \pm 20$	$\gamma_0$	$25 \pm 4$ meV	$\approx 1$	8.87 $9.580 \pm 12$	$1^-$	(1982KE10)	
2	$3.5770 \pm 0.5$	$0.625 \pm 0.100$	$\gamma_3$	$2.9 \pm 1.0$ meV		$\gamma_0$	$9.8440 \pm 0.5$ <sup>c</sup>	$2^+$	(1982KE10, 1985KO11)
			$\alpha_0$						
3	4.259	$27 \pm 3$	$\gamma_0$	$2.2 \pm 0.4$ meV	$\leq 0.4$ meV $62 \pm 6$ meV	$10.356 \pm 6$	$4^+$	(1982KE10)	
			$\gamma_3$						
			$\alpha_3$						
4	$5.245 \pm 8$	$0.28 \pm 0.05$	$\gamma_0$	$3.1 \pm 1.3$ meV	1	11.094	$4^+$		
			$\gamma_3$	$2.5 \pm 0.6$ meV					
			$\alpha_0$						
5	5.47	2500	$\alpha_0$			(11.26)	$(0^+)$		
6	$5.809 \pm 18$	$73 \pm 5$	$\gamma_0$	$0.65 \pm 0.08$ eV	1	11.52	$2^+$		
			$\gamma_3$	$29 \pm 7$ meV					
			$\alpha_0$						
7	$5.92 \pm 20$	$800 \pm 100$	$\alpha_0$		1	11.60	$3^-$		
8	$6.518 \pm 10$	$1.5 \pm 0.5$	$\alpha_0$			12.049	$0^+$		
9	$7.043 \pm 4$	$99 \pm 7$	$\gamma_0$	$9.5 \pm 1.7$ eV <sup>d</sup>	1.0	$12.442 \pm 4$	$1^-; 0$		
			$\gamma_1$	$0.12 \pm 0.06$ eV <sup>d</sup>					
			p	1.1 keV					
			$\alpha_0$	$92 \pm 8$ keV					
			$\alpha_1$	0.025 keV					
10	$7.82 \pm 10$	$150 \pm 11$	$\gamma_0$	<sup>e</sup>	$\approx 1.0$	13.02	$2^+$		
			$\alpha_0$	$150 \pm 11$ keV					
11	$7.904 \pm 11$	$130 \pm 5$	$\gamma_0$	$44 \pm 8$ eV <sup>f</sup>		$13.088 \pm 11$	$1^-; 1$		

Table 16.12: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> ( $x$ )	$\Gamma_x$	$\Gamma_{\alpha_0}/\Gamma$	$^{16}\text{O}^*$ (MeV $\pm$ keV)	$J^\pi; T$	Refs. <sup>b</sup>
12	$7.960 \pm 10$	$110 \pm 30$	$\gamma_4$	$1.35 \pm 0.4$ eV	0.3	13.129	$3^-; 0$	
			p	100 keV				
			$\alpha_0$	$45 \pm 18$ keV				
			$\alpha_1$	1 keV				
			$\gamma_0$	$> 0.01$ eV				
13	$8.130 \pm 15$	$26 \pm 7$	p	1 keV	0.7	13.257	$3^-; 1$	
			$\alpha_0$	$90 \pm 14$ keV				
			$\alpha_1$	$\approx 20$ keV				
			$\gamma$					
			p	4.5 keV				
14	$8.960 \pm 10$	$75 \pm 7$	$\alpha_0$	49 keV	$0.65 \pm 0.05$	$13.879 \pm 8$	$4^+$	
			$\alpha_1$	23 keV				
			$\alpha_0$	$\approx 200$ keV				
			$\alpha_1$					
15	9.1	4800	$\alpha_0$			(14.0)	$(0^+)$	
16	$9.164 \pm 15$	$200 \pm 50$	$\alpha_0$		$> 0.9$	14.032	$0^+$	
17	$9.3 \pm 100$	$750 \pm 200$	$\alpha_0$		$0.2 \pm 0.1$	14.1	$3^-$	
			$\alpha_1$					
			$\alpha_0$					
18	9.948	$487 \pm 12$	$\alpha_0$		$0.8^{\text{h}}$	$14.620 \pm 11^{\text{g}}$	$(4^+)$	(1982AM02)
			$\alpha_1$					
19	10.002	$672 \pm 11$	$\alpha_0$		0.94	$14.660 \pm 11^{\text{g}}$	$5^-$	(1982AM02)
			$\alpha_1$					
20	$10.195 \pm 7$	$70 \pm 8$	$\alpha_0$	22 keV	$0.45 \pm 0.05$	14.805	$6^+$	
			$\alpha_1$	48 keV				
21	10.544	$166 \pm 30$	$\alpha_0, \alpha_1, \text{p}_0$		0.35	$15.066 \pm 11$	$0^+$	(1982AM02)
22	10.999	$133 \pm 7$	$\alpha_0, \alpha_1, \text{p}_0$		0.58	$15.408 \pm 2$	$3^-$	(1982AM02)

Table 16.12: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> ( $x$ )	$\Gamma_x$	$\Gamma_{\alpha_0}/\Gamma$	$^{16}\text{O}^*$ (MeV $\pm$ keV)	$J^\pi; T$	Refs. <sup>b</sup>
23	11.560	$703 \pm 113$	$\alpha_0, (\alpha_1), \gamma_{4.4}$	$\Gamma_\alpha \Gamma_\gamma / \Gamma \approx 0.4 \text{ eV}$	0.21	$15.828 \pm 30$	$3^-$	(1982AM02)
24	11.6	$\approx 600$	$\gamma_0$			15.9	$2^+$	
25	12.156	$422 \pm 14$	$\alpha_0$	$\Gamma_\alpha \Gamma_\gamma / \Gamma = 0.45 \text{ eV}$	0.93	$16.275 \pm 7$	$6^+$	(1982AM02)
26	12.272	$65 \pm 45$	$\alpha_0, (\alpha_1, \alpha_2), p_0$		0.07	$16.362 \pm 20$	$(0^+, 1^-)$	(1982AM02)
27	12.380	$22 \pm 3$	$\gamma_0, n, p_0, \alpha_0, \alpha_1, \alpha_2, \gamma_{4.4}$		0.28	$16.443 \pm 2$	$2^+; (1)$	(1982AM02)
28	12.5	730	$p_0, \alpha_0$			(16.5)		
29	12.915	$567 \pm 60$	$\alpha_0$		0.28	$16.844 \pm 21$	$4^+$	(1982AM02)
30	13.0	700	$\alpha_0$			(16.9)	$5^-$	
31	13.05	$\approx 280$	$\alpha_2, ^8\text{Be}$			16.94	$2^+$	(1982AM02)
32	13.296	$107 \pm 14$	$n, p_0, \alpha_0, \alpha_1, \gamma_{4.4}$		0.37	$17.129 \pm 5$	$2^+$	(1982AM02)
33	13.32	$36 \pm 5$	$\alpha_0, \alpha_1$			17.15		(1982AM02)
34	13.35	$160 \pm 60$	$\alpha_2, ^8\text{Be}$		17.17	$2^+$	(1982AM02)	
35	13.50	$< 100$	$n$		17.28			
36	13.805	$182 \pm 56$	$\alpha_0, (\alpha_1), \alpha_2$		0.16	$17.510 \pm 26$	$1^-$	(1982AM02)
37	13.865	$178 \pm 66$	$n, (\alpha_0, \alpha_1)$		0.07	$17.555 \pm 21$	$(6^+)$	(1982AM02)
38	13.948	$175 \pm 55$	$p_0, \alpha_0$		0.32	$17.618 \pm 20$	$(0^+, 1^-)$	(1982AM02)
39	14.08	( $\approx 75$ )	$(p_0), ^8\text{Be}$			17.72	$(0^+, 2^+)$	(1982AM02)
40	14.170	$396 \pm 41$	$n, \alpha_0, \alpha_1, \gamma_{4.4}, ^8\text{Be}$		0.34	$17.784 \pm 15$	$4^+$	(1982AM02)
41	14.480	$14 \pm 2$	$(n), p_0, \alpha_0, \alpha_1, \gamma_{4.4}, ^8\text{Be}$		0.36	$18.016 \pm 1$	$4^+; (0)$	(1982AM02)
42	14.577	$248 \pm 90$	$(\gamma_0), n_0, p_0, \alpha_0$		0.31	$18.089 \pm 25$	$(0^+)$	(1982AM02)
43	(14.62)	( $\approx 45$ )	$\alpha_0$	$\Gamma_\alpha \Gamma_\gamma / \Gamma = 0.95 \text{ eV}$		(18.12)	( $\neq 4^+$ )	(1982AM02)
44	14.85	$\approx 380$	$\gamma_0, p_0, (\alpha_1, \gamma_{4.4})$			18.29		(1982AM02)
45	14.997	$544 \pm 39$	$\alpha_0$		0.40	$18.404 \pm 12$	$5^-$	(1982AM02)
46	15.2	$\approx 150$	$(\alpha_0, \alpha_1, \alpha_2, \gamma_{4.4})$			18.6	$(1^-, 5^-)$	(1982AM02)
47	15.2	$\approx 300$	$\alpha_2, ^8\text{Be}$			18.6	$(4^+)$	(1982AM02)
48	15.490	$215 \pm 45$	$p_0, \alpha_0$		0.26	$18.773 \pm 22$	$1^-$	(1982AM02)
49	15.506	$260 \pm 16$	$n, p_0, \alpha_0, (\alpha_1), ^8\text{Be}$		0.48	$18.785 \pm 6$	$4^+$	(1982AM02)

Table 16.12: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> ( $x$ )	$\Gamma_x$	$\Gamma_{\alpha_0}/\Gamma$	$^{16}\text{O}^*$ (MeV $\pm$ keV)	$J^\pi; T$	Refs. <sup>b</sup>
50	15.8	$\approx 550$	$(\alpha_0), \alpha_1, \gamma_{4.4}$			19.0	$(5^-)$	(1982AM02)
51	15.96	41	$(n), \alpha_0$			(19.12)	$(2^+, 4^+)$	
52	16.130	$50 \pm 45$	$(n), (\alpha_0)$		0.04	$19.253 \pm 30$	$(5^-)$	(1982AM02)
53	16.137	$155 \pm 23$	$p_0, \alpha_0, (\alpha_1)$		0.34	$19.257 \pm 9$	$2^+$	(1982AM02)
54	16.219	$63 \pm 33$	$p_0, (\alpha_0), \alpha_1, \alpha_2, {}^8\text{Be}$		0.07	$19.319 \pm 14$	$(6^+)$	(1982AM02)
55	16.293	$23 \pm 4$	$p_0, \alpha_0, \alpha_1, \alpha_2$		0.23	$19.375 \pm 2$	$4^+$	(1982AM02)
56	16.496	$255 \pm 75$	$(n), \alpha_0, (\alpha_1, \alpha_2)$		0.20	$19.527 \pm 26$	$2^+$	(1982AM02)
57	16.799	$286 \pm 44$	$p_0, \alpha_0, \alpha_1$		0.29	$19.754 \pm 16$	$2^+$	(1982AM02)
58	(16.92)	$(\approx 175)$	$\alpha_2$			(19.85)		(1982AM02)
59	(17.05)	$(\approx 30)$	$(\alpha_0)$			(19.94)	$(\neq 3^-)$	(1982AM02)
60	17.201	$432 \pm 40$	$\gamma_0, n, (p_0), \alpha_0, (\alpha_1)$		0.43	$20.055 \pm 13$	$2^+$	(1982AM02)
61	(17.27)	$(\approx 45)$	$(\alpha_0)$			(20.11)	$(\neq 3^-)$	(1982AM02)
62	17.5	$\approx 1500$	$p_0$			(20.3)		
63	(17.66)	$(\approx 150)$	$n, (p_0), \alpha_0, \alpha_2$			(20.40)	$(4^+)$	(1982AM02)
64	(17.8)	$(\approx 300)$	$(\alpha_0), \alpha_1$			(20.5)		(1982AM02)
65	17.849	$11 \pm 2$	$p_0, \alpha_0, \alpha_1, \alpha_2$		$0.14 \pm 0.02$	$20.541 \pm 2$	$5^-$	(1982AM02)
66	17.875	$< 5$	$\alpha_0$			$20.560 \pm 2$	even	(1982AM02)
67	17.948	$< 10$	$\alpha_0$			$20.615 \pm 3$	even	(1982AM02)
68	(18.2)	$(\approx 60)$	$n, (p_0)$			(20.8)		(1982AM02)
69	18.271	$904 \pm 55$	$\alpha_0$		0.60	$20.857 \pm 14$	$7^-$	(1982AM02)
70	(18.3)		$\alpha_0$			(20.9)	$2^+$	(1982AM02)
71	(18.48)	$(\approx 50)$	$n, p_0, (\alpha_0)$			(21.01)		(1982AM02)
72	$18.50 \pm 25$	$240 \pm 80$	$\gamma_0, (\alpha_0, \alpha_1)$		0.20	21.03	$(1^-)$	(1982AM02)
73	18.5	900	$\alpha_0$		i	(21.0)	$5^-$	(1982KA30)
74	18.531	$205 \pm 14$	$\alpha_0$		0.50	$21.052 \pm 6$	$6^+$	(1982AM02)
75	18.593	$306 \pm 46$	$(\alpha_0)$		0.20	(21.098)	$4^+$	(1982AM02)
76	19.294	$61 \pm 32$	$(n), p_0, \alpha_0, \alpha_2$		$< 0.05$	$21.623 \pm 11$	$7^-$	(1982AM02)

Table 16.12: Resonances in  $^{12}\text{C} + \alpha$  (continued)

No.	$E_\alpha$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles <sup>a</sup> ( $x$ )	$\Gamma_x$	$\Gamma_{\alpha_0}/\Gamma$	$^{16}\text{O}^*$ (MeV $\pm$ keV)	$J^\pi; T$	Refs. <sup>b</sup>
77	19.327 <sup>j</sup>	115 $\pm$ 8	n, $\alpha_0, \alpha_1, \alpha_2$		0.41	21.648 $\pm$ 3	6 <sup>+</sup>	(1982AM02)
78	19.498 <sup>j</sup>	43 $\pm$ 20	n, p <sub>0</sub> , $\alpha_0, \alpha_1, \alpha_2$		0.07	21.776 $\pm$ 9	3 <sup>-</sup>	(1982AM02)
79	19.85	60	n			22.04		
80	19.89	340	n			22.07		
81	19.95	< 150	n, $^8\text{Be}$			22.11		
82	20.49	375	n			22.52		
83	20.71	60	n, $^8\text{Be}$			22.68		
84	20.760 $\pm$ 5	12.5 $\pm$ 2.5	n <sub>0</sub> , p <sub>0</sub> , $\alpha_0, \alpha_2$			22.721	0 <sup>+</sup> ; T = 2	
85	21.28	$\approx$ 20	$\alpha_0, \alpha_1, ^8\text{Be}$			23.11		
86	21.3	$\leq$ 500	$^8\text{Be}$			23.1	6 <sup>+</sup>	
87	21.67	< 40	n, $\alpha_0, \alpha_2$		$\approx$ 0.31	23.40	(5 <sup>-</sup> )	(1982KA30)
88	21.85	300	$\alpha_0, \alpha_1$			23.54		
89	22.0	1500	$\gamma_{12.71}$			23.6		
90	22.14	120	n			23.75		
91	22.306 $\pm$ 6	26 $\pm$ 4	p <sub>0</sub> , $\alpha_0, \alpha_1, \alpha_2, ^8\text{Be}$	k	0.06 $\pm$ 0.02	23.879	6 <sup>+</sup>	
92	22.37	165	n			23.93		
93 <sup>m</sup>	22.75	$\leq$ 500	$^8\text{Be}$			24.21		
94	23.2	750	$\gamma_{12.71}, \gamma_{15.11}$			24.5	T = 1	
95	24.1	450	$\gamma_{15.11}$			25.2	T = 1	
96	24.6	450	$\gamma_{15.11}$			25.6	T = 1	
97	25.5	450	$\gamma_{15.11}$			26.3	T = 1	
98	25.6	1200	$\alpha_0, \gamma_{12.71}$	$\Gamma_\alpha \Gamma_\gamma / \Gamma = 1.2 \text{ eV}$		26.3	2 <sup>+</sup>	
99	28.1	1000	$\alpha_0$		0.35	28.2	7 <sup>-</sup>	(1983AR12)
100	29.1	1000	$\alpha_0, \alpha_1, \text{p}_3$		0.35	29.0	7 <sup>-</sup>	(1983AR12)
101	35.8 n	2.3 MeV	$\alpha_0, \alpha_2$		0.1 <sup>l</sup>	34.0	10 <sup>+</sup> (9 <sup>-</sup> )	(1983AR12)

<sup>a</sup>  $p_0$  corresponds to  $^{15}\text{N}(0)$ .  $\alpha_0, \alpha_1$  correspond to  $^{12}\text{C}^*(0, 4.4)$  and  $\gamma_{4.4}$  corresponds to the  $\gamma$ -ray from the decay of  $^{12}\text{C}^*(4.4)$ ;  $\gamma_0, \gamma_1, \gamma_2, \gamma_3, \gamma_4$  correspond to the transitions to  $^{16}\text{O}^*(0, 6.05, 6.13, 6.92, 7.12)$ .

<sup>b</sup> Previous references are listed in Tables 16.11 (1971AJ02), 16.12 (1977AJ02) and 16.13 (1982AJ01).

<sup>c</sup> (1982KE10) report  $E_x = 9848 \pm 2$  keV.

<sup>d</sup> Branching ratios to  $^{16}\text{O}^*(0, 6.05) = 98.8\%$  and  $1.2\%$ .

<sup>e</sup>  $\Gamma_{\gamma_0} = 0.7 \pm 0.2$  eV, based on  $\Gamma_{\alpha_0}/\Gamma = 1.0$  and  $\Gamma_{\text{c.m.}} = 190 \pm 40$  keV.

<sup>f</sup>  $\Gamma_{\alpha_0}\Gamma_{\gamma_0}/\Gamma^2 = (1.49 \pm 0.17) \times 10^{-4}$ .

<sup>g</sup> Uncertainties in  $E_x$  may be larger.

<sup>h</sup> For this and the states below  $\Gamma_{\alpha}/\Gamma$  is  $\pm 0.10$  for isolated narrow levels.

<sup>i</sup>  $\Gamma_{\alpha_2}/\Gamma \approx 0.16$  (1982KA30).

<sup>j</sup> A resonance is reported at  $E_{\alpha} = 19.4$  MeV:  $4^+$  is dominant,  $\Gamma_{\alpha}/\Gamma \ll 1$ ,  $\Gamma_{\alpha_2}/\Gamma \geq 0.48$  (1982KA30).

<sup>k</sup>  $\Gamma_{8\text{Be}}$  and  $\Gamma_{\alpha_0}$  and  $\Gamma_{\alpha_2} \approx 3.5, 1.5 \pm 0.5$  and  $\approx 6$  keV, respectively.

<sup>l</sup>  $\Gamma_{\alpha_2}/\Gamma = 0.2$  (1983AR12).

<sup>m</sup> Broad maxima are reported in the activation cross section at  $E_{\alpha} = 22.8, 24.3, 25.3$  and  $26.9$  MeV (1983KOZD; prelim.).

<sup>n</sup> See (1981SA07) for  $(\alpha, \gamma_{14.8})$  measurements which indicate an  $8^+$  GQR built on the  $6_1^+$  state  $^{16}\text{O}^*(14.82)$ .

Table 16.13: States of  $^{16}\text{O}$  from  $^{12}\text{C}(^6\text{Li}, \text{d})$  and  $^{12}\text{C}(^7\text{Li}, \text{t})$ 

$E_x^a$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}^b$ (keV)	$\theta_\alpha^2/\theta_\alpha^2(2^+)^c$	$\Gamma_{\alpha_0}/\Gamma$	$J^\pi; K^\pi$
0		0.93, 0.18		$0^+$
6.05		0.38, 1.10		$0^+; 0^+$
6.13		0.23, 0.22		$3^-$
6.92		$\equiv 1.0$		$2^+; 0^+$
7.12		0.53, 0.39		$1^-$
8.87	$< 20$			$2^-$
$9.63 \pm 30^d$	$400 \pm 10$	0.30, 0.60		$1^-; 0^-$
9.84	$< 20$	$\leq 0.05, \leq 0.01$		$2^+$
$10.346 \pm 6^e$	$35 \pm 5$	0.25, 0.47	$0.86 \pm 0.09$	$4^+; 0^+$
10.96				$0^-$
$11.10^e$	$< 30$	$\leq 0.06, \leq 0.03$	$0.31 \pm 0.03$ ( $J = 4^+$ )	$3^+ + 4^+$
$11.59 \pm 20$	$700 \pm 100$	$\approx 0.4$		$3^-; 0^-$
13.09	$\approx 230$			$1^-$
$14.363 \pm 15$	$< 120$			$> 5, \pi = \text{nat.}$
$14.66 \pm 20$	$500 \pm 50$		$1.03 \pm 0.1$	$5^-; 0^-$
14.82	$45 \pm 10$			( $6^+$ )
$16.30 \pm 20$	$300 \pm 50$		$1.07 \pm 0.11$	$6^+; 0^+$
$17.65 \pm 50$	$100 \pm 50$			
$17.85 \pm 50$	$\approx 200$			
(18.6) <sup>f</sup>				( $5^-$ )
$19.30 \pm 50$	$\approx 200$			
$20.8 \pm 100^e$	$500 \pm 100$		$1.16 \pm 0.23$	$7^-; 0^-$
$21.6 \pm 100$	$\leq 100$		$0.67 \pm 0.14$	$6^+$
$23.0 \pm 100$	$\approx 200$			( $6^+$ )
$23.8 \pm 100$	$1980 \pm 250$			( $6^+$ )
$26.9 \pm 100$	$1700 \pm 250$			( $7^-$ )
$27.7^f$				( $7^-$ )
(29.3) <sup>f</sup>				( $7^-$ )
$32^g$	<b>broad</b>			

Table 16.13: States of  $^{16}\text{O}$  from  $^{12}\text{C}(^6\text{Li}, \text{d})$  and  $^{12}\text{C}(^7\text{Li}, \text{t})$  (continued)

$E_x^a$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}^b$ (keV)	$\theta_\alpha^2/\theta_\alpha^2(2^+)^c$	$\Gamma_{\alpha_0}/\Gamma$	$J^\pi; K^\pi$
34 <sup>h</sup>				10 <sup>+</sup> (9 <sup>-</sup> )
35 <sup>g</sup>	broad			

<sup>a</sup>  $E_x$  quoted without errors are from Table 16.10. For the earlier references see Table 16.14 in (1982AJ01). Angular distributions are reported in both reactions for the first nine states.

<sup>b</sup> Line widths, not corrected for  $\alpha$ -penetrabilities.

<sup>c</sup> Ratio of dimensionless reduced  $\alpha$ -width calculated at a channel radius of 5.4 fm, relative to that for  $^{16}\text{O}^*(6.92)$ . ( $N, L$ ) here are taken to be (2, 0) and (4, 1) respectively, for  $^{16}\text{O}^*(0, 7.12)$ . The first number listed is the value reported at  $E(^6\text{Li}) = 42$  MeV, the second at  $E(^6\text{Li}) = 90.2$  MeV.

<sup>d</sup> On the basis of studies of the  $^{12}\text{C}(^6\text{Li}, \text{d})$ ,  $^{12}\text{C}(^7\text{Li}, \text{t})$ ,  $^{12}\text{C}(^{10}\text{B}, ^6\text{Li})$  and  $^{19}\text{F}(\text{p}, \alpha)$  reactions, the energy of  $^{16}\text{O}^*(9.6)$  is  $9619 \pm 15$  keV with  $\Gamma = 400 \pm 10$  keV (line width).  $\Gamma_{\text{R}} = 430 \pm 10$  keV as inferred from the best fit B-W line shape. This value is corrected for penetrability ((1981OV02) and F. Becchetti, private communication).

<sup>e</sup> Angular distributions are reported at  $E(^6\text{Li}) = 35.5 - 35.6$  MeV to  $^{16}\text{O}^*(10.36)$  and to the unresolved  $3^+$  and  $4^+$  states at 11.1 MeV. It appears that the  $4^+$  state is dominantly populated, and that two-step processes may be important in this reaction.

<sup>f</sup> (1982AR20); decay primarily by  $\alpha_0$ .

<sup>g</sup> (1982AR20); decay primarily by  $\alpha_1$ .

<sup>h</sup> (1982AR20, 1983AR12); decays primarily by  $\alpha_2$ .

### 9. $^{12}\text{C}(^{10}\text{B}, ^6\text{Li})^{16}\text{O}$ $Q_{\text{m}} = 2.7022$

At  $E(^{10}\text{B}) = 18$  and 45 MeV angular distributions have been studied involving  $^{16}\text{O}^*(0, 6.1, 7.1, 8.9, 9.9, 10.4)$ . At  $E(^{10}\text{B}) = 68$  MeV angular distributions to  $^{16}\text{O}^*(0, 6.1, 6.9, 10.4, 11.1, 14.7, 16.2, 20.9)$  are forward peaked and fairly structureless.  $^{16}\text{O}^*(0, 6.9, 11.1)$  are weakly excited: see (1982AJ01).

### 10. $^{12}\text{C}(^{12}\text{C}, ^8\text{Be})^{16}\text{O}$ $Q_{\text{m}} = -0.2047$

Angular distributions have been reported at  $E(^{12}\text{C})$  to 63 MeV [see (1977AJ02)] and at 4.9 to 10.5 MeV (1984HU1E) and at 11.2 to 12.6 MeV (1982TA21; g.s.). Angular correlations at  $E(^{12}\text{C}) = 78$  MeV confirm  $J^\pi = 4^+, 5^-, 6^+$  and  $7^-$  for  $^{16}\text{O}^*(10.36, 14.59, 16.3, 20.9)$ .  $\Gamma_{\alpha_0}/\Gamma = 0.90 \pm 0.10, 0.75 \pm 0.15$  and  $0.90 \pm 0.10$ , respectively, for the first three of these states. In addition



a state is reported at  $E_x = 22.5 \pm 0.5$  MeV which may be the  $8^+$  member of the  $K^\pi = 0^+$ , 4p-4h rotational band (1979SA29). For further work at  $E(^{12}\text{C}) = 90, 110$  and  $140$  MeV see (1986SH10). At  $E_\alpha = 120$  MeV  $\alpha_0$  decays of  $^{16}\text{O}^*(16.3, 20.9)$  [ $J^\pi = 6^+, 7^-$ ] and  $\alpha_1$  decays of  $^{16}\text{O}^*(19.1, 22.1, 23.5)$  are observed as is a broad structure in both channels corresponding to  $^{16}\text{O}^*(30.0)$  with  $J^\pi = 9^- + 8^+$ . There is no evidence for localized  $L = 8$   $\alpha_0$  strength below 29 MeV (1985RA12). See also (1983SH1Z, 1985KA1J). For the decay of  $^{20}\text{Ne}$  states see (1985LAZZ) and (1983AJ01, 1987AJ02). For excitation functions see (1982SA27 [yield of 6.1 MeV  $\gamma$ -ray from threshold to 40 MeV], 1982TA21) and (1982AJ01). See also (1984SP1C), (1979GO1C, 1984CU1B), (1986SZ02; applied), (1984HU1E; astrophys.) and (1982SU1B, 1982SU06, 1983DEZW, 1984DA1B; theor.).

$$11. \text{ (a) } ^{12}\text{C}(^{14}\text{N}, ^{10}\text{B})^{16}\text{O} \quad Q_m = -4.4503$$

$$\text{ (b) } ^{12}\text{C}(^{17}\text{O}, ^{13}\text{C})^{16}\text{O} \quad Q_m = 0.8027$$

Angular distributions are reported at  $E(^{14}\text{N}) = 53$  MeV involving  $^{16}\text{O}^*(0, 6.05, 6.13, 6.92)$  and various states of  $^{10}\text{B}$ , and at 78.8 MeV involving  $^{16}\text{O}_{\text{g.s.}}$ : see (1982AJ01). Angular distributions have been measured for the g.s. in reaction (b) for  $E(^{17}\text{O}) = 40$  to 70 MeV (1986FR04).

$$12. ^{12}\text{C}(^{20}\text{Ne}, ^{16}\text{O})^{16}\text{O} \quad Q_m = 2.428$$

Angular distributions have been measured to  $E(^{20}\text{Ne}) = 147$  MeV: see (1977AJ02). For yield measurements see (1983RI13). See also (1982AJ01).

$$13. \text{ (a) } ^{13}\text{C}(^3\text{He}, \gamma)^{16}\text{O} \quad Q_m = 22.79338$$

$$\text{ (b) } ^{13}\text{C}(^3\text{He}, \text{n})^{15}\text{O} \quad Q_m = 7.1295 \quad E_b = 22.79338$$

$$\text{ (c) } ^{13}\text{C}(^3\text{He}, \text{p})^{15}\text{N} \quad Q_m = 10.6658$$

$$\text{ (d) } ^{13}\text{C}(^3\text{He}, \text{d})^{14}\text{N} \quad Q_m = 2.5071$$

$$\text{ (e) } ^{13}\text{C}(^3\text{He}, ^3\text{He})^{13}\text{C}$$

$$\text{ (f) } ^{13}\text{C}(^3\text{He}, \alpha)^{12}\text{C} \quad Q_m = 15.6314$$

$$\text{ (g) } ^{13}\text{C}(^3\text{He}, ^8\text{Be})^8\text{Be} \quad Q_m = 8.1729$$

The yield of capture  $\gamma$ -rays (reaction (a)) has been studied for  $E(^3\text{He})$  up to 16 MeV [see (1977AJ02)], as have angular distributions. Observed resonances are displayed in Table 16.14. It is suggested that the structures at  $E_x \approx 26 - 29$  MeV are part of giant resonances built on the first few excited states of  $^{16}\text{O}$  (1979VE02). See also (1985CH27, 1986AD1B; theor.).

The excitation functions (reaction (b)) to  $E(^3\text{He}) = 11$  MeV are marked at low energies by complex structures and possibly by two resonances at  $E(^3\text{He}) = 1.55$  and 2.0 MeV: see Table

Table 16.14: Resonances in  $^{13}\text{C} + ^3\text{He}$  <sup>a</sup>

$E(^3\text{He})$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$
1.55	$\approx 80$	$n_0, n_3$	24.05	
$1.55 \pm 100$	450	$\gamma_0$	24.1	
2.0	$\approx 250$	$n_0$	24.4	
$2.6 \pm 100$		$\alpha\gamma_{15.1}$	24.9	( $T = 1$ )
$2.87 \pm 50$	600	$\gamma_0$	25.12	$1^-$
$\approx 3.1$		$\alpha_0, \alpha_2$	$\approx 25.3$	
$\approx 3.5$	$\approx 300$	$\alpha_0$	$\approx 25.6$	( $3^-$ )
$\approx 4$	$\approx 300$	$\alpha_0, \alpha_1, \alpha_2$	$\approx 26$	( $3^-$ )
$4.0 \pm 100$	<sup>b</sup>	$\gamma_0, \gamma_{1+2}, \alpha\gamma_{15.1}$	26.0	$1^-; (1)$
$4.6 \pm 100$ <sup>c</sup>	$720 \pm 160$	$\gamma_2, p_0$	26.5	$2^+, 4^+$
$5.2 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	27.0	( $T = 1$ )
$5.6 \pm 100$	$\approx 600$	$\gamma_0, \gamma_{1+2}, \alpha\gamma_{15.1}, ^8\text{Be}$	27.3	( $1^-$ )
$\approx 5.8$	$\approx 2500$	$\gamma_{3+4}$	27.5	
$6.0 \pm 100$	$\approx 500$	$p_0, p_{1+2}, ^3\text{He}, \alpha_1, \alpha_2$	27.7	( $3^-; 0$ )
$\approx 6$		$\gamma_0$	28	
$6.5 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	28.1	( $T = 1$ )
$6.8 \pm 100$		$\alpha_0, \alpha_1, \alpha_2$	28.3	( $T = 0$ )
$7.1 \pm 200$		$\gamma_{1+2}$	28.6	
$7.5 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	28.9	( $T = 1$ )
$8.6 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	29.8	( $T = 1$ )
$9.4 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	30.4	( $T = 1$ )
$10.1 \pm 100$	<sup>b</sup>	$\alpha\gamma_{15.1}$	31.0	( $T = 1$ )

<sup>a</sup> For references see Tables 16.15 in (1971AJ02), 16.13 in (1977AJ02) and 16.15 in (1982AJ01).

<sup>b</sup> Lab widths 0.5 – 1 MeV.

<sup>c</sup> Based on  $\Gamma_{\text{c.m.}} = 530 \pm 80$  keV [from  $^{15}\text{N}(p, \gamma)$ , see Table 16.17],  $\Gamma_{p_0} = 150 \pm 45$  keV [ $J^\pi = 2^+$ ],  $110 \pm 35$  keV [ $4^+$ ];  $\Gamma_{p_0}/\Gamma = 0.29 \pm 0.10$  [ $2^+$ ],  $0.21 \pm 0.07$  [ $4^+$ ],  $\Gamma_{\gamma_2} = 740 \pm 240$  eV [ $2^+$ ],  $410 \pm 140$  eV [ $4^+$ ].

16.14. See also (1977AJ02) for polarization measurements. Excitation functions (reaction (c)) for  $E(^3\text{He}) = 3.6$  to  $6.6$  MeV have been measured for  $p_0, p_{1+2}, p_3$ : a resonance is reported at  $E(^3\text{He}) = 4.6$  MeV. A resonance at  $6$  MeV has also been observed: see Table 16.14. A comparison of polarization measured in this reaction and of analyzing power measured in  $^{15}\text{N}(p, ^3\text{He})$  is presented by (1986PO1M). See also (1986SI1K). Analyzing powers have been measured at  $E(^3\text{He}) = 33$  MeV for the elastic scattering (reaction (d)) and the deuteron groups to  $^{14}\text{N}^*(0, 2.31, 3.95, 9.51)$  (1986DR03).

Yields of  $\alpha_0, \alpha_1, \alpha_2$ , and  $\gamma$ -rays from the decay of  $^{12}\text{C}^*(12.71, 15.11)$  (reaction (f)) have been studied up to  $E(^3\text{He}) = 12$  MeV. Observed resonances are displayed in Table 16.14. Those seen in the yield of  $\gamma_{15.1}$  are assumed to correspond to  $^{16}\text{O}$  states which have primarily a  $T = 1$  character. Analyzing power measurements are reported at  $E(^3\text{He}) = 33$  MeV to  $^{12}\text{C}^*(4.4)$  (1981KA1K). Excitation functions for  $\alpha_0$  and  $\alpha_1$  are also reported for  $E(^3\text{He}) = 16$  to  $23$  MeV (1982GU12). The excitation function for  $^8\text{Be}(\text{g.s.})$  (reaction (g)) has been studied for  $E(^3\text{He}) = 2$  to  $6$  MeV. It shows a strong resonance at  $E(^3\text{He}) = 5.6$  MeV corresponding to a state in  $^{16}\text{O}$  at  $E_x = 27.3$  MeV.  $J^\pi$  appears to be  $2^+$  from angular distribution measurements. See also (1982AJ01) and (1985AB1K; search for anomalous deuterons at  $10.8$  GeV/c).

$$14. \ ^{13}\text{C}(\alpha, n)^{16}\text{O} \quad Q_m = 2.2156$$

Angular distributions for the  $n_0$  group have been measured for  $E_\alpha = 12.8$  to  $22.5$  MeV: see (1971AJ02). The energy of the  $\gamma$ -ray from the decay of  $^{16}\text{O}^*(6.13)$  is  $6129.266 \pm 0.054$  keV (1982AL19) [based on the  $^{198}\text{Au}$  standard  $E_\gamma = 411804.4 \pm 1.1$  eV]. See also (1982AJ01), (1982CRZY), (1982SA1M, 1985MA65; applications) and (1981CH1K, 1982IB1A, 1983CO1K, 1983IB1A, 1985AR1A, 1985MA1A, 1986DO1L; astrophys.).

$$15. \ ^{13}\text{C}(^6\text{Li}, t)^{16}\text{O} \quad Q_m = 6.9977$$

See Table 16.15. See also (1982AJ01) and  $^{19}\text{F}$  in (1983AJ01).

$$16. \ ^{13}\text{C}(^9\text{Be}, ^6\text{He})^{16}\text{O} \quad Q_m = 1.617$$

See (1981BR1H; theor.).

$$17. \ ^{13}\text{C}(^{12}\text{C}, ^9\text{Be})^{16}\text{O} \quad Q_m = -3.4856$$

At  $E(^{13}\text{C}) = 105$  MeV,  $^{16}\text{O}^*(6.05, 6.13, 10.35, 16.3, 20.7)$  are strongly populated: see (1982AJ01). See also (1977AJ02) and (1985OS06; theor.).

Table 16.15: States of  $^{16}\text{O}$  from  $^{13}\text{C}(^6\text{Li}, t)^{16}\text{O}$ 

$E_x$ <sup>a</sup> (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV) <sup>c</sup>	Comments <sup>d</sup>
0 <sup>b</sup>		
6.13 <sup>b</sup>		
7.0 <sup>u,b</sup>		
8.87 <sup>b,c</sup>		c.n.
9.84 <sup>b,c</sup>		c.n.
10.36 <sup>b,c</sup>		c.n.
11.10 <sup>u,b,c</sup>		$4^+$ probably dominates; m.s.
11.52 <sup>c</sup>		
12.05 <sup>c</sup>		consistent with $L = 1 \rightarrow 0^+$
12.53 <sup>c</sup>		consistent with $L = 2 \rightarrow 2^-$
12.97 <sup>c</sup>		consistent with $L = 2 \rightarrow 2^-$
13.10 <sup>u,c</sup>		$L = 2$ , but which state is involved?
14.3 <sup>c</sup>		$L = 4 \rightarrow 4^{(-)}$
14.40 <sup>c</sup>		anomalous shape
14.82 <sup>c</sup>		$L = 5$ ; probably $J^\pi = 6^+$
15.79 <sup>c</sup>		consistent with $L = 3 \rightarrow 3^+$
$16.812 \pm 15$ <sup>c</sup>	$28 \pm 7$	consistent with $L = 3 \rightarrow 3^+$
$17.764 \pm 15$ <sup>c,e</sup>	$45 \pm 7$	$L = 4$ or $L = 5$
$18.032 \pm 15$ <sup>u,c,f</sup>	$40 \pm 7$	$L = 3$ ; both states are probably populated
$18.640 \pm 15$ <sup>c</sup>	$22 \pm 7$	$L = 4$ or $5$ ; probably $5^+$
$18.976 \pm 15$ <sup>c</sup>	$25 \pm 7$	probably $4^-$
$19.814 \pm 15$ <sup>c</sup>	$23 \pm 7$	
20.5 <sup>u</sup>		very strongly excited

u = unresolved.

c.n. = formation appears to be by a compound nuclear process.

m.s. = multistep process.

<sup>a</sup>  $E_x$  without uncertainties are from Table 16.10.

<sup>b</sup> Angular distributions have been reported at  $E(^6\text{Li}) = 25$  MeV to the first seven groups shown here (1982AB02) and at 28 MeV (1980CU03): see also (1982AJ01).

<sup>c</sup> Angular distribution at  $E(^6\text{Li}) = 34$  MeV (1983KE06).

<sup>d</sup> For abbreviations see above. When an  $L$  is shown, stripping patterns are evident (1983KE06).

<sup>e</sup> There is some evidence for a state at  $E_x = 17.90$  MeV (1983KE06).

<sup>f</sup> There is some evidence for a state at  $E_x = 18.46$  MeV with  $\Gamma \approx 60$  keV (1983KE06).

18.  $^{13}\text{C}(^{17}\text{O}, ^{14}\text{C})^{16}\text{O}$   $Q_m = 4.0328$

See (1982AJ01) and (1984AB1A; theor.).

19.  $^{14}\text{C}(^3\text{He}, \text{n})^{16}\text{O}$   $Q_m = 14.6169$

At  $E(^3\text{He}) = 11$  to  $16$  MeV, neutron groups are observed to  $T = 2$  states at  $E_x = 22.717 \pm 0.008$  and  $24.522 \pm 0.011$  MeV ( $\Gamma < 30$  keV and  $< 50$  keV, respectively). These two states are presumably the first two  $T = 2$  states in  $^{16}\text{O}$ , the analog states to  $^{16}\text{C}^*(0, 1.75)$ .  $J^\pi$  for  $^{16}\text{O}^*(24.52)$  is found to be  $2^+$  from angular distribution measurements (1970AD01). At  $E(^3\text{He}) = 25.4$  MeV forward angle differential cross sections have been determined to the  $0^+$  states  $^{16}\text{O}^*(0, 6.05, 12.05)$  (1981CE05).

20.  $^{14}\text{N}(\text{d}, \gamma)^{16}\text{O}$   $Q_m = 20.7363$

The  $\gamma_0$  yield has been studied for  $E_d = 0.5$  to  $5.5$  MeV. Observed resonances are displayed in Table 16.16. (1982GOZY, 1983GOZU; prelim.) have measured the radiative capture in the region of the GDR [ $E_{\bar{d}} = 1.5$  to  $4.8$  MeV]. See also (1983KA1J) and (1985CH27, 1986AD1B; theor.).

21.  $^{14}\text{N}(\text{d}, \text{n})^{15}\text{O}$   $Q_m = 5.0724$   $E_b = 20.7363$

For  $E_d = 0.66$  to  $5.62$  MeV, there is a great deal of resonance structure in the excitation curves with the anomalies appearing at different energies at different angles: the more prominent structures in the yield curves are displayed in Table 16.16. For polarization measurements see (1977AJ02) and (1981LI23) in  $^{15}\text{O}$  (1986AJ01).

22.  $^{14}\text{N}(\text{d}, \text{p})^{15}\text{N}$   $Q_m = 8.6087$   $E_b = 20.7363$

The yield of various proton groups for  $E_d < 5.0$  MeV shows some fluctuations and two resonances: see Table 16.16 and (1982AJ01). For polarization measurements see (1982AJ01) and (1981US02). See also (1983DA31; applications) and (1984CH1Q; theor.).

23.  $^{14}\text{N}(\text{d}, \text{d})^{14}\text{N}$   $E_b = 20.7363$

Table 16.16: Structure in  $^{14}\text{N} + \text{d}$  <sup>a</sup>

$E_d$ (MeV)	Resonant channel	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi; T$	$E_x$ (MeV)
1.4	$\text{n}_0, \alpha_0$	300 <sup>e</sup>	$0^+$ <sup>e</sup>	22.0
$1.7 \pm 0.1$	$\gamma_0, \text{p}_0, \text{p}_1, \alpha_0 \rightarrow \alpha_3$	400 <sup>e,f</sup>	$1^-$ <sup>e,f</sup>	22.2
1.85	$\text{n}_0, \alpha_0$	175	$2^+$ <sup>e</sup>	22.35
$2.0 \pm 0.1$	$\text{p}_0, \text{p}_1, \alpha_0, \alpha_3$	350 <sup>e,f</sup>	$3^-$ <sup>e,f</sup>	22.5
$2.272 \pm 0.005$ <sup>b</sup>	$\text{p}_0, \text{p}_{1+2}, (\text{p}_3), \text{p}_4, \text{p}_5, \alpha_0, \alpha_2$	$12 \pm 3$	$0^+; 2$	22.722
$2.40 \pm 0.05$ <sup>c</sup>	$\gamma_0$ <sup>d</sup> , $\text{p}_0, \text{p}_1$	500 <sup>e,f</sup>	$1^-; 1$	22.83
2.5	$\alpha_0$			22.9
2.6	$(\text{n}_0), \alpha_0, \alpha_1$	200 <sup>e</sup>	$4^+$ <sup>e</sup>	23.0
2.8	$(\text{n}_0), \text{p}_0, \text{p}_1, \text{d}_0$	350 <sup>e,f</sup>	$2^+$ <sup>e</sup>	23.2
3.24	$\text{p}_0, \text{p}_{1+2}, \text{p}_4, \text{p}_5, \text{p}_6, \text{d}_0, \alpha_3$			23.57
4.2	$\gamma_0, (\text{p}_0), \text{d}_0, \gamma_{15.1}$			24.4
4.58	$(\text{p}_0), \text{d}_0, \gamma_{15.1}$			24.74
4.9	$\text{n}_0, \text{p}_0$			25.0
5.95	$\text{d}_1, \gamma_{15.1}$			25.9
7.1	$\gamma_{15.1}$			26.9
7.4	$\text{d}_2$			27.2
7.7	$\text{d}_1$			27.5
(8.5)	$(\gamma_{15.1})$			(28.2)
10.2	$\text{d}_2$			29.7

<sup>a</sup> For earlier references see Table 16.14 in (1977AJ02) and 16.16 in (1982AJ01).

<sup>b</sup>  $(\Gamma_{\text{d}_0}\Gamma_i/\Gamma^2) \times 10^{-3}$  are greater than  $1.6 \pm 0.4$ ,  $0.27 \pm 0.13$ ,  $0.41 \pm 0.15$  and  $0.07 \pm 0.05$  for the  $\alpha_2$ ,  $\text{p}_0$ ,  $\text{p}_{1+2}$ , and  $\text{p}_3$  groups.

<sup>c</sup> If this resonance is fitted with a single-level Breit-Wigner shape, penetrability effects could lower the resonance energy by as much as 50 keV, assuming  $l = 1$ .

<sup>d</sup> The angular distribution of  $\gamma_0$  is consistent with E1.

<sup>e</sup> (1983US01).

<sup>f</sup> See also (1981US02).

The yield of elastically scattered deuterons has been studied for  $E_d = 0.65$  to  $5.5$  MeV and for  $14.0$  to  $15.5$  MeV: see (1971AJ02, 1977AJ02). There is indication of broad structure at  $E_d = 5.9$  MeV and of sharp structure at  $E_d = 7.7$  MeV in the total cross section of the  $d_1$  group to the  $T = 1$  (isospin-forbidden),  $J^\pi = 0^+$  state at  $E_x = 2.31$  MeV in  $^{14}\text{N}$ . The yield of deuterons ( $d_2$ ) to  $^{14}\text{N}^*(3.95)$  [ $J^\pi = 1^+$ ,  $T = 0$ ] shows gross structures at  $E_d = 7.4$  and  $10.2$  MeV (1970DU04): see Table 16.16. The yield of  $d_1$  has also been studied for  $E_d = 10.0$  to  $17.9$  MeV: see (1982AJ01). For polarization measurements see (1982AJ01). See also (1986AO1A; theor.).

$$\begin{array}{lll} 24. \text{ (a) } ^{14}\text{N}(d, t)^{13}\text{N} & Q_m = -4.2962 & E_b = 20.7363 \\ \text{ (b) } ^{14}\text{N}(d, ^3\text{He})^{13}\text{C} & Q_m = -2.0571 & \end{array}$$

See (1982AJ01) and (1981NE1B; theor.).

$$25. \ ^{14}\text{N}(d, \alpha)^{12}\text{C} \quad Q_m = 13.5743 \quad E_b = 20.7363$$

There is a great deal of structure in the yields of various  $\alpha$ -particle groups for  $E_d = 0.5$  to  $12$  MeV. Broad oscillations ( $\Gamma \approx 0.5$  MeV) are reported in the  $\alpha_0$  and  $\alpha_1$  yields for  $E_d = 2.0$  to  $5.0$  MeV. In addition,  $^{16}\text{O}^*(23.54)$  is reflected in the  $\alpha_3$  yield: see Table 16.16. The yield of  $15.11$  MeV  $\gamma$ -rays [from the decay of  $^{12}\text{C}^*(15.11)$ ,  $J^\pi = 1^+$ ,  $T = 1$ ] which is isospin-forbidden has been studied for  $E_d = 2.8$  to  $12$  MeV. Pronounced resonances are observed at  $E_d = 4.2$ ,  $4.58$  and  $5.95$  MeV and broader peaks occur at  $E_d = 7.1$  and, possibly, at  $8.5$  MeV: see (1982AJ01).

For polarization measurements see (1983US01) and (1982AJ01). See also (1983DA31; applications).

$$\begin{array}{lll} 26. \text{ (a) } ^{14}\text{N}(^3\text{He}, p)^{16}\text{O} & Q_m = 15.24276 & \\ \text{ (b) } ^{14}\text{N}(^3\text{He}, p\alpha)^{12}\text{C} & Q_m = 8.08081 & \end{array}$$

Observed proton groups are displayed in Table 16.17. Angular distributions have been measured at  $E(^3\text{He}) = 2.5$  to  $24.7$  MeV: see (1982AJ01). Branching ratios and  $\tau_m$  measurements are shown in Tables 16.10 and 16.11.

$$27. \ ^{14}\text{N}(\alpha, d)^{16}\text{O} \quad Q_m = -3.1104$$

Angular distributions to states of  $^{16}\text{O}$  have been reported at many energies to  $E_\alpha = 48$  MeV: see (1971AJ02, 1977AJ02). Among the states which have been reported [see Table 16.7 in (1977AJ02)] are  $^{16}\text{O}^*(11.094 \pm 3, 14.400 \pm 3, 14.815 \pm 2, 17.18 \pm 50)$  [MeV  $\pm$  keV]: the results are consistent with  $J^\pi = 5^+, 6^+, 4^+$  for  $^{16}\text{O}^*(14.40, 14.82, 16.29)$  [2p-2h] and with  $6^+$  for  $^{16}\text{O}^*(16.30)$  [4p-4h].  $\Gamma_{c.m.} = 34 \pm 12, 27 \pm 5$  and  $70 \pm 8$  keV, respectively for  $^{16}\text{O}^*(14.31 \pm 10, 14.40 \pm 10, 14.81)$ .

Table 16.17:  $^{16}\text{O}$  states from  $^{14}\text{N}(^3\text{He}, \text{p})^{16}\text{O}$  <sup>a</sup>

$E_x$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	$L$	$J^\pi$
0		0 + 2	
6.052 $\pm$ 5		(0) <sup>b</sup>	
6.131 $\pm$ 4		1 + 3	
6.916 $\pm$ 3		(0)	
7.115 $\pm$ 3		1 + 3	
8.870 $\pm$ 3	< 20	3 + 1	
9.614 $\pm$ 30	510 $\pm$ 60		
9.847 $\pm$ 3	< 20	0(+2)	
10.356 $\pm$ 3	25 $\pm$ 5	<sup>b</sup>	
10.957 $\pm$ 1	< 12	1	
11.080 $\pm$ 3	< 12	2 + 4 <sup>c</sup>	
11.098 $\pm$ 2	< 12		
11.520 $\pm$ 4	64 $\pm$ 5	<sup>b</sup>	
12.049 $\pm$ 2	< 12	0	
12.438 $\pm$ 3	70 $\pm$ 10	1	
12.530 $\pm$ 2 <sup>d</sup>	< 12	1 + 3	
12.797 $\pm$ 4	40 $\pm$ 10	1	0 <sup>-</sup> ; $T = 1$ <sup>f</sup>
12.970 $\pm$ 1	< 12	1 + 3	2 <sup>-</sup> ; $T = 1$ <sup>f</sup>
13.105 $\pm$ 15	160 $\pm$ 30	0 + 3 <sup>c</sup>	
13.257 $\pm$ 2	20 $\pm$ 5	(1 + 3)	3 <sup>-</sup> ; $T = 1$ <sup>f</sup>
13.663 $\pm$ 4	63 $\pm$ 7	0	
13.869 $\pm$ 2	85 $\pm$ 20	(4) <sup>b</sup>	
13.979 $\pm$ 2 <sup>d</sup>	14 $\pm$ 5	1(+3)	
14.302 $\pm$ 3	< 20	<sup>b</sup>	
14.399 $\pm$ 2 <sup>d</sup>	27 $\pm$ 5	(4)	
14.818 $\pm$ 3		2	(0 $\rightarrow$ 4) <sup>+</sup>
14.927 $\pm$ 2 <sup>d</sup>	60 $\pm$ 10	0(+2)	(0, 1, 2) <sup>+</sup> <sup>g</sup>
15.103 $\pm$ 5			
15.196 $\pm$ 3		(0 + 2)	
15.409 $\pm$ 6		<sup>b</sup>	



Table 16.17:  $^{16}\text{O}$  states from  $^{14}\text{N}(^3\text{He}, \text{p})^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	$L$	$J^\pi$
$15.785 \pm 5$ <sup>d</sup>	$40 \pm 10$	$2(+4)$	$(2, 3, 4)^+$ <sup>g</sup>
$16.114 \pm 4$ <sup>e</sup>			
$16.209 \pm 2$ <sup>d</sup>	$40 \pm 10$	$0 + 2$	
$16.350 \pm 13$			
$16.440 \pm 3$	$\sim 30$	$0 + 2$	
$16.817 \pm 2$	$70 \pm 10$		
<sup>h</sup>			

<sup>a</sup> For references see Table 16.17 in (1982AJ01).

<sup>b</sup> Mostly compound nucleus.

<sup>c</sup> Unresolved.

<sup>d</sup> Also reported in  $\text{p}\gamma_{4.4}$  coincidences.

<sup>e</sup> Very weak proton group. I am indebted to Prof. H.T. Richards for his comments.

<sup>f</sup> (1978FO27) have compared the cross section ratios of these three  $T = 1$  states with their analogs in  $^{16}\text{N}$  populated in the (t, p) reaction: only the  $2^-$  states have the expected cross section ratio of 0.5 for  $(^3\text{He}, \text{p})/(\text{t}, \text{p})$ . The populations of the  $0^-$  and  $3^-$  states in  $^{16}\text{O}$  are lower by a factor of two.

<sup>g</sup> (1978FO19) suggest that these two states [ $^{16}\text{O}^*(14.93, 15.79)$ ] are  $1^+$  and  $3^+$  2p-2h states with  $T_p = T_h = 0$ .

<sup>h</sup> States at 17.82 and 18.04 ( $\pm 0.04$ ) MeV are also reported in  $\text{p}\gamma_{4.4}$  coincidences.

$$28. \quad ^{14}\text{N}(^6\text{Li}, \alpha)^{16}\text{O} \quad Q_m = 19.2611$$

See (1977AJ02).

$$29. \quad \begin{array}{ll} \text{(a)} \quad ^{14}\text{N}(^{11}\text{B}, ^9\text{Be})^{16}\text{O} & Q_m = 4.9208 \\ \text{(b)} \quad ^{14}\text{N}(^{12}\text{C}, ^{10}\text{B})^{16}\text{O} & Q_m = -4.4503 \\ \text{(c)} \quad ^{14}\text{N}(^{13}\text{C}, ^{11}\text{B})^{16}\text{O} & Q_m = 2.0575 \\ \text{(d)} \quad ^{14}\text{N}(^{14}\text{N}, ^{12}\text{C})^{16}\text{O} & Q_m = 10.46390 \end{array}$$

For reactions (a) and (c) see (1982AJ01). For reactions (b) see (1985AR1P). For reaction cross sections (reaction (d)) see (1982DE39). See also (1983KL1A).

Table 16.18: Levels of  $^{16}\text{O}$  from  $^{15}\text{N}(p, \gamma)$ ,  $^{15}\text{N}(p, p)$  and  $^{15}\text{N}(p, \alpha)$ 

No.	$E_p$ (keV)	$\Gamma_{\gamma_0}$ (eV)	$\Gamma_{\gamma_1}$ (eV)	$\Gamma_p$ (keV)	$\Gamma_p \Gamma_{\gamma} / \Gamma$ (eV)	$\Gamma_{\alpha_0}$ (keV)	$\Gamma_{\alpha_1}$ (keV)	$\Gamma_{\text{lab}}$ (keV)	$J^\pi; T$	$E_x$ (MeV $\pm$ keV)
1	$335 \pm 4^a$	$12 \pm 2$	$0.12 \pm 0.04$	$0.9 \pm 0.1$		$102 \pm 4$	0.025	$110 \pm 4$	$1^-; 0$	12.442
2	$429 \pm 1$	$(21 \pm 6) \times 10^{-3}$	$2.1 \pm 0.2$	$0.025 \pm 0.003^b$		nr	$0.072 \pm 0.010^b$	$0.103 \pm 0.011^b$	$2^-; 0$	12.530
3	$710 \pm 7$			40		nr		$40 \pm 4$	$0^-; 1$	12.793
4	$897.37 \pm 0.29$	$(78 \pm 16) \times 10^{-3}$		$0.99 \pm 0.12^b$		nr	$0.60 \pm 0.08^b$	$1.70 \pm 0.15^b$	$2^-; 1$	12.9686
5	$1028 \pm 10$	$32 \pm 5$		100		40	r	$140 \pm 10$	$1^-; 1$	13.091
6	$1050 \pm 150$					$\Gamma_p \Gamma_{\alpha_0} = 500 \text{ keV}^2$			$2^+$	13.1
7	$1210 \pm 3$			4.1		r	$8.2 \pm 1.1$	$22.5 \pm 1$	$3^-; 1$	13.262
8	$1640 \pm 3$	$< 1^c$		10		nr	$59 \pm 6$	$68 \pm 3$	$1^+; 0$	13.664
9	$1890 \pm 20$			0.5		r	(r)	$90 \pm 2$		13.90
10	$1979 \pm 3$			r		nr	r	$23 \pm 2$	$2^-$	13.982
11	$2982 \pm 6^d$			$20 \pm 3^e$		1.5	$30^f$	$55 \pm 5^d$	$2^+$	$14.921^k$
12	3170 <sup>g</sup>			12 <sup>h</sup>		152	163	$330 \pm 100$	$0^+$	$15.10^k$
13	$3264 \pm 11^d$			i		nr	$7^j$	$67 \pm 4^d$	$2^-$	$15.186^k$
14	3340 <sup>g, l</sup>			15 <sup>h</sup>		12	182	$315 \pm 100$	$2^+; (0)$	$15.26^k$
15	$3499 \pm 8^{d, l}$			$15 \pm 5^e$		103	1	$131 \pm 18^d$	$3^-$	$15.406^k$
16	$4350 \pm 90^e$			$210 \pm 38^e$				$620 \pm 60^e$	$1^-; 0$	16.20
17	$4357 \pm 5^d$	$3.7 \pm 0.5^m$	$0.44 \pm 0.06^m$	$7 \pm 3^e$	$2.70 \pm 0.25^c$			$20 \pm 3^d$	$1^+; 1$	16.210
18	$4505 \pm 12^e$			$53 \pm 12^e$				$65 \pm 8^e$	$0^+; 0$	16.349
19	$4612 \pm 9^c$			r	$1.11 \pm 0.24^n$	r	r	$26 \pm 8^c$	$1 - 4; 1^c$	16.449
20	$5001 \pm 5^{d, l}$			$7 \pm 2^e$	o	nr	r	$28 \pm 4^d$	$3^+; 0 + 1^c$	16.813
21	$5300 \pm 40^e$	r		p				$405 \pm 43^d$	$1^-; 1$	17.09
22	$5329 \pm 5^d$	$6.7 \pm 1.0$	$1.00 \pm 0.17^m$	22 <sup>c</sup>	$3.90 \pm 0.50^c$			$33 \pm 4^d$	$1^+; 1$	17.120
23	$5487 \pm 9^d$	67		45	q			$80 \pm 8^d$	$1^-; 1$	17.268
24	$5848 \pm 8^e$			$37 \pm 8^e$				$117 \pm 15^e$	$2^+; (1)$	17.607
25	$6100 \pm 100^e$			$500 \pm 100^e$				$875 \pm 110^e$	$2^-$	17.84
26	$6137 \pm 6^d$			6 <sup>c</sup>	(r)		r	$26 \pm 3^d$	$1^-, 2^-; 1$	17.877
27	$6297 \pm 6^d$	nr	$4.8 \pm 1.9^s$	$13 \pm 3^{e, t}$			$8.9 \pm 3.2^c$	$28 \pm 6$	$3^-; 1^x$	18.027
28	$6490 \pm 15^e$			$33 \pm 12^e$				$150 \pm 26$	$2^+$	18.208
29	$6727 \pm 15^e$			$11 \pm 6$				$97 \pm 41$	$2^+$	18.430
30	$6785 \pm 6^e$			$17 \pm 3$				$37 \pm 6$	$1^-$	18.484
31	$7100 \pm 100^c$	$\geq 3.6^m$		u					$1^+; 1$	18.78
32	$7313 \pm 9^c$		$7.1 \pm 3.1^v$	w	w		$0.57 \pm 0.49^c$	$8.7 \pm 4.1^c$	$4^-; 1^x$	18.979
33	$7330 \pm 30$	38		$\leq 130$	$\geq 1.8 \pm 0.3$			$\approx 260$	$1^+$	18.99
34	7420	r		$\approx 30$				$\approx 130$	$2^+; (1)$	19.08
35	$7600 \pm 30^y$	nr	$1.5^z$					100	$(2, 3; 1)$	19.25
36	$7840 \pm 30^y$			(r)				350	$1^-; 1$	19.47

Table 16.18: Levels of  $^{16}\text{O}$  from  $^{15}\text{N}(p, \gamma)$ ,  $^{15}\text{N}(p, p)$  and  $^{15}\text{N}(p, \alpha)$  (continued)

No.	$E_p$ (keV)	$\Gamma_{\gamma_0}$ (eV)	$\Gamma_{\gamma_1}$ (eV)	$\Gamma_p$ (keV)	$\Gamma_p \Gamma_\gamma / \Gamma$ (eV)	$\Gamma_{\alpha_0}$ (keV)	$\Gamma_{\alpha_1}$ (keV)	$\Gamma_{\text{lab}}$ (keV)	$J^\pi; T$	$E_x$ (MeV $\pm$ keV)
37	$8289 \pm 7^c$	nr	$17 \pm 6^{aa}$	$25 \pm 10^{bb}$	$^{cc}$		r	$45 \pm 10$	$3; 1^c$	19.893
38	$8843 \pm 17^c$	nr	$38^{dd}$	dd	dd			$200 \pm 20$	$1 - 4; 1$	20.412
39	8990			ee				160		20.55
40	$9410^g$	170		ee	$21 \pm 1$			$320 \pm 10$	$1^-; 1$	$20.945 \pm 20$
41	$10000^g$			gg				130	$1 \rightarrow 4$	21.50
42	$10180^g$			hh		r		$< 45$	$T = 0$	21.66
43	$10700^{g,ff}$	r		gg	$488 \pm 20$			$730 \pm 10$	$1^-; 1$	$22.150 \pm 10$
44	$11490^g$	120	$27^z$	gg	$69 \pm 5$			$320 \pm 10$	$1^-; 1$	$22.89 \pm 10$
45	$12740^g$	r			$130 \pm 13$			$590 \pm 40$	$1^-; 1$	$24.07 \pm 30$
46	$13490 \pm 60$		$230 \pm 90$ , or $130 \pm 50^{ii}$	$85^{bb}$				$360 \pm 60$	$(2, 4)^+; 1$	24.76
47	$13870^g$	r			$651 \pm 117$		jj	$3150 \pm 320$	$1^-; 1$	$25.12 \pm 60$
48	$15250 \pm 80$		$740 \pm 240$ , or $410 \pm 140^{ii}$	$122^{bb}$			jj	$565 \pm 85^{kk}$	$(2, 4)^+; 1$	26.41
49	$16250 \pm 100$		$1070 \pm 380$ , or $590 \pm 10^{ii}$	$206^{bb}$			jj	$880 \pm 125$	$(2, 4)^+; 1$	27.35

nr = non-resonant

r = resonant

For earlier references see Tables 16.21 in (1971AJ02), 16.19 in (1977AJ02) and 16.18 in (1982AJ01).

<sup>a</sup> (1982RE06).

<sup>b</sup> (1983LE25).

<sup>c</sup> See (1983SN03).

<sup>d</sup> Weighted mean of values obtained by (1983SN03, 1984DA18) and in earlier work [see (1982AJ01)].

<sup>e</sup> (1984DA18). See also for calculated  $\Gamma_n$ .

<sup>f</sup>  $\Gamma_p \Gamma_{\alpha_1} / \Gamma = 16.4$  keV (1983SN03).

<sup>g</sup> Nominal  $E_p$  calculated from  $E_x$ .

<sup>h</sup> Not observed in  $p_0$  channel.

<sup>i</sup>  $35 \pm 3$  keV ( $s = 1$ ),  $15 \pm 2$  keV ( $s = 0$ );  $\Gamma_p / \Gamma = 0.78$  (1984DA18).

<sup>j</sup>  $\Gamma_p \Gamma_{\alpha_1} / \Gamma = 10.9$  keV (1983SN03).

<sup>k</sup> See also footnote <sup>c</sup> in Table 16.18 (1982AJ01).

<sup>l</sup> Broad structures have also been observed at  $E_p \approx 3.5$  MeV in  $(\alpha_1 \gamma)$  and at 5.7 MeV in  $(\alpha_1 \gamma)$  and  $(\gamma_{1+2})$  (1983SN03).

<sup>m</sup>  $\Gamma_\gamma$  uncertainties neglect the error in  $\Gamma_p / \Gamma$  (1983SN03).

<sup>n</sup>  $\Gamma_p \Gamma_{\gamma_2} / \Gamma$ ; also  $\Gamma_{\gamma_2} \approx 11$  eV (1983SN03).

<sup>o</sup>  $\Gamma_p \Gamma_{\gamma_2} / \Gamma = 0.48 \pm 0.09$  eV,  $\Gamma_p \Gamma_{\gamma_{3+4}} / \Gamma = 0.62 \pm 0.13$  eV,  $\Gamma_p \Gamma_{\alpha_1} / \Gamma = 6.8$  eV;  $\Gamma_{\gamma_2} = 1.0$  eV,  $\Gamma_{\gamma_3} = 1.2$  eV,  $\Gamma_p / \Gamma = 0.5$  [see, however, values shown for  $\Gamma_p$  and  $\Gamma$ ] (1983SN03).

<sup>p</sup>  $\Gamma_p = 24 \pm 6$  ( $l = 0$ ),  $246 \pm 24$  keV ( $l = 2$ ) (1984DA18).

<sup>q</sup>  $\Gamma_{\gamma_3} = 8$  eV,  $\Gamma_p \Gamma_{\gamma_3} / \Gamma = 3.27 \pm 0.41$  eV (1983SN03).

<sup>r</sup>  $\Gamma_{\gamma_4} = 2$  eV,  $\Gamma_p \Gamma_{\gamma_4} / \Gamma = 0.69 \pm 0.10$  eV,  $\Gamma_p \Gamma_{\alpha_1} / \Gamma = 1.48$  keV (1983SN03).

<sup>s</sup>  $\Gamma_{\gamma_2}$ ;  $\Gamma_{\gamma_3} = 0.76 \pm 0.39$  eV: see (1983SN03).

<sup>t</sup>  $\Gamma_{p_0} = 7.8 \pm 2.8$  keV,  $\Gamma_{p_{1+2}} = 2.7 \pm 1.2$  keV;  $\Gamma_p \Gamma_{\gamma_2} / \Gamma = 1.96 \pm 0.27$  eV,  $\Gamma_p \Gamma_{\gamma_{3+4}} / \Gamma = 0.31 \pm 0.11$  eV,  $\Gamma_p \Gamma_{p_{1+2}} / \Gamma = 1.11 \pm 0.26$  keV,  $\Gamma_p \Gamma_{\alpha_1} / \Gamma = 4.25 \pm 1.00$  keV: see (1983SN03).

<sup>u</sup>  $\Gamma_p / \Gamma \leq 0.5$ ,  $\Gamma_p \Gamma_{\gamma_0} / \Gamma \geq 1.8 \pm 0.3$  eV (1983SN03).

<sup>v</sup>  $\Gamma_{\gamma_2}$ ;  $\Gamma_{\gamma_3} < 0.3$  eV: see (1983SN03).

<sup>w</sup>  $\Gamma_{p_0} = 0.98 \pm 0.19$  keV,  $\Gamma_{p_{1+2}} = 5.2 \pm 2.3$  keV;  $\Gamma_p \Gamma_{\gamma_2} / \Gamma = 0.85 \pm 0.01$  eV,  $\Gamma_p \Gamma_{\gamma_{3+4}} / \Gamma < 0.03$  eV,  $\Gamma_p \Gamma_{p_{1+2}} / \Gamma = 0.62 \pm 0.09$ ,  $\Gamma_p \Gamma_{\alpha_0} / \Gamma < 0.09$  keV: see (1983SN03).

<sup>x</sup> See also Table IV in (1983SN03).

<sup>y</sup> See also (1983SN03).

<sup>z</sup>  $\gamma_1 + \gamma_2$ .

<sup>aa</sup>  $\Gamma_{\gamma_2}$  (1977CH19). See also (1983SN03).

<sup>bb</sup>  $\Gamma_{p_0}$  based on  $\Gamma_{c.m.}$  and values of  $\Gamma_{p_0} / \Gamma$  assumed by (1977CH19).

<sup>cc</sup>  $\Gamma_p \Gamma_{\gamma_2} / \Gamma = 3.9 \pm 0.56$  eV,  $\Gamma_p \Gamma_{p_{1+2}} / \Gamma = 4.48$  keV,  $\Gamma_p \Gamma_{p_3} / \Gamma = 0.52$  keV,  $\Gamma_p \Gamma_{\alpha_1} / \Gamma = 1.07$  keV (1983SN03).

<sup>dd</sup>  $\Gamma_{\gamma_2} = 38$  eV;  $\Gamma_p \Gamma_{\gamma_2} / \Gamma = 18.8 \pm 3.9$  eV,  $\Gamma_p \Gamma_{p_{1+2}} / \Gamma = 15.8$  keV,  $\Gamma_p \Gamma_{p_3} / \Gamma = 5.8$  keV,  $\Gamma_p \Gamma_{n_0} / \Gamma = 22$  keV; the state is probably  $4^+$ ;  $T = 1$ : see (1983SN03).

<sup>ee</sup> Resonant in  $p_2$ .

<sup>ff</sup>  $\sigma = 12.9$  mb at peak of GDR (1978OC01).

<sup>gg</sup> Resonant in  $p_1$ .

<sup>hh</sup> Resonant in  $p_0, p_1, p_6$ .

<sup>ii</sup>  $\Gamma_{\gamma_2}$  (eV).

<sup>jj</sup> Apparent resonance in yield of  $(\alpha \gamma_{15.1})$  (1978OC01).

<sup>kk</sup> Average of values obtained in this experiment and in  $^{12}\text{C}(\alpha, \gamma_2)$ .

30.  $^{15}\text{N}(p, \gamma)^{16}\text{O}$

$$Q_m = 12.12776$$

The yield of  $\gamma$ -rays has been measured for  $E_p = 0.15$  to 27.4 MeV [see (1982AJ01)] and for  $E_p = 2.5$  to 9.5 MeV (1983SN03;  $\gamma_0, \gamma_{1+2}, \gamma_{3+4}$ ; also with polarized protons): observed resonances are displayed in Table 16.18. The  $\gamma_0$  cross section shows a great deal of structure up to  $E_p = 17$  MeV. Above that energy the  $\gamma_0$  yield decreases monotonically. Besides the GDR which peaks at  $^{16}\text{O}^*(22.15)$  there is evidence for the emergence of a giant structure (E2) with  $E_x = 24 - 29$  MeV in the  $\gamma_{1+2+3+4}$  yield (1978OC01). A study at  $E_p = 6.25$  to 13.75 MeV (angular distributions and asymmetry measurements) shows an E2 strength of  $4 \pm 1.5\%$  of the isoscalar EWSR in excess of that due to direct capture alone. This excess lies entirely above  $E_x = 23$  MeV (1983MAZH; prelim.) Differential cross sections for  $\gamma_0$  and several other (unresolved)  $\gamma$ -rays at  $E_p \approx 28$  to 48 MeV generally show a broad bump at  $E_x \approx 34$  [ $\pm 2$  MeV (estimate by reviewer)]: the angular distributions show a dominant E1 character (1983AN12, 1983AN16). See also (1986BRZZ; prelim.).

A study of the M1 decays of  $^{16}\text{O}^*(16.21, 17.14)$  [both  $J^\pi; T = 1^+; 1$ ] to  $^{16}\text{O}^*(6.05)$  finds  $B(\text{M1}, 1^+ \rightarrow 0_2^+)/B(\text{M1}, 1^+ \rightarrow 0_1^+) = 0.48 \pm 0.03$  and  $0.55 \pm 0.04$ , respectively.  $^{16}\text{O}^*(18.03)$  is due to a  $3^-; 1$  state with a strength  $\Gamma_p \Gamma_{\gamma_2} / \Gamma = 1.96 \pm 0.27$  eV and  $^{16}\text{O}^*(18.98)$  is due to the  $4^-; 1$  stretched particle-hole state with a strength of  $(0.85 \pm 0.10)$  eV (1983SN03). See also (1983SN03) for the identification of analog states in  $^{16}\text{N}$  and in  $^{16}\text{O}$ , and for a discussion of Gamow-Teller matrix elements in  $A = 14 - 18$  nuclei.

For astrophysical considerations see (1982AJ01) and (1981BA2F, 1982BA80, 1982RO1A). See also Table 16.11 here, (1983RA1G, 1984JEZY), (1981GA1M, 1983GOZU, 1985BL1B, 1986WE1D) and (1984CA18, 1984CA19, 1984SE16, 1985CH27, 1986AD1B; theor.).

31.  $^{15}\text{N}(p, n)^{15}\text{O}$

$$Q_m = -3.5363$$

$$E_b = 12.12776$$

Excitation functions and cross sections have been measured for  $E_p = 3.8$  to 19.0 MeV: see (1982AJ01). For a listing of observed resonances see Table 16.19. (1983BY03) have measured the polarization and analyzing power for the  $n_0$  group for  $E_p = 4.5$  to 11.3 MeV and have deduced integrated cross sections. See also (1982BY1A) and (1981NE1B; theor.).

32. (a)  $^{15}\text{N}(p, p)^{15}\text{N}$

$$E_b = 12.12776$$

(b)  $^{15}\text{N}(p, \alpha)^{12}\text{C}$

$$Q_m = 4.9656$$

(c)  $^{15}\text{N}(p, ^3\text{He})^{13}\text{C}$

$$Q_m = -10.6658$$

Elastic scattering studies have been reported for  $E_p = 0.6$  to 15 MeV [see (1982AJ01)] and  $E_p = 2.7$  to 7.0 MeV (1984DA18). In the range  $E_p = 2.5$  to 9.5 MeV (1983SN03; also incident polarized protons) have studied angular distributions and excitation functions for the  $(p_{1+2}\gamma)$  and

Table 16.19: Resonances in  $^{15}\text{N}(p, n)^{15}\text{O}$  <sup>a</sup>

$E_p$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi; T$ <sup>b</sup>	$E_x$ (MeV)
4.37 $\pm$ 15	19 $\pm$ 6	1 <sup>(+)</sup> ; 1	16.22
4.45 $\pm$ 30	240 $\pm$ 30	0 <sup>(-)</sup>	16.30
5.35 $\pm$ 15	33 $\pm$ 5	1 <sup>(-)</sup> ; 1	17.14
5.52 $\pm$ 15	90 $\pm$ 10	1 <sup>-</sup> ; 1	17.30
5.88 $\pm$ 15	59 $\pm$ 10	$\geq$ 1; 1	17.64
6.12 $\pm$ 15	101 $\pm$ 10	$\geq$ 1; 1	17.86
6.23 $\pm$ 15 <sup>c</sup>	$\leq$ 50	$T = 1$	17.96
6.33 $\pm$ 15	26 $\pm$ 5	$\geq$ 1; 1	18.06
6.43 $\pm$ 30	$\approx$ 300		18.15
6.76 $\pm$ 25	$\approx$ 160		18.46
7.03 $\pm$ 30	260 $\pm$ 30		18.71
7.59 $\pm$ 25	90 $\pm$ 10	2 <sup>-</sup> ; 1	19.24
7.86 $\pm$ 30	300 $\pm$ 80		19.49
8.30 $\pm$ 25	120 $\pm$ 40		19.90
8.88 $\pm$ 40 <sup>d</sup>	200 $\pm$ 50	2	20.45
9.08 $\pm$ 40	130 $\pm$ 50		20.63
9.42 $\pm$ 100	235 $\pm$ 45		20.95
10.73 $\pm$ 100	800 $\pm$ 95	1	22.18
11.01 $\pm$ 100	300 $\pm$ 100		22.44
11.92 $\pm$ 100	520 $\pm$ 200		23.29
13.03 $\pm$ 100	520 $\pm$ 100		24.33
13.63 $\pm$ 100	$\approx$ 280	2, 4	24.89
15.12 $\pm$ 100	610 $\pm$ 140	2, 4	26.29
18.4 $\pm$ 200	470 $\pm$ 150		29.4

<sup>a</sup> For references see Table 16.19 in (1982AJ01).

<sup>b</sup> Assignments are from (p, n) and (p,  $\gamma$ ) results. The  $T$ -assignments are made on the basis of energy and width comparisons with states of  $^{16}\text{N}$ .

<sup>c</sup> Probably a doublet.

<sup>d</sup> Values of  $(2J + 1)\Gamma_{p_0}\Gamma_{n_0}/\Gamma^2$  are derived for this resonance and the ones below: see (1978CH09).

( $p_3\gamma$ ) transitions. Excitation functions for  $\alpha_0$  and  $\alpha_1$  particles [corresponding to  $^{12}\text{C}^*(0, 4.43)$ ] and of 4.43 MeV  $\gamma$ -rays have been measured for  $E_p = 93$  keV to 45 MeV [see (1982AJ01)] and at  $E_p = 77.6$  to 810 keV (1982RE06;  $\alpha_0$ ) and 2.5 to 9.5 MeV (1983SN03; also incident polarized protons;  $\alpha_1\gamma$ ). The yield of 15.1 MeV  $\gamma$ -rays has been measured for  $E_p = 12.5$  to 17.7 MeV (1978OC01). Observed anomalies and resonances are displayed in Table 16.18.

A phase shift analysis of angular distributions of cross section and analyzing power for elastic scattering has yielded information on many  $^{16}\text{O}$  states in the range  $E_x = 14.8$  to 18.6 MeV. In particular a broad  $J^\pi = 2^-, T = 1$  state at 17.8 MeV appears to be the analog of the  $1p_{1h} (d_{3/2}, p_{1/2}^{-1})$   $^{16}\text{N}$  state at  $E_x \approx 5.0$  MeV. The isospin mixing of the  $2^-$  states  $^{16}\text{O}^*(12.53, 12.97)$  has been studied by (1983LE25): the charge dependent matrix element responsible for the mixing is deduced to be  $181 \pm 10$  keV.

The  $\alpha_0$  yield and angular distribution study by (1982RE06) leads to a zero-energy intercept of the astrophysical  $S(E)$  factor,  $S(0) = 65 \pm 4$  MeV  $\cdot$  b. See (1982AJ01) for the earlier work and (1983MA83), (1981BA2F, 1982BA80; astrophysics), (1982MA1R, 1983AM1D, 1983DA1L, 1983FR1M, 1986AM1B, 1986FR1L, 1986SA41; applied) and (1983KL1B, 1985KL04; theor.). For reaction (c) see (1986PO1M).

Table 16.20: States in  $^{16}\text{O}$  from  $^{15}\text{N}(d, n)$ ,  $^{15}\text{N}(^3\text{He}, d)$ ,  $^{17}\text{O}(d, t)$  and  $^{17}\text{O}(^3\text{He}, \alpha)$

$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	$l^a$	$l^b$	$S^c$	$l^e$	$C^2S^e$	$l^f$	$S^f$
0	$0^+; 0$	1	1	3.1	2	0.74	2	0.88
6.05	$0^+; 0$		1	<sup>d</sup>			2	0.009
6.13	$3^-; 0$	2	2		1	0.46	$1^j$	0.37
6.92	$2^+; 0$	not direct	$1 + 3$	<sup>d</sup>	obs.		$(2 + 0)$	0.022
7.12	$1^-; 0$	0	$0 + 2$		1	0.04	$(3 + 1)$	0.007
8.87	$2^-; 0$	2	2	0.72	1	0.33	$1^j$	0.26
9.59	$1^-; 0$		0	<sup>d</sup>				
9.84	$2^+; 0$	1	not direct	<sup>d</sup>			2	0.025
10.36	$4^+; 0$		3	<sup>d</sup>			2	0.025
10.96	$0^-; 0$	0	0	0.76			$(3 + 1)$	0.008
11.08	$3^+; 0$	3	3	0.18			2	0.044 or 0.086
11.26	$0^+; 0$		broad					
12.44	$1^-; 0$	0	0	0.40				
12.53	$2^-; 0$	2	2	0.72	1	0.07		
12.80	$0^-; 1$	0	0	0.44				
12.97	$2^-; 1$	2	2	0.40	1	0.69	$1^j$	0.38
13.09	$1^-; 1$	(0)		0.58			1	0.10
			$2(+0)$					
13.13 <sup>g</sup>	$3^-; 0$	(2)		0.32				
13.26	$3^-; 1$	2	2	0.46	1	0.70	$1^j$	0.34
$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	$l^a$	$l^b$	$S^c$	$l^e$	$C^2S^e$	$l^f$	$S^f$   $\Gamma$ (keV)

Table 16.20: States in  $^{16}\text{O}$  from  $^{15}\text{N}(\text{d}, \text{n})$ ,  $^{15}\text{N}(\text{}^3\text{He}, \text{d})$ ,  $^{17}\text{O}(\text{d}, \text{t})$  and  $^{17}\text{O}(\text{}^3\text{He}, \alpha)$  (continued)

$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	$l^a$	$l^b$	$S^c$	$l^e$	$C^2S^e$	$l^f$	$S^f$	
15.20	$2^-; 0^e$				1	0.12	j		
15.41	$3^-; 0^e$				1	0.37	j		
17.14			obs.						
17.20	$2^+$		obs.						
$17.788 \pm 16^i$	$4^-; 0$					0.17	j		< 50
$18.033 \pm 10^i$	$3^+; 1^h$				(1)	0.12			
$^{16}\text{O}^*$ (MeV $\pm$ keV)	$J^\pi; T$	$l^e$	$C^2S^e$	$l^f$	$\Gamma$ (keV)				
18.48	$T = 1$	(1)	0.25	j	$68 \pm 10$ $36 \pm 5$				
$18.975 \pm 10^i$	$4^-; 1$	1	0.73	j					
$19.206 \pm 12^i$	$3^-; 1^h$	1	0.50	j					
$19.802 \pm 16^i$	$4^-; 0$	1	0.52	j					
20.41	$(2, 4)^-; 1$	1	0.21	j					

<sup>a</sup>  $^{15}\text{N}(\text{d}, \text{n})$ ;  $E_d = 4.8$  to  $6$  MeV; see (1977AJ02) for references.

<sup>b</sup>  $^{15}\text{N}(\text{}^3\text{He}, \text{d})$ ;  $E(\text{}^3\text{He}) = 11, 16.0$  and  $24.0$  MeV; see (1977AJ02).

<sup>c</sup> “Best” values from (d, n) and ( $^3\text{He}, \text{d}$ ) data. See Table 16.22 in (1977AJ02) for a more complete display.

<sup>d</sup> Very small value of  $S$ : see (1977AJ02).

<sup>e</sup>  $^{17}\text{O}(\text{d}, \text{t})$ ;  $E_d = 52$  MeV.

<sup>f</sup>  $^{17}\text{O}(\text{}^3\text{He}, \alpha)$ ;  $E(\text{}^3\text{He}) = 11$  MeV.

<sup>g</sup>  $\Gamma = 128$  keV.

<sup>h</sup> I am indebted to Prof. H.T. Richards for an illuminating discussion of the evidence for the parameters of this state.

<sup>i</sup>  $^{17}\text{O}(\text{}^3\text{He}, \alpha)$ .

<sup>j</sup> (1982KA12);  $E(\text{}^3\text{He}) = 33$  MeV.

$$33. \text{}^{15}\text{N}(\text{d}, \text{n})\text{}^{16}\text{O} \quad Q_m = 9.9030$$

Observed neutron groups,  $l$ -values and spectroscopic factors are displayed in Table 16.20. See also (1984HE20).

$$34. \text{}^{15}\text{N}(\text{}^3\text{He}, \text{d})\text{}^{16}\text{O} \quad Q_m = 6.6340$$

See Table 16.20.

$$35. \text{}^{16}\text{N}(\beta^-)\text{}^{16}\text{O} \quad Q_m = 10.419$$



Table 16.21: Beta decay of the ground state of  $^{16}\text{N}$  <sup>a</sup>

Final state		Branch (%)	$\log ft$
$^{16}\text{O}^*$ (MeV)	$J^\pi$		
0	$0^+$	$27.9 \pm 0.5$ <sup>a</sup>	$9.069 \pm 0.005$ <sup>e</sup>
		$28.1 \pm 0.64$ <sup>b</sup>	
6.05	$0^+$	$(1.2 \pm 0.4) \times 10^{-2}$	$9.96 \pm 0.15$ <sup>e</sup>
6.13	$3^-$	$66.2 \pm 0.6$ <sup>c</sup>	$4.48 \pm 0.04$
7.12	$1^-$	$4.8 \pm 0.4$	$5.11 \pm 0.04$
8.87	$2^-$	$1.06 \pm 0.07$ <sup>d</sup>	$4.41 \pm 0.03$ <sup>d</sup>
9.59	$1^-$	$(1.20 \pm 0.05) \times 10^{-3}$	$6.12 \pm 0.05$
9.84	$2^+$	$(6.5 \pm 2.0) \times 10^{-7}$	$9.07 \pm 0.13$ <sup>e</sup>

<sup>a</sup> (1984WA07).

<sup>b</sup> (1985HE08). “Best” value is  $(28.0 \pm 0.4)\%$ .

<sup>c</sup> Recalculated so that the sum of the branches = 100%.

<sup>d</sup> E.K. Warburton, private communication.

<sup>e</sup>  $\log f_1 t$ .

The ground state of  $^{16}\text{N}$  decays to seven states of  $^{16}\text{O}$ : reported branching ratios are listed in Table 16.21. The ground state transition has the unique first-forbidden shape corresponding to  $\Delta J = 2$ , yes, fixing  $J^\pi$  of  $^{16}\text{N}$  as  $2^-$ : see (1959AJ76). For the  $\beta$ -decay of  $^{16}\text{N}^*(0.12)$  see reaction 1 in  $^{16}\text{N}$ . For an analysis of shape of the  $^{16}\text{N}$  beta spectrum see (1984WA07).

The  $\alpha$ -decay of  $^{16}\text{O}^*(8.87, 9.59, 9.84)$  has been observed: see (1971AJ02). The parity-forbidden  $\alpha$ -decay from the  $2^-$  state  $^{16}\text{O}^*(8.87)$  has been reported:  $\Gamma_\alpha = (1.03 \pm 0.28) \times 10^{-10}$  eV [ $E_\alpha = 1282 \pm 5$  keV]: see (1977AJ02).

Transition energies derived from  $\gamma$ -ray measurements are:  $E_x = 6130.40 \pm 0.04$  keV [ $E_\gamma = 6129.142 \pm 0.032$  keV (1982SH23)] and  $7116.85 \pm 0.14$  keV [ $E_\gamma = 7115.15 \pm 0.14$  keV]: see (1977AJ02). See also p. 16 in (1982OL01).

36. (a)  $^{16}\text{O}(\gamma, n)^{15}\text{O}$   $Q_m = -15.6639$   
 (b)  $^{16}\text{O}(\gamma, 2n)^{14}\text{O}$   $Q_m = -28.8863$   
 (c)  $^{16}\text{O}(\gamma, pn)^{14}\text{N}$   $Q_m = -22.9609$   
 (d)  $^{16}\text{O}(\gamma, 2d)^{12}\text{C}$   $Q_m = -31.0087$

The absorption cross section and the  $(\gamma, n)$  cross section are marked by a number of resonances. On the basis of monoenergetic photon data, excited states of  $^{16}\text{O}$  are observed at  $E_x = 17.3[\text{u}]$ ,

19.3[u] and 21.0 MeV [u = unresolved], followed by the giant resonance whose principal structures are at 22.1 and 24.1 MeV, with additional structures at 23 and 25 MeV: see (1977AJ02, 1983BE01). The integrated nuclear absorption cross section for  $E_\gamma = 10$  to 30 MeV is  $182 \pm 16$  MeV · mb (1983SH35). See also reaction 38. The  $(\gamma, 1n)$  cross section has been measured for  $E_\gamma = 17$  to 33 MeV: in that energy interval the  $(\gamma, 2n)$  cross section is negligible. The cross section for formation of the GDR at 22.1 MeV is  $10.0 \pm 0.4$  mb and the integrated cross section to 30 MeV is  $54.8 \pm 5$  MeV · mb. There is apparently significant single particle hole excitation of  $^{16}\text{O}$  near 28 MeV and significant collectivity of the GDR. A sharp rise is observed in the average  $E_n$  above 26 MeV (1983BE01). See also (1982BE28). The cross section for  $(\gamma, n_0)$  decreases monotonically for  $E_x = 25.5$  to 43.8 MeV. In the range 30 – 35 MeV the E2 cross section exhausts about 4% of the isovector E2 EWSR (1984KU21). Over the range 25.5 to 43.8 MeV it exhausts  $\approx 68\%$  of the isovector E2 EWSR (1979PH07).

The absorption cross section has been measured from  $E_{\text{bs}} = 10$  MeV to above the meson threshold: see (1982AJ01). The  $(\gamma, 1n)$ ,  $(\gamma, 2n)$  and  $(\gamma, Tn)$  cross sections have been studied with monoenergetic photons for  $E_\gamma = 24$  to 133 MeV. Above 60 MeV, the main reaction mechanisms appear to be absorption of the photons by a correlated n-p pair in the nucleus: the integrated cross section from threshold to 140 MeV is  $161 \pm 16$  MeV · mb (1982CA05). For differential cross sections involving the  $n_0$  and  $n_3$  groups see (1982GO09, 1982SC02) in  $^{15}\text{O}$  (1986AJ01). For reaction (b) and pion production see (1982COZV). For the hadron production cross section over the range 0.25 to 2.7 GeV see (1983AR24).

See also (1982AJ01) and (1982RO1J), (1982VI07; applied), (1981SP1D, 1982DE1H, 1982JU03, 1982LO1B, BL83, 1983BL12, 1985AH06, 1985FU1C, 1985HO27, 1985NA1D, 1985PY01, 1985SH1P) and (1981DE18, 1981GA1M, 1981OS1A, 1981WE1G, 1982CA01, 1982ME08, 1983BE1U, 1983BE45, 1983BO1G, 1983BO1B, 1983CA22, 1983HE18, 1983KA28, 1984CA18, 1984CA19, 1984CH1R, 1984GL11, 1984KO33, 1984MO13, 1984RO05, 1985CO01, 1985EM02, 1985GI1G; theor.).

37. (a) $^{16}\text{O}(\gamma, p)^{15}\text{N}$	$Q_m = -12.12776$
(b) $^{16}\text{O}(\gamma, d)^{14}\text{N}$	$Q_m = -20.7363$
(c) $^{16}\text{O}(\gamma, \alpha)^{12}\text{C}$	$Q_m = -7.16195$
(d) $^{16}\text{O}(\gamma, \pi^+)^{16}\text{N}$	$Q_m = -149.986$
(e) $^{16}\text{O}(\gamma, \pi^-)^{16}\text{F}$	$Q_m = -154.984$

The  $(\gamma, p_0)$  cross section derived from the inverse capture reaction (reaction 30) confirms the giant resonance structure indicated above in reaction 36, as do also the direct  $(\gamma, p_0)$  measurements. For the earlier work see (1982AJ01). (1981WI09) have used linearly polarized bremsstrahlung photons with  $E_{\text{bs}} = 22$  and 30 MeV. This work confirms  $1^+$  for  $^{16}\text{O}^*(16.2)$ , a broad E1 state nearby, and  $1^-$  for  $^{16}\text{O}^*(17.3)$  [not resolved from  $^{16}\text{O}^*(17.1)$ ] (1981WI09). These results are in agreement with the results from  $^{15}\text{N}(p, \gamma)$ : see Table 16.18. Proton spectra have been measured at  $E_\gamma \approx 360$  MeV by (1984HO24). Differential cross sections have been determined for the  $p_0$ ,  $p_{1+2}$  and  $p_3$

groups for  $E_\gamma = 101.5$  to  $382$  MeV (1985LE07) and for the  $p_0$  group at  $196$  MeV (1985TU02). The latter data are in disagreement with calculations which incorporate meson exchange and  $\Delta$  amplitudes (1985TU02). See also  $^{15}\text{N}$  in (1986AJ01) and (1981WI09, 1985ADZW).

For reaction (b) see (1982AJ01). A study of the  $^{16}\text{O}(\gamma, \alpha_0)$  reaction at  $\theta = 45^\circ$  and  $90^\circ$  shows a  $2^+$  resonance at  $E_x = 18.2$  MeV with an E2 strength which is spread out over a wide energy interval. A strong resonance corresponding to an isospin-forbidden  $1^-$  state at  $E_x \approx 21.1$  MeV is also observed (1975SK06). For pion production (reactions (d)) see  $^{16}\text{N}$ . See also (1983JE08, 1984HO24). See also (1982SA1A; astrophysics), (1981GA1M, 1981SP1D, 1985FU1C, 1985HO27, 1985MA1G) and (1981BO38, 1982CA01, 1982DE2C, 1982DU1A, 1983BO1B, 1983BO1H, 1983CA22, 1983CI13, 1983HE18, 1983PE1E, 1984BE1Z, 1984CA18, 1984CA19, 1984CH1R, 1985CH27, 1985GI1G, 1986CH05, 1986HO11; theor.).

### 38. $^{16}\text{O}(\gamma, \gamma)^{16}\text{O}$

(1970AH02) report resonances at  $E_\gamma = 22.5 \pm 0.3, 25.2 \pm 0.3, 31.8 \pm 0.6$  and  $50 \pm 3$  MeV: the dipole sum up to  $80$  MeV exceeds the classical value by a factor  $1.4$ . (1983DO05) have measured the elastic photon scattering cross section for  $E_\gamma = 25$  to  $39$  MeV. The E2 strength is  $1.25_{-0.9}^{+1.3}$  of the total EWSR over that interval. The widths of  $^{16}\text{O}^*(6.92, 7.12)$  are, respectively,  $94 \pm 4$  and  $54 \pm 4$  meV (1985MO10): see also Table 16.11.

See also (1984NA18), (1985NA1D) and (1983CA1P, 1984MA1W; theor.).

### 39. (a) $^{16}\text{O}(e, e)^{16}\text{O}$

(b)  $^{16}\text{O}(e, \text{ep})^{15}\text{N}$   $Q_m = -12.12776$

The  $^{16}\text{O}$  charge radius =  $2.710 \pm 0.015$  fm (1978KI01). Form factors for transitions to the ground and to excited states of  $^{16}\text{O}$  have been reported in many earlier studies [see (1982AJ01)], by (1982NO04;  $^{16}\text{O}^*(6.92)$ ), by (1986BU02;  $^{16}\text{O}^*(6.05, 6.13, 6.92, 7.12, 9.84, 10.36, 11.10, 11.52, 12.05)$ ) and by (1985HY1A; see Table 16.22). The form factor for  $^{16}\text{O}^*(9.84)$  indicates a transition density peaked in the interior (1986BU02). Table 16.22 lists the excited states observed from (e, e'). (1983KU14;  $E_e = 30.2$  to  $59.3$  MeV) find that the energy-weighted M2 strength is nearly exhausted by the M2 states which have been observed. The isospin-forbidden (E1) excitation of  $^{16}\text{O}^*(7.12)$  is reported: the isovector contribution interferes destructively with the isoscalar part and has a strength  $\approx 1\%$  of the  $T = 0$  amplitude. The  $0^+$  states of  $^{16}\text{O}^*(6.05, 12.05, 14.00)$  saturate  $\approx 19\%$  of an isoscalar monopole sum rule. As for the E2 strength it is distributed over a wide energy region: see Table 16.22, and (1982AJ01) for references.

Table 16.22: Excited states observed in  $^{16}\text{O}(e, e')^{16}\text{O}$  <sup>a</sup>

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	Mult.	$\Gamma_{\text{c.m.}}$ (keV)	$\Gamma_{\gamma_0}$ (eV)
6.05	0 <sup>+</sup>	C0		3.55 $\pm$ 0.21 <sup>c</sup>
6.13	3 <sup>-</sup>	C3		(2.60 $\pm$ 0.13) $\times$ 10 <sup>-5</sup>
6.92	2 <sup>+</sup>	C2		0.105 $\pm$ 0.007
7.12	1 <sup>-</sup>	C1		(4.6 $\pm$ 2.3) $\times$ 10 <sup>-2</sup>
8.87 <sup>b</sup>	2 <sup>-</sup>	M2		
9.84	2 <sup>+</sup>	C2		(8.8 $\pm$ 1.7) $\times$ 10 <sup>-3</sup>
10.36	4 <sup>+</sup>	C4		(5.6 $\pm$ 2.0) $\times$ 10 <sup>-8</sup>
11.52	2 <sup>+</sup>	C2		0.61 $\pm$ 0.02
12.05	0 <sup>+</sup>	C0		4.03 $\pm$ 0.09 <sup>c</sup>
12.44 <sup>b</sup>	1 <sup>-</sup>	C1		
12.53 <sup>b</sup>	2 <sup>-</sup>	M2		0.021 $\pm$ 0.006
12.97 <sup>b</sup>	2 <sup>-</sup>	M2		0.071 $\pm$ 0.002
13.02	2 <sup>+</sup>	C2		0.89
13.10 $\pm$ 250	1 <sup>-</sup> ; 1	C1		$\leq$ 49 $\pm$ 13
13.26 <sup>b</sup>	3 <sup>-</sup>	C3		
13.87 <sup>b</sup>	4 <sup>+</sup>	C4		
14.00 $\pm$ 50 <sup>b</sup>	0 <sup>+</sup>	C0	170 $\pm$ 50	3.3 $\pm$ 0.7 <sup>c</sup>
$\approx$ 14.7 <sup>b</sup>			$\approx$ 600	
14.93 <sup>b</sup>	2 <sup>+</sup>	C2		
15.15 $\pm$ 150	2 <sup>+</sup>	C2	500 $\pm$ 200	1.0 $\pm$ 0.5
15.20 <sup>b</sup>	2 <sup>-</sup>	M2		
15.41 <sup>b</sup>	3 <sup>-</sup>	C3		
$\approx$ 15.85 <sup>b</sup>			$\approx$ 600	
16.22 $\pm$ 10 <sup>b,d</sup>	1 <sup>+</sup> ; 1	M1	18 $\pm$ 3	3.2 $\pm$ 0.3
16.45 $\pm$ 10 <sup>b,d</sup>	2 <sup>+</sup>	C2	32 $\pm$ 4	0.18 $\pm$ 0.01
16.82 $\pm$ 10 <sup>b,d</sup>	2 <sup>-</sup>	M2	30 $\pm$ 5	0.05 $\pm$ 0.01
17.14 $\pm$ 10 <sup>b,d</sup>	1 <sup>+</sup> ; 1	M1	< 25	6.1 $\pm$ 0.5
17.30 $\pm$ 10 <sup>b,d</sup>	1 <sup>-</sup>	C1	70 $\pm$ 10	3.4 $\pm$ 2.3
17.774 $\pm$ 17 <sup>b</sup>	4 <sup>-</sup> ; 0	M4		
17.78 $\pm$ 10 <sup>d,e</sup>	2 <sup>-</sup>	M2		0.07 $\pm$ 0.01

Table 16.22: Excited states observed in  $^{16}\text{O}(e, e')^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	Mult.	$\Gamma_{\text{c.m.}}$ (keV)	$\Gamma_{\gamma_0}$ (eV)
17.880 $\pm$ 15 <sup>b</sup>	4 <sup>+</sup>	C4		
18.021 $\pm$ 23 <sup>b</sup>	3 <sup>-</sup> ; 1			
18.20 $\pm$ 10 <sup>d</sup>	2 <sup>+</sup>	C2	280 $\pm$ 20	1.68 $\pm$ 0.22
18.50 $\pm$ 10 <sup>b,d</sup>	2 <sup>-</sup>	M2	70 $\pm$ 5	0.38 $\pm$ 0.07
18.635 $\pm$ 20 <sup>b</sup>	(4 <sup>-</sup> )		35 $\pm$ 30	
18.79 $\pm$ 10 <sup>d</sup>	1 <sup>+</sup> ; 1	M1	120 $\pm$ 20	5.3 $\pm$ 0.3
18.968 $\pm$ 17 <sup>b,f</sup>	4 <sup>-</sup> ; 1	M4		
19.02 $\pm$ 40 <sup>d,g</sup>	2 <sup>-</sup> ; 1	M2	420 $\pm$ 50	2.52 $\pm$ 0.38
19.206 $\pm$ 12 <sup>b</sup>	3 <sup>-</sup> ; 1	C3		
19.43 $\pm$ 20 <sup>b</sup>	1 <sup>-</sup> ; 1	C1	150 $\pm$ 15	40 $\pm$ 20
20.19 $\pm$ 40 <sup>b</sup>		M2	450 $\pm$ 70	2.9 $\pm$ 1.0
20.34 $\pm$ 25 <sup>b</sup>			$\approx$ 200	
20.51 $\pm$ 25 <sup>b</sup>	(4 <sup>-</sup> )		50 $\pm$ 30	
20.88 <sup>b</sup>			$\approx$ 90	
20.95 $\pm$ 50	1 <sup>-</sup> ; 1	C1	270 $\pm$ 70	180 $\pm$ 50
$\approx$ 21.46 <sup>b</sup>			$\approx$ 300	
22.60 $\pm$ 20 <sup>b</sup>			90 $\pm$ 40	
23.0				
23.7 $\pm$ 250	(2 <sup>-</sup> ; 1)			
24.2				
25.5 $\pm$ 250	1 <sup>-</sup> ; 1	C1		
26.7 $\pm$ 250	1 <sup>+</sup>	M1		
44.5	(1 <sup>-</sup> ; 1)		2000 – 3000	5300
49	(1 <sup>-</sup> ; 1)		2000 – 3000	19000

- <sup>a</sup> See also Table 16.26 in (1971AJ02). For references see Table 16.24 in (1977AJ02). See also the text.
- <sup>b</sup> (1985HY1A: momentum transfer range 0.8 to 2.5 fm<sup>-1</sup>). I am indebted to Drs. C.E. Hyde-Wright and B.L. Berman for communicating these results to me.
- <sup>c</sup> Monopole matrix element in fm<sup>2</sup>.
- <sup>d</sup> (1983KU14).
- <sup>e</sup> An unresolved complex of M1 strength has a centroid at  $E_x \approx 17.7$  MeV: the total  $\Gamma_{\gamma_0}$  is  $7.4 \pm 1.9$  eV (1983KU14).
- <sup>f</sup> See also (1986MA48).
- <sup>g</sup> The total cross section ( $E_x = 18.7 - 19.4$  MeV) is 12% M1 and 88% M2, leading to  $B(M1)\uparrow = 0.13 \pm 0.03 \mu_N^2$  and  $B(M2)\uparrow = 341 \pm 51 \mu_N^2 \cdot \text{fm}^2$ , A. Richter (private communication). I am greatly indebted to Professor Richter for his comments.

A study of reaction (b) at 500 MeV shows separation energies of 12.2 and 18.5 MeV, corresponding to  $^{15}\text{N}^*(0, 6.32)$  (1982BE02; studied the momentum distribution of the recoiling nucleus). At  $E_e = 112 - 130$  MeV in (e, e') the excitation of  $^{16}\text{O}^*(11.52, 12.05, 22.3)$  and some other state is reported. The (e, ep) and (e, e $\alpha$ ) processes lead to the excitation of  $^{15}\text{N}^*(0, 6.32)$  and of  $^{12}\text{C}^*(0, 4.44)$  (1982VO05, 1983VO1F, 1984VO1G, 1984VOZW). The inelastic cross section for 730 MeV electrons has been measured by (1984OC01): the quasi-free peak occurs at an energy loss of  $120 \pm 5$  MeV and the  $\Delta$ -peak at  $375 \pm 10$  MeV. The peak cross sections per nucleon are in agreement with those measured for other light nuclei (1984OC01).

See also (1983KEZZ), (1981RI1A, 1982BE1J, 1982BE1A, 1982DE1K, 1982RI1B, 1983BE36, 1983CO18, 1983KE1B, 1983SI1K, 1983TR1J, 1985BE1K, 1985KO44) and (1981AG1B, 1981DU16, 1981DU19, 1981IS11, 1981KO41, 1981LI1X, 1981ME1H, 1981TO1N, 1981VA1N, 1982AV08, 1982BO28, 1982ER05, 1982FA04, 1983BE29, 1983BR1P, 1983CA1M, 1983CO15, 1983RI07, 1984BA52, 1984CO1U, 1984DE02, 1984LA28, 1984MO13, 1984NE1G, 1984WA1J, 1985BA26, 1985BO13, 1985CA17, 1985CA38, 1985CA37, 1985CO01, 1985DE16, 1985FUZZ, 1985KE1A, 1985KO06, 1985NI02, 1985PE14, 1985PI10, 1985TR03, 1986FR02, 1986WA1T; theor.).

#### 40. $^{16}\text{O}(\pi^\pm, \pi^\pm)^{16}\text{O}$

Angular distributions of elastically scattered pions have been studied at  $E_{\pi^-} = 20$  to 240 MeV and at 1 GeV/c as well as at  $E_{\pi^+} = 20$  to 315 MeV [see (1982AJ01)] and recently at  $E_{\pi^+} = 20$  MeV (1983OB02) and 48.3 and 62.8 MeV (1985BA27), at  $E_{\pi^\pm} = 114$  MeV (1985DH01), at  $E_{\pi^-} = 115, 163$  and 244 MeV (1982BA72; back angles). See also (1984BU1V). At  $E_{\pi^\pm} = 164$  MeV  $^{16}\text{O}^*(0, 6.1, 6.9 + 7.1, 11.5, 17.8, 19.0, 19.8)$  are relatively strongly populated. The  $\pi^+$  and  $\pi^-$  cross sections to  $^{16}\text{O}^*(17.8, 19.8)$  [ $J^\pi = 4^-$ ;  $T = 0$ ] are substantially different while those to  $^{16}\text{O}^*(19.0)$  [ $4^-$ ; 1] are equal. Isospin mixing is suggested with off-diagonal charge-dependent mixing matrix elements of  $-147 \pm 25$  and  $-99 \pm 17$  keV (1980HO13). [See also reaction 62]. Differential cross sections for  $^{16}\text{O}^*(6.1)$  are reported at  $E_\pi = 164$  MeV by (1984BL17). For a study of the angular distribution of 6.13 MeV  $\gamma$ -rays at 2.0 GeV/c see (1984KI22). At  $E_{\pi^+} = 240$  MeV the inelastic pion scattering is dominated by a single quasi-free pion-nucleon interaction

mechanism (1983IN02): this is not the case at energies below the  $\Delta$ -resonance (114 and 163 MeV). See also (1985BLZZ).

For a study of ( $\pi^\pm$ ,  $\pi^\pm p$ ) and ( $\pi^-$ ,  $\pi^- n$ ) at  $E_{\pi^\pm} = 165$  MeV see (1982PI06). See also the ‘‘General’’ section here, (1984BA1B, 1984BUZZ, 1986DHZZ) and (1982FR17, 1982OS01, 1982RE15, 1983CA05; theor.).

#### 41. $^{16}\text{O}(n, n')^{16}\text{O}$

Angular distributions have been measured at  $E_n$  to 24 MeV [see (1982AJ01)] and recently at  $E_n = 9.2$  to 15 MeV (1983DA22;  $n_0$ ) and 18 to 26 MeV (1985PE10;  $n_0$ ) [see also (1983ISZW, 1984FI1M, 1984ISZZ, 1985FIZW; prelim.:  $n$  to  $^{16}\text{O}^*(6.13, 6.92, 8.87, 9.63)$ )] and at  $E_n = 23$  MeV (1985LA13;  $n_0$ ). See also (1985PE1C, 1986ISZZ), (1982AO03, 1982BO24, 1982LI13, 1985DI1B, 1985GO1Y, 1985LI1P, 1986DE10; theor.) and  $^{17}\text{O}$ .

#### 42. (a) $^{16}\text{O}(p, p')^{16}\text{O}$

(b)  $^{16}\text{O}(p, 2p)^{15}\text{O}$   $Q_m = -12.12776$

(c)  $^{16}\text{O}(p, pd)^{14}\text{N}$   $Q_m = -20.7363$

(d)  $^{16}\text{O}(p, pt)^{13}\text{N}$   $Q_m = -25.0325$

(e)  $^{16}\text{O}(p, p\alpha)^{12}\text{C}$   $Q_m = -7.16195$

(f)  $^{16}\text{O}(\bar{p}, \bar{p})^{16}\text{O}$

Angular distributions of elastically and inelastically scattered protons have been measured at many energies up to  $E_p = 1000$  MeV [see (1982AJ01)] and recently at  $E_{\bar{p}} \approx 6.5$  MeV (1982SE01;  $p_0$ ), 35 MeV (1986OH1C;  $p$  to  $^{16}\text{O}^*(10.96, 12.80)$ ; both  $0^-$ ), 65 MeV (1982SA19;  $p_0$ ), 65 MeV (1984HO17;  $p$  to  $^{16}\text{O}^*(10.96, 12.80)$ ), 135 MeV (1986KE05;  $p_1$ ), 200 MeV (1985GL01;  $p_0$ ), 318 and 498 MeV (1986LO1D;  $p$  to  $^{16}\text{O}^*(10.36, 11.52)$  and others), and 1 GeV (1985AL16;  $p_0$ ), as well as at  $E_p = 135$  MeV (1984AM04;  $p$  to many states [see Table 16.23]; see for deformation parameters and electromagnetic transition rates). Parameters of the observed groups are displayed in Table 16.23. For polarization transfer coefficients to the  $4^-$  states  $^{16}\text{O}^*(17.8, 19.0, 19.8)$  see (1985WIZW;  $E_{\bar{p}} = 200$  MeV). See also (1986LO1D). For a study of the spin rotation parameter at  $E_{\bar{p}} = 800$  MeV see (1986FE01).

For reaction (b) see (1985BE30; 1 GeV). For reactions (c) and (d) see (1982SA24; 101.3 MeV). See also (1982REZZ). For the (p, pn) reaction see (1983WA1C, 1984WA21, 1985BE30). For reaction (e) see (1984CA09;  $E_p = 101.5$  MeV). See also (1984VDZZ, 1985VDZX) and  $^{12}\text{C}$  in (1990AJ01). See also (1981NA14, 1982BE1E, 1983BEYW, 1983FIZW, 1983HYZZ, 1983KEZZ, 1983LOZW), (1982BE1A, 1982DE1K, 1983BE1A, 1983KE1B, 1983SC1G, 1984GE1A, 1984LI25, 1985PE10, 1986GL1G, 1986ISZZ), (1981IL1A, 1981KO1J, 1981ME1H, 1981PI11, 1981VA1L, 1982CH1P, 1982HA05, 1982KA14, 1982KO23, 1982NA13, 1982SA37, 1982ST1G, 1982WA1H,

1983DI09, 1983EL10, 1983GO1V, 1983GO10, 1983IK1B, 1983KA1A, 1983KO1B, 1983LY07, 1983LI1P, 1983SH05, 1983SM04, 1983TU1B, 1984BA52, 1984GO04, 1984HY01, 1984KO1X, 1984PH02, 1984PI05, 1984PI17, 1984WO12, 1985AU1C, 1985CH10, 1985CH31, 1985GA1N, 1985GO1Y, 1985HE1D, 1985HY01, 1985KE1A, 1985KO37, 1985NA1E, 1985PE14, 1985VD03, 1986DE1G, 1986DE10, 1986KU1D, 1986LO1A; theor.) and  $^{17}\text{F}$ . The elastic scattering of 178.4 MeV antiprotons has been studied by (1986BR04). See also the “General” section here.

Table 16.23: Excited states of  $^{16}\text{O}$  from  $^{16}\text{O}(\text{p}, \text{p}')$ ,  $(\text{d}, \text{d}')$ ,  $(^3\text{He}, ^3\text{He}')$  and  $(\alpha, \alpha')$  <sup>a</sup>

No.	$E_x^b$ (MeV $\pm$ keV)	$L^b$	$E_x^c$ (MeV)	$E_x^d$ (MeV $\pm$ keV)	$E_x^e$ (MeV $\pm$ keV)	$L^e$	$\Gamma^b$ (keV)	$J^\pi; T^b$
1			6.05					
2	6.13 <sup>f</sup>	3	6.13	6.13 <sup>h</sup>	6.13	3		3 <sup>-</sup> ; 0
3	6.92 <sup>f</sup>	2	6.92	6.92 <sup>d</sup>	6.92	2		2 <sup>+</sup> ; 0 <sup>d,f</sup>
4	7.12 <sup>f</sup>	1	7.12		7.12	1		1 <sup>-</sup> ; 0
5	8.87		8.87	8.87 $\pm$ 30 <sup>d</sup>	8.87	3 <sup>a</sup>		
6	9.84 <sup>f</sup>	2	9.85	9.84 $\pm$ 30	9.85	2		2 <sup>+</sup> ; 0 <sup>d,f</sup>
7	10.35 $\pm$ 20 <sup>f</sup>	4	10.34	10.35 $\pm$ 30	10.35 $\pm$ 30	4		4 <sup>+</sup> ; 0
8	10.95 $\pm$ 30 <sup>g</sup>	1	10.95					0 <sup>-</sup> ; 0
9	11.10 $\pm$ 20 <sup>f</sup>	4	11.1 <sup>h</sup>	11.09 $\pm$ 30 <sup>h</sup>	11.10 $\pm$ 30	4		4 <sup>+</sup> ; 0
10	11.52 $\pm$ 20 <sup>f</sup>	2	11.52	11.52 $\pm$ 30 <sup>d</sup>	11.52 $\pm$ 30	2	74 $\pm$ 4	2 <sup>+</sup> ; 0
11	12.05 $\pm$ 20 <sup>f</sup>		12.05	12.04 $\pm$ 30	12.05 $\pm$ 30	(0)		0 <sup>+</sup> ; 0
12			12.44		12.44	1		1 <sup>-</sup> ; 0
13	12.53 $\pm$ 20	1	12.53		12.51 $\pm$ 30			
14	12.80 <sup>g</sup>							0 <sup>-</sup> ; 1
15	13.02 $\pm$ 20	2	13.1 <sup>h</sup>	13.11 $\pm$ 30	13.07 $\pm$ 20 <sup>h</sup>	2		2 <sup>+</sup> ; 0
16	13.26 $\pm$ 30	3						3 <sup>-</sup> ; 1
17			13.66					
18	13.95 $\pm$ 50	(0 + 4)		13.97 $\pm$ 30	13.95 $\pm$ 50 <sup>h</sup>	4		4 <sup>+</sup> ; 0
19				14.94 $\pm$ 30	14.87 $\pm$ 100	6		6 <sup>+</sup>
20	15.26 $\pm$ 50	(3)		15.4				
21	15.50 $\pm$ 30 <sup>f</sup>	3			15.50 $\pm$ 50	3	200 $\pm$ 60	3 <sup>-</sup> ; 0
22	16.52 $\pm$ 50	2		16.46 $\pm$ 30	16.40 $\pm$ 100		< 100	2 <sup>+</sup>
23	16.93 $\pm$ 50	(3)						
24	17.25 $\pm$ 50 <sup>f</sup>			17.19 $\pm$ 30	17.25 $\pm$ 80	(2)	160 $\pm$ 60	1 <sup>+</sup> ; 0 <sup>f</sup>
25	17.79 $\pm$ 40	(3)		17.8	17.83 $\pm$ 100		150 $\pm$ 60	4 <sup>-</sup> ; 0
26	18.15 $\pm$ 50	(2)			18.0 $\pm$ 100	2	300 $\pm$ 50	(2 <sup>+</sup> ); 0
27	18.40 $\pm$ 100	2		18.52 $\pm$ 30	18.5 $\pm$ 100	2	250 $\pm$ 50	2 <sup>+</sup> ; 0
28	18.60 $\pm$ 100				18.70 $\pm$ 100	(3)	280 $\pm$ 80 <sup>h</sup>	
29	18.98 $\pm$ 40	(3)		19.09 $\pm$ 30			< 100	4 <sup>-</sup> ; 1
30	19.35 $\pm$ 80	(1)						
31	19.56 $\pm$ 50 <sup>f</sup>				19.50 $\pm$ 100	(2, 3)	300 $\pm$ 50	3 <sup>-</sup> ; 0



Table 16.23: Excited states of  $^{16}\text{O}$  from  $^{16}\text{O}(\text{p}, \text{p}')$ ,  $(\text{d}, \text{d}')$ ,  $(^3\text{He}, ^3\text{He}')$  and  $(\alpha, \alpha')$  <sup>a</sup>  
(continued)

No.	$E_x$ <sup>b</sup> (MeV $\pm$ keV)	$L$ <sup>b</sup>	$E_x$ <sup>c</sup> (MeV)	$E_x$ <sup>d</sup> (MeV $\pm$ keV)	$E_x$ <sup>e</sup> (MeV $\pm$ keV)	$L$ <sup>e</sup>	$\Gamma$ <sup>b</sup> (keV)	$J^\pi; T$ <sup>b</sup>
32	19.80 $\pm$ 40	3					< 100	4 <sup>-</sup> ; 0
33				20.2 $\pm$ 200 <sup>h</sup>	20.15 $\pm$ 100	2	350 $\pm$ 50	2 <sup>+</sup> ; 0
34	20.56 $\pm$ 80	(1, 2)					370 $\pm$ 100	
35	21.05 $\pm$ 50	1			21.0 $\pm$ 100	2	320 $\pm$ 50	(2 <sup>+</sup> ; 0)
36				21.6 $\pm$ 200			1000 $\pm$ 300	2 <sup>+</sup>
37	21.80 $\pm$ 80	1			21.85 $\pm$ 100	2	400 $\pm$ 50	(2 <sup>+</sup> ; 0)
38	22.40 $\pm$ 80	(1, 2)					420 $\pm$ 100	1 <sup>-</sup> ; 1
39					22.5 $\pm$ 100		400 $\pm$ 50	(2 <sup>+</sup> , 3 <sup>-</sup> ); 0
40	23.20 $\pm$ 80	1					600 $\pm$ 200	1 <sup>-</sup> ; 1
41				23.50 $\pm$ 150	23.25 $\pm$ 100	2	400 $\pm$ 50	2 <sup>+</sup> ; 0
42					23.85 $\pm$ 100	(0)	400 $\pm$ 50	(2 <sup>+</sup> , 0 <sup>+</sup> ); 0
43	24.00 $\pm$ 100	(1, 2)					1200 $\pm$ 300	1 <sup>-</sup> ; 1
44					24.4 $\pm$ 100		400 $\pm$ 50	(2 <sup>+</sup> , 3 <sup>-</sup> ); 0
45				25.15 $\pm$ 300			2800 $\pm$ 600	2 <sup>+</sup>
46	25.50 $\pm$ 150	(1)					1300 $\pm$ 300	1 <sup>-</sup> ; 1

<sup>a</sup> For references see Table 16.24 in (1982AJ01).

<sup>b</sup> (p, p').

<sup>c</sup> (d, d'). Energies are nominal ( $\pm 100$  to  $\pm 260$  keV); angular distributions reported to all but last state.

<sup>d</sup> ( $^3\text{He}$ ,  $^3\text{He}'$ ).

<sup>e</sup> ( $\alpha$ ,  $\alpha'$ ).

<sup>f</sup> (1984AM04):  $E_p = 135$  MeV.

<sup>g</sup> (1984HO17);  $E_{\bar{p}} = 65$  MeV.

<sup>h</sup> Unresolved states.

#### 43. $^{16}\text{O}(\text{d}, \text{d}')^{16}\text{O}$

Angular distribution studies have been carried out for  $E_d$  up to 81.6 MeV [see (1982AJ01)] and recently at  $E_d = 20.5$  MeV (1984FR14;  $d_0$ ) and 200, 400 and 700 MeV (1986VA1N). Observed deuteron groups are displayed in Table 16.23. For a polarization study at  $E_d = 56$  MeV see (1986MA2M). See also  $^{18}\text{F}$  in (1987AJ02) and (1981RO1T, 1982AO03, 1982CO10, 1982GA1E, 1982NI1B, 1982TH02, 1982TH09, 1983IC01, 1985HO19; theor.).

44.  $^{16}\text{O}(t, t)^{16}\text{O}$ 

Angular distributions are reported for  $E_t$  to 20.01 MeV: see (1977AJ02). See also  $^{19}\text{F}$  in (1983AJ01) and (1982AO03, 1982KU04, 1982NI1B, 1985HO19, 1986WA1P, 1986WA1U; theor.).

45.  $^{16}\text{O}(^3\text{He}, ^3\text{He})^{16}\text{O}$ 

Angular distributions have been measured to  $E(^3\text{He}) = 132$  MeV [see (1982AJ01)] and, recently, at 14 MeV (1982AB04), 25 MeV (1982VE13) and 40.9 MeV (1982AL14) for the elastic group. The matter radius  $\langle r^2 \rangle^{1/2} = 2.46 \pm 0.12$  fm (1982VE13). Inelastic groups are shown in Table 16.23. See also (1982TA05) and (1981CO15, 1982NI1B, 1985HA11, 1985HO19, 1986WA1P, 1986WA1U; theor.)

46. (a)  $^{16}\text{O}(\alpha, \alpha')^{16}\text{O}$ 

$$(b) \ ^{16}\text{O}(\alpha, 2\alpha)^{12}\text{C} \quad Q_m = -7.16195$$

Angular distributions of  $\alpha$ -particles have been measured up to  $E_\alpha = 146$  MeV [see (1982AJ01)] and recently at  $E_\alpha = 3.5$  to 4.9 MeV (1981BU27;  $\alpha_0$ ), 9.52 to 9.80 MeV (1981GA35) and 39.3 to 69.5 MeV (1983MI22;  $\alpha_0$ ). Differential cross sections have also been measured at  $E_\alpha = 9.2$  to 13.5 MeV ( $\alpha_0$ ) and 12.4 to 13.45 MeV ( $\alpha_1, \alpha_2$ ) (1985CA09) and at 14.70 to 20.4 MeV ( $\alpha_0$ ) and 18.0 to 20.4 MeV ( $\alpha_1$ ) (1984RI06): see  $^{20}\text{Ne}$  in (1983AJ01, 1987AJ02). Observed excited states are displayed in Table 16.23.

Angular correlations (reaction (b)) have been studied to  $^{12}\text{C}_{\text{g.s.}}$  at  $E_\alpha = 23.0$  to 27.5 MeV to try to determine if a  $3^-$  state exists near the  $2^+$  state  $^{16}\text{O}^*(9.84)$ : the evidence is strong that this is not the case (1983FR14). The isoscalar (E2,  $T = 0$ ) giant resonance decays predominantly via the  $\alpha_1$  channel which contains  $\approx 40\%$  of the E2 EWSR, rather than via the  $\alpha_0$  and  $p_0$  channels (1978KN02;  $E_\alpha = 155$  MeV). For the  $(\alpha, \alpha d)$ ,  $(\alpha, \alpha t)$  and  $(\alpha, \alpha^3\text{He})$  reactions at  $E_\alpha = 139.2$  MeV, see (1982SA24).

See also (1983SA07, 1984SA28, 1985ISZU), (1981SP1D, 1981VA1M, 1983CH1B) and (1981BA20, 1981FI1B, 1981GY01, 1981LA13, 1981SP1C, 1982AO1B, 1982AO03, 1982AO1F, 1982BU1D, 1982DI1D, 1982FL1A, 1982JA07, 1982LA04, 1982LE23, 1982WA13, 1982YI01, 1983BR1V, 1983BU15, 1983CH53, 1983CI04, 1983OK06, 1983SA1L, 1983SM1B, 1983WI12, 1984CH41, 1984GO04, 1984HO08, 1984JA03, 1984KR10, 1984LA01, 1984LI28, 1984LO1C, 1984PR09, 1984SA1T, 1985HO19, 1985MI11, 1985SA09, 1986HO1U, 1985MAZZ; theor.).

47. (a)  $^{16}\text{O}(^6\text{Li}, ^6\text{Li})^{16}\text{O}$ 

$$(b) \ ^{16}\text{O}(^7\text{Li}, ^7\text{Li})^{16}\text{O}$$

Elastic angular distributions for reaction (a) have been measured at  $E(^6\text{Li}) = 4.5$  to  $50.6$  MeV and  $E(^{16}\text{O}) = 36$  to  $51$  MeV [see Tables 16.25 in (1977AJ02) and 16.23 in (1982AJ01)] and recently at  $E(^6\text{Li}) = 36$  MeV (1982WO09),  $48$  MeV (1984CO05) and  $75.4$  MeV (1981TA23), as well as at  $E(^6\text{Li}) = 25.7$  MeV and  $E(^{16}\text{O}) = 68.6$  MeV (1984VI01, 1985CO21, 1985VI03; also to  $^{16}\text{O}^*(6.13)$  and partially to  $^6\text{Li}^*(2.19)$ ) and at  $E(^6\text{Li}) = 35.3$  MeV and  $E(^{16}\text{O}) = 94.2$  MeV (1984VI02). See also  $^6\text{Li}$  in (1988AJ01). For studies of d- $\alpha$  angular correlations see  $^{20}\text{Ne}$  in (1983AJ01, 1987AJ02). For a fusion cross section study see (1986MA19).

Elastic distributions for reaction (b) have been studied at  $E(^7\text{Li}) = 9.0$  to  $20$  and at  $68$  MeV [see Tables 16.25 in (1977AJ02) and 16.23 in (1982AJ01)] as well as at  $E(^7\text{Li}) = 50$  MeV (1984CO20). For fusion cross section studies see (1984MA28, 1986MA19). See also (1986MO1E, 1986SA2P) and (1982AL02, 1982GU21, 1982RA22, 1983BU15, 1983JO1A, 1983KH1A, 1984WI08, 1985SA13; theor.).

#### 48. $^{16}\text{O}(^9\text{Be}, ^9\text{Be})^{16}\text{O}$

Elastic angular distributions have been reported at  $E(^9\text{Be}) = 20$  to  $27.4$  MeV and  $E(^{16}\text{O}) = 15$  to  $29.5$  MeV [see Table 16.23 in (1982AJ01)] and recently at  $E(^9\text{Be}) = 43$  MeV (1985WI18),  $140$  MeV (1984FUZZ) and  $157.7$  MeV (1983SA20, 1984FU10). For fusion cross sections see (1982AJ01, 1982BE54). See also (1981ST1P, 1983BI13, 1983DA10) and (1981GR17, 1982GU21, 1983GR18, 1984HA43; theor.).

#### 49. (a) $^{16}\text{O}(^{10}\text{B}, ^{10}\text{B})^{16}\text{O}$ (b) $^{16}\text{O}(^{11}\text{B}, ^{11}\text{B})^{16}\text{O}$

Angular distributions have been reported at  $E(^{10}\text{B}) = 33.7$  to  $100$  MeV and at  $E(^{11}\text{B}) = 41.6$ ,  $49.5$  and  $115$  MeV: see Table 16.23 in (1982AJ01). For fusion cross section measurements (reaction (a)) see (1982AJ01) and (1984GO05). See also (1981ST1P, 1983BI13, 1984FR1A, 1984HA53) and (1983CI08, 1983GO13, 1985HU04; theor.).

#### 50. (a) $^{16}\text{O}(^{12}\text{C}, ^{12}\text{C})^{16}\text{O}$ (b) $^{16}\text{O}(^{12}\text{C}, \alpha)^{12}\text{C}$ $Q_m = -7.16195$

Angular distributions have been reported at many energies to  $E(^{16}\text{O}) = 315$  MeV [see (1982AJ01)] and recently at  $E(^{16}\text{O}) = 15.8$  to  $26.3$  MeV (1983FR02; elastic),  $34.1$  to  $36.8$  MeV (1982WI04; elastic),  $62$ ,  $80$ ,  $100$ ,  $125$  and  $150$  MeV (1985BE40; elastic) and  $1503$  MeV (1985RO08; elastic). See also (1986BRZY). Most of the studies of this reaction have involved yield and cross section measurements, as they apply to compound structures in  $^{28}\text{Si}$ , fusion cross sections and evaporation residues: see (1982AJ01) and (1980CO08, 1981RA20, 1981TA24, 1982BR1P, 1982CO22,

1982FR04, 1982WI04, 1983CHZX, 1983FR02, 1983GO11, 1983KA01 [alignment of  $^{16}\text{O}^*(6.13)$ ], 1983KA10, 1983LA07, 1983ME04, 1983ME10, 1983SC29, 1983VO1A, 1984BE22, 1984HU02, 1984MU04, 1985BE40, 1985CA01, 1985KA03, 1985MU18). See also (1982HUZV, 1983DE1Y, 1983KL1A, 1984RU1A).

At  $E(^{16}\text{O}) = 100$  MeV members of the  $K^\pi = 0^+$  [ $^{16}\text{O}^*(6.05, 6.92, 10.35, 16.3)$ ] and  $K^\pi = 0^-$  bands [ $^{16}\text{O}^*(9.63, 11.60, 14.67)$ ] are reported to be preferentially populated (1984PO01). In reaction (b), as well as in the scattering of 140 MeV  $^{16}\text{O}$  on  $^{13}\text{C}$  and  $^{28}\text{Si}$ ,  $^{16}\text{O}^*(9.83, 10.33, 11.04, 11.47, 11.98, 12.38, 12.98, 13.81, 14.75, 15.33, 17.76)$  with  $J^\pi = 2^+, 4^+, 4^+, 2^+, 0^+, 1^-, 2^+, 4^+, 6^+, 3^-$ , respectively, for the first ten states, are populated: the state at 11.5 MeV is preferentially populated (1984RA10). For the earlier work see (1982AJ01). See also (1982ST11, 1983SH26, 1984MU04, 1985KA1J). For pion emission see (1983NO1E).

See also (1981CO1W, 1982PR1A, 1983AZ1A, 1983CA1N, 1984TS07, 1985BE02), (1979GO1C, 1981BR1P, 1981ST1P, 1982BA1D, 1982BR1T, 1982CI1C, 1982EV1B, 1982KO1C, 1982LE1N, 1982MA2B, 1983BI13, 1983BR1R, 1983DU13, 1983HE1B, 1984FR1A, 1984GE1D, 1984HA53, 1984SN01, 1984TR1E, 1985BA1T, 1985BE1A, 1985CU1A, 1985GA1J, 1985SN1A) and (1981CA09, 1981DY02, 1981HU07, 1982AB1F, 1982BA22, 1982FL1B, 1982GE1B, 1982GU21, 1982HA42, 1982HA56, 1982HU1G, 1982KA35, 1982LO13, 1982ME12, 1983AD1E, 1983AU04, 1983BU15, 1983CI08, 1983CI09, 1983DE1U, 1983DE21, 1983DE2G, 1983FR23, 1983HU1C, 1983KA30, 1983LI1L, 1983MA29, 1983SM1B, 1983TA07, 1984BA26, 1984DE2B, 1984HA43, 1984IN03, 1984KA1H, 1984LA1L, 1984MAZT, 1984SA31, 1985AI1A, 1985BA63, 1985DEZV, 1985HU04, 1985HU1C, 1985KA1X, 1985KA28, 1985KO1J, 1985ME14, 1985NO1E, 1985SA1D, 1985TR1D, 1985VI09; theor.).

51. (a)  $^{16}\text{O}(^{13}\text{C}, ^{13}\text{C})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{14}\text{C}, ^{14}\text{C})^{16}\text{O}$

For elastic scattering studies see Table 16.23 in (1982AJ01). For yield and fusion measurements see (1982HE07, 1983DA02, 1985BE37). For the excitation of a number of states in  $^{16}\text{O}$  in reaction (a) see (1984RA10) in reaction 50. See also (1983VO1B, 1985GA1M, 1985KA1J, 1986STZY), (1982LE1N, 1983DU13, 1985CU1A, 1985RE1C) and (1983FR23, 1984HA43, 1984IN03, 1986CI01; theor.).

52. (a)  $^{16}\text{O}(^{14}\text{N}, ^{14}\text{N})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{15}\text{N}, ^{15}\text{N})^{16}\text{O}$

For elastic scattering studies see Table 16.23 in (1982AJ01) and (1977AJ02) and (1983SR01;  $E(^{16}\text{O}) = 35.1$  and  $42.6$  MeV; on  $^{15}\text{N}$ ; elastic). For yield and total fusion cross-section measurements see (1982AJ01) and (1982FI1G, 1983SR01, 1985NO1C). See also (1981ST1P, 1983BI13,

1983DA10, 1983DU13, 1984FR1A, 1985BE1A, 1985CU1A) and (1982HA42, 1982LO13, 1982OH05, 1982OK02, 1983CI08, 1984HA43, 1984IN03, 1985HU04, 1985KO1J; theor.).

53.  $^{16}\text{O}(^{16}\text{O}, ^{16}\text{O})^{16}\text{O}$

The angular distributions for elastic scattering have been measured with  $E(^{16}\text{O})$  up to 140.4 MeV [see (1982AJ01)] and, recently, at 14 to 26 MeV (1984WU04), 17 to 25 MeV (1983BI1H; prelim.), 31 to 32.6 MeV (1982STZR; prelim.) and 31 to 36 MeV (1983TI01, 1985TI05). At  $E(^{16}\text{O}) = 53.6$  to 68.4 MeV angular distributions are reported involving  $^{16}\text{O}^*(6.05)$  [ $J^\pi = 0^+$ ] (1982WEZR; prelim.). Coupled channels effects are important at energies a few times the Coulomb barrier (1985BA60). See also (1982BI1F) and (1977AJ02). For yield and fusion cross sections see (1982AJ01) and (1981GA33, 1982BI1F, 1982DE48, 1982WE07 [6.13 MeV  $\gamma$ ], 1983BI1H, 1983TI01, 1984WU04, 1985BA60, 1985GA05, 1985NO1C, 1985TH03, 1985TI05, 1986TH01). See also (1982GA1G, 1982STZR, 1982WAZN, 1983DE1Y, 1984PO15, 1984TI1C, 1985LI04).

At  $E(^{16}\text{O}) = 62.2$  MeV (1981BA55) observe  $^{16}\text{O}^*(0, 6.5)$  and see no evidence for a low- $l$  window leading to deep inelastic scattering. For a study of the angular correlation of  $\alpha$ -particles see (1982PE08). See also (1985GA1M), (1981RO1W, 1982BA1D, 1982SA1A, 1984FO1A, 1985BA1T; astrophysics), (1979GO1C, 1981BR1M, 1981BR1P, 1981ST1P, 1982CI1C, 1982KO1C, 1982PA1H, 1983BI13, 1983BR1R, 1983DU13, 1984BR1L, 1984FR1A, 1984HA53, 1984TR1E, 1985BE1A, 1985CU1A, 1986BE2H) and (1981CA09, 1981FR1N, 1981GI10, 1981HU07, 1981IS1B, 1981KH03, 1981LA1G, 1981LE20, 1981PA09, 1981PI1D, 1981PR07, 1981SA33, 1981SH1L, 1981TA20, 1981UR01, 1982BA22, 1982HA29, 1982HA42, 1982HA56, 1982HE1G, 1982IS1C, 1982LO13, 1982MO1V, 1982NE1E, 1982PR04, 1982SA1C, 1982SA14, 1982SA20, 1982SC24, 1982SM1D, 1982SO1C, 1983BU15, 1983CI08, 1983DI15, 1983DR01, 1983DR02, 1983FA08, 1983FR23, 1983HO1F, 1983KA40, 1983LA14, 1983LA19, 1983LA20, 1983MA29, 1983NA1J, 1983OK06, 1983RO16, 1983SA14, 1983SA36, 1983TA1G, 1983TO1Q, 1984BA65, 1984BR1P, 1984CA28, 1984FA05, 1984FO21, 1984HA43, 1984IN03, 1984JO06, 1984LA1L, 1984MI1P, 1984NA15, 1984OS06, 1984RE09, 1984RE08, 1984SA08, 1984SU02, 1984WO02, 1985BO1Y, 1985BR1K, 1985CH34, 1985CU01, 1985CU1E, 1985GA1R, 1985HO1K, 1985HU04, 1985CH18, 1985KO1J, 1985LA14, 1985LE25, 1985MA09, 1985MA21, 1985NE1H, 1985PA14, 1985TA06, 1985TO07, 1985TO06, 1985TO17, 1985WO08, 1985WU03, 1986HO1U, 1986NG1A, 1986ST1N; theor.).

54. (a)  $^{16}\text{O}(^{17}\text{O}, ^{17}\text{O})^{16}\text{O}$

(b)  $^{16}\text{O}(^{18}\text{O}, ^{18}\text{O})^{16}\text{O}$

Angular distributions of elastically scattered ions have been studied at  $E(^{16}\text{O}) = 24, 28$  and 32 MeV and  $E(^{17}\text{O}) = 53.0$  to 66 MeV (reaction (a)) and at  $E(^{16}\text{O}) = 24$  to 54.8 MeV and  $E(^{18}\text{O}) = 35$  to 89.3 MeV (reaction (b)) [see (1982AJ01)] and, recently, at  $E(^{17}\text{O}) = 22$  MeV (1983BU08). Yields and fusion cross sections are reported in (1982AJ01) and (1985TH03, 1986TH01). See also

(1985GA1M), (1982HO1E, 1983DU13, 1983FR1B, 1984HA53) and (1981CA09, 1981LA16, 1983SH04, 1985MA1T, 1985WU03; theor.).

55. (a)  $^{16}\text{O}(^{19}\text{F}, ^{19}\text{F})^{16}\text{O}$   
(b)  $^{16}\text{O}(^{20}\text{Ne}, ^{20}\text{Ne})^{16}\text{O}$

Elastic scattering angular distributions have been studied at  $E(^{16}\text{O}) = 21.4$  and  $25.8$  MeV and at  $E(^{19}\text{F}) = 33$  and  $36$  MeV: see (1977AJ02). See also (1983DU13). Angular distributions in reaction (b) have been measured at  $E(^{16}\text{O}) = 40.7$  to  $94.8$  MeV and at  $E(^{20}\text{Ne}) = 50$  MeV [see (1982AJ01)] and at  $E(^{16}\text{O}) = 25.6$  to  $44.5$  MeV (1984GA22) and  $44.1$  to  $63.9$  MeV [see (1983KO31)]. For yield and fusion cross section measurements see (1982SC13, 1982SH1N, 1982XA01, 1983SH25, 1984GA22). See also (1981BR1P, 1983BR1R, 1983DU13, 1986ST1J) and (1982SM1D, 1983KO31, 1983MA29, 1984NI1D, 1985GU1J, 1985IC01, 1985KO43, 1985KO38; theor.).

56. (a)  $^{16}\text{O}(^{23}\text{Na}, ^{23}\text{Na})^{16}\text{O}$   
(b)  $^{16}\text{O}(^{24}\text{Mg}, ^{24}\text{Mg})^{16}\text{O}$   
(c)  $^{16}\text{O}(^{25}\text{Mg}, ^{25}\text{Mg})^{16}\text{O}$   
(d)  $^{16}\text{O}(^{26}\text{Mg}, ^{26}\text{Mg})^{16}\text{O}$

Elastic angular distributions are reported at  $E(^{16}\text{O}) = 35$  to  $60.7$  MeV (reaction (b)) and  $27.4$  to  $50$  MeV (reaction (d)) [see (1982AJ01)] and at  $E(^{16}\text{O}) = 150$  MeV (1982HUZV; reaction (b); elastic). Yield, evaporation residue and fusion measurements have been made by (1982HUZV, 1982RA25, 1983FU03, 1983KOZZ, 1983ROZZ, 1985SAZZ) and see (1982AJ01). See also (1985RA06), (1981SC1N, 1982BR1T, 1982CI1C, 1982MA2B, 1983BI13, 1983DU13, 1983HE1B, 1984FR1A) and (1981HU07, 1981KR13, 1982BRZE, 1982FL1B, 1982HA56, 1982LO13, 1982NE1E, 1982PA09, 1982SM1D, 1983CI08, 1983MA29, 1983PA1C, 1983PA1F, 1984DE08, 1984GU13, 1984MU1H, 1985AN16, 1985CH11, 1985HA11, 1985HU04, 1985NI1C, 1985XI01, 1986NG1A; theor.).

57.  $^{16}\text{O}(^{27}\text{Al}, ^{27}\text{Al})^{16}\text{O}$

An elastic angular distribution has been measured at  $E(^{16}\text{O}) = 46.5$  MeV: see (1982AJ01). For yield, fusion and evaporation residue studies see (1982AJ01) and (1983CH04, 1983ST1L, 1985IK02, 1985PA08). See also (1984PE11). For fragmentation studies see (1981TA16, 1985DEZZ, 1985SH1Q); for work on deeply inelastic collisions see (1982YO01). For pion production see (1985OB1B, 1986YO02). Angular correlations have been studied at  $E(^{16}\text{O}) = 65 - 65.6$  MeV

(1977HA18, 1981TS01, 1986PA05), 77 MeV (1985PA08) and 87.4 MeV (1983SA07). The sequential decay of  $^{16}\text{O}^*(10, 11.6, 13.2, 15.2, 16.2, 21)$  is reported via  $\alpha_0$  by (1983SA07). See also (1981LYZY, 1984TR06, 1985BE02), (1983BI13, 1983DU13, 1984FR1A, 1984GE1D, 1984HA53, 1984NG1A, 1985SH1T, 1985ST1B) and (1981AFZZ, 1982BL12, 1982FL1B, 1982GI1C, 1982HA56, 1982HU1G, 1982ME12, 1982TO04, 1982WO1C, 1983CI08, 1983GO13, 1983VI1D, 1984FO21, 1984NI05, 1985FO1F, 1985HU04, 1986NG1A, 1986PR01; theor.).

58. (a)  $^{16}\text{O}(^{28}\text{Si}, ^{28}\text{Si})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{29}\text{Si}, ^{29}\text{Si})^{16}\text{O}$   
 (c)  $^{16}\text{O}(^{30}\text{Si}, ^{30}\text{Si})^{16}\text{O}$   
 (d)  $^{16}\text{O}(^{31}\text{P}, ^{31}\text{P})^{16}\text{O}$

Angular distributions for reaction (a) have been reported at  $E(^{16}\text{O}) = 32$  to 215.2 MeV [see (1982AJ01)] and, recently, at  $E(^{16}\text{O}) = 29.3$  to 35 MeV and  $E(^{28}\text{Si}) = 51.3$  to 61.3 MeV (1984ME01; also  $^{28}\text{Si}^*$ ), at  $E(^{16}\text{O}) = 30.6$  and  $E(^{28}\text{Si}) = 53.6$  MeV (1983KA20), at  $E(^{16}\text{O}) = 33.2$  to 54.7 MeV (1981BR13; also  $^{28}\text{Si}^*$ ), at  $E(^{16}\text{O}) = 45$  to 63 MeV (1983SH18) and 75 MeV (1986SA2Q). Elastic angular distributions for reactions (b) and (c) are reported at  $E(^{16}\text{O}) = 60$  MeV (1983SH18). For yield, fusion cross section and evaporation residue measurements see (1982AJ01) and (1981BR13, 1983KA20, 1983SH18, 1984ME01). See also (1983ROZZ). For the excitation of a number of states in  $^{16}\text{O}$  see (1984RA10) in reaction 50. For pion production see (1983AGZX).

See also (1981SC1N, 1982BR1T, 1982KO1C, 1982LE1N, 1982MA2B, 1983BR1R, 1983DU13, 1984FR1A, 1984HA53) and (1981FR1L, 1981LA12, 1981SH24, 1982AL02, 1982BRZE, 1982DO05, 1982FR09, 1982HA29, 1982LO13, 1983BR1M, 1983BR18, 1983BR1U, 1983CA11, 1983CI08, 1983DI05, 1983HO18, 1983HU1C, 1983KA30, 1983KO06, 1983MA29, 1983PO08, 1983QU01, 1983SA1D, 1983SH08, 1983SH17, 1983SI07, 1983ST1F, 1983WI1H, 1984BR1N, 1984BR28, 1984GU09, 1984HU05, 1984HU06, 1984HU1N, 1984KO15, 1984KO30, 1984PO12, 1984PO1M, 1984QU03, 1985AN16, 1985BA12, 1985BA42, 1985BR02, 1985BR1J, 1985BR25, 1985BR26, 1985DE23, 1985HO24, 1985HU04, 1985QU02, 1985SH1R, 1985VI09, 1985XI01, 1986HN01, 1986NG1A; theor.).

59. (a)  $^{16}\text{O}(^{40}\text{Ca}, ^{40}\text{Ca})^{16}\text{O}$   
 (b)  $^{16}\text{O}(^{42}\text{Ca}, ^{42}\text{Ca})^{16}\text{O}$   
 (c)  $^{16}\text{O}(^{44}\text{Ca}, ^{44}\text{Ca})^{16}\text{O}$   
 (d)  $^{16}\text{O}(^{48}\text{Ca}, ^{48}\text{Ca})^{16}\text{O}$   
 (e)  $^{16}\text{O}(^{48}\text{Ti}, ^{48}\text{Ti})^{16}\text{O}$

Elastic angular distributions are reported on  $^{40}\text{Ca}$  at  $E(^{16}\text{O}) = 50$  to 214.1 MeV [see (1982AJ01)] and at  $E(^{16}\text{O}) = 60$  MeV (1982RE03; also on  $^{42,44}\text{Ca}$ ; also inelastic distributions involving

Ca\*) and at 150 MeV (1983STZW). Elastic angular distributions have been measured on  $^{48}\text{Ca}$  at  $E(^{16}\text{O}) = 60$  MeV [see (1982AJ01)] and at 56 MeV (1982RE03; also  $^{48}\text{Ca}^*$ ) and 158.2 MeV (1982HU10; also  $^{48}\text{Ca}^*$ ). Yield, fusion cross section and evaporation residue measurements are reported in (1982AJ01) and by (1981KU10, 1983CH04, 1983IKZZ, 1983ROZZ, 1983ST1L, 1985BU16, 1986NA01). See also (1984SAZX). For a measurement of the total non-fusion reaction cross section at  $E(^{16}\text{O}) = 158.2$  MeV (reaction (d)) see (1982HU10). For a study of deep inelastic collisions at 142 MeV (reaction (d)) see (1982WA03). For reaction (e) see (1985RI01).

See also (1981TAZU, 1981TEZZ), (1981SC1N, 1982BR1T, 1983BI13, 1984FR1A, 1984MA2E, 1986BE2H) and (1981BO31, 1981HU07, 1981IS1B, 1981KR14, 1981KU09, 1981KU03, 1982AL02, 1982BE58, 1982BL12, 1982BRZE, 1982DA02, 1982HA56, 1982KO25, 1982NE1E, 1982NG1B, 1982SA07, 1982ST08, 1982WO1D, 1983BR1U, 1983CI08, 1983GO09, 1983GO13, 1983HU1C, 1983OK06, 1983PO08, 1983TO03, 1983TO1K, 1983TO1Q, 1983VI1D, 1983WI1H, 1983WO08, 1984GO13, 1984GU09, 1984HU1Q, 1984MA2K, 1984YA08, 1985AN16, 1985BL01, 1985GO01, 1985HU04, 1985ME14, 1985PA27, 1985QU02, 1985SA03, 1985ST20, 1985ST25, 1985UD02, 1985YA1H, 1986GA01, 1986MA04, 1986WA08; theor.).

$$60. \text{}^{17}\text{O}(\gamma, n)\text{}^{16}\text{O} \quad Q_m = -4.1436$$

See (1981HO1H, 1985JU02) and  $^{17}\text{O}$ .

$$61. \text{}^{17}\text{O}(\text{p}, \text{d})\text{}^{16}\text{O} \quad Q_m = -1.9191$$

Angular distributions for the ground state deuteron group have been studied at  $E_p = 8.62$  to 11.44 MeV. At  $E_p = 31$  MeV, angular distributions are reported for the deuterons corresponding to  $^{16}\text{O}^*(0, 6.05 + 6.13, 7.12, 8.87, 10.36, 12.97, 13.26)$ . States at  $E_x = 15.22$  and 15.42 MeV were also observed. Spectroscopic factors were obtained from a DWBA analysis: see (1977AJ02).

$$62. \text{}^{17}\text{O}(\text{d}, \text{t})\text{}^{16}\text{O} \quad Q_m = 2.1136$$

Information obtained from this reaction at  $E_d = 52$  MeV is displayed in Table 16.20. Comparison of the (d, t) and (d,  $^3\text{He}$ ) reactions leads to assignments of analog states in  $^{16}\text{N}$  and in  $^{16}\text{O}$  [see Table 16.10 in (1982AJ01)]. A study of this reaction, the (d,  $^3\text{He}$ ) reaction, and reaction 63 below, suggests that there is more than 17% isospin mixing of the  $2^-$  states  $^{16}\text{O}^*(12.97, 12.53)$ : the corresponding mixing matrix element is  $\geq 155 \pm 30$  keV. An isospin mixing matrix element of  $110 \pm 10$  keV for the  $4^-$  states of  $^{16}\text{O}^*(17.79, 18.98, 19.80)$  is compatible with the results from this reaction and with pion scattering. [See also reaction 40.]



63.  $^{17}\text{O}(^3\text{He}, \alpha)^{16}\text{O}$   $Q_m = 16.4341$

Angular distributions have been reported at  $E(^3\text{He}) = 11$  MeV [see (1977AJ02)], at  $E(^3\text{He}) = 14$  MeV (1985PO17;  $\alpha_0$ ) and at  $E(^3\text{He}) = 33$  MeV (1982KA12; to many states of  $^{16}\text{O}$ ). Table 16.20 displays some of the information derived from this reaction. For polarization measurements see (1982KA12) and  $^{20}\text{Ne}$  in (1983AJ01, 1987AJ02). See also (1982AJ01).

64.  $^{18}\text{O}(\pi^+, d)^{16}\text{O}$   $Q_m = 130.3863$

See (1982DO01).

65.  $^{18}\text{O}(p, t)^{16}\text{O}$   $Q_m = -3.7061$

Angular distributions of tritons have been measured for  $E_p = 43.7$  MeV [see (1982AJ01)] and at  $E_p = 90$  MeV (1985VOZZ: to  $^{16}\text{O}^*(6.1, 6.92, 7.12, 9.84, 13.26, 16.35)$ . The latter does not have  $J^\pi = 0^+$  (1985VOZZ; prelim.). See, however, (1985BLZY; prelim.). The population of  $^{16}\text{O}^*(22.7, 24.5)$  is consistent with  $L = 0$  and 2, respectively, and with assignments of  $T = 2$ ,  $J^\pi = 0^+$  and  $2^+$ . The decay of  $^{16}\text{O}^*(22.7)$ ,  $J^\pi; T = 0^+; 2$ , is via  $\alpha_0, \alpha_1$  and  $\alpha_2$  [ $^{12}\text{C}^*(0, 4.4, 7.7)$ ] with  $(1.6 \pm 0.7)$ ,  $(1.9 \pm 0.7)$  and  $(14 \pm 2)\%$  branches and  $\Gamma_i(\text{eV}) = 190 \pm 100, 230 \pm 110$  and  $1680 \pm 550$  eV, respectively; via  $p_0, p_{1+2}, p_3$  with  $(7 \pm 2)$ ,  $(11 \pm 2)$  and  $(5 \pm 2)\%$  branches and  $\Gamma_i(\text{eV}) = 840 \pm 343, 1320 \pm 454$  and  $600 \pm 300$  eV; and via  $n_{1+2}$  with a  $(23 \pm 15)\%$  branch [ $\Gamma_n = 2760 \pm 1970$  eV] (the  $n_0$  branch is  $< 15\%$ ) [ $\Gamma_i$  are based on a total width of  $12 \pm 3.5$  keV]. See also (1982AJ01),  $^{19}\text{F}$  in (1987AJ02) and (1982GO10, 1982NA1H, 1985BA1A; theor.).

66.  $^{18}\text{O}(\alpha, ^6\text{He})^{16}\text{O}$   $Q_m = -11.213$

Angular distributions have been measured at  $E_\alpha = 58$  MeV to  $^{16}\text{O}^*(0, 6.1, 6.92, 7.12)$ . Groups at  $E_x = 10.4, 13.3 \pm 0.1$  and  $16.3 \pm 0.1$  MeV were also observed: see (1977AJ02).

67.  $^{18}\text{O}(^{18}\text{O}, ^{20}\text{O})^{16}\text{O}$   $Q_m = -0.624$

Angular distributions involving  $^{16}\text{O}_{\text{g.s.}}$  and  $^{20}\text{O}$  states are reported at  $E(^{18}\text{O}) = 24$  to 36 MeV and at 52 MeV: see (1982AJ01).

68.  $^{19}\text{F}(p, \alpha)^{16}\text{O}$   $Q_m = 8.1137$

Angular distributions have been measured at many energies up to  $E_p = 44.5$  MeV [see (1982AJ01)] and at  $E_p = 1.55$  to  $2.03$  MeV (1978DE1D;  $\alpha_0, \alpha_1$ ),  $1.66$  to  $1.86$  MeV (1985OU01;  $\alpha_0$ ),  $10.0$  to  $11.4$  MeV (1984IN04;  $^{16}\text{O}^*(0, 6.05, 6.13, 6.92, 7.13, 8.87, 9.84, 10.36, 10.96, 11.08 + 11.10)$ ). See also Table 16.31 in (1971AJ02).

The internal conversion to pair production ratio of the E0 transition  $^{16}\text{O}^*(6.05 \rightarrow \text{g.s.}) [0^+ \rightarrow 0^+]$  is  $(4.00 \pm 0.46) \times 10^{-5}$ . The ratio of double  $\gamma$ -emission to pair production  $\Gamma_{\text{E1E1}}/\Gamma_{\text{E0}(\pi)} = (2.5 \pm 1.1) \times 10^{-4}$ .  $\tau_m$  for  $^{16}\text{O}^*(6.05, 6.13)$  are  $96 \pm 7$  psec and  $26.6 \pm 0.7$  psec, respectively. See (1982AJ01) for references.  $|g|$  for  $^{16}\text{O}^*(6.13) = 0.556 \pm 0.004$  (1984AS03). For  $\gamma$ -ray branching ratios and mixing ratios see Table 16.11 and (1982VE04).

See also  $^{20}\text{Ne}$  in (1983AJ01, 1987AJ02), (1981KE1E, 1982MA1V, 1983GA18, 1983KN01, 1984KN1A, 1985ISZU, 1985LO1C), (1981DO1G, 1983TO1F, 1984DU1H, 1985TO1J; applied) and (1983IN1B).

$$69. \ ^{19}\text{F}(^3\text{He}, ^6\text{Li})^{16}\text{O} \quad Q_m = 4.0954$$

See (1977AJ02).

$$70. \text{ (a) } ^{20}\text{Ne}(\gamma, \alpha)^{16}\text{O} \quad Q_m = -4.734$$

$$\text{ (b) } ^{20}\text{Ne}(\text{p}, \text{p}\alpha)^{16}\text{O} \quad Q_m = -4.734$$

See (1984CA09; reaction (b)) and (1982RA1M, 1982SA1A; astrophysics). See also (1982AJ01) and  $^{20}\text{Ne}$  in (1983AJ01, 1987AJ02).

$$71. \ ^{20}\text{Ne}(\text{d}, ^6\text{Li})^{16}\text{O} \quad Q_m = -3.2589$$

Angular distributions have been studied at  $E_d$  to  $80$  MeV: see (1982AJ01). At  $E_d = 55$  MeV  $^{16}\text{O}^*(0, 6.05, 6.13, 6.92, 9.8, 11.10)$  are strongly populated (1981JAZV; prelim.). See also (1984CO08; theor.).

$$72. \ ^{23}\text{Na}(\text{d}, ^9\text{Be})^{16}\text{O} \quad Q_m = -3.006$$

The angular distribution to  $^{16}\text{O}_{\text{g.s.}}$  has been measured at  $E_d = 13.6$  MeV (1981RU09).

$$73. \ ^{24}\text{Mg}(\alpha, ^{12}\text{C})^{16}\text{O} \quad Q_m = -6.7712$$

Angular distributions have been reported at  $E_\alpha = 22.8$  to  $25.4$  MeV and at  $90.3$  MeV, the latter to  $^{16}\text{O}^*(0, 6.1, 7.0, 8.8, 9.8, 10.3)$  [see (1982AJ01)] and at  $E_\alpha = 25.1$  to  $27.8$  MeV (1986SK01).

74.  $^{24}\text{Mg}(^{12}\text{C}, ^{20}\text{Ne})^{16}\text{O}$   $Q_m = -2.150$

At  $E(^{12}\text{C}) = 40$  MeV the ground state angular distribution has been studied by (1982LI16).

## $^{16}\text{F}$

(Fig. 4 and 5)

GENERAL: (See also (1982AJ01).)

For reactions involving pions see (1983AS01, 1984AS05) and reaction 2. See also (1982BR08, 1983ANZQ, 1983AN25, 1983CO15, 1983KO2B, 1986YA1Q, 1986YA1F).

For a comparison of analog states in  $^{16}\text{O}$  and  $^{16}\text{F}$  see (1982FA06, 1983KE06, 1984ST10). See also (1985AN28, 1985HA01).

- (a)  $^{14}\text{N}(^3\text{He}, \text{n})^{16}\text{F}$   $Q_{\text{m}} = -0.957$   
(b)  $^{14}\text{N}(^3\text{He}, \text{np})^{15}\text{O}$   $Q_{\text{m}} = -0.421$

Observed neutron groups from reaction (a) and results from reaction (b) are displayed in Table 16.25.

- $^{16}\text{O}(\gamma, \pi^-)^{16}\text{F}$   $Q_{\text{m}} = -154.984$

See (1983JE08).

- $^{16}\text{O}(\text{p}, \text{n})^{16}\text{F}$   $Q_{\text{m}} = -16.199$

Observed neutron groups are displayed in Table 16.25. Angular distributions have recently been studied at  $E_{\text{p}} = 35$  MeV (1982OR04;  $n_0, n_1$ ) and (1982OH03; to  $^{16}\text{F}^*(6.37)$ ), at  $E_{\text{p}} = 99.1$  and 135.2 MeV (1982FA06; see Table 16.25) and at  $E_{\text{p}} = 135.2$  MeV (1982MA11; to  $^{16}\text{F}^*(6.37)$ ). See also (1983MAZG, 1985FLZZ). (1982AN08) have compared (p, n) cross sections with B(M1). See also  $^{17}\text{F}$ , (1984BA1R, 1985OR1G), (1984LI25, 1985OR1H) and (1984BO1N, 1984GAZP, 1984OR01, 1985GA1N, 1985GA11, 1985YA10; theor.).

- $^{16}\text{O}(^3\text{He}, \text{t})^{16}\text{F}$   $Q_{\text{m}} = -15.436$

Observed triton groups are shown in Table 16.25. Angular distributions at  $E(^3\text{He}) = 81$  MeV, analyzed by DWBA, and angular correlation measurements [mainly involving protons to  $^{15}\text{O}^*(0, 6.18)$ ], together with information from reactions 1 and 3, lead to the  $J^\pi$  values shown in the table (1984ST10). The analog of the giant dipole resonance [ $E_{\text{x}} \approx 9.5$  MeV] is strongly excited. The magnetic quadrupole strength has two strong components in  $^{16}\text{F}^*(0.42, 7.5)$  (1984ST10). The  $4^-$  state at 6.4 MeV and the GDR have also been observed by (1982TA05;  $E(^3\text{He}) = 170$  MeV). See also (1984VA17) and (1982AJ01).

Table 16.24: Energy levels of  $^{16}\text{F}$ 

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
0	$0^-; 1$	$40 \pm 20^a$	p	1, 2, 3, 4, 5, 6
$0.193 \pm 6$	$1^-$	$< 40^a$	p	1, 3, 4, 6
$0.424 \pm 5$	$2^-$	$40 \pm 30$	p	1, 3, 4, 6
$0.721 \pm 4$	$3^-$	$< 15$	p	1, 3, 4, 6
$3.758 \pm 6$	$1^+$	$< 40$	p	1, 3, 4, 6
$3.870 \pm 6$	$2^+$	$< 20$	p	1, 4, 6
$4.372 \pm 6$	$3^+$	$50 \pm 20$	p	1, 3, 4, 6
$4.654 \pm 6$	$1^+$	$60 \pm 20$	p	1, 3, 4, 6
$(4.71 \pm 20)$				6
$4.977 \pm 8$	$(2^+)$	$60 \pm 40$	p	1, 4, 6
$5.272 \pm 8$	$(1^-)$		p	1, 3, 4
$5.404 \pm 10$	4		p	1, 4, 6
$5.449 \pm 14$			p	1
$5.524 \pm 9$	$\pi = +$		p	1, 4, 6
$(5.57 \pm 20)$			p	1
$5.856 \pm 10$	$2^-$		p	1, 3, 4
$(6.05 \pm 20)$				6
$6.224 \pm 14$				1, 3
$6.372 \pm 9$	$4^-$			1, 3, 4
$6.559 \pm 10$	$(3^- + 1^-)$	$\leq 45$	p	4
$6.679 \pm 8$				1, 4, 6
$(6.93 \pm 20)$				6
$7.110 \pm 20$				1
$7.50 \pm 30$	$2^-$	$950 \pm 100$	p	3, 4
$7.90 \pm 15$		$< 100$		1, 3, 4
$9.50 \pm 30$	$1^-(+2^-)$	$1050 \pm 100$	p	3, 4
$9.60 \pm 20$		$250 \pm 50$		4
$11.50 \pm 50$	$1^-(+2^-)$	$1900 \pm 500$	p	3, 4

<sup>a</sup> (1984ST10) report  $\Gamma_{\text{c.m.}} \approx 25$  and  $\approx 100$  keV for  $^{16}\text{F}^*(0, 0.19)$ .

Table 16.25:  $^{16}\text{F}$  levels from  $^{14}\text{N}(^3\text{He}, \text{n})$ ,  $^{16}\text{O}(\text{p}, \text{n})$ ,  $^{16}\text{O}(^3\text{He}, \text{t})$  and  $^{19}\text{F}(^3\text{He}, ^6\text{He})$  <sup>a</sup>

$^{16}\text{F}^* \text{ b}$ (MeV $\pm$ keV)	$L \text{ b}$	$^{16}\text{F}^* \text{ c}$ (MeV $\pm$ keV)	$J^\pi \text{ d}$	$^{16}\text{F}^* \text{ e}$ (MeV $\pm$ keV)	$\Delta I \text{ f}$	$^{16}\text{F}^* \text{ g}$ (MeV $\pm$ keV)	$^{16}\text{F}^* \text{ h}$ (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}} \text{ i}$ (keV)	$J^\pi \text{ j}$
0	1	0	(1 <sup>-</sup> )	0		0	0	40 $\pm$ 20	0 <sup>-</sup>
0.192 $\pm$ 15	1	0.190 $\pm$ 20	(0 <sup>-</sup> )	0.197 $\pm$ 12		0.19 $\pm$ 20	0.192 $\pm$ 10	< 40	1 <sup>-</sup>
0.425 $\pm$ 15	3	0.425 $\pm$ 10	( $\geq$ 2)	0.424 $\pm$ 5	1	0.425 $\pm$ 20	0.424	40 $\pm$ 30	2 <sup>-</sup>
0.722 $\pm$ 10	(3)	0.725 $\pm$ 10	( $\geq$ 2)	0.720 $\pm$ 6	3	0.72 $\pm$ 20	0.722 $\pm$ 10	< 15	3 <sup>-</sup>
3.751 $\pm$ 10	0	3.775 $\pm$ 10 <sup>k</sup>	(1)	3.76	0	3.75 $\pm$ 20	3.740 $\pm$ 15 <sup>n</sup>	< 40	1 <sup>+</sup>
3.861 $\pm$ 10	2	3.880 $\pm$ 10 <sup>k</sup>	$\geq$ 1			3.86 $\pm$ 20	3.873 $\pm$ 15 <sup>n</sup>	< 20	2 <sup>+</sup>
4.370 $\pm$ 10		4.375 $\pm$ 10 <sup>k</sup>	( $\geq$ 2)	4.37	2	4.37 $\pm$ 20	4.372 <sup>n</sup>	50 $\pm$ 20	3 <sup>+</sup>
4.646 $\pm$ 10	0	4.661 $\pm$ 10 <sup>k</sup>	$\geq$ 1	4.65	0	4.66 $\pm$ 20	4.652 $\pm$ 10 <sup>n</sup>	60 $\pm$ 20	1 <sup>+</sup>
						4.71 $\pm$ 20 <sup>m</sup>			
4.973 $\pm$ 10	2	4.97 $\pm$ 20 <sup>1</sup>	$\geq$ 2			4.97 $\pm$ 20	5.007 $\pm$ 20	60 $\pm$ 40	(2 <sup>+</sup> )
5.264 $\pm$ 20		5.27 $\pm$ 20 <sup>1</sup>		5.27	1		5.274 $\pm$ 10 <sup>n</sup>		(1 <sup>-</sup> )
5.390 $\pm$ 20	2	5.40 $\pm$ 20 <sup>1</sup>				5.39 $\pm$ 20	5.414 $\pm$ 15		4
5.448 $\pm$ 20		5.45 $\pm$ 20 <sup>1</sup>							
5.528 $\pm$ 20	2	5.52 $\pm$ 20 <sup>1</sup>				5.53 $\pm$ 20	5.521 $\pm$ 15		$\pi = +$
		(5.57 $\pm$ 20) <sup>1</sup>							
5.840 $\pm$ 40				5.86	3		5.858 $\pm$ 10 <sup>n</sup>		2 <sup>-</sup>
						6.05 $\pm$ 20 <sup>m</sup>			
6.230 $\pm$ 50				6.22	0		6.224 $\pm$ 15		
6.371 $\pm$ 20				6.37	3		6.372 $\pm$ 10		4 <sup>-</sup>
							6.559 $\pm$ 10 <sup>n</sup>		
6.678 $\pm$ 10		6.68 $\pm$ 20 <sup>1</sup>	$\geq$ 1			6.68 $\pm$ 20		$\leq$ 45	(3 <sup>-</sup> + 1 <sup>-</sup> )
						6.93 $\pm$ 20 <sup>m</sup>			
7.110 $\pm$ 20				$\approx$ 7.5	1		7.50 $\pm$ 30 <sup>n,o</sup>	950 $\pm$ 100	2 <sup>-</sup>
7.730 $\pm$ 40				$\approx$ 9.5	1		7.90 $\pm$ 15	< 100	
							9.50 $\pm$ 30 <sup>n,o</sup>	1050 $\pm$ 100	1 <sup>-</sup> (+2 <sup>-</sup> )
							9.60 $\pm$ 20	250 $\pm$ 50	

Table 16.25:  $^{16}\text{F}$  levels from  $^{14}\text{N}(^3\text{He}, \text{n})$ ,  $^{16}\text{O}(\text{p}, \text{n})$ ,  $^{16}\text{O}(^3\text{He}, \text{t})$  and  $^{19}\text{F}(^3\text{He}, ^6\text{He})$  <sup>a</sup>  
(continued)

$^{16}\text{F}^*$ <sup>b</sup> (MeV $\pm$ keV)	$L$ <sup>b</sup>	$^{16}\text{F}^*$ <sup>c</sup> (MeV $\pm$ keV)	$J\pi$ <sup>d</sup>	$^{16}\text{F}^*$ <sup>e</sup> (MeV $\pm$ keV)	$\Delta I$ <sup>f</sup>	$^{16}\text{F}^*$ <sup>g</sup> (MeV $\pm$ keV)	$^{16}\text{F}^*$ <sup>h</sup> (MeV $\pm$ keV)	$\Gamma_{\text{c.m.}}$ <sup>i</sup> (keV)	$J\pi$ <sup>j</sup>
				$\approx 11.5$	1		$11.50 \pm 50$ <sup>n,o</sup>	$1900 \pm 500$	$1^- (+2^-)$

<sup>a</sup> See also Tables 16.33 in (1971AJ02) and 16.26 in (1982AJ01) for the earlier work and for references.

<sup>b</sup>  $^{14}\text{N}(^3\text{He}, \text{n})^{16}\text{F}$ .

<sup>c</sup>  $^{14}\text{N}(^3\text{He}, \text{np})^{15}\text{O}$ .

<sup>d</sup> From angular correlation studies.

<sup>e</sup>  $^{16}\text{O}(\text{p}, \text{n})^{16}\text{F}$ .  $E_x$  shown without uncertainties are from Table 16.24.

<sup>f</sup> (1982FA06;  $E_p = 99.1$  and  $135.2$  MeV).

<sup>g</sup>  $^{16}\text{O}(^3\text{He}, \text{t})$  and  $^{19}\text{F}(^3\text{He}, ^6\text{He})^{16}\text{F}$ .

<sup>h</sup>  $^{16}\text{O}(^3\text{He}, \text{t})$ : (1984ST10;  $E(^3\text{He}) = 81$  MeV) and Dr. M. Harakeh (private communication).

<sup>i</sup> From (a) and (1984ST10, 1985HA01).

<sup>j</sup> From (a) and (1984ST10).

<sup>k</sup> See also (1985HA01).

<sup>l</sup> (1985HA01).

<sup>m</sup> Observed only in  $^{19}\text{F}(^3\text{He}, ^6\text{He})$ .

<sup>n</sup> Decays to  $^{15}\text{O}_{\text{g.s.}}$  by proton emission (1984ST10).

<sup>o</sup> Decays to  $^{15}\text{O}^*(6.18)$  (1984ST10).

5. (a)  $^{16}\text{O}(^6\text{Li}, ^6\text{He})^{16}\text{F}$   $Q_m = -18.924$   
 (b)  $^{16}\text{O}(^7\text{Li}, ^7\text{He})^{16}\text{F}$   $Q_m = -26.62$

See (1984GL06;  $E(^6\text{Li}) = 93$  MeV,  $E(^7\text{Li}) = 78$  MeV).

6.  $^{19}\text{F}(^3\text{He}, ^6\text{He})^{16}\text{F}$   $Q_m = -14.828$

See Table 16.25 and (1982AJ01).

$^{16}\text{Ne}$   
(Fig. 5)

GENERAL: (See also (1982AJ01).)

See (1981SEZR, 1983ANZQ, 1985AN28, 1985MA1X).

*Mass of  $^{16}\text{Ne}$ :* The  $Q$ -values of the  $^{20}\text{Ne}(\alpha, ^8\text{He})$  and  $^{16}\text{O}(\pi^+, \pi^-)$  reactions lead to atomic mass excesses of  $23.93 \pm 0.08$  MeV (1978KE06),  $23.978 \pm 0.024$  MeV (1983WO01) and  $24.048 \pm 0.045$  MeV (1980BU15) [recalculated using the (1985WA02) masses for  $^8\text{He}$ ,  $^{16}\text{O}$  and  $^{20}\text{Ne}$ ]. The weighted mean is  $23.989 \pm 0.020$  MeV which is also the (1985WA02) value.  $^{16}\text{Ne}$  is then bound with respect to decay into  $^{15}\text{F} + \text{p}$  by 0.07 MeV and unbound with respect to  $^{14}\text{O} + 2\text{p}$  by 1.40 MeV.

1.  $^{16}\text{O}(\pi^+, \pi^-)^{16}\text{Ne}$   $Q_m = -24.77$

Angular distributions to  $^{16}\text{Ne}_{\text{g.s.}}$  have been studied at  $E_{\pi^+} = 120$  and 200 MeV (1984GI05) and at 164 MeV (1983GR07). For the ground state cross section for  $E_{\pi^+} = 80$  to 292 MeV see (1982GR02, 1982GR1F) and the analysis in (1982BL20, 1984GI05, 1985GI06). See also (1982AJ01, 1982IN1A, 1982MO12, 1984BA1B, 1985WO1C).

2.  $^{20}\text{Ne}(\alpha, ^8\text{He})^{16}\text{Ne}$   $Q_m = -60.21$

At  $E_\alpha \approx 117.5$  MeV,  $^{16}\text{Ne}^*(0, 1.69 \pm 0.07)$  are populated, the former with a differential cross section of  $5 \pm 3$  nb/sr at  $8^\circ$  (lab). The  $\Gamma_{\text{c.m.}}$  for the ground state group is  $200 \pm 100$  keV; applying penetrability corrections leads to a total decay width of  $5 - 100$  keV. The di-proton branching ratio is  $10 - 90\%$ , with the most probable value being  $20\%$ . The cubic term,  $d$ , in the IMME is  $8 \pm 5$



Table 16.26: Energy levels of  $^{16}\text{Ne}$

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
0	$0^+; 2$	$122 \pm 37$	p	1, 2
$1.69 \pm 0.07$	$(2^+); 2$		(p)	2

keV,  $15 \pm 6$  keV based, respectively, on the masses of  $^{16}\text{Ne}^*(0, 1.69)$ . The first  $T = 2$  states in  $^{16}\text{F}[0^+, 2^+]$  are predicted to lie at  $E_x = 10.08 \pm 0.02$  and  $11.87 \pm 0.03$  MeV (1978KE06). At  $E_\alpha = 129$  MeV (1983WO01) find  $\Gamma_{\text{c.m.}}$  for  $^{16}\text{Ne}_{\text{g.s.}} = 110 \pm 40$  keV and the  $d$  and  $e$  coefficients in the IMME are both  $4 \pm 3$  keV.

$^{16}\text{Na}$ ,  $^{16}\text{Mg}$ ,  $^{16}\text{Al}$ ,  $^{16}\text{Si}$   
(Not observed)

See (1983ANZQ; theor.).

## References

(Closed 01 June 1986)

- 1959AJ76 F. Ajzenberg and T. Lauritsen, Nucl. Phys. 11 (1959) 1
- 1970AD01 E.G. Adelberger, A.V. Nero and A.B. McDonald, Nucl. Phys. A143 (1970) 97
- 1970AH02 J. Ahrens, H. Borchert, K.-H. Czock, D. Mehlig and B. Ziegler, Phys. Lett. B31 (1970) 570
- 1970DU04 J.R. Duray and C.P. Browne, Phys. Rev. C1 (1970) 776
- 1971AJ02 F. Ajzenberg-Selove, Nucl. Phys. A166 (1971) 1
- 1974TH01 C. Thibault and R. Klapisch, Phys. Rev. C9 (1974) 793
- 1975SK06 D.M. Skopik, Y.M. Shin and J.J. Murphy, II, Can. J. Phys. 53 (1975) 1398
- 1976AL02 D.E. Alburger and D.H. Wilkinson, Phys. Rev. C13 (1976) 835
- 1977AJ02 F. Ajzenberg-Selove, Nucl. Phys. A281 (1977) 1
- 1977CH19 S.H. Chew, J. Lowe, J.M. Nelson and A.R. Barnett, Nucl. Phys. A286 (1977) 451
- 1977HA18 J.W. Harris, T.M. Cormier, D.F. Geesaman, L.L. Lee, Jr., R.L. McGrath and J.P. Wurm, Phys. Rev. Lett. 38 (1977) 1460
- 1978CH09 S.H. Chew, J. Lowe, J.M. Nelson and A.R. Barnett, Nucl. Phys. A298 (1978) 19
- 1978DE1D De Rosa et al., Nuovo Cim. A44 (1978) 433
- 1978FO19 H.T. Fortune, R. Middleton and O.M. Bilaniuk, J. Phys. (London) G4 (1978) L181
- 1978FO27 H.T. Fortune, R. Middleton and O.M. Bilaniuk, Phys. Rev. C18 (1978) 1920
- 1978KE06 G.J. KeKelis, M.S. Zisman, D.K. Scott, R. Jahn, D.J. Vieira, J. Cerny and F. Ajzenberg-Selove, Phys. Rev. C17 (1978) 1929.
- 1978KI01 J.C. Kim, R.S. Hicks, R. Yen, I.P. Auer, H.S. Caplan and J.C. Bergstrom, Nucl. Phys. A297 (1978) 301
- 1978KN02 K.T. Knopfle, G.J. Wagner, P. Paul, H. Breuer, C. Mayer-Boricke, M. Rogge and P. Turek, Phys. Lett. B74 (1978) 191
- 1978OC01 W.J. O'Connell and S.S. Hanna, Phys. Rev. C17 (1978) 892
- 1978WI1B B.H. Wildenthal, Nukleonika 23 (1978) 459
- 1979GO1C Gobbi and Bromley, Heavy Ion Collisions 1 (1979) 487
- 1979GU06 P. Guichon, B. Bihoreau, M. Giffon, A. Goncalves, J. Julien, L. Roussel and C. Samour, Phys. Rev. C19 (1979) 987
- 1979KO26 L. Koester, K. Knopf and W. Waschkowski, Z. Phys. A292 (1979) 95

- 1979MA1C Massen, *Int. J. Theor. Phys.* 18 (1979) 695
- 1979MI1A Minetti and Minetti, *Atti Accad. Sci. Torino (Italy)* 113 (1979) 141
- 1979PH07 T.W. Phillips and R.G. Johnson, *Phys. Rev. C*20 (1979) 1689
- 1979SA29 S.J. Sanders, L.M. Martz and P.D. Parker, *Phys. Rev. C*20 (1979) 1743
- 1979VE02 E. Ventura, J.R. Calarco, C.C. Chang, E.M. Diener, D.G. Mavis, S.S. Hanna and G.A. Fisher, *Phys. Rev. C*19 (1979) 1705
- 1980BU15 G.R. Burlison, G.S. Blanpied, G.H. Daw, A.J. Viescas, C.L. Morris, H.A. Thiessen, S.J. Greene, W.J. Braithwaite, W.B. Cottingame, D.B. Holtkamp et al., *Phys. Rev. C*22 (1980) 1180
- 1980CO08 A.J. Cole, N. Longequeue, J. Menet, J.J. Lucas, R. Ost and J.B. Viano, *Nucl. Phys. A*341 (1980) 284
- 1980CU03 A. Cunsolo, A. Foti, G. Imme, G. Pappalardo, G. Raciti, F. Rizzo and N. Saunier, *Phys. Rev. C*21 (1980) 952
- 1980HO13 D.R. Holtkamp, W.J. Braithwaite, W. Cottingame, S.J. Greene, R.J. Joseph, C.F. Moore, C.L. Morris, J. Piffaretti, E.R. Siciliano, H.A. Thiessen et al., *Phys. Rev. Lett.* 45 (1980) 420
- 1980SH1R K. Shimizu and A. Faessler, *Nucl. Phys. A*333 (1980) 495
- 1981AFZZ G.N. Afanasev, V.P. Permyakov and V.M. Shilov, Program and Thesis, Proc. 31st Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Samarkand (1981) 495
- 1981AG1B Agrello, Navarro and Maki, *Rev. Bras. Fis.* 11 (1981) 163
- 1981AL1K Alma-ata et al., *Sov. J. Nucl. Phys.* 33 (1981) 552
- 1981AN18 K. Ando and H. Bando, *Prog. Theor. Phys.* 66 (1981) 227
- 1981AN1H Anikina et al., *Z. Phys. C*9 (1981) 105
- 1981AN1K Anikina et al., *Yad. Fiz.* 33 (1981) 1568
- 1981AP02 B. Apagyí and T. Vertse, *Acta Phys. Acad. Sci. Hung.* 51 (1981) 171
- 1981BA20 O.L. Bartaya and J.V. Mebonia, *Yad. Fiz.* 33 (1981) 987
- 1981BA2F Barnes, *Prog. Part. Nucl. Phys.* 6 (1981) 235
- 1981BA55 J. Barrette, E. Deuring, Z. Fraenkel, H. Lehr, I. Tserruva and S. Wald, *Phys. Rev. C*24 (1981) 2731; Erratum *Phys. Rev. C*27 (1983) 438
- 1981BE19 T.L. Belyaeva, N.S. Zelenskaya, L.Z. Ismail, V.M. Lebedev, A.V. Spassky and I.B. Teplov, *Yad. Fiz.* 33 (1981) 294; *Sov. J. Nucl. Phys.* 33 (1981) 153
- 1981BE2D Begchanov et al., Program and Thesis, Proc. 31st Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Samarkand (1981) 656
- 1981BE2K Becker and Cox, *Nucl. At. Theor. Astrophys.* (1981)
- 1981BE2P Berdnikov et al., *Sov. J. Nucl. Phys.* 34 (1981) 794

- 1981BE63 V.B. Belyaev and O.P. Solovtsova, *Yad. Fiz.* 33 (1981) 699; *Sov. J. Nucl. Phys.* 33 (1981) 363
- 1981BL1K Blokhintsev, *Sov. J. Nucl. Phys.* 34 (1981) 525
- 1981BO09 A. Bouyssy, *Phys. Lett.* B99 (1981) 373
- 1981BO31 P. Bonche and N. Ngo, *Phys. Lett.* B105 (1981) 17
- 1981BO38 S. Boffi, C. Giusti and F.D. Pacati, *Lett. Nuovo Cim.* 32 (1981) 381
- 1981BO39 J. Boguta, *Nucl. Phys.* A372 (1981) 386
- 1981BR13 P. Braun-Munzinger, G.M. Berkowitz, M. Gai, C.M. Jachcinski, T.R. Renner, C.D. Uhlhorn, J. Barrette and M.J. Levine, *Phys. Rev.* C24 (1981) 1010
- 1981BR16 J. Broeckhove, *J. Phys. (London)* G7 (1981) L259
- 1981BR1H Bragin, Stepanov and Chulkov, Program and Thesis, Proc. 31st Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Samarkand (1981) 498
- 1981BR1M Bromley, 3rd Int. Conf. on Electrostatic Accelerator Tech., Oak Ridge (1981)
- 1981BR1P Bromley, Int. Workshop on Resonances in Heavy Ion Collisions, Bad Honnef (1981)
- 1981BU27 M.W. Buser, *Helv. Phys. Acta* 54 (1981) 439
- 1981CA09 O. Castanos and A. Frank, *J. Phys. (London)* G7 (1981) 1483
- 1981CA1H Cahn and Glashow, *Science* 213 (1981) 607
- 1981CE05 F.E. Cecil, R.E. Anderson, S.A. Durrance, R.J. Peterson and H.H. Wieman, *Nucl. Phys.* A370 (1981) 277; Erratum *Nucl. Phys.* A378 (1982) 579
- 1981CH1K Chechev and Kramarovskii, *Usp. Fiz. Nauk* 134 (1981) 431
- 1981CI04 S. Ciulli, H. Pilkuhn and H.G. Schlaile, *Z. Phys.* A302 (1981) 45
- 1981CO15 J. Cook and R.J. Griffiths, *Nucl. Phys.* A366 (1981) 27
- 1981CO1W Coffin, LYCEN 8101 (1981)
- 1981CO1X Coon, Proc. 2nd Int. Conf., Mexico (1981) 407
- 1981DE18 E.S. de Almeida and V. di Napoli, *Lett. Nuovo Cim.* 31 (1981) 311
- 1981DE24 M. Dey, D.K. Paul and J. Dey, *Z. Phys.* A301 (1981) 133
- 1981DE2C Delsemme, *Bull. Amer. Phys. Soc.* 26 (1981) 801
- 1981DE2G de Wet, *Found. Phys.* 11 (1981) 155
- 1981DO1G B.L. Doyle and D.K. Brice, *Phys. Rev.* A24 (1981) 2232
- 1981DU16 O. Dumbrajs, *Z. Phys.* A301 (1981) 55
- 1981DU19 O. Dumbrajs and M. Martinis, *Z. Phys.* A303 (1981) 235
- 1981DWZZ M. Dworzecka, J.J. Griffin and J. Blocki, *Bull. Amer. Phys. Soc.* 26 (1981) 1145, DC12

- 1981DY02 R. Dymarz, J.L. Molina and K.V. Shitikova, *Z. Phys.* A299 (1981) 245
- 1981EG02 Ch. Egelhaaf, H. Fuchs, A. Gamp and H. Homeyer, *Phys. Rev.* C24 (1981) 759
- 1981FE2A H.W. Fearing, *Prog. Part. Nucl. Phys.* 7 (1981) 113
- 1981FI1B H.R. Fiebig and W. Timm, *Nucl. Phys.* A368 (1981) 164
- 1981FO12 V.N. Fomenko, *Yad. Fiz.* 34 (1981) 886
- 1981FR14 R.A. Freedman, G.A. Miller and E.M. Henley, *Phys. Lett.* B103 (1981) 397
- 1981FR17 E. Friedman, *Phys. Lett.* B104 (1981) 357
- 1981FR18 J. Frohlich, H.G. Schlaile, L. Streit and H. Zingl, *Z. Phys.* A302 (1981) 89
- 1981FR1L W.E. Frahn, M.S. Hussein, L. F. Canto and R. Donangelo, *Nucl. Phys.* A369 (1981) 166
- 1981FR1N Friedrich, *Phys. Rept.* 74 (1981) 209
- 1981FR1T Frankfurt and Strikman, *Phys. Rept.* 76 (1981) 215
- 1981FU1G Fujiwara and Horiuchi, *Prog. Theor. Phys.* 65 (1981) 1901
- 1981GA12 F.A. Gareev, S.N. Ershov, N.I. Pyatov, S.A. Fayans and D.I. Salamov, *Yad. Fiz.* 33 (1981) 645
- 1981GA1K Gao Qin, Ma Wei-Xing, Zhang Zong-Ye and Yu You-Wen, *Phys. Energ. Fortis Phys. Nucl.* 5 (1981) 176
- 1981GA1M Gari and Hebach, *Phys. Rept.* 72 (1981) 1
- 1981GA1N D. Galetti and A.F.R. de Toledo Piza, *Phys. Rev.* C24 (1981) 2311
- 1981GA33 M. Gai, E.C. Schloemer, J.E. Freedman, A.C. Hayes, S.K. Korotky, J.M. Manoyan, B. Shivakumar, S.M. Sterbenz, H. Voit, S.J. Willett et al., *Phys. Rev. Lett.* 47 (1981) 1878
- 1981GA35 E.F. Garman, L.K. Fifield, W.N. Catford, D.P. Balamuth, J.M. Lind and R.W. Zurmuhle, *Nucl. Phys.* A372 (1981) 194
- 1981GI10 W.R. Gibbs, *Phys. Lett.* B103 (1981) 281
- 1981GI1E Gismatulin, Lantsev and Ostroumov, Program and Thesis, Proc. 31st Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Samarkand (1981) 533
- 1981GL02 C.W. Glover and K.W. Kemper, *Nucl. Phys.* A366 (1981) 469
- 1981GM02 M. Gmitro, S.S. Kamalov, T.V. Moskalenko and R.A. Eramzhyan, *Czech. J. Phys.* B31 (1981) 499
- 1981GM03 M.M. Gmitro, G.Ya. Korenman, V.P. Popov, R.A. Sakaev and L.A. Tosunjan, *J. Phys. (London)* G7 (1981) 1203
- 1981GO1K A.L. Goodman, R.K. Tripathi and A. Faessler, *Phys. Lett.* B107 (1981) 341

- 1981GR17 K.A. Gridnev, K. Mikulas, V.M. Semenov and E.F. Khefter, *Izv. Akad. Nauk SSSR Ser. Fiz.* 45 (1981) 134
- 1981GU10 R. Guardiola, A. Faessler, H. Muther and A. Polls, *Nucl. Phys.* A371 (1981) 79
- 1981GY01 B. Gyarmati, K.F. Pal and T. Vertse, *Phys. Lett.* B104 (1981) 177
- 1981HO1G Holtkamp et al., *Bull. Amer. Phys. Soc.* 26 (1981) 1154
- 1981HO1H Holt, *IEEE Trans. Nucl. Sci.* 28 (1981) 1279
- 1981HU07 M. Hugi, L. Jarczyk, B. Kamys, J. Lang, R. Muller, J. Sromicki, A. Strzalkowski, E. Ungricht, G. Willim, Z. Wrobel et al., *J. Phys. (London)* G7 (1981) 1395
- 1981IL1A Ilin, Program and Thesis, Proc. 31st Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Samarkand (1981) 487
- 1981IN02 A. Insolia, M. Baldo, F. Catara and A. Vitturi, *Z. Phys.* A301 (1981) 209
- 1981IS11 B.S. Ishkhanov, I.M. Kapitonov, V.G. Neudachin and R.A. Eramzhyan, *Fiz. Elem. Chastits At. Yadra* 12 (1981) 905; *Sov. J. Part. Nucl.* 12 (1981) 362
- 1981IS1B M. Ismail and M.M. Osman, *Phys. Rev.* C24 (1981) 458
- 1981JA07 M.A. Jadid and H.A. Mavromatis, *Nucl. Phys.* A367 (1981) 215
- 1981JAZV J. Janecke, E.H.L. Aarts, A.G. Drentje, Y. Iwasaki, R.V.F. Janssens and L.W. Put, *Bull. Amer. Phys. Soc.* 26 (1981) 1126, BD3
- 1981KA1K Karban, Basak and Roman, *AIP Conf. Proc.* 69 (1981) 706
- 1981KE1E Kenny, *Australian J. Phys.* 34 (1981) 35
- 1981KH03 S.B. Khadkikar, L. Rikus, A. Faessler and R. Sartor, *Nucl. Phys.* A369 (1981) 495
- 1981KN12 V.A. Knyr and Yu.F. Smirnov, *Acta Phys. Pol.* B12 (1981) 1067
- 1981KO1J Koboc, Program and Thesis, Proc. 31st Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Samarkand (1981) 535
- 1981KO41 W.K. Koo and L.J. Tassie, *Aust. J. Phys.* 34 (1981) 15
- 1981KR13 S.J. Krieger and M.S. Weiss, *Phys. Rev.* C24 (1981) 928
- 1981KR14 S. Krewald, A. Djaloeis and S. Gopal, *Phys. Rev.* C24 (1981) 966
- 1981KU03 K.-I. Kubo and P.E. Hodgson, *Phys. Lett.* B100 (1981) 453
- 1981KU09 K.-I. Kubo and P.E. Hodgson, *Nucl. Phys.* A366 (1981) 320
- 1981KU10 S. Kubono, P.D. Bond and D. Horn, *Phys. Rev.* C24 (1981) 1340
- 1981LA10 S. Landowne, R. Schlicher and H.H. Wolter, *Phys. Lett.* B103 (1981) 405
- 1981LA12 K. Langanke, *Phys. Lett.* B104 (1981) 112
- 1981LA13 M. Lattuada, F. Riggi, C. Spitaleri, D. Vinciguerra and C.M. Suter, *Nuovo Cim.* A63 (1981) 530
- 1981LA16 K. Langanke, *Phys. Lett.* B104 (1981) 429

- 1981LA1G K. Langanke, R. Stademann and W. Timm, Phys. Rev. C24 (1981) 1023
- 1981LA1L Lambert and Ries, Astrophys. J. 248 (1981) 228
- 1981LE20 S.Y. Lee, Y.H. Chu and T.T.S. Kuo, Phys. Rev. C24 (1981) 1502
- 1981LI1Q Li, Wu, Huang and Li, Phys. Energ. Fortis Phys. Nucl. 5 (1981) 157
- 1981LI1T Liu and Wu, Phys. Energ. Fortis Phys. Nucl. 5 (1981) 136
- 1981LI1W Liu, Wu, Huang and Li, Sci. Sin. 24 (1981) 789
- 1981LI1X Li Qing-Run and Chen Sheng-Zhong, Phys. Energ. Fortis Phys. Nucl. 5 (1981) 531
- 1981LI23 P.W. Lisowski, R.C. Byrd, G. Mack, W. Tornow, R.L. Walter, T.B. Clegg and F.D. Santos, Phys. Rev. C24 (1981) 1852
- 1981LYZY W.G. Lynch, L.W. Richardson, M.B. Tsang, R. Ellis, C.K. Gelbke and R.L. Warner, Bull. Amer. Phys. Soc. 26 (1981) 1122, BB9
- 1981MA1G N. Masuda, K. Inoue and Y. Ito, Phys. Rev. C23 (1981) 1543; Erratum Phys. Rev. C24 (1981) 1820
- 1981MA23 K. Masutani and K. Yazaki, Phys. Lett. B104 (1981) 1
- 1981MA26 V.S. Mathur and R. Prasad, J.Phys. (London) G7 (1981) 1455
- 1981MA42 D. Majumdar, A. Roychaudhury and T. Roy, Acta Phys. Pol. B12 (1981) 1059
- 1981ME13 M.C. Mermaz, J. Barrette and H.E. Wegner, Phys. Rev. C24 (1981) 2148
- 1981ME1H Meyer-ter-Vehn, Phys. Rept. 74 (1981) 323
- 1981MUZQ S.F. Mughabghab, M. Divadeenam and N.E. Holden, Neutron Cross Sections Part A, Z=1-60 (1981)
- 1981NA07 M.N. Namboodiri, P. Gonthier, H. Ho, J.B. Natowitz, R. Eggers, L. Adler, P. Kasiraj, C. Cerruti, A. Chevarier, N. Chevarier et al., Nucl. Phys. A367 (1981) 313
- 1981NA14 J. Narayanaswamy, P. Dyer, S.R. Faber and S.M. Austin, Phys. Rev. C24 (1981) 2727
- 1981NE1B O.F. Nemets and A.M. Vasnogordsky, Fiz. Elem. Chastits At. Yadra 12 (1981) 424
- 1981OH06 N. Ohtsuka, Nucl. Phys. A370 (1981) 431
- 1981OL1C D.L. Olson, B.L. Berman, D.E. Greiner, H.H. Heckman, P.J. Lindstrom, G.D. Westfall and H.J. Crawford, Phys. Rev. C24 (1981) 1529
- 1981OS1A E. Oset and W. Weise, Nucl. Phys. A368 (1981) 375
- 1981OS1H Osman, Atomkernenerg. Kerntech. 38 (1981) 212
- 1981OV02 D. Overway, J. Janecke, F.D. Becchetti, C.E. Thorn and G. Kekelis, Nucl. Phys. A366 (1981) 299
- 1981PA09 K.C. Panda, B. Behera and R.K. Satpathy, J. Phys. (London) G7 (1981) 937
- 1981PI11 M. Pignanelli, H.V. von Geramb and R. De Leo, Phys. Rev. C24 (1981) 369
- 1981PI1D Pinkston and Greiner, J. Phys. (London) G7 (1981) 1653

- 1981PO1F Povh, Prog. Part. Nucl. Phys. 5 (1981) 245
- 1981PR07 M. Prakash, S. Shlomo, B.S. Nilsson, J.P. Bondorf and F.E. Serr, Phys. Rev. Lett. 47 (1981) 898
- 1981RA16 K.S. Rao and S. Susila, Acta Phys. Aust. 53 (1981) 157
- 1981RA18 M. Rayet, Nucl. Phys. A367 (1981) 381
- 1981RA20 W.D. Rae, A.J. Cole, A. Dacal, R. Legrain, B.G. Harvey, J. Mahoney, M.J. Murphy, R.G. Stokstad and I. Tserruya, Phys. Lett. B105 (1981) 417
- 1981RI1A Richter, Nucl. Struct., NATO B67 (1981) 241
- 1981RO14 P.G. Roos, L. Rees and N.S. Chant, Phys. Rev. C24 (1981) 2647
- 1981RO1T M. Rosina and H.J. Pirner, Nucl. Phys. A367 (1981) 398
- 1981RO1W Rolfs, Nucl. Struct., NATO B67 (1981) 369
- 1981RU09 A.T. Rudchik, V.N. Dobrikov, O.Yu. Goryunov, O.F. Nemets, A.S. Gass and V.A. Stepanenko, Yad. Fiz. 34 (1981) 306; Sov. J. Nucl. Phys. 34 (1981) 173
- 1981SA07 A.M. Sandorfi, M.T. Collins, D.J. Millener, A.M. Nathan and S.F. LeBrun, Phys. Rev. Lett. 46 (1981) 884
- 1981SA33 R. Sartor and Fl. Stancu, Phys. Rev. C24 (1981) 2347
- 1981SC1N Schiffer, Nucl. Struct., NATO B67 (1981) 127
- 1981SEZR K.K. Seth, 4th Int. Conf. on Nucl. Far from Stability, Helsingon, Denmark (1981) 655; CERN 81-09 (1981)
- 1981SH1A C.S. Shastry and R.K. Satpathy, Proc. Indian Natl. Sci. Acad. A47 (1981) 373
- 1981SH1L Shalaby and Khalil, Atomkernernerg. Kerntech. 38 (1981) 138
- 1981SH1M K. Shimizu, A. Polls, H. Muther and A. Faessler, Nucl. Phys. A364 (1981) 461
- 1981SH24 M.M. Shalaby, A.M. El Naiem, H.M. Khalil and M.A. Ali, Acta Phys. Acad. Sci. Hung. 50 (1981) 3
- 1981SP1C Spitz, Hahn and Schmid, Z. Phys. A303 (1981) 209
- 1981SP1D Speth and van der Woude, Rept. Prog. Phys. 44 (1981) 719
- 1981ST19 M.M. Sternheim, Phys. Rev. C24 (1981) 1812
- 1981ST1P Stokstad, Nukleonika 26 (1981) 373
- 1981SU09 T. Suzuki, S. Krewald and J. Speth, Phys. Lett. B107 (1981) 9
- 1981TA16 S.L. Tabor, L.C. Dennis, K.W. Kemper, J.D. Fox, K. Abdo, G. Neuschaefer, D.G. Kovar and H. Ernst, Phys. Rev. C24 (1981) 960
- 1981TA20 O. Tanimura and U. Mosel, Phys. Lett. B105 (1981) 334
- 1981TA23 T. Tanabe, M. Yasue, K. Sato, K. Ogino, Y. Kadota, Y. Taniguchi, K. Obori, K. Makino and M. Tochi, Phys. Rev. C24 (1981) 2556



- 1981TA24 P. Taras, G.C. Ball, W.G. Davies, H.R. Andrews and B. Haas, Phys. Lett. B107 (1981) 35
- 1981TAZU E. Takada, T. Murakami, N. Takahashi, Y.-W. Lui and K. Nagatani, Bull. Amer. Phys. Soc. 26 (1981) 1122, BB10
- 1981TEZZ F. Tervisidis, E. Ungricht, E. Takada, N. Takahashi, Y.-W. Lui, T. Murakami and K. Nagatani, Bull. Amer. Phys. Soc. 26 (1981) 1122, BB11
- 1981TO14 H. Toki and J.R. Comfort, Phys. Rev. Lett. 47 (1981) 1716
- 1981TO16 I.S. Towner and F.C. Khanna, Nucl. Phys. A372 (1981) 331
- 1981TO1N V. Tornow, D. Drechsel, G. Orlandini and M. Traini, Phys. Lett. B107 (1981) 259
- 1981TS01 M.B. Tsang, W.G. Lynch, R.J. Puigh, R. Vandenbosch and A.G. Seamster, Phys. Rev. C23 (1981) 1560
- 1981UR01 J.N. Urbano, K. Goeke and P.-G. Reinhard, Nucl. Phys. A370 (1981) 329
- 1981US02 K.F. Ustimenkov, A.S. Deineko, Yu.G. Mashkarov, I.I. Zalyubovsky and V.E. Storizhko, Izv. Akad. Nauk SSSR Ser. Fiz. 45 (1981) 2203
- 1981VA1L Vachakidze, Dzhalagania and Khan, Program and Thesis, Proc. 31st Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Samarkand (1981) 507
- 1981VA1M van der Woude, Nucl. Struct., NATO B67 (1981) 165
- 1981VA1N Vary, Proc. 2nd Int. Conf., Mexico (1981) 382
- 1981WA1P Wang et al., Ann. Rept. Inst. Phys. Acad. Sin. 11 (1981) 1
- 1981WA1Q R.K. Wallace and S.E. Woosley, Astrophys. J. Suppl. 45 (1981) 389
- 1981WE1F Wefel, Schramm, Blake and Pridmore-Brown, Astrophys. J. 45 (1981) 565
- 1981WE1G Weise, Nucl. Struct., NATO B67 (1981) 91
- 1981WI09 K. Wienhard, R.K.M. Schneider, K. Ackermann, K. Bangert, U.E.P. Berg and R. Stock, Phys. Rev. C24 (1981) 1363
- 1981ZA05 L. Zamick, A. Abbas and T.R. Halemane, Phys. Lett. B103 (1981) 87
- 1981ZH1G Zhivopitsev and Molina, Moscow Univ. Phys. Bull. 36 (1981) 30
- 1982AB02 K.M. Abdo, L.C. Dennis, A.D. Frawley and K.W. Kemper, Nucl. Phys. A377 (1982) 281
- 1982AB04 M.S. Abdel-Wahab, L. Potvin, R. Roy, P. Bricault, R. Larue, D. Pouliot, C. Rioux and R.J. Slobodrian, Can. J. Phys. 60 (1982) 1595
- 1982AB05 S. Aberg, I. Ragnarsson, T. Bengtsson and R.K. Sheline, Nucl. Phys. A391 (1982) 327
- 1982AB1F Abe, RIFP-473 (1982)
- 1982AB1J Abbas, Proc. of a Workshp. on Nucl., Philadelphia 1980 (1982) 363

- 1982AJ01 F. Ajzenberg-Selove, Nucl. Phys. A375 (1982) 1
- 1982AL02 J. Albinski and F. Michel, Phys. Rev. C25 (1982) 213
- 1982AL14 L. Alvarez and G. Palla, J. Phys. (London) G8 (1982) 987
- 1982AL19 P.F.A. Alkemade, C. Alderliesten, P. De Wit and C. van der Leun, Nucl. Instrum. Meth. Phys. Res. 197 (1982) 383
- 1982AM02 L.L. Ames, Phys. Rev. C25 (1982) 729
- 1982AN08 B.D. Anderson, R.J. McCarthy, M. Ahmad, A. Fazely, A.M. Kalenda, J.N. Knudson, J.W. Watson, R. Madey and C.C. Foster, Phys. Rev. C26 (1982) 8
- 1982AN1F G.S. Anagnostatos and C.N. Panos, Phys. Rev. C26 (1982) 260
- 1982AO03 K. Aoki and H. Horiuchi, Prog. Theor. Phys. 67 (1982) 1236
- 1982AO1B Aoki and Horiuchi, KUNS 620 (1982)
- 1982AO1F Aoki and Horiuchi, KUNS 643 (1982)
- 1982AR20 K.P. Artemov, V.Z. Goldberg, I.P. Petrov, V.P. Rudakov, I.N. Serikov and V.A. Timofeev, Yad. Fiz. 36 (1982) 1345; Sov. J. Nucl. Phys. 36 (1982) 779
- 1982AV08 I.K. Averyanov, A.I. Golubev and A.A. Sadovoi, Yad. Fiz. 36 (1982) 353; Sov. J. Nucl. Phys. 36 (1982) 206
- 1982AV1A I.K. Ver'yanov, A.I. Golubev, A.A. Sadovoi, Yad. Fiz. 35 (1982) 833; Sov. J. Nucl. Phys. 35 (1982) 484
- 1982BA17 H.W. Barz and R. Wunsch, Czech. J. Phys. B32 (1982) 335
- 1982BA1D C.A. Barnes, Essays in Nucl. Astrophys. (1982) 193
- 1982BA22 D. Baye and N. Pecher, Nucl. Phys. A379 (1982) 330
- 1982BA2G B.F. Bayman, P.J. Ellis and Y.C. Tang, Phys. Rev. Lett. 49 (1982) 532
- 1982BA72 E. Bason, T. Bressani, E. Chiavassa, S. Costa, G. Dellacasa, M. Gallio, A. Musso, M. Rapetti, W. van Doesburg, A.G. Zephat et al., Phys. Lett. B118 (1982) 319
- 1982BA80 J.N. Bahcall, W.F. Huebner, S.H. Lubow, P.D. Parker and R.K. Ulrich, Rev. Mod. Phys. 54 (1982) 767
- 1982BE02 M. Bernheim, A. Bussiere, J. Mougey, D. Royer, D. Tarnowski, S. Turck-Chieze, S. Frullani, S. Boffi, C. Giusti, F.D. Pacati et al., Nucl. Phys. A375 (1982) 381
- 1982BE1A Bertozzi and Kelly, Proc. Conf. on New Horizons in Electromagnetic Phys., Virginia (1982)
- 1982BE1E Bertozzi et al., IUCF Sci. Tech. Rept. (1982)
- 1982BE1J W. Bertozzi, Nucl. Phys. A374 (1982) 109
- 1982BE28 B.L. Berman, R. Bergere and P. Carlos, Phys. Rev. C26 (1982) 304

- 1982BE51 B. Bellinghausen, A. Christ, H.J. Gassen, G. Goerigk, R. Muller, G. Noldeke, T. Reichelt, H. Stanek and P. Stipp, *Z. Phys.* A309 (1982) 65
- 1982BE54 Yu.A. Bereznoi, A.P. Klyucharev and N.Ya. Rutkevich, *Ukr. Fiz. Zh.* 27 (1982) 1475
- 1982BE58 I. Berceanu, I. Brancus, A. Buta, C. Grama, I. Lazar, I. Mihai, M. Petrascu, N. Simion, A. Constantinescu and A. Demian, *Rev. Roum. Phys.* 27 (1982) 463
- 1982BE64 M. Berti and A.V. Drigo, *Nucl. Instrum. Meth. Phys. Res.* 201 (1982) 473
- 1982BI08 B.L. Birbrair and Yu.A. Kalashnikov, *J. Phys. (London)* G8 (1982) 1531
- 1982BI1F Bickel, Gaul, Lahmer and Santo, *MSU* (1982) 70
- 1982BJ01 C. Bjarle, N.-Y. Herrstrom, R. Kullberg, A. Oskarsson and I. Otterlund, *Nucl. Phys.* A381 (1982) 544
- 1982BL12 M. Blann and D. Akers, *Phys. Rev.* C26 (1982) 465
- 1982BL20 L.C. Bland, H.T. Fortune, S.J. Greene, C.F. Moore and C.L. Morris, *J. Phys. (London)* G8 (1982) L173
- 1982BO01 M. Bouten and M.C. Bouten, *J. Phys. (London)* G8 (1982) 61
- 1982BO1U Bouyssy, *Conf. on Hypernucl. Kaon Phys., Heidelberg, June 1982* (1982) 11
- 1982BO24 A. Bouyssy and S. Marcos, *Phys. Lett.* B114 (1982) 397
- 1982BO28 S. Boffi, C. Giusti and F.D. Pacati, *Nucl. Phys.* A386 (1982) 599
- 1982BR08 B.A. Brown, *J. Phys. (London)* G8 (1982) 679
- 1982BR1M Brockman, *Conf. on Hypernucl. Kaon Phys., Heidelberg, June 1982* (1982) 179
- 1982BR1P Braun-Munzinger and Wilschut, *Bad Honnef Symp. 1981* (1982) 139
- 1982BR1Q R. Brockmann and E. Oset, *Phys. Lett.* B118 (1982) 33
- 1982BR1T Braun-Munzinger and Barrette, *Phys. Rept.* 87 (1982) 209
- 1982BR1U Broeckhove, *Physica* A114 (1982) 454
- 1982BR24 B.A. Brown, B.H. Wildenthal, W. Chung, S.E. Massen, M. Bernas, A.M. Bernstein, R. Miskimen, V.R. Brown and V.A. Madsen, *Phys. Rev.* C26 (1982) 2247
- 1982BRZE V.N. Bragin and M.V. Zhukov, *in Kiev* (1982) 429
- 1982BU1A Burbidge and Burbidge, *Essays in Nucl. Astrophys.* (1982) 11
- 1982BU1D Burtebeav, Duisebaev and Ivanov, *in Kiev* (1982) 327
- 1982BU24 A.V. Bursak, A.M. Gorbatov, Yu.N. Krylov and B.V. Rudyak, *Yad. Fiz.* 36 (1982) 1138; *Sov. J. Nucl. Phys.* 36 (1982) 665
- 1982BY1A Byrd, Murphy and Walter, *Bull. Amer. Phys. Soc.* 27 (1982) 460
- 1982CA01 M. Cavinato, M. Marangoni, P.L. Ottaviani and A.M. Saruis, *Nucl. Phys.* A373 (1982) 445
- 1982CA03 J.A. Carr, H. McManus and K. Stricker-Bauer, *Phys. Rev.* C25 (1982) 952

- 1982CA05 P. Carlos, H. Beil, R. Bergere, B.L. Berman, A. Lepretre and A. Veyssiere, Nucl. Phys. A378 (1982) 317
- 1982CA12 E. Caurier and A. Poves, Nucl. Phys. A385 (1982) 407
- 1982CA1A Cameron, Essays in Nucl. Astrophys. (1982) 23
- 1982CA1H Cavinato, Maragoni and Saruis, Workshp. on Medium Energy Inter. in Nucl. Phys., Pavia, Italy (1982) 65
- 1982CH1P Chen, Yin and Liu, Phys. Energ. Fortis Phys. Nucl. 6 (1982) 768
- 1982CH34 J.S. Chalmers and B.A. Sauer, Phys. Lett. B118 (1982) 25
- 1982CI1C N. Cindro, Nukleonika 27 (1982) 137
- 1982CO10 J. Cook, Nucl. Phys. A382 (1982) 61
- 1982CO22 Collins, Sandorfi, Hoffman and Salomaa, Phys. Rev. Lett. 49 (1982) 1553
- 1982COZV B. Cottman, A.M. Bernstein, K.I. Blomqvist, S.A. Dytman and J. Nelson, Bull. Amer. Phys. Soc. 27 (1982) 709, BE7
- 1982CRZY P.N. Craig, J.J. Hamill, D.A. Lind, T.G. Masterson, R.J. Peterson, R.S. Raymond, J.L. Ullman, M. Yasue and C.D. Zafiratos, Bull. Amer. Phys. Soc. 27 (1982) 561, HXa14
- 1982CU02 A. Cunsolo, A. Foti, G. Imme, G. Pappalardo, G. Raciti, F. Rizzo, N. Saunier, G. Baur, R. Shyam, F. Rosel et al., Lett. Nuovo Cim. 34 (1982) 229
- 1982DA02 C.H. Dasso, T.S. Dumitrescu, S. Landowne and H.H. Wolter, Phys. Lett. B108 (1982) 164
- 1982DA1Q Dabrowski, Conf. on Hypernucl. Kaon Phys., Heidelberg, June 1982 (1982) 37
- 1982DE14 V. DeCarlo and N. Freed, Phys. Rev. C25 (1982) 2162
- 1982DE1H N. De Botton, Nucl. Phys. A374 (1982) 143
- 1982DE1K D. Dehnhard, Nucl. Phys. A374 (1982) 377
- 1982DE1N De Wet, Found. Phys. 12 (1982) 285
- 1982DE20 R.M. DeVries, N.J. DiGiacomo, J.S. Kapustinsky, J.C. Peng, W.E. Sondheim, J.W. Sunier, J.G. Cramer, R.E. Loveman, C.R. Gruhn and H.H. Wieman, Phys. Rev. C26 (1982) 301
- 1982DE24 J. de Kam and C.K. Wafelbakker, Phys. Rev. C26 (1982) 570
- 1982DE2C Ciofi Degli Atti, Giannini and Salme, Workshp. on Medium Energy Interactions in Nucl. Phys., Pavia, Italy (1982) 92
- 1982DE35 A. Dellafiore and E. Lipparini, Nucl. Phys. A388 (1982) 639
- 1982DE39 P.A. DeYoung, J.J. Kolata, L.J. Satkowiak and M.A. Xapsos, Phys. Rev. C26 (1982) 1482
- 1982DE48 A. De Rosa, G. Inghima, V. Russo and M. Sandoli, Lett. Nuovo Cim. 35 (1982) 165

- 1982DE51 J.S. Dehesa, R. Guardiola, A. Polls and J. Ros, Phys. Lett. B118 (1982) 13
- 1982DEZQ M. Deutsch, J. Piekarczyk, R. Chrien, M. Le Vine, M. May, D. Maurizio, P. Pile, S. Bart, R. Hackenburg, E. Hungerford et al., Bull. Amer. Phys. Soc. 27 (1982) 721, DD9
- 1982DI1D Di Salvo and Viano, Nuovo Cim. A71 (1982) 261
- 1982DO01 K.G.R. Doss, P.D. Barnes, N. Colella, S.A. Dytman, R.A. Eisenstein, C. Ellegaard, F. Takeuchi, W.R. Wharton, J.F. Amann, R.H. Pehl et al., Phys. Rev. C25 (1982) 962
- 1982DO05 H. Doubre and C. Marty, Phys. Lett. B112 (1982) 27
- 1982DO1L Dover, Conf. on Hypernucl. Kaon Phys., Heidelberg, June 1982 (1982) 351
- 1982DO1M Dover and Walker, Phys. Rept. 89 (1982) 1
- 1982DR1E J.P. Draayer and G. Rosensteel, Nucl. Phys. A386 (1982) 189
- 1982DU04 D. Duplain and B. Goulard, Can. J. Phys. 60 (1982) 321
- 1982DU1A Dubovoi and Chitanava, in Kiev (1982) 421
- 1982ER04 T.E.O. Ericson and L. Tauscher, Phys. Lett. B112 (1982) 425
- 1982ER05 R.A. Eramzhyan and N.G. Goncharova, Z. Phys. A306 (1982) 89
- 1982ER1E Eramzhyan, Fetisov, Majling and Zofka, Conf. on Hypernucl. Kaon Phys., Heidelberg, June 1982 (1982) 91
- 1982EV1B Evers, Bad Honnef Symp. 1981 (1982) 53
- 1982FA04 M. Fabre de la Ripelle, H. Fiedeldey and G. Wiechers, Ann. Phys. 138 (1982) 275
- 1982FA06 A. Fazely, B.D. Anderson, M. Ahmad, A.R. Baldwin, A.M. Kalenda, R.J. McCarthy, J.W. Watson, R. Madey, W. Bertozzi, T.N. Buti et al., Phys. Rev. C25 (1982) 1760; Erratum Phys. Rev. C26 (1982) 746
- 1982FI10 L.K. Fifield, J.L. Durell, M.A.C. Hotchkis, J.R. Leigh, T.R. Ophel and D.C. Weisser, Nucl. Phys. A385 (1982) 505
- 1982FI1C E. Fiorini, Nucl. Phys. A374 (1982) 577
- 1982FI1G Fields et al., Bull. Amer. Phys. Soc. 27 (1982) 752
- 1982FL1A T. Fliessbach and H. Walliser, Nucl. Phys. A377 (1982) 84
- 1982FL1B H. Flocard, Nucl. Phys. A387 (1982) 283
- 1982FR01 J. Friedrich and N. Voegler, Nucl. Phys. A373 (1982) 192
- 1982FR04 A.D. Frawley, N.R. Fletcher and L.C. Dennis, Phys. Rev. C25 (1982) 860
- 1982FR08 A. Frischknecht, W. Stehling, G. Strassner, P. Truol, J.C. Adler, C. Joseph, J.F. Loude, J.P. Perroud, M.T. Tran, W. Dahme and H. Panke, Czech. J. Phys. B32 (1982) 270
- 1982FR09 W.E. Frahn and S.K. Kauffmann, Phys. Rev. C25 (1982) 2862
- 1982FR10 A.D. Frawley, J.D. Fox, K.W. Kemper and L.C. Dennis, Phys. Rev. C25 (1982) 2935
- 1982FR17 R.A. Freedman, G.A. Miller and E.M. Henley, Nucl. Phys. A389 (1982) 457

- 1982GA05 C.A. Gagliardi, G.T. Garvey, J.R. Wrobel and S.J. Freedman, Phys. Rev. Lett. 48 (1982) 914
- 1982GA1A Garvey, Bull. Amer. Phys. Soc. 27 (1982) 463
- 1982GA1E Gaponov and Chulgina, in Kiev (1982) 157
- 1982GA1G Gaul, Bickel, Lahmer and Santo, Bad Honnef Symp. 1981 (1982) 72
- 1982GE1B Gersh, Chobert and Vibike, in Kiev (1982) 350
- 1982GI12 V. Girija and V. Devanathan, Phys. Rev. C26 (1982) 2152
- 1982GI1C R. Giordano, F. Porto, S. Sambataro and A. Scalia, Proc. Int. Conf. on Nucleus-Nucleus Collisions, 26 Sept.-1 Oct. 1982, East Lansing, MI, USA (1982) 101
- 1982GO09 H. Goringer, B. Schoch and G. Luhrs, Nucl. Phys. A384 (1982) 414
- 1982GO10 L.J.B. Goldfarb, Phys. Lett. B115 (1982) 166
- 1982GO1B Goodman, Tripathi and Faessler, Bull. Amer. Phys. Soc. 27 (1982) 25
- 1982GO1T Goeke and Speth, Ann. Rev. Nucl. Part. Sci. 32 (1982) 65
- 1982GOZX N.F. Golovanova, L.Ya. Glozman and V.G. Neudachin, in Kiev (1982) 387
- 1982GOZY C.A. Gossett and D.G. Mavis, Bull. Amer. Phys. Soc. 27 (1982) 730, EE1
- 1982GR02 S.J. Greene, D.B. Holtkamp, W.B. Cottingham, C.F. Moore, G.R. Burleson, C.L. Morris, H.A. Thiessen and H.T. Fortune, Phys. Rev. C25 (1982) 924
- 1982GR1F S.J. Greene, W.J. Braithwaite, D.B. Holtkamp, W.B. Cottingham, C.F. Moore, G.R. Burleson, G.S. Blanpied, A.J. Viescas, G.H. Daw, C.L. Morris et al., Phys. Rev. C25 (1982) 927
- 1982GR1J A.M. Green and S. Wycech, Nucl. Phys. A377 (1982) 441
- 1982GU12 G.S. Gurevich, V.M. Lebedev, N.V. Orlova, A.V. Spassky, I.B. Teplov, L.N. Fateeva and L. Mestre, Izv. Akad. Nauk SSSR Ser. Fiz. 46 (1982) 897
- 1982GU21 I.S. Gurbanovich and N.S. Zelenskaya, Yad. Fiz. 36 (1982) 1180; Sov. J. Nucl. Phys. 36 (1982) 688
- 1982HA05 D.R. Harrington and V. Tutunjian, Nucl. Phys. A375 (1982) 453
- 1982HA19 K. Halkia, N.I. Kassis, E.A. Sanderson and J.P. Elliott, Nucl. Phys. A378 (1982) 461
- 1982HA29 Q. Haider and F.B. Malik, Phys. Rev. C26 (1982) 162
- 1982HA42 Q. Haider and F.B. Malik, Phys. Rev. C26 (1982) 989
- 1982HA56 K. Hatogai, M. Ohta and S. Okai, Prog. Throe. Phys. 68 (1982) 2014
- 1982HE07 B. Heusch, C. Beck, J.P. Coffin, P. Engelstein, R.M. Freeman, G. Guillaume, F. Haas and P. Wagner, Phys. Rev. C26 (1982) 542
- 1982HE1G Heenen, Flocard and Vautherin, Bad Honnef Symp. (1982) 338
- 1982HI1E Hillebrandt and Ober, Naturwiss. 69 (1982) 205

- 1982HI1G B. Hiller and J. Hufner, Nucl. Phys. A382 (1982) 542
- 1982HO10 H. Homeyer, M. Burgel, M. Clover, Ch. Egelhaaf, H. Fuchs, A. Gamp, D. Kovar and W. Rauch, Phys. Rev. C26 (1982) 1335
- 1982HO1E Hodgson, Contemp. Phys. 23 (1982) 495
- 1982HU10 T.J. Humanic, H. Ernst, W. Henning and B. Zeidman, Phys. Rev. C26 (1982) 993
- 1982HU12 Huang Weizhi, Song Hongqiu, Wang Zixing and T.T.S. Kuo, Chin. J. Nucl. Phys. 4 (1982) 328
- 1982HU1G M.S. Hussein, H M. Nussenzveig, A.C.C. Villari and J.L. Cardoso, Jr., Phys. Lett. B114 (1982) 1
- 1982HUZV T. Humanic, D.G. Kovar, R. Betts, P. Chowdhury, D. Henderson, R.V.F. Janssens, W. Kuhn and K. Wolf, Bull. Amer. Phys. Soc. 27 (1982) 478, BYa8
- 1982IB1A Iben, Astrophys. J. 253 (1982) 248
- 1982IL02 A.S. Ilinov, V.I. Nazaruk and S.E. Chigrinov, Yad. Fiz. 36 (1982) 646; Sov. J. Nucl. Phys. 36 (1982) 376
- 1982IN1A C.H.Q. Ingram, Nucl. Phys. A374 (1982) 319
- 1982IS1C M. Ismail and S.M. Refaei, Phys. Rev. C25 (1982) 1494
- 1982JA07 B.K. Jain and N.R. Sharma, Nucl. Phys. A388 (1982) 243
- 1982JO1C Johnstone and Thomas, J. Phys. (London) G8 (1982) L105
- 1982JU03 J.W. Jury, B.L. Berman, J.G. Woodworth, M.N. Thompson, R.E. Pywell and K.G. McNeill, Phys. Rev. C26 (1982) 777
- 1982KA12 O. Karban, A.K. Basak, P.M. Lewis and S. Roman, Phys. Lett. B112 (1982) 433
- 1982KA14 V.A. Karmanov, Yad. Fiz. 35 (1982) 848
- 1982KA16 G. Kalbermann and J.M. Eisenberg, Nucl. Phys. A382 (1982) 413
- 1982KA1D K. Kar and J.C. Parikh, Pramana 19 (1982) 555
- 1982KA30 K.V. Karadzhev, V.I. Manko, A.N. Nersesyan, L.V. Chulkov, M. Petrascu, K. Borcha, A. Butsa and M. Petrovici, Yad. Fiz. 36 (1982) 308
- 1982KA35 K. Kato, S. Okabe and Y. Abe, Prog. Theor. Phys. 68 (1982) 1794
- 1982KE10 K.U. Kettner, H.W. Becker, L. Buchmann, J. Gorres, H. Krawinkel, C. Rolfs, P. Schmalbrock, H.P. Trautvetter and A. Vlieks, Z. Phys. A308 (1982) 73
- 1982KI1C Kisel, Komarov, Serebriakov and Shurigina, in Kiev (1982) 433
- 1982KN1B Knupfer and Huber, MSU (1982) 102
- 1982KO1C J.J. Kolata, Proc. Fifth Oaxtepec Symp. on Nucl. Phys., Oaxtepec, Mexico, Jan. 6-8, 1982, UNAM 5 (1982) 99
- 1982KO23 A.M. Kobos, R.S. Mackintosh and J.R. Rook, Nucl. Phys. A389 (1982) 205

- 1982KO25 A.M. Kobos and R.S. Mackintosh, Phys. Rev. C26 (1982) 1766
- 1982KR1C Krutiv and Krutova, in Kiev (1982) 166
- 1982KU04 P.D. Kunz, J.S. Vaagen, J.M. Bang and B.S. Nilsson, Phys. Lett. B112 (1982) 5
- 1982KU1F V.V. Kurovsky, V.G. Neudatchin and Yu.M. Tchuvil'sky, Phys. Lett. B112 (1982) 430
- 1982KU1K Kumar, Proc. Workshp. on Nucl. Phys., Philadelphia 1980 (1982) 55
- 1982LA04 K. Langanke, Nucl. Phys. A373 (1982) 493
- 1982LA26 J. Lange, K. Kumar and J.H. Hamilton, Rev. Mod. Phys. 54 (1982) 119
- 1982LE1N R. Legrain, Nucl. Phys. A387 (1982) 219
- 1982LE23 M. LeMere, Y. Fujiwara, Y.C. Tang and Q.K.K. Liu, Phys. Rev. C26 (1982) 1847
- 1982LI07 E. Lipparini and S. Stringari, Phys. Lett. B112 (1982) 421
- 1982LI10 Li Qing-Run, Chen Sheng-Zhong and Zhao En-Guang, Nucl. Phys. A384 (1982) 466
- 1982LI13 R. Lipperheide, S. Sofianos and H. Fiedeldey, Phys. Rev. C26 (1982) 770
- 1982LI16 R. Lichtenthaler Jr., A. Lepine-Szily, A.C.C. Villari, W. Mittig, V.J.G. Porto, C.V. Acquadro, Phys. Rev. C26 (1982) 2487
- 1982LI1L Li, Chen and Zhao, Chin. Phys. 2 (1982) 1002
- 1982LO13 M. Lozano, J.I. Escudero and G. Madurga, J. Phys. (London) G8 (1982) 1259
- 1982LO1B Londergain, AIP Conf. Proc. 79 (1982) 339
- 1982MA11 R. Madey, A. Fazely, B.D. Anderson, A.R. Baldwin, A.M. Kalenda, R.J. McCarthy, P.C. Tandy, J.W. Watson, W. Bertozzi, T. Buti et al., Phys. Rev. C25 (1982) 1715
- 1982MA1R Matsumoto et al., Nucl. Instrum. Meth. Phys. Res. 196 (1982) 565
- 1982MA1V Mach and Rogers, Bull. Amer. Phys. Soc. 27 (1982) 770
- 1982MA1Z Marquardt, Bad Honnef Symp. 1981 (1982) 411
- 1982MA22 R. Madey, T. Vilaithong, B.D. Anderson, J.N. Knudson, T.R. Witten, A.R. Baldwin and F.M. Waterman, Phys. Rev. C25 (1982) 3050
- 1982MA25 G. Mairle, G.J. Wagner, P. Grabmayr, K.T. Knopfle, Liu Ken Pao, H. Riedesel, K. Schindler, V. Bechtold, L. Friedrich and P. Ziegler, Nucl. Phys. A382 (1982) 173
- 1982MA2B Marty, Bad Honnef Symp. 1981 (1982) 216
- 1982ME08 J. Meyer, P. Quentin and B.K. Jennings, Nucl. Phys. A385 (1982) 269
- 1982ME12 A. Menchaca-Rocha and M.E. Brandan, Phys. Rev. C26 (1982) 1764
- 1982MO12 C.L. Morris, H.T. Fortune, L.C. Bland, R. Gilman, S.J. Greene, W.B. Cottingame, D.B. Holtkamp, G.R. Bureson and C.F. Moore, Phys. Rev. C25 (1982) 3218
- 1982MO1G E.J. Moniz, Nucl. Phys. A374 (1982) 557
- 1982MO1K C.B.O. Mohr, Aust. J. Phys. 35 (1982) 1



- 1982MO1V Mosel, Tanimura and Wolf, Lecture Notes in Phys. 168 (1982) 328
- 1982MO1W Mo, Chen and Li, Phys. Energ. Fortis Phys. Nucl. 6 (1982) 648
- 1982MO20 F.H. Molzahn, M. Kohno, D.W.L. Sprung and X. Campi, Nucl. Phys. A388 (1982) 525
- 1982NA01 J. Navarro, J. Bernabeu, J.M.G. Gomez and J. Martorell, Nucl. Phys. A375 (1982) 361
- 1982NA03 R.C. Nayak, Phys. Rev. C25 (1982) 1034
- 1982NA13 S. Nanda and C. Glashauser, Phys. Rev. C26 (1982) 758
- 1982NA1H Nagarajna, Phys. Scr. 25 (1982) 463
- 1982NA20 G.F. Nash, Can. J. Phys. 60 (1982) 1607
- 1982NE04 G.A. Needham, F.P. Brady, D.H. Fitzgerald, J.L. Romero, J.L. Ullmann, J.W. Watson, C. Zanelli, N.S.P. King and G.R. Satchler, Nucl. Phys. A385 (1982) 349
- 1982NE1E Negele, Rev. Mod. Phys. 54 (1982) 913
- 1982NG01 Nguyen Tien Nguyen and I. Ulehla, Czech. J. Phys. B32 (1982) 1040
- 1982NG1B Ngo, Lecture Notes in Phys. 168 (1982) 185
- 1982NI1B Nishioka and Johnson, J. Phys. (London) G8 (1982) 39
- 1982NO04 B.E. Norum, M.V. Hynes, H. Miska, W. Bertozzi, J. Kelly, S. Kowalski, F.N. Rad, C.P. Sargent, T. Sasanuma, W. Turchinets et al., Phys. Rev. C25 (1982) 1778
- 1982OH03 H. Ohnuma, K. Amos, I. Morrison, H. Orihara, S. Nishihara, T. Nakagawa and K. Maeda, Phys. Lett. B112 (1982) 206
- 1982OH05 S. Ohkubo, Phys. Rev. C25 (1982) 2498
- 1982OK02 S. Okabe, Prog. Theor. Phys. 68 (1982) 1790
- 1982OL01 J.W. Olness, E.K. Warburton, D.E. Alburger, C.J. Lister and D.J. Millener, Nucl. Phys. A373 (1982) 13
- 1982OR04 H. Orihara, S. Nishihara, K. Furukawa, T. Nakagawa, K. Maeda, K. Miura and H. Ohnuma, Phys. Rev. Lett. 49 (1982) 1318
- 1982OS01 E. Oset and D. Strottman, Nucl. Phys. A377 (1982) 297
- 1982OS1C Oset, Toki and Weise, Phys. Rept. (1982) 281
- 1982PA09 J.Y. Park, W. Scheid and W. Greiner, Phys. Rev. C25 (1982) 1902
- 1982PA1E L. Pauling, Phys. Rev. Lett. 49 (1928) 1119
- 1982PA1H Paul, Bad Honnef Symp. 1981 (1982) 161
- 1982PA22 C.N. Panos and G.S. Anagnostatos, J. Phys. (London) G8 (1982) 1651
- 1982PE08 D. Pelte, U. Winkler, A. Karbach, H. Graf, H. Giraud and R. Novotny, Nucl. Phys. A385 (1982) 331

- 1982PI02 H. Piekarz, S. Bart, R. Hackenburg, A.D. Hancock, E.V. Hungerford, B. Mayes, K. Sekharan, J. Piekarz, M. Deutsch, R.E. Chrien et al., Phys. Lett. B110 (1982) 428
- 1982PI06 E. Piasetzky, A. Altman, J. Lichtenstadt, A.I. Yavin, D. Ashery, W. Bertl, L. Felawka, H.K. Walter, F.W. Schleputz, R.J. Powers et al., Phys. Rev. C26 (1982) 2702
- 1982PO1C Povh, Czech. J. Phys. 32 (1982) 183
- 1982PR04 M. Prakash, S. Shlomo, B.S. Nilsson, J.P. Bondorf and F.E. Serr, Nucl. Phys. A385 (1982) 483
- 1982PR1A Prosser et al., Bull. Amer. Phys.Soc. 27 (1982) 479
- 1982RA1M Ramaty and Lingenfelter, Ann. Rev. Nucl. Part. Sci. 32 (1982) 235
- 1982RA1N Ragnarsson and Aberg, Proc. Nucl. Phys. Workshop I.C.T.P. Trieste, Italy, 1981 (1982) 175
- 1982RA22 A. Rabie, M.A. El-Gazzar and A.Y. Abul-Magd, Acta Phys. Acad. Sci. Hung. 52 (1982) 89
- 1982RA25 R.A. Racca, F.W. Prosser, C.N. Davids and D.G. Kovar, Phys. Rev. C26 (1982) 2022
- 1982RA31 J.R. Radin, H. Quechon, G.M. Raisbeck and F. Yiou, Phys. Rev. C26 (1982) 2565
- 1982RE03 K.E. Rehm, W. Henning, J.R. Erskine, D.G. Kovar, M.H. Macfarlane, S.C. Pieper and M. Rhoades-Brown, Phys. Rev. C25 (1982) 1915
- 1982RE05 P.-G. Reinhard and R.Y. Cusson, Nucl. Phys. A378 (1982) 418
- 1982RE06 A. Redder, H.W. Becker, H. Lorenz-Wirzba, C. Rolfs, P. Schmalbrock, H.P. Trautvetter, Z. Phys. A305 (1982) 325
- 1982RE15 L. Rees, N.S. Chant and P.G. Roos, Phys. Rev. C26 (1982) 1580
- 1982REZZ L.B. Rees, N.S. Chant, P.G. Roos, J.S. Wesick, A. Nadasen, D.W. Devins, D.L. Friesel, B.S. Flanders, L.C. Welch, W.P. Jones et al., Bull. Amer. Phys. Soc. 27 (1982) 509, EF8
- 1982RI1A Rieder et al., Bull. Amer. Phys. Soc. 27 (1982) 469
- 1982RI1B A. Richter, Nucl. Phys. A374 (1982) 177
- 1982RO01 D. Robson, Phys. Rev. C25 (1982) 1108
- 1982RO1A Rodney and Rolfs, Essay in Nucl. Astrophys. (1982) 171
- 1982RO1J Robertson, Hall, Kellie and Crawford, Proc. 4th Int. Symp., Grenoble, 1981 (1982) 628
- 1982SA07 A.B. Santra and B. Sinha, Phys. Lett. B110 (1982) 359
- 1982SA14 S.K. Samaddar, B.C. Samanta, D. Sperber and M. Zielinska-Pfabe, Z. Phys. A306 (1982) 307
- 1982SA19 H. Sakaguchi, M. Nakamura, K. Hatanaka, A. Goto, T. Noro, F. Ohtani, H. Sakamoto, H. Ogawa and S. Kobayashi, Phys. Rev. C26 (1982) 944

- 1982SA1A D.G. Sargood, Phys. Rept. 93 (1982) 61
- 1982SA1C R. Sartor and A. Faessler, Nucl. Phys. A376 (1982) 263
- 1982SA1M Saha et al., Nucl. Instrum. Meth. Phys. Res. 201 (1982) 465
- 1982SA20 R. Sartor and Fl. Stancu, Phys. Rev. C26 (1982) 1025
- 1982SA24 C. Samanta, N.S. Chant, P.G. Roos, A. Nadasen and A.A. Cowley, Phys. Rev. C26 (1982) 1379
- 1982SA27 L.J. Satkowiak, P.A. DeYoung, J.J. Kolata and M.A. Xapsos, Phys. Rev. C26 (1982) 2027
- 1982SA31 Sa Benhao, He Hanxin, Shi Yijin and Su Zongdi, Chin. J. Nucl. Phys. 4 (1982) 18
- 1982SA37 H. Sakaguchi, Mem. Fac. Sci., Kyoto Univ., Ser. Phys. Astrophys., Geophys. Chem. 36 (1983) 305
- 1982SC02 B. Schoch and H. Goringe, Phys. Lett. B109 (1982) 11
- 1982SC13 J. Schimizu, W. Yokota, T. Nakagawa, Y. Fukuchi, H. Yamaguchi, M. Sato, S. Hanashima, Y. Nagashima, K. Furuno, K. Katori et al., Phys. Lett. B112 (1982) 323
- 1982SC24 R. Schaeffer, Nucl. Phys. A387 (1982) 235c
- 1982SE01 S. Sen, Phys. Rev. C25 (1982) 1054
- 1982SH1H Shirokova and Shitikova, MSU (1982) 61
- 1982SH1N Shimizu, J. Phys. Soc. Jpn. 51 (1982) 2068
- 1982SH23 E.B. Shera, Phys. Rev. C26 (1982) 2321
- 1982SI1C Silk et al., MSU (1982) 41
- 1982SM1D Smirnov and Chuvilskii, in Kiev (1982) 231
- 1982SMZM Yu.F. Smirnov and Yu.M. Chuvilsky, in Kiev (1982) 193
- 1982SO1C Sood, Maheshwari, Mukherjee and Samanta, MSU (1982) 79
- 1982ST08 Fl. Stancu and D.M. Brink, Phys. Rev. C25 (1982) 2450
- 1982ST11 P.M. Stwertka, T.M. Cormier, M. Herman, N. Nicolas, A. Szanto de Toledo, M.M. Coimbra and N. Carlin Filho, Phys. Rev. Lett. 49 (1982) 640
- 1982ST1G Strobel, Bull. Amer. Phys. Soc. 27 (1982) 752
- 1982STZR S.M. Sterbenz, M. Gai, A.C. Hayes, J.M. Manoyan, E.C. Schloemer, B. Shivakumar and D.A. Bromley, Bull. Amer. Phys. Soc. 27 (1982) 699, AD11
- 1982SU06 Y. Suzuki and K.T. Hecht, Nucl. Phys. A388 (1982) 102
- 1982SU1B Y. Suzuki, E.J. Reske and K.T. Hecht, Nucl. Phys. A381 (1982) 77
- 1982TA02 N. Takahashi, T. Yamaya, R.E. Tribble, E. Takada, Y.-W. Lui, D.M. Tanner and K. Nagatani, Phys. Lett. B108 (1982) 177

- 1982TA05 S.L. Tabor, C.C. Chang, M.T. Collins, G.J. Wagner, J.R. Wu, D.W. Halderson and F. Petrovich, Phys. Rev. C25 (1982) 1253
- 1982TA21 K. Takimoto, S. Shimoura, M. Tanaka, T. Murakami, M. Fukada and A. Sakaguchi, Bull. Inst. Chem. Res. Kyoto Univ. 60 (1982) 147
- 1982TH02 I.J. Thompson, Phys. Scr. 25 (1982) 475
- 1982TH08 M. Thies, Nucl. Phys. A382 (1982) 434
- 1982TH09 I.J. Thompson, J. Phys. (London) G8 (1982) 1049
- 1982TH1C A.W. Thomas, Nucl. Phys. A374 (1982) 401
- 1982TO04 E. Tomasi, C. Gregoire, C. Ngo and B. Remaud, J. Phys. Lett. 43 (1982) L115
- 1982TO1D Tombrello, Koonin and Flanders, Essays in Nucl. Astrophys. (1982) 233
- 1982TR1B R.K. Tripathi, J.P. Elliott and E.A. Sanderson, Nucl. Phys. A380 (1982) 483
- 1982VA11 A.T. Valshin, S.G. Kadmsky and Yu.L. Ratis, Yad. Fiz. 35 (1982) 654; Sov. J. Nucl. Phys. 35 (1982) 378
- 1982VE02 J.J.M. Verbaarschot, G.A. Timmer and P.J. Brussaard, Nucl. Phys. A378 (1982) 280
- 1982VE04 W.J. Vermeer and A.R. Poletti, J. Phys. (London) G8 (1982) 743
- 1982VE13 J. Vernotte, G. Berrier-Ronsin, J. Kalifa and R. Tamisier, Nucl. Phys. A390 (1982) 285
- 1982VI01 V.E. Viola, Jr., B.B. Back, K.L. Wolf, T.C. Awes, C.K. Gelbke and H. Breuer, Phys. Rev. C26 (1982) 178
- 1982VI07 J. Visser, C.N.M. Bakker, G.A. Brinkman, B. Proot and E. Jacobs, Int. J. Appl. Radiat. Isot. 33 (1982) 1381
- 1982VO05 B.B. Voitsekhovskiy, D.M. Nikolenko, S.G. Popov, V.N. Rotaev, D.K. Toporkov and E.P. Tsentalovich, Pisma Zh. Eksp. Teor. Fiz. 35 (1982) 299; JETP Lett. 35 (1982) 371
- 1982WA03 S. Wald, I. Tserruya, Z. Fraenkel, G. Doukellis, H. Gemmeke and H.L. Harney, Phys. Rev. C25 (1982) 1118
- 1982WA13 G.J. Wagner, P. Grabmayr and H.R. Schmidt, Phys. Lett. B113 (1982) 447
- 1982WA1H S.J. Wallace, Nucl. Phys. A374 (1982) 203
- 1982WA23 C.W. Wang, G.C. Kiang, L.L. Kiang, G.C. Jon and E.K. Lin, J. Phys. Soc. Jpn. 51 (1982) 3093
- 1982WAZN W.A. Watson III, D. Abriola, J.S. Karp, R.L. McGrath, P. Paul and S.Y. Zhu, Bull. Amer. Phys. Soc. 27 (1982) 479, BYa12
- 1982WE07 W.K. Wells, D.P. Bybell and D.P. Balamuth, Phys. Rev. C25 (1982) 2512
- 1982WE16 D. West and A.C. Sherwood, Ann. Nucl. Energy 9 (1982) 551
- 1982WE1J W. Weise, Nucl. Phys. A374 (1982) 505

- 1982WEZR W.K. Wells, D.P. Bybell, T. Chapuran and D.P. Balamuth, *Bull. Amer. Phys. Soc.* 27 (1982) 479, BYa13
- 1982WH1A Wharton, *AIP Conf. Proc.* 79 (1982) 371
- 1982WI04 H.W. Wilschut, P. Braun-Munzinger, G.M. Berkowitz, R.H. Freifelder, J.S. Karp and T.R. Renner, *Phys. Lett.* B113 (1982) 141
- 1982WI1B M. Wiescher and K.-U. Kettner, *Astrophys. J.* 263 (1982) 891
- 1982WO09 C.L. Woods, B.A. Brown and N.A. Jelley, *J. Phys. (London)* G8 (1982) 1699
- 1982WO1A Woosley and Weaver, *Essays in Nucl. Astrophys.* (1982) 377
- 1982WO1C C.-Y. Wong and K. Van Bibber, *Phys. Rev.* C25 (1982) 2990
- 1982WO1D C.-Y. Wong and K.T. Davies, *Phys. Rev.* C26 (1982) 1502
- 1982XA01 M.A. Xapsos, P.A. DeYoung, L.J. Satkowiak and J.J. Kolata, *Phys. Rev.* C25 (1982) 2457
- 1982YA1A A.I. Yavin, *Nucl. Phys.* A374 (1982) 297
- 1982YI01 Yin Din and Chen Xuejun, *Chin. J. Nucl. Phys.* 4 (1982) 276
- 1982YO01 G.R. Young, K.A. Van Bibber, A.J. Lazzarini, S.G. Steadman and F. Videbaek, *Phys. Rev.* C25 (1982) 1304
- 1982YU1A Yushkov and Ianke, in *Kiev* (1982) 501
- 1982ZA1D Zabolitzky, *Proc. Conf. on Hypernuclear and Kaon Phys., Heidelberg, June 1982* (1982) 175
- 1982ZA1E Zavarzina, Sergeev and Stepanov, *Izv. Akad. Nauk SSSR Ser. Fiz.* 46 (1982) 2120
- 1982ZE1A Zeng, Lin and Yang, *Chin. Phys.* 2 (1982) 707
- 1982ZH1G Zhalov and Savushkin, *Pisma Zh. Eksp. Teor. Fiz.* 35 (1982) 441
- 1983AD1B E.G. Adelberger, *Proc. NATO Advanced Study Institute on Symmetries in Nucl. Struct., 16-28 Aug. 1982, Dronen, Netherlands; Eds., Abrahams, Allaart and Dieperink* (1983) 55
- 1983AD1C E.G. Adelberger, *Comments Nucl. Part. Phys.* 11 (1983) 189
- 1983AD1D Adelberger, *Proc. Int. Conf. on Nucl. Phys., August-Sept. 1983; Eds., P. Blasi and R.A. Ricci* (1983) 499
- 1983AD1E Adhikari, *Phys. Rev.* C27 (1983) 218
- 1983AGZX E.F. Aguilera, J.J. Kolata, J.D. Hinnefeld, L.J. Satkowiak, J.J. Vega and P.A. Deyoung, *Bull. Amer. Phys. Soc.* 28 (1983) 979, CB6
- 1983AJ01 F. Ajzenberg-Selove, *Nucl. Phys.* A392 (1983) 1; *Erratum Nucl. Phys.* A413 (1984) 168
- 1983AL23 J. Almeida and F. Kappeler, *Astrophys. J.* 265 (1983) 417

- 1983AM1A G. Amsel and J.A. Davies, Nucl. Instrum. Meth. Phys. Res. 218 (1983) 177
- 1983AM1C P. Amaudrez, Th.S. Bauer, J. Domingo, C.H.Q. Ingram, G. Kyle, D. Renker, G. Smith and R. Stamminger, SIN Newsl. 15 (1983) 48
- 1983AM1D G. Amsel and B. Maurel, Nucl. Instrum. Meth. Phys. Res. 218 (1983) 183
- 1983AN12 M. Anghinolfi, P. Corvisiero, G. Ricco, M. Sanzone, M. Taiuti and A. Zucchiatti, Phys. Rev. C28 (1983) 1005
- 1983AN16 M. Anghinolfi, P. Corvisiero, M. Guarnone, G. Ricco, M. Sanzone, M. Taiuti and A. Zucchiatti, Nuovo Cim. A76 (1983) 159
- 1983AN25 M.S. Antony, Indian J. Phys. A57 (1983) 363
- 1983ANZQ Y. Ando, M. Uno and M. Yamada, JAERI-M-83-025 (1983)
- 1983AR12 K.P. Artemov, V.Z. Goldberg, B.I. Islamov, I.P. Petrov, V.P. Rudakov, I.N. Serikov and V.A. Timofeev, Yad. Fiz. 37 (1983) 1086; Sov. J. Nucl. Phys. 37 (1983) 643
- 1983AR1J Arima et al., in Florence (1983) 207
- 1983AR24 E.A. Arakelyan, G.L. Bayatyan, G.S. Vartanyan, N.K. Grigoryan, S.G. Knyazyan, A.O. Kechechyan, A.T. Margaryan, G.G. Marikyan, S.S. Stepanyan and S.R. Shakhazizyan, Yad. Fiz. 38 (1983) 1455; Sov. J. Nucl. Phys. 38 (1983) 589
- 1983AS01 D. Ashery, D.F. Geesaman, R.J. Holt, H.E. Jackson, J.R. Specht, K.E. Stephenson, R.E. Segel, P. Zupranski, H.W. Baer, J.D. Bowman et al., Phys. Rev. Lett. 50 (1983) 482
- 1983AU04 J.P. Auger, C. Lazard and R.J. Lombard, J. Phys. (London) G9 (1983) 719
- 1983AU1A Auerbach et al., Ann. Phys. 148 (1983) 381
- 1983AU1B N. Auerbach, Phys. Rept. 98 (1983) 273
- 1983AZ1A Azaiez et al., in Florence (1983) 733
- 1983BA1U Barroso, Goudsmit and Mukhopadhyay, Bull. Amer. Phys. Soc. 28 (1983) 40
- 1983BA1V Bandyopadhyay and Mahalanobis, Phys. Rev. C27 (1983) 628
- 1983BA1Y A.J. Baltz, C.B. Dover and D.J. Millener, Phys. Lett. B123 (1983) 9
- 1983BA2P C.J. Batty, A. Gal and G. Toker, Nucl. Phys. A402 (1983) 349
- 1983BA65 B.I. Barts, Yu.L. Bolotin, V.I. Kuprikov and N.A. Chekanov, Yad. Fiz. 38 (1983) 1416; Sov. J. Nucl. Phys. 38 (1983) 861
- 1983BA71 C.J. Batty, Nucl. Phys. A411 (1983) 399
- 1983BE01 B.L. Berman, J.W. Jury, J.G. Woodworth, R.E. Pywell, K.G. McNeill and M.N. Thompson, Phys. Rev. C27 (1983) 1
- 1983BE02 E. Betak and V.D. Toneev, J. Phys. (London) G9 (1983) L47
- 1983BE1A Bernstein, Bertozzi and Kowalski, in Florence (1983) 579

- 1983BE1U Belyaeva, in Moscow (1983) 382
- 1983BE29 V.P. Berezovoj, Yu.P. Melnik and A.V. Shebeko, Nucl. Phys. A404 (1983) 443
- 1983BE36 D. Bender, A. Richter, E. Spamer, E.J. Ansaldò, C. Rangacharyulu and W. Knupfer, Nucl. Phys. A406 (1983) 504
- 1983BE45 R. Bergere, Nuovo Cim. A76 (1983) 147
- 1983BEYW Ya.A. Berdnikov, A.I. Boiko, Yu.R. Gismatullin, A.A. Melentev and V.I. Ostroumov, in Moscow (1983) 468
- 1983BEYZ Ya.A. Berdnikov, Yu.R. Gismatullin, K.B. Konovalov, I.A. Lantsev, A.A. Melentev and V.I. Ostroumov, in Moscow (1983) 470
- 1983BH09 R. Bhanja, N.A.L. Devi, R.R. Joseph, I.D. Ojha, M. Shyam and S.K. Tuli, Nucl. Phys. A411 (1983) 507
- 1983BI09 B.L. Birbrair, L.N. Savushkin and V.N. Fomenko, Yad. Fiz. 38 (1983) 44; Sov. J. Nucl. Phys. 38 (1983) 25
- 1983BI13 J.R. Birkelund and J.R. Juizenga, Ann. Rev. Nucl. Part. Sci. 33 (1983) 265
- 1983BI1C P.G. Bizzeti, Riv. Nuovo Cim. 6 (1983) 1
- 1983BI1H Bickel et al., in Florence (1983) 640
- 1983BI1N Birbrair, Fomenko, Gridnev and Kalashnikov, J. Phys. (London) G9 (1983) 1473
- 1983BIZU B.L. Birbrair, L.N. Savushkin and V.N. Fomenko, in Moscow (1983) 234
- 1983BL10 M. Blann, Phys. Rev. C28 (1983) 1648
- 1983BL12 M. Blann, B.L. Berman and T.T. Komoto, Phys. Rev. C28 (1983) 2286
- 1983BO1B O. Bohigas, Prog. Theor. Phys. Suppl. 74-75 (1983) 380
- 1983BO1F Boyd, Wiescher, Newsom and Collins, Private Communication (1983)
- 1983BO1G Boffi, Cenni, Giusti and Pacati, in Florence (1983) 348
- 1983BO1H Boffi, Nuovo Cim. A76 (1983) 186
- 1983BR18 V.N. Bragin, Yad. Fiz. 37 (1983) 1217; Sov. J. Nucl. Phys. 37 (1983) 722
- 1983BR1M Broglia, Pollarolo and Winter, in Florence (1983) 501
- 1983BR1P Brown, Radhi and Wildenthal, Phys. Rept. 101 (1983) 313
- 1983BR1R P. Braun-Munzinger, Nucl. Phys. A409 (1983) 31
- 1983BR1U Broglia, in Florence (1983) 413
- 1983BR1V Breitschaft, Canto and Schechter, Rev. Bras. Fis. 13 (1983) 328
- 1983BU08 S. Burzynski, M. Baumgartner, H.P. Gubler, J. Jourdan, H.O. Meyer, G.R. Plattner, H.W. Roser, I. Sick and K.-H. Mobius, Nucl. Phys. A399 (1983) 230
- 1983BU15 V.V. Burov, O.M. Knyazkov, A.A. Shirokova and K.V. Shitikova, Z. Phys. A313 (1983) 319

- 1983BY03 R.C. Byrd, W. Tornow, P.W. Lisowski, K. Murphy and R.I. Walter, Nucl. Phys. A410 (1983) 29
- 1983CA05 J.A. Carr, F. Petrovich, D. Halderson, D.B. Holtkamp and W.B. Cottingham, Phys. Rev. C27 (1983) 1636
- 1983CA11 L.F. Canto, R. Donangelo, M.S. Hussein and A. Lepine-Szily, Phys. Rev. Lett. 51 (1983) 95
- 1983CA12 E. Caurier and B. Grammaticos, J. Phys. (London) G9 (1983) L125
- 1983CA1M Capitani, de Sanctis and Levi-Sandri, in Florence (1983) 335
- 1983CA1N Carlin et al., in Florence (1983) 590
- 1983CA1P Cavinato, Marangoni and Saruis, in Florence (1983) 361
- 1983CA22 M. Cavinato, M. Marangoni and A.M. Saruis, Nuovo Cim. A76 (1983) 197
- 1983CH04 Y. Chan, M. Murphy, R.G. Stokstad, I. Tserruya, S. Wald and A. Budzanowski, Phys. Rev. C27 (1983) 447
- 1983CH1B Chant, AIP Conf. Proc. 97 (1983) 205
- 1983CH1T Chen, Zhuang, Jin and King, in Florence (1983) 44, 45
- 1983CH23 B. Chambon, D. Drain, C. Pastor, A. Dauchy, A. Giorni and C. Morand, Z. Phys. A312 (1983) 125
- 1983CH53 Xuejun Chen and Ding Ying, Chin. J. Nucl. Phys. 5 (1983) 322
- 1983CHZX T.E. Chapuran, W.K. Wells, D.P. Bybell and D.P. Balamuth, Bull. Amer. Phys. Soc. 28 (1983) 716, GF5
- 1983CI04 G. Ciangaru, Nucl. Phys. A398 (1983) 343
- 1983CI08 O. Civitarese, B.V. Carlson, M.S. Hussein and A. Szanto de Toledo, Phys. Lett. B125 (1983) 22
- 1983CI09 N. Cindro and W. Greiner, J. Phys. (London) G9 (1983) L175
- 1983CI13 C. Ciofi Degli Atti, M.M. Giannini and G. Salme, Nuovo Cim. A76 (1983) 225
- 1983CO08 J. Cohen, J. Phys. (London) G9 (1983) 621
- 1983CO15 J. Cohen and J.M. Eisenberg, Phys. Rev. C28 (1983) 1309
- 1983CO18 J. Cohen and J.M. Eisenberg, Nuovo Cim. A76 (1983) 483
- 1983CO1K J.J. Cowan, A.G.W. Cameron and J.W. Truran, Astrophys. J. 265 (1983) 429
- 1983DA02 B. Dasmahapatra, B. Cujec and F. Lahlou, Nucl. Phys. A394 (1983) 301
- 1983DA03 C.B. Daskaloyannis, M.E. Grypeos, C.G. Koutroulos, S.E. Massen and D.S. Saloupis, Phys. Lett. B121 (1983) 91
- 1983DA10 B. Dasmahapatra, B. Cujec and F. Lahlou, Can. J. Phys. 61 (1983) 657
- 1983DA1L Damjantschitsch et al., Nucl. Instrum. Meth. Phys. Res. 218 (1983) 129



- 1983DA22 J.H. Dave and C.R. Gould, Phys. Rev. C28 (1983) 2212
- 1983DA23 N.A. Dadayan and E.Kh. Khristova, Yad. Fiz. 37 (1983) 90; Sov. J. Nucl. Phys. 37 (1983) 49
- 1983DA31 J.A. Davies, T.E. Jackman, H. Plattner and I. Bubb, Nucl. Instrum. Meth. Phys. Res. 218 (1983) 141
- 1983DE1U Dennis, Phys. Rev. C27 (1983) 2641; Erratum Phys. Rev. C28 (1983) 2547
- 1983DE1W de Guerra and Martorell, in Florence (1983) 771
- 1983DE1X Desplanques, in Florence (1983) 218
- 1983DE1Y De Rosa, Inglima, Russo and Sandoli, in Florence (1983) 628
- 1983DE21 A. De Rosa, G. Inglima, V. Russo and M. Sandoli, Phys. Rev. C27 (1983) 2688
- 1983DE26 P.A. De Young, J.J. Kolata, L.J. Satkowiak and M.A. Xapsos, Phys. Rev. C28 (1983) 692
- 1983DE2G Deutchman, Madigan, Norbury and Townsend, Phys. Lett. B132 (1983) 44
- 1983DE37 J. Decharge and L. Sips, Nucl. Phys. A407 (1983) 1
- 1983DEZW L.C. Dennis, A.D. Frawley and J.F. Mateja, Bull. Amer. Phys. Soc. 28 (1983) 669, BF1
- 1983DI05 E. Di Salvo, Nuovo Cim. A74 (1983) 427
- 1983DI09 F. Di Marzio and K. Amos, Aust. J. Phys. 36 (1983) 135
- 1983DI15 A.N. Dixit, V.S. Ramamurthy and Y.R. Waghmare, Pramana 20 (1983) 523
- 1983DO05 W.R. Dodge, E. Hayward, R.G. Leicht, M. McCord and R. Starr, Phys. Rev. C28 (1983) 8
- 1983DO1D Dover, Bull. Amer. Phys. Soc. 28 (1983) 752
- 1983DR01 S. Drozdz, J. Okolowicz and M. Ploszajczak, Phys. Lett. B121 (1983) 297
- 1983DR02 S. Drozdz, J. Okolowicz and M. Ploszajczak, Acta Phys. Pol. 14 (1983) 121
- 1983DU13 G.G. Dussel, A.O. Gattone and E.E. Maqueda, Phys. Rev. Lett. 51 (1983) 2366
- 1983EG03 H.-W. Egger, M. Kirchbach and E. Truhlik, Pisma Zh. Eksp. Teor. Fiz. 37 (1983) 506; JETP Lett. 37 (1983) 604
- 1983EI01 J.M. Eisenberg, J. Phys. (London) G9 (1983) 707
- 1983EL10 M.A. El-Shabshiry, Indian J. Phys. A57 (1983) 306
- 1983EN04 Y.M. Engel and R.D. Levine, Phys. Rev. C28 (1983) 2321
- 1983ER02 R.A. Eramzhyan, M. Gmitro, S.S. Kamalov and R. Mach, J. Phys. (London) G9 (1983) 605
- 1983ER04 D.J. Ernst, G.A. Miller and D.L. Weiss, Phys. Rev. C27 (1983) 2733
- 1983ER06 R.A. Eramzhyan, M. Gmitro and S.S. Kamalov, Phys. Lett. B128 (1983) 371

- 1983ES02 J.I. Escudero, X. Vinas and M. Lozano, *J. Phys. (London) G9* (1983) 1367
- 1983FA08 A. Faessler, L. Rikus and S.B. Khadkikar, *Nucl. Phys. A401* (1983) 157
- 1983FA1F Farid and Sharma, *Nucl. Instrum. Meth. Phys. Res.* 213 (1983) 513
- 1983FE07 V.N. Fetisov, L. Majling, J. Zofka and R.A. Eramzhyan, *Z. Phys. A314* (1983) 239
- 1983FIZW J.M. Finn, W. Bertozzi, T. Buti, F.W. Hersman, C. Hyde, M.A. Kovash, B. Murdock, B. Pugh, P. Ulmer, M.V. Hynes et al., *Bull. Amer. Phys. Soc.* 28 (1983) 664, AY13b
- 1983FR02 H. Frohlich, P. Duck, W. Treu and H. Voit, *Phys. Rev. C27* (1983) 578
- 1983FR14 A.D. Frawley, J.D. Fox, L.C. Dennis, K.W. Kemper and N.R. Fletcher, *Phys. Rev. C27* (1983) 2482
- 1983FR17 R.M. Freeman, C. Beck, F. Haas, B. Heusch and J.J. Kolata, *Phys. Rev. C28* (1983) 437
- 1983FR1A W.A. Friedman and W.G. Lynch, *Phys. Rev. C28* (1983) 950
- 1983FR1B Frois, in *Florence* (1983) 221
- 1983FR1G Friedman, *Phys. Rev. C27* (1983) 569
- 1983FR1M Frech et al., *Nucl. Instrum. Meth. Phys. Res.* 218 (1983) 500
- 1983FR23 H. Friedrich and K. Langanke, *Phys. Rev. C28* (1983) 1385
- 1983FU03 B.R. Fulton, J.S. Lilley, T.M. Cormier and P.M. Stwertka, *Phys. Rev. C27* (1983) 1811
- 1983FU1D Y. Fujiwara, Y.C. Tang and H. Horiuchi, *Prog. Theor. Phys.* 70 (1983) 809
- 1983GA03 C.A. Gagliardi, G.T. Garvey, N. Jarmie and R.G.H. Robertson, *Phys. Rev. C27* (1983) 1353
- 1983GA17 A. Gal, *Phys. Rev. C28* (1983) 2186
- 1983GA18 C.A. Gagliardi, G.T. Garvey, J.R. Wrobel and S.J. Freedman, *Phys. Rev. C28* (1983) 2423
- 1983GE12 P.M. Gensini, *Lett. Nuovo Cim.* 38 (1983) 469
- 1983GE13 P.M. Gensini, *Lett. Nuovo Cim.* 38 (1983) 620
- 1983GE1C P.M. Gensini, *Nuovo Cim A78* (1983) 471
- 1983GI02 V. Girija, V. Devanathan, A. Nagl and H. Uberall, *Phys. Rev. C27* (1983) 1169
- 1983GI06 M. Girod and B. Grammaticos, *Phys. Rev. C27* (1983) 2317
- 1983GL05 L.Ya. Glozman and Yu.M. Tchuvilsky, *J. Phys. (London) G9* (1983) 1033
- 1983GL1B P.W.M. Glaudemans, *Proc. NATO Advanced Study Institute on Symmetries in Nucl. Struct.*, 16-28 Aug. 1982, Dronen, Netherlands; Eds., Abrahams, Allaart and Dieperink (1983) 119
- 1983GM1A M. Gmitro, H.R. Kissener, P. Truol and R.A. Eramzhyan, *Fiz. Elem. Chastits At. Yadra* 14 (1983) 773; *Sov. J. Part. Nucl.* 14 (1983) 323

- 1983GO09 L.J.B. Goldfarb and Y.K. Gambhir, Nucl. Phys. A401 (1983) 557
- 1983GO10 N.F. Golovanova, E.T. Ibraeva and V.G. Neudachin, Yad. Fiz. 37 (1983) 883; Sov. J. Nucl. Phys. 37 (1983) 526
- 1983GO11 J. Gomez del Campo, D. Shapira, J.A. Biggerstaff, C.D. Moak, P.D. Miller, N. Neskovic, R.W. Fearick and J.P.F. Sellschop, Phys. Rev. Lett. 51 (1983) 451
- 1983GO13 J. Gomez del Campo and G.R. Satchler, Phys. Rev. C28 (1983) 952
- 1983GO16 A.M. Gorbatov, Yu.N. Krylov and B.V. Rudyak, Izv. Akad. Nauk. SSSR Ser. Fiz. 47 (1983) 914
- 1983GO18 M.S. Golovkov, V.Z. Goldberg, A.D. Sidorenko, V.A. Timofeev, R. Volsky, A. Kobos and J. Schmider, Yad. Fiz. 38 (1983) 284; Sov. J. Nucl. Phys. 38 (1983) 168
- 1983GO1V Golovanova, Iskra, Kurovski and Polozov, in Moscow (1983) 437
- 1983GO23 J.M.G. Gomez and J. Martorell, Nucl. Phys. A410 (1983) 475
- 1983GO2D Gossett, Nucl. Instrum. Meth. Phys. Res. 218 (1983) 149
- 1983GOZU C.A. Gossett and D.G. Mavis, Bull. Amer. Phys. Soc. 28 (1983) 965, AB5
- 1983GR07 S.J. Greene, W.B. Cottingham, G.R. Bureson, L.C. Bland, R. Gilman, H.T. Fortune, C.L. Morris, D.B. Holtkamp and C.F. Moore, Phys. Rev. C27 (1983) 2375
- 1983GR11 A. Green, W. Stepien-Rudzka and S. Wycech, Nucl. Phys. A399 (1983) 307
- 1983GR18 K.A. Gridnev, E.F. Hefter, K. Mikulas, V.M. Semjonov and V.B. Subbotin, Aust. J. Phys. 36 (1983) 155
- 1983GR1H Gridnev, Omer, Semenov and Subbotin, in Moscow (1983) 443
- 1983GR1L Grootes, Nature 303 (1983) 753
- 1983GR26 D.H.E. Gross and M.C. Nemes, Phys. Lett. B130 (1983) 131
- 1983HA1P Hashimoto, Hanawa and Sugimoto, Publ. Astron. Soc. Jpn. 35 (1983) 1
- 1983HA32 J.J. Hamill, R.J. Peterson and M. Yasue, Nucl. Phys. A408 (1983) 21
- 1983HE18 H. Hebach, Nuovo Cim. A76 (1983) 231
- 1983HE1B W. Henning, Nucl. Phys. A400 (1983) 295
- 1983HE23 H. Heiselberg, A.S. Jensen, A. Miranda and G.C. Oades, Phys. Lett. B132 (1983) 279
- 1983HO14 P. Hoodbhoy and G.A. Miller, Phys. Rev. C28 (1983) 848
- 1983HO18 R.J.W. Hodgson, Can. J. Phys. 61 (1983) 1362
- 1983HO1F Horiuchi, Prog. Theor. Phys. 69 (1983) 886
- 1983HU1C Hussein, Phys. Lett. B127 (1983) 165
- 1983HYZZ C. Hyde-Wright, W. Bertozzi, T.N. Buti, M. Finn, M.A. Kovash, R. Lourie, B. Murdock, B. Pugh, P. Ulmer, B. Berman et al., Bull. Amer. Phys. Soc. 28 (1983) 691, DG11

- 1983IB1A Iben, *Astrophys. J.* 275 (1983) L65
- 1983IC01 M. Ichimura and M. Kawai, *Prog. Theor. Phys.* 69 (1983) 128
- 1983IK02 Y. Ikebata and S. Suekane, *Prog. Theor. Phys.* 70 (1983) 1034
- 1983IK1B Ikebata and Kudo, *Proc. RCNP Int. Symp. on Light Ion Reaction Mechanism, Osaka* (1983) 512
- 1983IKZZ H. Ikezoe, D.G. Kovar, G. Rosner, G. Stephans, E. Ungricht, B. Wilkins, T. Awes, G. Young, C. Maguire, Z. Kui et al., *Bull. Amer. Phys. Soc.* 28 (1983) 974, BB6
- 1983IN02 C.H.Q. Ingram, P.A.M. Gram, J. Jansen, R.E. Mischke, J. Zichy, J. Bolger, E.T. Boschitz, G. Probstle and J. Arvieux, *Phys. Rev. C*27 (1983) 1578
- 1983IN1B Inoue and Isoya, *Proc. RCNP Int. Symp. on Light Ion Reaction Mechanism, Osaka* (1983) 482
- 1983IS1E M. Ishihara, *Nucl. Phys.* A400 (1983) 153
- 1983IS1F Ishkhanov and Kapitonov, in *Florence* (1983) 203
- 1983ISZW M.S. Islam, R.W. Finlay, A.S. Meigooni, J.S. Petler, S. Mellema, C.E. Brient and J.R.M. Annand, *Bull. Amer. Phys. Soc.* 28 (1983) 984
- 1983JA05 U. Jahnke, G. Ingold, H. Homeyer, M. Burgel, Ch. Egelhaaf, H. Fuchs and D. Hilscher, *Phys. Rev. Lett.* 50 (1983) 1246
- 1983JA09 L. Jarczyk, B. Kamys, Z. Rudy, A. Strzalkowski, H. Witala, M. Hugi, J. Lang, R. Muller, J. Sromicki and H.H. Wolter, *Phys. Rev. C*28 (1983) 700
- 1983JA10 H.-U. Jager, M. Kirchbach and E. Truhlik, *Nucl. Phys.* A404 (1983) 456
- 1983JE08 P. Jennewein, B. Schoch and F. Zetl, *Phys. Lett.* B130 (1983) 369
- 1983JO1A Johnson, Nishioka, Tostevin and Windham, in *Florence* (1983) 505
- 1983JO1E J.A. Johnstone and A.W. Thomas, *Nucl. Phys.* A392 (1983) 409
- 1983KA01 N. Kato, K. Anai, T. Tachikawa, H. Fujita, K. Kimura, T. Sugimitsu and Y. Nakajima, *Phys. Lett.* B120 (1983) 314
- 1983KA07 Kapitonov, *Yad. Fiz.* 37 (1983) 569; *Sov. J. Nucl. Phys.* 37 (1983) 338
- 1983KA08 K.A. Kabir, M. Silver and N. Austern, *Phys. Rev. C*27 (1983) 2104
- 1983KA10 J.S. Karp, D. Abriola, R.L. McGrath and W.A. Watson III, *Phys. Rev. C*27 (1983) 2649
- 1983KA1A S.G. Kadenskii and Yu.L. Ratis, *Yad. Fiz.* 38 (1983) 1325; *Sov. J. Nucl. Phys.* 38 (1983) 805
- 1983KA1J Kane, *Bull. Amer. Phys. Soc.* 28 (1983) 661
- 1983KA20 S. Kahana, J. Barrette, B. Berthier, E. Chavez, A. Greiner and M.C. Mermaz, *Phys. Rev. C*28 (1983) 1393
- 1983KA28 I.M. Kapitonov, *Yad. Fiz.* 38 (1983) 612; *Sov. J. Nucl. Phys.* 38 (1983) 364

- 1983KA30 S. Kahana, G. Pollarolo, J. Barrette, A. Winther and R. Broglia, Phys. Lett. B133 (1983) 283
- 1983KA39 S.G. Kadmsky and Yu.M. Chuvilsky, Yad. Fiz. 38 (1983) 1433; Sov. J. Nucl. Phys. 38 (1983) 872
- 1983KA40 R. Kaps, U. Mosel and R. Wolf, Z. Phys. A314 (1983) 317
- 1983KE06 K.W. Kemper, G.G. Shute, C.H. Atwood, L.K. Fifield and T.R. Ophel, Nucl. Phys. A405 (1983) 348
- 1983KE1B Kelly, AIP Conf. Proc. 97 (1983) 153
- 1983KEZZ J.J. Kelly, Bull. Amer. Phys. Soc. 28 (1983) 660, AY2a
- 1983KH1A S.A.E. Khallaf, Atomkernenerg. Kerntech. 42 (1983) 126
- 1983KI01 I.V. Kirpichnikov, V.A. Kuznetsov, A.S. Starostin, E.F. Kislyakov, V.L. Korotkikh and D.E. Lansky, Nucl. Phys. A392 (1983) 352
- 1983KI1D J.S. Killingley, Nature 301 (1983) 594
- 1983KL1A Klauss et al., Proc. Int. Conf. on Heavy Ion Phys. and Nucl. Phys, Catania.; Eds., A. Agodi and C. Villi (1983) 61
- 1983KL1B Kleinwachter and Rotter, in Orsay (1983) 5
- 1983KN01 N. Kniest, E. Huttel, J. Gunzl, G. Clausnitzer, P.G. Bizzeti, P.R. Maurenzig and N. Taccetti, Phys. Rev. C27 (1983) 906
- 1983KO01 R.L. Kozub, J. Lin, J.F. Mateja, C.J. Lister, D.J. Millener, J.W. Olness and E.K. Warburton, Phys. Rev. C27 (1983) 158
- 1983KO06 A.M. Kobos, G.R. Satchler and R.S. Mackintosh, Nucl. Phys. A395 (1983) 248
- 1983KO1B Koike, Res. Rep. Nagaoka Tech. Coll. 19 (1983) 149
- 1983KO2B Korenman and Popov, Izv. Akad. Nauk. SSSR Ser. Fiz. 47 (1983) 52
- 1983KO31 Y. Kondo, B.A. Robson and R. Smith, Nucl. Phys. A410 (1983) 289
- 1983KOZD S.N. Kondratev, I.Yu. Lobach, Yu.N. Lobach, S.B. Rakitin, V.D. Sklyarenko and V.V. Tokarevsky, in Moscow (1983) 326
- 1983KOZZ D.G. Kovar, R.V.F. Janssens, W. Kuhn, R. Betts, P. Chowdhury, D. Henderson, T. Humanic, H. Ikezoe, G. Rosner and K. Wolf, Bull. Amer. Phys. Soc. 28 (1983) 670, BF8
- 1983KU14 G. Kuchler, A. Richter, E. Spamer, W. Steffen and W. Knupfer, Nucl. Phys. A406 (1983) 473
- 1983KW01 K. Kwiatkowski, S.H. Zhou, T.E. Ward, V.E. Viola, Jr., H. Breuer, G.J. Mathews, A. Gokmen and A.C. Mignerey, Phys. Rev. Lett. 50 (1983) 1648
- 1983LA07 A.J. Lazzarini, S.G. Steadman, R.J. Ledoux, A. Sperduto, G.R. Young, K. Van Bibber and E.R. Cosman, Phys. Rev. C27 (1983) 1550

- 1983LA14 K. Langanke, D. Frekers, R. Stademann and A. Weiguny, Nucl. Phys. A402 (1983) 40
- 1983LA19 K. Langanke, H. Friedrich and S.E. Koonin, Phys. Rev. Lett. 51 (1983) 1231
- 1983LA20 K. Langanke, R. Stademann and A. Weiguny, Nucl. Phys. A406 (1983) 574
- 1983LA24 K. Langanke and S.E. Koonin, Nucl. Phys. A410 (1983) 334
- 1983LE1F J.R. Letaw, Phys. Rev. C28 (1983) 2178
- 1983LE1R Lenske et al., in Florence (1983) 487
- 1983LE25 R. Leavitt, H.C. Evans, G.T. Ewan, H.-B. Mak, R.E. Azuma, C. Rolfs and K.P. Jackson, Nucl. Phys. A410 (1983) 93
- 1983LI1L Lipperheide, Sofianos and Fiedeldey, in Florence (1983) 645
- 1983LI1P Lipperheide, Naidoo, Sofianos and Fiedeldey, in Florence (1983) 413
- 1983LI1T C.-D. Lien, L. Wielunski and M.-A. Nicolet, Nucl. Instrum. Meth. Phys. Res. 213 (1983) 463
- 1983LOZW D. Lopiano, B. Aas, A. Azizi, G. Igo, G. Weston, A. Wong, M. Hynes, J. Kelly, J. McClelland, W. Bertozzi et al., Bull. Amer. Phys. Soc. 28 (1983) 691, DG8
- 1983LY07 E.B. Levshin and A.D. Foursat, Yad. Fiz. 38 (1983) 1572; Sov. J. Nucl. Phys. 38 (1983) 958
- 1983MA06 S. Marsh, Phys. Lett. B121 (1983) 238
- 1983MA16 C.J. Martoff, J.A. Bistirlich, C.W. Clawson, K.M. Crowe, M. Koike, J.P. Miller, S.S. Rosenblum, W.A. Zajc, H.W. Baer, A.H. Wapstra et al., Phys. Rev. C27 (1983) 1621
- 1983MA1F Majling, Zofka, Fetisov and Eramzhyan, in Orsay (1983) 19
- 1983MA1V Mahalanabis and Sinha Rey, in Florence (1983) 406
- 1983MA29 N. Marquardt, Phys. Rev. C28 (1983) 202
- 1983MA35 F.J. Margetan and J.P. Vary, Phys. Rev. C28 (1983) 907
- 1983MA56 K. Masutani and K. Yazaki, Nucl. Phys. A407 (1983) 309
- 1983MA83 B. Maurel and G. Amsel, Nucl. Instrum. Meth. Phys. Res. 218 (1983) 159
- 1983MAZG R. Madey, B.S. Flanders, B.D. Anderson, A.R. Baldwin, T. Chittrakarn, C. Lebo, J.W. Watson, J.J. Kelly, M.V. Hynes, W. Bertozzi et al., Bull. Amer. Phys. Soc. 28 (1983) 969, AD6
- 1983MAZH D.G. Mavis, T.R. Wang, S.W. Wissink and S.S. Hanna, Bull. Amer. Phys. Soc. 28 (1983) 965, AB6
- 1983ME04 A. Menchaca-Rocha, M.E. Brandan, A. Dacal, A. Galindo, J. Mahoney, M. Murphy and W.D.M. Rae, Phys. Lett. B121 (1983) 111
- 1983ME10 A. Menchaca-Rocha, M.E. Brandan, R. Legrain, A. Dacal and A. Galindo, J. Phys. (London) G9 (1983) L181

- 1983ME1J Meyer, Quentin and Brack, in Florence (1983) 206
- 1983ME1K Medjadi and Quentin, in Orsay (1983) 52
- 1983MI1J Mitropolski and Khefter, in Moscow (1983) 226
- 1983MI20 T. Minamisono, K. Takeyama, T. Ishigai, H. Takeshima, Y. Nojiri and K. Asahi, Phys. Lett. B130 (1983) 1
- 1983MI22 F. Michel, J. Albinski, P. Belery, Th. Delbar, Gh. Gregoire, B. Tasiaux and G. Reide-meister, Phys. Rev. C28 (1983) 1904
- 1983MI26 H.G. Miller and J.P. Vary, Phys. Lett. B131 (1983) 271
- 1983MO1J Moulay, Goncharova and Fellah, in Florence (1983) 367
- 1983MO1M Moniz, Symm. in Nucl. Struct., Abrahams; Eds., Allaart and Dieperink (1983) 251
- 1983NA1J Nazmitdinov, Saupe, Shirokova and Shitikova, in Florence (1983) 492
- 1983NI07 J.A. Niskanen and A.M. Green, Nucl. Phys. A404 (1983) 495
- 1983NO1E Noll et al., in Florence (1983) 682
- 1983OB02 F.E. Obenshain, F.E. Bertrand, E.E. Gross, N.W. Hill, J.R. Wu, R.L. Burman, M. Hamm, M.J. Leitch, R.D. Edge, B.M. Preedom et al., Phys. Rev. C27 (1983) 2753
- 1983OK06 S. Okabe, Nucl. Phys. A404 (1983) 179
- 1983OL1A D.L. Olson, B.L. Berman, D.E. Greiner, H.H. Heckman, P.J. Lindstrom and H.J. Crawford, Phys. Rev. C28 (1983) 1602
- 1983OS03 A. Osman, Int. J. Theor. Phys. 22 (1983) 341
- 1983OS1G Ostling, Petersson and Possnert, Nucl. Instrum. Meth. Phys. Res. 218 (1983) 439
- 1983PA06 K.F. Pal, R.G. Lovas, M.A. Nagarajan, B. Gyarmati and T. Vertse, Nucl. Phys. A402 (1983) 114
- 1983PA1C Papp, Cseh and Vertse, in Florence (1983) 632
- 1983PA1F Pandey and Mukherjee, Nucl. Phys. Solid State Phys. Symp., Mysore, India (1983) 41
- 1983PE14 R.J. Peterson, Phys. Scr. T5 (1983) 190
- 1983PE1E Petkov and Stoitsov, in Florence (1983) 336
- 1983PI03 A.A. Pilt, Nuovo Cim. A74 (1983) 185
- 1983PL1A F. Plasil, Nucl. Phys. A400 (1983) 417
- 1983PO08 G. Pollarolo, R.A. Broglia and A. Winther, Nucl. Phys. A406 (1983) 369
- 1983PO1D Povh, Proc. Int. Conf. on Nucl. Phys., Florence, Aug.-Sept. 1983; Eds., P. Blasi and R.A. Ricci; Vol. 2 (1983) 455
- 1983PU01 G.D. Putt, L.K. Fifield, M.A.C. Hotchkis, T.R. Ophel and D.C. Weisser, Nucl. Phys. A399 (1983) 190

- 1983QU01 J.M. Quesada, M. Lozano and G. Madurga, Phys. Lett. B125 (1983) 14
- 1983RA1G Rackers et al., Bull. Amer. Phys. Soc. 28 (1983) 650
- 1983RH1A Rho, AIP Conf. Proc. 97 (1983) 350
- 1983RI07 D.O. Riska and W. Struve, Nucl. Phys. A399 (1983) 406
- 1983RI13 S.R. Riedhauser, Phys. Rev. C28 (1983) 2508
- 1983RI1C Rieder et al., Bull. Amer. Phys. Soc. 28 (1983) 705
- 1983RIZW R. Rieder, P.D. Barnes, R.A. Eisenstein, G. Franklin, R. Grace, C. Maher, P. Pile, J. Szymanski, W.R. Wharton, J. Amann et al., Bull. Amer. Phys. Soc. 28 (1983) 996, EC7
- 1983RO16 G. Royer and B. Remaud, J. Phys. (London) G9 (1983) 1103
- 1983ROZZ G. Rosner, D.G. Kovar, P. Chowdhury, D. Henderson, H. Ikezoe, R.V.F. Janssens, W. Kuhn, G.S.F. Stephans, B. Wilkins, F. Prosser, Jr. et al., Bull. Amer. Phys. Soc. 28 (1983) 670, BF7
- 1983SA06 M. Sato, M. Sasagase, Y. Nagashima, J. Schimizu, T. Nakagawa, Y. Fukuchi and T. Mikumo, Phys. Rev. C27 (1983) 2621
- 1983SA07 M. Sasagase, M. Sato, S. Hanashima, K. Furuno, Y. Nagashima, Y. Tagishi, S.M. Lee and T. Mikumo, Phys. Rev. C27 (1983) 2630
- 1983SA14 R. Sartor and Fl. Stancu, Nucl. Phys. A404 (1983) 392
- 1983SA1D G.R. Satchler, Nucl. Phys. A409 (1983) 3
- 1983SA1L Saraceno, Canto and Donangelo, in Florence (1983) 488
- 1983SA20 G.R. Satchler, C.B. Fulmer, R.L. Auble, J.B. Ball, F.E. Bertrand, K.A. Erb, E.E. Gross and D.C. Hensley, Phys. Lett. B128 (1983) 147
- 1983SA36 R. Sartor and Fl. Stancu, Phys. Rev. C28 (1983) 2533
- 1983SC08 H. Schultheis and R. Schultheis, Phys. Rev. C27 (1983) 1367
- 1983SC1G Schwandt, AIP Conf. Proc. 97 (1983) 110
- 1983SC29 E.C. Schloemer, M. Gai, J.F. Ennis, M. Rusev, B. Shivakumar, S.M. Sterbenz, N. Tsoupas and D.A. Bromley, Phys. Rev. Lett. 51 (1983) 881
- 1983SCZR L.A. Schaller, P. Bergem, M. Boschung, T.Q. Phan, G. Piller, A. Ruetschi, L. Schellenberg and H. Schneuwly, Bull. Amer. Phys. Soc. 28 (1983) 997, EC11
- 1983SE10 R. Seki and K. Masutani, Phys. Rev. C27 (1983) 2799
- 1983SE11 R. Seki, K. Masutani and K. Yazaki, Phys. Rev. C27 (1983) 2817
- 1983SH04 V. Shkolnik and Y.C. Tang, Nucl. Phys. A397 (1983) 132
- 1983SH05 J.R. Shepard, J.A. McNeil and S.J. Wallace, Phys. Rev. Lett. 50 (1983) 1443
- 1983SH08 C.S. Shastry and I. Parija, Phys. Rev. C27 (1983) 2042



- 1983SH17 M. Shalaby, A. El-Naiem, H. Khalil and M. Abd El-Keriem, *Phys. Scr.* 27 (1983) 393
- 1983SH18 V. Shkolnik, D. Dehnhard and M.A. Franey, *Phys. Rev. C*28 (1983) 717
- 1983SH1E Y.-J. Shi and F. Zhuang, *Phys. Energ. Fortis Phys. Nucl.* 7 (1983) 605
- 1983SH1Z Shimoura et al., in *Florence* (1983) 661
- 1983SH25 D. Shapira, D. DiGregorio, J. Gomez del Campo, R.A. Dayras, J.L.C. Ford, Jr., A.H. Snell, P.H. Stelson, R.G. Stokstad and F. Pougheon, *Phys. Rev. C*28 (1983) 1148
- 1983SH26 T. Shimoda, S. Shimoura, T. Fukuda, M. Tanaka, H. Ogata, I. Miura, E. Takada, M.-K. Tanaka, K. Takimoto and K. Katori, *J. Phys. (London)* G9 (1983) L199
- 1983SH2D Shi, *Phys. Energ. Fortis Phys. Nucl.* 7 (1983) 76
- 1983SH35 N.K. Sherman, W.F. Davidson and A. Claude, *J. Phys. (London)* G9 (1983) 1519
- 1983SH38 Y.-J. Shi, *Phys. Rev. C*28 (1983) 2452
- 1983SH41 K. Shoda, M. Yamazaki, M. Torikoshi, O. Sasaki, H. Tsubota and Baik Nung Sung, *J. Phys. Soc. Jpn.* 52 (1983) 3355
- 1983SI07 R. Singh, *Z. Phys.* A311 (1983) 99
- 1983SI1A R.H. Siemssen, *Nucl. Phys.* A400 (1983) 245
- 1983SI1B J.A. Simpson, *Ann. Rev. Nucl. Part. Sci.* 33 (1983) 323
- 1983SI1E Sinha and Kerman, *Bull. Amer. Phys. Soc.* 28 (1983) 663
- 1983SI1H Sinha and Kerman, in *Florence* (1983) 396
- 1983SI1K Sick, *Symm. in Nucl. Struct.; Eds., Abrahams, Allaart and Dieperink* (1983) 223
- 1983SM04 Yu.F. Smirnov and Yu.M. Tchuvilsky, *Czech. J. Phys.* B33 (1983) 1215
- 1983SM1B Smida and Fellah, in *Florence* (1983) 542
- 1983SN03 K.A. Snover, E.G. Adelberger, P.G. Ikossi and B.A. Brown, *Phys. Rev. C*27 (1983) 1837
- 1983SO08 L.G. Sobotka, M.L. Padgett, G.J. Wozniak, G. Guarino, A.J. Pacheco, L.G. Moretto, Y. Chan, R.G. Stokstad, I. Tserruya and S. Wald, *Phys. Rev. Lett.* 51 (1983) 2187
- 1983SP1B J. Speth, *Nucl. Phys.* A396 (1983) 153
- 1983SR01 J. Sromicki, M. Hugi, J. Lang, R. Muller, E. Ungricht, L. Jarczyk, B. Kamys, A. Magiera, Z. Rudy, A. Strzalkowski et al., *Nucl. Phys.* A406 (1983) 390
- 1983ST1F Strutinsky, *Z. Phys.* A310 (1983) 123
- 1983ST1K Storm, Watt and Whitehead, *J. Phys. (London)* G9 (1983) L165
- 1983ST1L Stokstad et al., *LBL-15874* (1983); *Proc. 6th Oaxtepec Symp., Mexico City* (1983)
- 1983STZW G.S.F. Stephans, D.G. Kovar, H. Ikezoe, R. Pardo, K.E. Rehm, G. Rosner, J. Kolata and R. Vojtech, *Bull. Amer. Phys. Soc.* 28 (1983) 717, GF11
- 1983SU04 T. Suzuki and H. Narumi, *Phys. Lett.* B125 (1983) 251

- 1983TA07 T. Tazawa, J.Y. Park and Y. Abe, Phys. Lett. B125 (1983) 30
- 1983TA1G Tanimura, Wolf and Mosel, in Florence (1983) 635
- 1983TI01 W. Tiereth, Z. Basrak, H. Voit, N. Bischof, R. Caplar, P. Duck, H. Frohlich, B. Nees, E. Nieschler and W. Schuster, Phys. Rev. C28 (1983) 735
- 1983TO03 A. Tohsaki-Suzuki and K. Ikeda, Prog. Theor. Phys. 69 (1983) 113
- 1983TO1F Tombrello, IEEE Trans. Nucl. Sci. 30 (1983) 1169
- 1983TO1K Tohyama and Yamaji, in Florence (1983) 665
- 1983TO1Q Tohsaki-Suzuki and Ikeda, Proc. RCNP Int. Symp. on Light Ion Reaction Mech., Osaka (1983) 845
- 1983TO21 F.M. Toyama, Prog. Theor. Phys. 70 (1983) 1299
- 1983TR1E Tripathi and Faessler, Phys. Lett. B120 (1983) 54
- 1983TR1J Truol, Proc. Int. Conf. on Nucl. Phys., Aug.-Sept. 1983, Florence; Eds., P. Blasi and R.A. Ricci; Vol. 2 (1983) 247
- 1983TR1K Tripathi, Nucl. Phys. Solid State Phys. Symp., Mysore, India (1983) 10
- 1983TU1B Tutunjian and Harrington, Bull. Amer. Phys. Soc. 28 (1983) 34
- 1983UE1B Uegaki, in Florence (1983) 305
- 1983US01 K.F. Ustimenkov, A.S. Dieneko, I.I. Zalyubovsky and V.E. Storizhko, Izv. Akad. Nauk. SSSR Ser. Fiz. 47 (1983) 122
- 1983VA08 A.G.M. Van Hees and P.W.M. Glaudemans, Nucl. Phys. A396 (1983) 105c
- 1983VA13 M.G. Vassanji and D.J. Rowe, Phys. Lett. B125 (1983) 103
- 1983VA1E A. Van Der Schaaf, E.A. Hermes, R.J. Powers, F.W. Schleputz, R.G. Winter, A. Zglin-ski, T. Kozlowski, W. Bertl, L. Felawka, W. H.A. Hesselink et al., Nucl. Phys. A408 (1983) 573
- 1983VA23 J. van der Plicht, H.C. Britt, M.M. Fowler, Z. Fraenkel, A. Gavron, J.B. Wilhelmy, F. Plasil, T.C. Awes and G.R. Young, Phys. Rev. C28 (1983) 2022
- 1983VA31 A.G.M. van Hees and P.W.M. Glaudemans, Z. Phys. A314 (1983) 323
- 1983VI1D Vidrug-Vlasenko, Zavarzin, Kun and Aleshin, in Moscow (1983) 407
- 1983VO1A G. Vourvopoulos, IEEE Trans. Nucl. Sci. 30 (1983) 1119
- 1983VO1B G. Vourvopoulos et al., in Florence (1983) 639
- 1983VO1F Voitsekhovski et al., in Moscow (1983) 340
- 1983WA16 M. Waroquier, K. Heyde and G. Wenes, Nucl. Phys. A404 (1983) 269
- 1983WA17 M. Waroquier, G. Wenes and K. Heyde, Nucl. Phys. A404 (1983) 298
- 1983WA1C Watson et al., in Florence (1983) 473
- 1983WA1P Wang, in Florence (1983) 200

- 1983WA1Q Wang, in Orsay (1983) 55
- 1983WA23 M. Waroquier, J. Bloch, G. Wenes and K. Heyde, Phys. Rev. C28 (1983) 1791
- 1983WE1A Webber, Brautigam, Kish and Schrier, Bull. Amer. Phys. Soc. 28 (1983) 754
- 1983WE1C Webber, Brautigam, Kish and Schrier, 18th Int. Cosmic Ray Conf., India (1983) 202
- 1983WI12 D. Wintgen, H. Friedrich and K. Langanke, Nucl. Phys. A408 (1983) 239
- 1983WI15 J.F. Wilkerson, R.E. Anderson, T.B. Clegg, E.J. Ludwig and W.J. Thompson, Phys. Rev. Lett. 51 (1983) 2269
- 1983WI1A Wilczynski, Proc. Int. Conf. on Nucl. Phys., Aug.-Sept. 1983, Florence; Eds., P. Blasi and R.A. Ricci; Vol. 2 (1983) 305
- 1983WI1H A. Winther, Nucl. Phys. A409 (1983) 21
- 1983WO01 C.J. Woodward, R.E. Tribble and D.M. Tanner, Phys. Rev. C27 (1983) 27
- 1983WO08 C.-Y. Wong and K.T.R. Davies, Phys. Rev. C28 (1983) 240
- 1983YU1A Yu, Xu, Ma and Wang, Phys. Energ. Fortis Phys. Nucl. 7 (1983) 466
- 1983ZA1D Zavarzina, Sergeev and Stepanov, in Moscow (1983) 438
- 1984AB1A Abe and Park, RIFP-508 (1984)
- 1984AD1E E.G. Adelberger, AIP Conf. Proc. 123 (1984) 300
- 1984AI1B Aichelin, Hufner and Ibarra, Phys. Rev. C30 (1984) 107
- 1984AL1L Alma-Ata et al Collaboration, in Panic (1984) N11
- 1984AL20 A. Altman, D. Ashery, E. Piasetzky, J. Lichtenstadt, A.I. Yavin, W. Bertl, L. Felawka, H.K. Walter, R.J. Powers, R.G. Winter et al., Phys. Lett. B144 (1984) 337
- 1984AM04 K. Amos, W. Bauhoff, I. Morrison, S.F. Collins, R.S. Henderson, B.M. Spicer, G.G. Shute, V.C. Officer, D.W. Devins, D.L. Friesel et al., Nucl. Phys. A413 (1984) 255
- 1984AN10 K. Ando and G. Eckart, Nucl. Phys. A420 (1984) 9
- 1984AN1G Antonchik et al., Sov. J. Nucl. Phys. 39 (1984) 774
- 1984ANZW G.S. Anagnostatos, H.S. Kosmas, S.E. Massen and C.N. Panos, Bull. Amer. Phys. Soc. 29 (1984) 1029, AC10
- 1984AS03 J. Asher, D.W. Bennett, H.A. Doubt, M.A. Grace, T.J. Moorhouse and B.J. Murphy, J. Phys. (London) G10 (1984) 1079
- 1984AS05 D. Ashery, D.F. Geesaman, R.J. Holt, H.E. Jackson, J.R. Specht, K.E. Stephenson, R.E. Segel, P. Zupranski, H.W. Baer, J.D. Bowman et al., Phys. Rev. C30 (1984) 946
- 1984AS1D F. Asai, H. Bando and M. Sano, Phys. Lett. B145 (1984) 19
- 1984AU14 D. Auverlot, P. Bonche, P. Bonche, H. Flocard and P.H. Heenen, Phys. Lett. B149 (1984) 6
- 1984BA04 W. Bauhoff, H. Schultheis and R. Schultheis, Phys. Rev. C29 (1984) 1046

- 1984BA1B Bauer et al., 10th Int. Conf. on Particles and Nuclei, 30 July-3 Aug. 1984, Heidelberg (1984) F21
- 1984BA1N B. Bassalleck, AIP Conf. Proc. 123 (1984) 867
- 1984BA1R V.N. Baturin, A.V. Khanzadeev, V.P. Koptev, E.M. Maev, M.M. Makarov, V.V. Nelyubin, G.V. Shcherbakov and V.V. Sulimov, in Panic (1984) I11
- 1984BA24 F.C. Barker, Aust J. Phys. 37 (1984) 17
- 1984BA26 D. Baye, P. Descouvemont, Nucl. Phys. A419 (1984) 397
- 1984BA2F Bayman, Ellis, Fricke and Tang, Phys. Rev. Lett. 53 (1984) 1322
- 1984BA41 J.L. Ballot, M. Fabre de la Ripelle and J. Navarro, Phys. Lett. B143 (1984) 19
- 1984BA48 R.A. Baldock, B. Buck and J.A. Rubio, Nucl. Phys. A426 (1984) 222
- 1984BA52 W. Bauhoff, Phys. Lett. B146 (1984) 7
- 1984BA53 J. Bang, F.A. Gareev, S.A. Goncharov and G.S. Kazacha, Nucl. Phys. A429 (1984) 330.
- 1984BA65 R. Balian, P. Bonche, H. Flocard and M. Veneroni, Nucl. Phys. A428 (1984) 79c
- 1984BE1Q Beer et al., in Panic (1984) L11
- 1984BE1Z Berezovoi, Ukr. Fiz. Zh. 29 (1984) 309
- 1984BE22 C. Beck, F. Haas, R.M. Freeman, B. Heusch, J.P. Coffin, G. Guillaume, F. Rami and P. Wagner, Phys. Rev. C29 (1984) 1942
- 1984BE27 R. Bengtsson, P. Moller, J.R. Nix and Jing-ye Zhang, Phys. Scr. 29 (1984) 402
- 1984BI03 J. Billowes, E.G. Adelberger, O. Avila, N.A. Jelley and W.R. Kolbl, Nucl. Phys. A413 (1984) 503
- 1984BL17 C.L. Blilie, D. Dehnhard, M.A. Franey, D.H. Gay, D.B. Holtkamp, S.J. Seestrom-Morris, P.J. Ellis, C.L. Morris and D.J. Millener, Phys. Rev. C30 (1984) 1989
- 1984BL1J J.H. Black and P.L. Smith, Astrophys. J. 277 (1984) 562
- 1984BLZY K.I. Blomqvist, A.M. Bernstein, J. Comuzzi, J.A. Nelson, B.H. Cottman, K. Min, P. Stoler, P.K. Teng, E.J. Winhold, M. Yamazaki et al., Bull. Amer. Phys. Soc. 29 (1984) 708, FI9
- 1984BO11 A. Bouyssy, S. Marcos and J.F. Mathiot, Nucl. Phys. A415 (1984) 497
- 1984BO1H L.N. Bogdanova and V.E. Markushin, Fiz. Elem. Chastits At. Yadra 15 (1984) 808; Sov. J. Part. Nucl. 15 (1984) 361
- 1984BO1L Boffi and Mirando, in Panic (1984) A38
- 1984BO1N Borzov and Tolokonnikov, in Alma Ata (1984) 314
- 1984BO53 G. Bozzolo and J.P. Vary, Phys. Rev. Lett. 53 (1984) 903

- 1984BR03 F.P. Brady, G.A. Needham, J.L. Ullmann, C.M. Castaneda, T.D. Ford, N.S.P. King, J.L. Romero, M.L. Webb, V.R. Brown and C.H. Poppe, *J. Phys. (London)* G10 (1984) 363.
- 1984BR1L D.A. Bromley, *Nuovo Cim.* A81 (1984) 360
- 1984BR1N Bragin and Tshulkov, in *Alma Ata* (1984) 461
- 1984BR1P H.P. Brall, R. Stademann, K. Langanke and A. Weiguny, *Fizika* 16 (1984) 7
- 1984BR25 B.A. Brown, C.R. Bronk and P.E. Hodgson, *J. Phys. (London)* G10 (1984) 1683
- 1984BR28 V.N. Bragin, *Izv. Akad. Nauk. SSSR Ser. Fiz.* 48 (1984) 182; *Bull. Acad. Sci. USSR Phys. Ser.* 48 (1984) 184
- 1984BU11 N.A. Burgov, A.E. Bukley, L.S. Vorobyev, S.A. Gerzon, Yu.T. Kiselev, G.A. Leksin, A.N. Martemyanov, N.A. Pivnyuk, S.V. Semenov, V.L. Stolin et al., *Yad. Fiz.* 39 (1984) 801; *Sov. J. Nucl. Phys.* 39 (1984) 506
- 1984BU1L Bulkin et al., in *Alma Ata* (1984) 360
- 1984BU1V Burleson et al., in *Panic* (1984) F4
- 1984BU25 B. Buck and J.A. Rubio, *J. Phys. (London)* G10 (1984) L209
- 1984BUZZ G.R. Burleson, W.B. Cottingame, C.P. Fontenla, J.F. Amann, R.L. Boudrie, S.J. Greene, C.L. Morris, N. Tanaka, D. Yusnukis, M. Brown et al., *Bull. Amer. Phys. Soc.* 29 (1984) 676, DH11
- 1984CA07 B. Castel, A.G.M. Van Hees and L. Zamick, *Nucl. Phys.* A415 (1984) 30
- 1984CA09 T.A. Carey, P.G. Roos, N.S. Chant, A. Nadasen and H.L. Chen, *Phys. Rev.* C29 (1984) 1273
- 1984CA11 B. Castel, A.G.M. Van Hees and H. Toki, *Phys. Rev.* C29 (1984) 1912
- 1984CA18 M. Cavinato, M. Marangoni and A.M. Saruis, *Nucl. Phys.* A422 (1984) 237
- 1984CA19 M. Cavinato, M. Marangoni and A.M. Saruis, *Nucl. Phys.* A422 (1984) 273
- 1984CA1D T.A. Cahill, Y. Matsuda, D. Shadoan, R.A. Eldred and B.H. Kusko, *Nucl. Instrum. Meth. Phys. Res.* B231 (1984) 263
- 1984CA1W Castel and Blunden, *Drexel Univ. Symp.* (1984)
- 1984CA1X Carbonell, Brut, Arvieu and Touchard, *J. Phys. (Paris)* 45 (1984) C6-371
- 1984CA28 F. Catara and O. Tanimura, *Nucl. Phys.* A427 (1984) 568
- 1984CE1D Cernigoi et al., in *Panic* (1984) F14
- 1984CH1G H.Z. Chen, F. Zhuang, X.J. Shi and X.N. Jin, *Chin. J. Nucl. Phys.* 6 (1984) 303
- 1984CH1Q Chorin, Karabach and Sosnin, in *Alma Ata* (1984) 543
- 1984CH1R Cheung and Keister, in *Panic* (1984) A36
- 1984CH41 Xuejun Chen, Jianzhi Tang and Wei Lin, *Chin. J. Nucl. Phys.* 6 (1984) 258

1984CL06 C.F. Clement, D. Wilmore and S.M. Perez, Nucl. Phys. A423 (1984) 10  
 1984CL10 J.W. Clark, E. Krotscheck and B. Schwesinger, Phys. Lett. B143 (1984) 287  
 1984CO02 J. Cohen and J.M. Eisenberg, Phys. Rev. C29 (1984) 914  
 1984CO05 J. Cook, L.C. Dennis, K.W. Kemper, T.R. Ophel, A.F. Zeller, C.F. Maguire and Z. Kui, Nucl. Phys. A415 (1984) 114  
 1984CO08 J. Cook, Nucl. Phys. A417 (1984) 477  
 1984CO1H Cook, Stone and Vogt, Astrophys. J. 279 (1984) 827  
 1984CO1U Cohen, J. Phys. (London) G10 (1984) 471  
 1984CO20 J. Cook, K.W. Kemper, P.V. Drumm, L.K. Fifield, M.A.C. Hotchkis, T.R. Ophel and C.L. Woods, Phys. Rev. C30 (1984) 1538  
 1984CU1B Cujec, Fizika 16 (1984) 3  
 1984CZ01 P. Czerski, W.H. Dickhoff, A. Faessler and H. Muther, Phys. Lett. B146 (1984) 1  
 1984CZ02 P. Czerski, W.H. Dickhoff, A. Faessler and H. Muther, Nucl. Phys. A427 (1984) 224  
 1984DA18 S.E. Darden, S. Sen, G. Murillo, M. Fernandez, J. Ramirez, A. Galindo, P.L. Jolivet and B.P. Hichwa, Nucl. Phys. A429 (1984) 218  
 1984DA1B Danilin and Zhukov, in Alma Ata (1984) 460  
 1984DA20 O.D. Dalkarov and V.A. Karmanov, Phys. Lett. B147 (1984) 1  
 1984DA23 O.D. Dalkarov and V.A. Karmanov, Pisma Zh. Eksp. Teor. Fiz. 39 (1984) 288; JETP Lett. 39 (1984) 345  
 1984DE02 F. Dellagiacoma, R. Ferrari, G. Orlandini and M. Traini, Phys. Rev. C29 (1984) 777  
 1984DE08 D.R. Dean and N. Rowley, J. Phys. (London) G10 (1984) 493  
 1984DE1Q Denisov, Sov. J. Nucl. Phys. 39 (1984) 522  
 1984DE23 B. Desplanques, Phys. Lett. B141 (1984) 285  
 1984DE2B Deutchman, Norbury and Townsend, Drexel Univ. Symp. (1984)  
 1984DE42 P. Descouvemont, D. Baye and P.-H. Heenen, Nucl. Phys. A430 (1984) 426  
 1984DE53 P. De Bievre, M. Gallet, N.E. Holden and I.L. Barnes, J. Phys. Chem. Ref. Data 13 (1984) 809  
 1984DH03 A. Dhar and S. Das Gupta, Phys. Lett. B137 (1984) 303  
 1984DH04 A. Dhar and S. Das Gupta, Phys. Rev. C30 (1984) 1545  
 1984DU04 O. Dumbrajs, A.M. Green and J.A. Niskanen, Nucl. Phys. A412 (1984) 195  
 1984DU1H Duvall, Bull. Amer. Phys. Soc. 29 (1984) 1132  
 1984EF03 V.P. Efrosinin and D.A. Zaikin, Yad. Fiz. 39 (1984) 1135; Sov. J. Nucl. Phys. 39 (1984) 717

- 1984FA05 A. Faessler and M. Ismail, *Z. Phys.* A316 (1984) 195
- 1984FA1F Fabre de la Ripelle, *Drexel Univ. Symp.* (1984)
- 1984FI17 D.J. Fields, W.G. Lynch, C.B. Chitwood, C.K. Gelbke, M.B. Tsang, H. Utsunomiya and J. Aichelin, *Phys. Rev. C*30 (1984) 1912
- 1984FI1M Finlay, *Bull. Amer. Phys. Soc.* 29 (1984) 1067
- 1984FL04 H. Flocard, P.H. Heenen, S.J. Krieger and M.S. Weiss, *Prog. Theor. Phys.* 72 (1984) 1000
- 1984FO07 H.T. Fortune and B.H. Silverman, *Phys. Rev. C*29 (1984) 1761
- 1984FO1A W.A. Fowler, *Rev. Mod. Phys.* 56 (1984) 149
- 1984FO21 R. Fonte and A. Insolia, *Phys. Lett.* B148 (1984) 257
- 1984FR13 H. Friedrich, *Phys. Lett.* B146 (1984) 135
- 1984FR14 R. Frick, H. Clement, G. Graw, P. Schiemenz, N. Seichert and T.-H. Sun, *Z. Phys.* A319 (1984) 133
- 1984FR1A P. Frobrich, *Phys. Rept.* 116 (1984) 337
- 1984FU10 C.B. Fulmer, G.R. Satchler, K.A. Erb, D.C. Hensley, R.L. Auble, J.R. Ball, F.E. Bertrand and E.E. Gross, *Nucl. Phys.* A427 (1984) 545
- 1984FUZZ C.B. Fulmer, D.C. Hensley, R.L. Auble, J.B. Ball, K.A. Erb, E.E. Gross, G.R. Satchler, D. Shapira and Y.-D. Chan, *Bull. Amer. Phys. Soc.* 29 (1984) 624, AE2
- 1984GA1A Garvey, *Proc. Int. Symp., Osaka* (1984) 193
- 1984GA1N Gareev et al., in *Alma Ata* (1984) 406
- 1984GA22 M. Gai, G.M. Berkowitz, P. Braun-Munzinger, C.M. Jachcinski, C.E. Ordonez, T.R. Renner and C.D. Uhlhorn, *Phys. Rev. C*30 (1984) 925
- 1984GAZP F.A. Gareev, M. Gmitro, S.N. Ershov and Ya. Tseipek, in *Alma Ata* (1984) 492
- 1984GE1A D.F. Geesaman, *AIP Conf. Proc.* 123 (1984) 150
- 1984GE1D Gelbke, *MSUCL* 472 (1984)
- 1984GI05 R. Gilman, H.T. Fortune, K.S. Dhuga, P.H. Kutt, L.C. Bland, R.R. Kiziah, C.F. Moore, P.A. Seidl, C.L. Morris and W.B. Cottingham, *Phys. Rev. C*29 (1984) 2395
- 1984GI1H Gilad et al., in *Panic* (1984) F8
- 1984GIZZ S. Gilad, W.J. Burger, G.W. Dodson, L.D. Pham, S. Hoibraten, R.P. Redwine, E. Piassetzky, H.W. Baer, J.D. Bowman, F.H. Cverna et al., *Bull. Amer. Phys. Soc.* 29 (1984) 674, DH1
- 1984GL06 Yu.A. Glukhov, A.S. Demyanova, A.A. Ogloblin, S.B. Sakuta and V.V. Sukharevsky, *Yad. Fiz.* 40 (1984) 62; *Sov. J. Nucl. Phys.* 40 (1984) 41
- 1984GL11 L.Ya. Glozman and V.G. Neudachin, *Pisma Zh. Eksp. Teor. Fiz.* 40 (1984) 33; *JETP Lett.* 40 (1984) 759

- 1984GM01 M. Gmitro, S.S. Kamalov, R. Mach and M.G. Sapozhnikov, *Yad. Fiz.* 40 (1984) 107; *Sov. J. Nucl. Phys.* 40 (1984) 68
- 1984GM1B Gmitro, Kvasil and Ovchinnikova, in *Panic* (1984) A65
- 1984GO03 A. Gokmen, H. Breuer, A.C. Mignerey, B.G. Glagola, K. Kwiatkowski and V.E. Viola, Jr., *Phys. Rev. C*29 (1984) 1595
- 1984GO04 A. Gokmen, G.J. Mathews and V.E. Viola, Jr., *Phys. Rev. C*29 (1984) 1606
- 1984GO05 J. Gomez del Campo, J.A. Biggerstaff, R.A. Dayras, D. Shapira, A.H. Snell, P.H. Stelson and R.G. Stokstad, *Phys. Rev. C*29 (1984) 1722
- 1984GO13 L.J.B. Goldfarb, *Nucl. Phys.* A429 (1984) 365
- 1984GO14 A.M. Gorbатов, A.V. Bursak, Yu.N. Krylov, B.V. Rudyak and Yu.L. Shein, *Yad. Fiz.* 40 (1984) 882; *Sov. J. Nucl. Phys.* 40 (1984) 561
- 1984GO1G Gorbатов, Bursak, Krilov and Rudiak, in *Alma Ata* (1984) 217
- 1984GR08 R.E.L. Green, R.G. Korteling and K.P. Jackson, *Phys. Rev. C*29 (1984) 1806
- 1984GR18 J.M. Greben and A.W. Thomas, *Phys. Rev. C*30 (1984) 1021
- 1984GR27 S.J. Greene, C.J. Harvey, P.A. Seidl, R. Gilman, E.R. Siciliano and M.B. Johnson, *Phys. Rev. C*30 (1984) 2003
- 1984GU09 S.K. Gupta and S. Kailas, *Z. Phys.* A317 (1984) 75
- 1984GU13 Guozhu He, Chengqun Gao and Pingzhi Ning, *Phys. Rev. C*30 (1984) 534
- 1984GU1E Gurevich et al., in *Alma Ata* (1984) 347
- 1984HA14 P. Halse, J.P. Elliott and J.A. Evans, *Nucl. Phys.* A417 (1984) 301
- 1984HA1D D. Halderson, *Phys. Rev. C*30 (1984) 941
- 1984HA1R M.J. Harris and D.L. Lambert, *Astrophys. J.* 281 (1984) 739
- 1984HA1Z M.J. Harris and D.L. Lambert, *Astrophys. J.* 285 (1984) 674
- 1984HA43 Q. Haider and B. Cujec, *Nucl. Phys.* A429 (1984) 116
- 1984HA53 Q. Haider and F.B. Malik, *At. Data Nucl. Data Tables* 31 (1984) 185
- 1984HE20 W. Heeringa, H.O. Klages, H. Dobiash, R. Fischer, B. Haesner, P. Schwarz, J. Wilczynski and B. Zeitnitz, *Nucl. Instrum. Meth. Phys. Res.* A227 (1984) 509
- 1984HI1A A.S. Hirsch, A. Bujak, J.E. Finn, L.J. Gutay, R.W. Minich, N.T. Porile, R.P. Scharenberg and B.C. Stringfellow, *Phys. Rev. C*29 (1984) 508
- 1984HO08 H. Horiuchi, *Prog. Theor. Phys.* 71 (1984) 535
- 1984HO17 K. Hosono, M. Fujiwara, K. Hatanaka, H. Ikegami, M. Kondo, N. Matsuoka, T. Saito, S. Matsuki, K. Ogino and S. Kato, *Phys. Rev. C*30 (1984) 746
- 1984HO1L Holstein, *Phys. Rev. C*29 (1984) 623
- 1984HO1N Hodgson, *Rept. Prog. Phys.* 47 (1984) 613



- 1984HO23 H. Homeyer, M. Burgel, Ch. Egelhaaf, H. Fuchs and G. Thoma, Z. Phys. A319 (1984) 143
- 1984HO24 S. Homma, M. Kanazawa, M. Koike, Y. Murata, H. Okuno, F. Soga, M. Sudo, M. Torikoshi, N. Yoshikawa, A. Sasaki et al., Phys. Rev. Lett. 53 (1984) 2536
- 1984HU02 J.R. Hurd, L.C. Bland, G.P. Gilfoyle, R. Gilman, G.S. Stephans, J.W. Sweet and H.T. Fortune, Phys. Lett. B134 (1984) 166
- 1984HU05 M.S. Hussein and M.C.B.S. Salvadori, Phys. Lett. B138 (1984) 249
- 1984HU06 M.S. Hussein, L.F. Canto and R. Donangelo, Phys. Rev. C29 (1984) 2383
- 1984HU1E I. Hunyadi, I.M. Szoghy and B. Cujec, Nucl. Tracks Radiat. Meas. 8 (1984) 525
- 1984HU1N Hussein, Chen and Almeida, Amer. J. Phys. 52 (1984) 650
- 1984HU1Q Hussein, Baltz and Carlson, Phys. Rept. 113 (1984) 133
- 1984HY01 M.V. Hynes, A. Picklesimer, P.C. Tandy and R.M. Thaler, Phys. Rev. Lett. 52 (1984) 978
- 1984IK01 T. Ikehara and M. Yamada, Prog. Theor. Phys. 71 (1984) 1239
- 1984IN03 M. Inoue and S.E. Koonin, Phys. Rev. C30 (1984) 175
- 1984IN04 T. Inoue, J. Phys. Soc. Jpn. 53 (1984) 4158
- 1984IS1B Ishkhanov and Kapitanov, in Alma Ata (1984) 366, 367
- 1984ISZZ M.S. Islam, J.S. Petler and R.W. Finlay, Bull. Amer. Phys. Soc. 29 (1984) 1037, BD6
- 1984JA03 B.K. Jain and N.R. Sharma, Phys. Rev. C29 (1984) 1105
- 1984JA06 H.-U. Jager, M. Kirchbach and E. Truhlik, Yad. Fiz. 39 (1984) 387; Sov. J. Nucl. Phys. 39 (1984) 243
- 1984JA09 J. Janecke and E. Comay, Phys. Lett. B140 (1984) 1
- 1984JEZY S.M. Jensen, S.L. Blatt, H.J. Hausman, R.N. Boyd, T.R. Donoghue, R.G. Seyler, D.G. Marchlenski, T.W. Rackers, P. Schmalbrock, M.A. Kovash et al., Bull. Amer. Phys. Soc. 29 (1984) 1050, DD2
- 1984JO06 R.V. Jolos, R. Schmidt and J. Teichert, Nucl. Phys. A429 (1984) 139
- 1984KA1H Kaptar and Titov, Sov. J. Nucl. Phys. 39 (1984) 387
- 1984KA1J Karol, Science 226 (1984) 1425
- 1984KA31 S.S. Kamalov and T.D. Kaipov, Yad. Fiz. 40 (1984) 420; Sov. J. Nucl. Phys. 40 (1984) 267
- 1984KA36 T. Karapiperis and E.J. Moniz, Phys. Lett. B148 (1984) 253
- 1984KI09 M. Kirchbach, S. Kamalov and H.-U. Jager, Phys. Lett. B144 (1984) 319
- 1984KI17 L.S. Kisslinger, Phys. Lett. B146 (1984) 159

- 1984KI22 I.V. Kirpichnikov, V.A. Kuznetsov and A.S. Starostin, *Yad. Fiz.* 40 (1984) 1377; *Sov. J. Nucl. Phys.* 40 (1984) 875
- 1984KN1A N. Kniest, E. Huttel, E. Pfaff, G. Reiter and G. Clausnitzer, in *Panic* (1984) H9
- 1984KO15 A.M. Kobos and G.R. Satchler, *Phys. Rev. C*30 (1984) 403
- 1984KO1X Koike, *Res. Rept. Nagaoka Tech. Coll.* 20 (1984) 1
- 1984KO30 A.M. Kobos and G.R. Satchler, *Nucl. Phys.* A427 (1984) 589
- 1984KO33 J.H. Koch, E.J. Moniz and N. Ohtsuka, *Ann. Phys.* 154 (1984) 99
- 1984KR10 V.M. Krasnopolskii, V.I. Kukul'in and V.G. Neudachin, *Izv. Akad. Nauk. SSSR Ser. Fiz.* 48 (1984) 84; *Bull. Acad. Sci. USSR Phys. Ser.* 48 (1984) 82
- 1984KU21 P.C.-K. Kuo, J.W. Jury, N.K. Sherman and W.F. Davidson, *Phys. Rev. C*30 (1984) 1789
- 1984KY01 G.S. Kyle, P.-A. Amaudruz, Th.S. Bauer, J.J. Domingo, C.H.Q. Ingram, J. Jansen, D. Renker, J. Zichy, R. Stamminger and F. Vogler, *Phys. Rev. Lett.* 52 (1984) 974
- 1984LA01 K. Langanke, R. Stademann and D. Frekers, *Phys. Rev. C*29 (1984) 40
- 1984LA1J W.D. Langer, T.E. Graedel, M.A. Frerking and P.B. Armentrout, *Astrophys. J.* 277 (1984) 581
- 1984LA1L Langanke and weiguny, *Fizika* 16 (1984) 5
- 1984LA28 A.M. Lallena, J.S. Dehesa and S. Krewald, *Phys. Lett. B*146 (1984) 294
- 1984LI16 Li Qing-run, *Phys. Rev. C*30 (1984) 1248
- 1984LI25 R.A. Lindgren, *J. Phys.* 34 (1984) C4-433
- 1984LI28 Y.-G. Li and S.-Y. Lo, *Aust. J. Phys.* 37 (1984) 255
- 1984LO1C Lovas, *Proc. 4th Int. Conf. Clustering Aspects of Nucl. Struct.*, Chester, England, 1984 (1985) 231
- 1984MA11 S. Marcos, H. Flocard and P.-H. Heenen, *Phys. Lett. B*134 (1984) 287
- 1984MA17 A.D. MacKellar, G.R. Satchler and C.-Y. Wong, *Z. Phys.* A316 (1984) 35
- 1984MA1F May et al., in *Panic* (1984) M3
- 1984MA1P Marinov, Eshhar, Weil and Kolb, *Phys. Rev. Lett.* 52 (1984) 2209
- 1984MA1T Matthews et al., in *Panic* (1984) F24
- 1984MA1W F. Matera, *Nuovo Cim.* A80 (1984) 266
- 1984MA28 J.F. Mateja, J. Garman, D.E. Fields, R.L. Kozub, A.D. Frawley and L.C. Dennis, *Phys. Rev. C*30 (1984) 134
- 1984MA2E Magure, *Bull. Amer. Phys. Soc.* 29 (1984) 1086
- 1984MA2K Malhotra, Saroha and Gupta, *Fizika* 16 (1984) 57
- 1984MA33 U.N.L. Mathur and Y.R. Waghmare, *Pramana* 22 (1984) 257

- 1984MA63 U.N.L. Mathur and Y.R. Waghmare, *Pramana* 22 (1984) 457
- 1984MAZT F.B. Malik and Q. Haider, *Bull. Amer. Phys. Soc.* 29 (1984) 1047, DB1
- 1984ME01 M.C. Mermaz, E.R. Chavez-Lomeli, J. Barrette, B. Berthier and A. Greiner, *Phys. Rev. C* 29 (1984) 147
- 1984MI1E D.J. Millener, *AIP Conf. Proc.* 123 (1984) 850
- 1984MI1P Mishustin, *Phys. Scr.* 30 (1984) 293
- 1984MO13 J.A. Montgomery, H. Uberall and K.-B. Yoo, *Can. J. Phys.* 62 (1984) 771
- 1984MU04 T. Murakami, E. Ungricht, N. Takahashi, Y.-W. Lui, Y. Mihara, R.E. Neese, E. Takada, D.M. Tanner, R.E. Tribble and K. Nagatani, *Phys. Rev. C* 29 (1984) 847
- 1984MU1G Murphy, *Phys. Lett.* B135 (1984) 25
- 1984MU1H S.N. Mukherjee and L.N. Pandey, *J. Phys.* 45 (1984) C6-445
- 1984NA06 T. Nakamura and Y. Uwamino, *Phys. Rev. C* 29 (1984) 1317; *Erratum Phys. Rev. C* 30 (1984) 413
- 1984NA12 Y. Nagame, H. Nakahara, K. Sueki, H. Kudo, I. Kohno and M. Yanokura, *Z. Phys.* A317 (1984) 31
- 1984NA15 R.G. Nazmitdinov, G. Saupe and K.V. Shitikova, *Yad. Fiz.* 39 (1984) 1415; *Sov. J. Nucl. Phys.* 39 (1984) 894
- 1984NA18 A.S. Nageswara Rao, A. Perumallu and G. Krishna Rao, *Nuovo Cim.* A81 (1984) 523
- 1984NA1F Nakamura, *Indian J. Phys.* A58 (1984) 12
- 1984NA26 K. Nakayama, S. Krewald and J. Speth, *Phys. Lett.* B148 (1984) 399
- 1984NE1G Negele, *AIP Conf. Proc.* 123 (1984) 280
- 1984NG1A Ngo, *Nuovo Cim.* A81 (1984) 47
- 1984NI05 K. Niita, *Z. Phys.* A316 (1984) 309
- 1984NI1D Ning, Gao, He and Chen, *Chin. J. Nucl. Phys.* 6 (1984) 105
- 1984NO03 S. Nozawa, Y. Kohyama and K. Kubodera, *Phys. Lett.* B140 (1984) 11
- 1984NO1B Nomoto, Thielemann and Wheeler, *Astrophys. J.* 279 (1984) L23
- 1984OC01 J.S. O'Connell, W.R. Dodge, J.W. Lightbody, Jr., X.K. Maruyama, J.-O. Adler, K. Hansen, B. Schroder, A.M. Bernstein, K.I. Blomqvist, B.H. Cottman et al., *Phys. Rev. Lett.* 53 (1984) 1627
- 1984OK04 S. Okabe, *Nucl. Phys.* A427 (1984) 87
- 1984OR01 G. Orlandini, M. Traini, R. Ferrari and R. Leonardi, *Phys. Lett.* B134 (1984) 143
- 1984OS06 M.M. Osman, M. Ismail, H.M. Hasan, W. Wadia and M. Rashdan, *J. Phys. (London)* G10 (1984) 1399
- 1984PE11 D. Pereira, J.C. Acquadro and O. Sala, *Ann. Acad. Bras. Cienc.* 56 (1984) 27

- 1984PH02 D.L. Pham and R. de Swiniarski, *Nuovo Cim.* A83 (1984) 294
- 1984PI05 A. Picklesimer, P.C. Tandy, R.M. Thaler and D.H. Wolfe, *Phys. Rev.* C29 (1984) 1582
- 1984PI17 A. Picklesimer, P.C. Tandy, R.M. Thaler and D.H. Wolfe, *Phys. Rev.* C30 (1984) 1861
- 1984PO01 F. Pougheon, I.M. Turkiewicz, M. Bernas, P. Dessagne, G. Rotbard, P. Roussel and J. Turkiewicz, *J. Phys. (Paris)* 45 (1984) 65
- 1984PO03 A. Pop, M. Cenja, M. Duma, R. Dumitrescu, A. Isbasescu and M.T. Magda, *Rev. Roum. Phys.* 29 (1984) 87
- 1984PO11 D.N. Poenaru and M. Ivascu, *J. Phys. (Paris)* 45 (1984) 1099
- 1984PO12 G. Pollarolo and R.A. Broglia, *Nuovo Cim.* A81 (1984) 278
- 1984PO15 D. Pocanic, K. Van Bibber, J.S. Dunham, W.A. Seale, F. Sperisen and S.S. Hanna, *Phys. Rev.* C30 (1984) 1520
- 1984PO1A Poth et al., in *Panic* (1984) L1
- 1984PO1M Pollarolo, *Proc. 4th Int. Conf. Clustering Aspects of Nucl. Struct.*, Chester, England 1984 (1985) 53
- 1984PR09 D. Provoost, F. Grummer, K. Goeke and P.-G. Reinhard, *Nucl. Phys.* A431 (1984) 139
- 1984PRZY M.W. Price and G.W. Walker, *Bull. Amer. Phys. Soc.* 29 (1984) 1031, AD12
- 1984QU03 J.M. Quesada, R.A. Broglia, V. Bragin and G. Pollarolo, *Nucl. Phys.* A428 (1984) 305c
- 1984RA10 W.D.M. Rae, A.J. Cole, B.G. Harvey and R.G. Stokstad, *Phys. Rev.* C30 (1984) 158
- 1984RE08 P.-G. Reinhard, F. Grummer and K. Goeke, *Z. Phys.* A317 (1984) 339
- 1984RE09 P.-G. Reinhard, J. Friedrich, K. Goeke, F. Grummer and D.H.E. Gross, *Phys. Rev.* C30 (1984) 878
- 1984RE14 S.M. Read and V.E. Viola, Jr., *At. Data Nucl. Data Tables* 31 (1984) 359
- 1984RI06 S.R. Riedhauser, *Phys. Rev.* C29 (1984) 1961
- 1984RO05 I. Rotter, *Phys. Rev.* C29 (1984) 1119
- 1984RO1F Rolfs, in *Knoxville* (1984) 79
- 1984RU1A Ruscev, Ph. D. Thesis, Yale Univ. (1984)
- 1984SA08 R. Sartor and Fl. Stancu, *Phys. Rev.* C29 (1984) 1756
- 1984SA1T Saad, Subbotin, Gridnev and Semanov, in *Alma Ata* (1984) 459
- 1984SA26 H. Sagawa and B.A. Brown, *Nucl. Phys.* A430 (1984) 84
- 1984SA28 V.S. Sadkovsky, G.A. Feofilov, A.E. Denisov, R.P. Kolalis and L. Peres Tamaio, *Izv. Akad. Nauk. SSSR Ser. Fiz.* 48 (1984) 995; *Bull. Acad. Sci. USSR Phys. Ser.* 48 (1984) 158

- 1984SA31 Y. Sakuragi and M. Kamimura, Phys. Lett. B149 (1984) 307
- 1984SA37 M. Sakai, At. Data Nucl. Data Tables 31 (1984) 399
- 1984SAZX S.J. Sanders, R.R. Betts, S. Saini, F. Videbaek, I. Ahmad, D. Henderson, K. Lesko, B. Wilkins and B. Dichter, Bull. Amer. Phys. Soc. 29 (1984) 625, AE9
- 1984SC09 I. Schwanner, G. Backenstoss, W. Kowald, L. Tauscher, H.-J. Weyer, D. Gotta and H. Ullrich, Nucl. Phys. A412 (1984) 253
- 1984SE16 R.G. Seyler and H.R. Weller, Phys. Rev. C30 (1984) 1146
- 1984SE20 V.M. Semjonov, K.A. Gridnev, E.F. Hefter, H.M. Omar, S. Saad and V.B. Subbotin, Nuovo Cim. A84 (1984) 89
- 1984SH04 K. Shin, K. Hibi, M. Fujii, Y. Uwamino and T. Nakamura, Phys. Rev. C29 (1984) 1307
- 1984SH1X Shi, Proc. Int. Summer School, Changchun, China, 1983 (1984) 719
- 1984SH22 A. Shridhar, N. Lingappa, S.K. Gupta and S. Kailas, Phys. Rev. C30 (1984) 1760
- 1984SI15 S.H. Simon, P.L. Gonthier, R.K. Choudhury, M.N. Namboodiri, K. Hagel, S. Kniffen, R. Patton, L. Adler and J.B. Natowitz, Nucl. Phys. A430 (1984) 249
- 1984SIZZ R.P. Sinha, Bull. Amer. Phys. Soc. 29 (1984) 713, GF1
- 1984SJ01 T.P. Sjoreen, F.E. Bertrand, R.L. Auble, E.E. Gross, D.J. Horen, D. Shapira and D.B. Wright, Phys. Rev. C29 (1984) 1370
- 1984SN01 K.A. Snover, J. Phys. (Paris) 45 (1984) C4-337
- 1984SP1C D. Sprengel, H.V. Buttler, J. Drevermann, W. Hoppe, R. Isenbugel, E.U. Klauss and N. Marquardt, Fizika 16 (1984) 25
- 1984SR05 V.N. Sridhar, R. Parthasarathy and Y.R. Waghmare, Pramana 22 (1984) 513
- 1984ST10 W.A. Sterrenburg, S. Brandenburg, J.H. Van Dijk, A.G. Drentje, M.B. Greenfield, M.N. Harakeh, H. Riezebos, H. Sakai, W. Segeth, S.Y. Van Der Werf et al., Nucl. Phys. A420 (1984) 257
- 1984ST1B R.G. Stokstad, Comments on Nucl. Part. Phys. 13 (1984) 231
- 1984ST1E Stone, Moszkowski, Mathews and Bloom, Bull. Amer. Phys. Soc. 29 (1984) 630
- 1984SU02 P. Suebka, C.K. Chan, Z.C. Kang and P. Lu, Phys. Rev. C29 (1984) 1088
- 1984SU07 T. Suzuki and H. Narumi, Nucl. Phys. A426 (1984) 413
- 1984TI1C Tiereth, Basrak, Bischof and Frohlich, Fizika 16 (1984) 27
- 1984TR06 W. Trautmann, W. Dunnweber, W. Hering, C. Lauterbach, H. Puchta, R. Ritzka and W. Trombik, Nucl. Phys. A422 (1984) 418
- 1984TR15 M.A. Troitsky, A.V. Tsybulnikov and N.I. Chekunaev, Izv. Akad. Nauk. SSSR Ser. Fiz. 48 (1984) 370; Bull. Acad. Sci. USSR Phys. Ser. 48 (1984) 149
- 1984TR1C J.W. Truran, Ann. Rev. Nucl. Part. Sci. 34 (1984) 53

- 1984TR1E Trautmann, Bull. Amer. Phys. Soc. 29 (1984) 1039
- 1984TS03 M.B. Tsang, D.R. Klesch, C.B. Chitwood, D.J. Fields, C.K. Gelbke, W.G. Lynch, H. Utsunomiya, K. Kwiatkowski, V.E. Viola, Jr. and M. Fatyga, Phys. Lett. B134 (1984) 169
- 1984TS07 M.B. Tsang, W.G. Lynch, C.B. Chitwood, D.J. Fields, D.R. Klesch, C.K. Gelbke, G.R. Young, T.C. Awes, R.L. Ferguson, F.E. Obenshain et al., Phys. Lett. B148 (1984) 265
- 1984VA06 A.G.M. van Hees and P.W.M. Glaudemans, Z. Phys. A315 (1984) 223
- 1984VA17 S.Y. van der Werf, et al., J. Phys. (Paris) 45 (1984) C4-471
- 1984VDZZ A.I. Vdovin, I.G. Golikov, I.I. Loshchakov and V.I. Ostroumov, in Alma Ata (1984) 313
- 1984VI01 M.F. Vineyard, K.W. Kemper and J. Cook, Phys. Lett. B142 (1984) 249
- 1984VI02 M.F. Vineyard, J. Cook, K.W. Kemper and M.N. Stephens, Phys. Rev. C30 (1984) 916
- 1984VO1G B.B. Voitsekhovskiy, V.F. Dmitriev, P.N. Isaev, D.M. Nikolenko, S.G. Popov, D.K. Toporkov and E.P. Tsentalovich, in Alma Ata (1984) 365
- 1984VOZW B.B. Voitsekhovskiy, V.F. Dmitriev, P.N. Isaev, D.M. Nikolenko, S.G. Popov, D.K. Toporkov and E.P. Tsentalovich, in Alma Ata (1984) 364
- 1984WA07 E.K. Warburton, D.E. Alburger and D.J. Millener, Phys. Rev. C29 (1984) 2281
- 1984WA1J J.D. Walecka, AIP Conf. Proc. 123 (1984) 1
- 1984WA21 J.W. Watson, P.J. Pella, M. Ahmad, B.S. Flanders, N.S. Chant, P.G. Roos, D.W. Devins and D.L. Friesel, J. Phys. (Paris) 45 (1984) 91
- 1984WE04 E. Wesolowski, J. Phys. (London) G10 (1984) 321
- 1984WE13 E. Wesolowski, Acta Phys. Pol. B15 (1984) 559
- 1984WI08 G. Windham, H. Nishioka, J.A. Tostevin and R.C. Johnson, Phys. Lett. B138 (1984) 253
- 1984WO01 C.-Y. Wong, A.K. Kerman, G.R. Satchler and A.D. MacKellar, Phys. Rev. C29 (1984) 574
- 1984WO02 R. Wolf, O. Tanimura and U. Mosel, Nucl. Phys. A414 (1984) 162
- 1984WO12 S.S.M. Wong, R.E. Azuma, T.E. Drake, J.D. King and X. Zhu, Phys. Lett. B149 (1984) 299
- 1984WU04 S.-C. Wu and C.A. Barnes, Nucl. Phys. A422 (1984) 373
- 1984WU05 R. Wunsch, J. Phys. (London) G10 (1984) 1361
- 1984XI1B Y.-X. Xie, Y.-T. Zhu, E.-P. Fen, X. Yin, H.-B. Miao, J.-X. Cai, F.-W. Li, W.-Q. Shen, S.-M. Sun, J.-J. Wei et al., Phys. Energ. Fortis Phys. Nucl. 8 (1984) 748

- 1984YA08 S. Yamaji and M. Tohyama, Phys. Lett. B147 (1984) 399
- 1984YA1F Yang, Jing and Wu, Proc. Int. Summer School, Changchun, China 1983 (1984) 735
- 1984ZH1B F. Zhuang, H.-Z. Chen and X.-N. Jin, Phys. Energ. Fortis Phys. Nucl. 8 (1984) 215
- 1984ZI04 W. Zickendraht, Phys. Rev. C30 (1984) 2067
- 1984ZW1A Zwarts, Unpublished Ph.D. Thesis, Utrecht Univ. (1984)
- 1985AB02 L.I. Abashidze, V.V. Avdeichikov, G.G. Beznogikh, V.V. Bogatin, V.A. Budilov, N.L. Gorshkova, T.F. Grabovskaya, A.P. Laricheva, V.D. Maisyukov, St. Mrowczynski et al., Nucl. Phys. A437 (1985) 573
- 1985AB1K Ableev et al., in Visby (1985) 186
- 1985AD04 S. Adachi, E. Lipparini and Nguyen van Giai, Nucl. Phys. A438 (1985) 1
- 1985ADZW G.S. Adams, G. Pignault, R.O. Owens, R.S. Turley, E.R. Kinney, J.L. Matthews, W.W. Sapp and T. Soos, Bull. Amer. Phys. Soc. 30 (1985) 1256, BB13
- 1985AG1A M.M. Aggarwal and P.L. Jain, Phys. Rev. C31 (1985) 1233
- 1985AH06 J. Ahrens, Nucl. Phys. A446 (1985) 229c
- 1985AH1A I. Ahmad, M. Mian and M.Z. Rahman Khan, Phys. Rev. C31 (1985) 1590
- 1985AI1A Aichelin and Bertsch, Phys. Rev. C31 (1985) 1730
- 1985AJ01 F. Ajzenberg-Selove, Nucl. Phys. A433 (1985) 1; Erratum Nucl. Phys. A449 (1986) 155.
- 1985AL16 G.D. Alkhozov, S.L. Belostotsky, A.A. Vorobyov, O.A. Domchenkov, Yu.V. Dot-senko, N.P. Kuropatkin and V.N. Nikulin, Yad. Fiz. 42 (1985) 8; Sov. J. Nucl. Phys. 42 (1985) 4
- 1985ALZX P.W.F. Alons, J.L. Ullmann and E.R. Siciliano, Bull. Amer. Phys. Soc. 30 (1985) 794
- 1985AN16 M.V. Andres, J.M. Quesada, M. Lozano and G. Madurga, Nucl. Phys. A443 (1985) 380
- 1985AN1G Antonov, Bonev, Mitev and Petkov, Bulg. J. Phys. 12 (1985) 264
- 1985AN28 M.S. Antony, J. Britz, J.B. Bueb and A. Pape, At. Data Nucl. Data Tables 33 (1985) 447
- 1985AR15 E.A. Arakelyan, G.L. Bayatyan, G.S. Vartanyan, A.R. Voskanyan, N.K. Grigoryan, S.G. Knyazyan, A.T. Margaryan, G.G. Marikyan, E.M. Oganesyanyan, S.S. Stepanyan et al., Yad. Fiz. 42 (1985) 3; Sov. J. Nucl. Phys. 42 (1985) 1
- 1985AR1A W.D. Arnett and F.-K. Thielemann, Astrophys. J. 295 (1985) 589
- 1985AR1P Artemov et al., in Leningrad (1985) 356
- 1985AU1C Austin, NEANDC-222 U; Specialists' Meeting on the Use of the Optical Model for the Calculation of Neutron Cross Sections Below 20 MeV, Paris 1985 (1986) 53
- 1985BA09 C.J. Batty, E. Friedman and J. Lichtenstadt, Nucl. Phys. A436 (1985) 621

- 1985BA11 R.A. Baldock and R.A. Stratton, *J. Phys. (London)* G11 (1985) 515
- 1985BA12 J. Barrette and N. Alamanos, *Phys. Lett.* B153 (1985) 208
- 1985BA1A J.M. Bang, F.G. Gareev, W.T. Pinkston and J.S. Vaagen, *Phys. Rept.* 125 (1985) 253
- 1985BA1Q D. Baye and P. Descouvemont, *Ann. Phys.* 165 (1985) 115
- 1985BA1T Barnes, *Lecture Notes in Phys.* 219 (1985) 70
- 1985BA26 Bao Cheng-Guang, T.K. Lim and Chao Wei-Qin, *Nucl. Phys.* A439 (1985) 456
- 1985BA27 B.M. Barnett, W. Gyles, R.R. Johnson, R. Tacik, K.L. Erdman, H.W. Roser, D.R. Gill, E.W. Blackmore, S. Martin, C.A. Wiedner et al., *Phys. Lett.* B156 (1985) 172
- 1985BA2U Balea et al., in *Visby* (1985) 162
- 1985BA42 J. Barrette and N. Alamanos, *Nucl. Phys.* A441 (1985) 733
- 1985BA51 A.J. Baltz, C.B. Dover, M.E. Sainio, A. Gal and G. Toker, *Phys. Rev.* C32 (1985) 1272
- 1985BA60 D.P. Balamuth, T. Chapuran, C.M. Laymon, W.K. Wells and D.P. Bybell, *Phys. Rev. Lett.* 55 (1985) 2842
- 1985BA63 W. Bauhoff, E. Caurier, B. Grammaticos and M. Ploszajczak, *Phys. Rev.* C32 (1985) 1915
- 1985BE02 M.A. Bernstein, W.A. Friedman, W.G. Lynch, C.B. Chitwood, D.J. Fields, C.K. Gelbke, M.B. Tsang, T.C. Awes, R.L. Ferguson, F.E. Obenshain et al., *Phys. Rev. Lett.* 54 (1985) 402
- 1985BE1A M. Beckerman, *Phys. Rept.* 129 (1985) 145
- 1985BE1C Berdnikov et al., in *Leningrad* (1985) 302
- 1985BE1K A.M. Bernstein, *AIP Conf. Proc.* 133 (1985) 271
- 1985BE2K Belii, in *Leningrad* (1985) 202
- 1985BE30 S.L. Belostotsky, S.S. Volkov, A.A. Vorobyev, Yu.V. Dotsenko, L.G. Kudin, N.P. Kuropatkin, O.V. Miklukho, V.N. Nikulin and O.E. Prokofyev, *Yad. Fiz.* 41 (1985) 1425; *Sov. J. Nucl. Phys.* 41 (1985) 903
- 1985BE31 R. Bertini, P. Birien, K. Braune, W. Bruckner, G. Bruge, H. Catz, A. Chaumeaux, J. Ciborowski, H. Dobbeling, J.M. Durand et al., *Phys. Lett.* B158 (1985) 19
- 1985BE37 C. Beck, R.M. Freeman, F. Haas, B. Heusch and J.J. Kolata, *Nucl. Phys.* A443 (1985) 157
- 1985BE40 C. Beck, F. Haas, R.M. Freeman, B. Heusch, J.P. Coffin, G. Guillaume, F. Rami and P. Wagner, *Nucl. Phys.* A442 (1985) 320
- 1985BE62 Ya.A. Berdnikov, V.I. Nikitchenko, V.I. Ostroumov, G.N. Smirnov, Yu.V. Trebukhovskiy and A.P. Shishlo, *Yad. Fiz.* 42 (1985) 564; *Sov. J. Nucl. Phys.* 42 (1985) 357



- 1985BI01 B.L. Birbrair, V.N. Fomenko, A.B. Gridnev and Yu.A. Kalashnikov, *J. Phys. (London)* G11 (1985) 471
- 1985BL01 M. Blann, *Phys. Rev. C* 31 (1985) 295
- 1985BL1B S.L. Blatt, *AIP Conf. Proc.* 125 (1985) 570
- 1985BLZY L.C. Bland, P.H. Kutt, H.T. Fortune, R.T. Kouzes and R. Sherr, *Bull. Amer. Phys. Soc.* 30 (1985) 1163, GX22b
- 1985BLZZ L.C. Bland, C.L. Morris, S.J. Seestrom-Morris, D.B. Holtkamp, D. Gay, C. Blilie, D. Dehnhard, S.J. Greene, W.B. Cottingame, J.W. Sweet et al., *Bull. Amer. Phys. Soc.* 30 (1985) 1163, GX22a
- 1985BO13 S. Boffi, C. Giusti and F.D. Pacati, *Nucl. Phys.* A435 (1985) 697
- 1985BO18 G. Bozzolo and J.P. Vary, *Phys. Rev. C* 31 (1985) 1909
- 1985BO1Y P. Bonche and H. Flocard, *Nucl. Phys.* A437 (1985) 189
- 1985BO30 A. Bonaccorso, G. Piccolo and D.M. Brink, *Nucl. Phys.* A441 (1985) 555
- 1985BR02 V.N. Bragin and R. Donangelo, *Nucl. Phys.* A433 (1985) 495
- 1985BR1E Brown, *Astrophys. J.* 297 (1985) 233
- 1985BR1J Bragin, in *Leningrad* (1985) 451, 452
- 1985BR1K Brack, *Helv. Phys. Acta* 58 (1985) 715
- 1985BR25 V.N. Bragin and R. Donangelo, *Phys. Rev. C* 32 (1985) 2176
- 1985BR26 V.N. Bragin and J.M. Quesada, *Yad. Fiz.* 42 (1985) 1114; *Sov. J. Nucl. Phys.* 42 (1985) 704
- 1985BU03 M.N. Butler and S.E. Koonin, *Phys. Lett.* B150 (1985) 18
- 1985BU16 A. Budzanowski, H. Dabrowski, Y. Chan, R.G. Stokstad, I. Tserruya and S. Wald, *Phys. Rev. C* 32 (1985) 1534
- 1985CA01 N. Carlin Filho, M.M. Coimbra, J.C. Acquadro, R. Liguori Neto, E.M. Szanto, E. Farrelly-Pessoa and A. Szanto de Toledo, *Phys. Rev. C* 31 (1993) 152
- 1985CA04 J. Carbonell, F. Brut, R. Arvieu and J. Touchard, *J. Phys. (London)* G11 (1985) 325
- 1985CA06 M. Casas, J. Martorell and J.M.G. Gomez, *Phys. Lett.* B152 (1985) 6
- 1985CA08 E. Caurier, B. Grammaticos and M. Ploszajczak, *Phys. Lett.* B151 (1985) 315
- 1985CA09 G. Caskey, *Phys. Rev. C* 31 (1985) 717
- 1985CA17 G.P. Capitani, E. De Sanctis, P. Levi-Sandri, M. Bernheim, S. Turck-Chieze, S. Fruliani and J. Mougey, *Nuovo Cim.* A85 (1985) 37
- 1985CA25 F. Carstoiu, O. Dumitrescu, G. Stratan and M. Braic, *Nucl. Phys.* A441 (1985) 221
- 1985CA26 B. Castel and A.G.M. Van Hees, *Z. Phys.* A321 (1985) 451
- 1985CA37 M. Cavinato, M. Marangoni and A.M. Saruis, *Phys. Lett.* B163 (1985) 49

1985CA38 J. Carlson and M.H. Kalos, Phys. Rev. C32 (1985) 2105  
 1985CH04 P. Christillin and M. Gmitro, Lett. B150 (1985) 50  
 1985CH10 T. Cheon, K. Takayanagi and K. Yazaki, Nucl. Phys. A437 (1985) 301  
 1985CH11 Chengqun Gao, Pingzhi Ning and Guozhu He, Nucl. Phys. A438 (1985) 281  
 1985CH18 Che Ming Ko, G. Bertsch and J. Aichelin, Phys. Rev. C31 (1985) 2324  
 1985CH27 G.I. Chitanava, Yad. Fiz. 42 (1985) 145; Sov. J. Nucl. Phys. 42 (1985) 91  
 1985CH31 T. Cheon, K. Takayanagi and K. Yazaki, Nucl. Phys. A445 (1985) 227  
 1985CH34 P. Chattopadhyay, Phys. Rev. C32 (1985) 2169  
 1985CL1A F.E. Close, Nucl. Phys. A446 (1985) 273  
 1985CO01 G. Co and S. Krewald, Nucl. Phys. A433 (1985) 392  
 1985CO1H Cohen, Phys. Lett. B153 (1985) 367  
 1985CO21 J. Cook, Nucl. Phys. A445 (1985) 350  
 1985CU01 R.Y. Cusson, P.-G. Reinhard, M.R. Strayer, J.A. Maruhn and W. Greiner, Z. Phys. A320 (1985) 475  
 1985CU1A B. Cujec, Lecture Notes in Phys. 219 (1985) 108  
 1985CU1E Cusson et al., Phys. Rev. Lett. 55 (1985) 2786  
 1985DA18 C.H. Dasso, G. Pollarolo and S. Landowne, Nucl. Phys. A443 (1985) 365  
 1985DA24 O.D. Dalkarov and V.A. Karmanov, Nucl. Phys. A445 (1985) 579  
 1985DE16 J.S. Dehesa, S. Krewald, A. Lallena and T.W. Donnelly, Nucl. Phys. A436 (1985) 573  
 1985DE23 F.I.A. de Almeida and M.S. Hussein, Phys. Rev. C31 (1985) 2120  
 1985DEZV P.A. Deutchman, R.L. Buvel, J.W. Norbury and L.W. Townsend, Bull. Amer. Phys. Soc. 30 (1985) 1282, EC7  
 1985DEZY J. Derderian, R.E. Chrien, M. May, P. Pile, R. Sutter, P. Barnes, R. Eisenstein, G. Franklin, R. Grace, D. Marlow et al., Bull. Amer. Phys. Soc. 30 (1985) 793, IF2  
 1985DEZZ P. DeYoung, R. McGrath, J. Alexander, M. Gordon, R. Lefferts, D.M. De Castro-Rizzo, L. Vaz and X. Lu, Bull. Amer. Phys. Soc. 30 (1985) 708, AH10  
 1985DH01 K.S. Dhuga, G.R. Burlison, J.A. Faucett, R.L. Boudrie, W.B. Cottingham, S.J. Greene, C.L. Morris, N. Tanaka, Z.F. Wang, S. Nanda et al., Phys. Rev. C32 (1985) 2208  
 1985DI1B F.S. Dietrich and F. Petrovich, AIP Conf. Proc. 124 (1985) 90  
 1985DO04 G. Do Dang, M. Jaminon and N. van Giai, Phys. Lett. B153 (1985) 17  
 1985DO1E Dover, Gal and Richard, Phys. Rev. C31 (1985) 1423  
 1985DU05 O. Dumbrajs, Phys. Scr. 31 (1985) 485

- 1985DW1A Dwyer and Meyer, *Astrophys. J.* 294 (1985) 441
- 1985DY05 P. Dyer, D. Bodansky, D.D. Leach, E.B. Norman and A.G. Seamster, *Phys. Rev. C* 32 (1985) 1873
- 1985EL12 J.P. Elliott, J.A. Evans and E.E. Maqueda, *Nucl. Phys.* A437 (1985) 208
- 1985EM02 N.L. Emets, B.A. Shilyaev and V.A. Yamnitsky, *At. Energ.* 58 (1985) 120; *Sov. At. Energy* 58 (1985) 136
- 1985ER03 D.J. Ernst and M.B. Johnson, *Phys. Rev. C* 32 (1985) 940
- 1985FIZW R.W. Finlay, *AIP Conf. Proc.* 124 (1985) 274
- 1985FL1D Fleury et al., *Nucl. Instrum. Meth. Phys. Res.* B10-11 (1985) 369
- 1985FLZZ B.S. Flanders, R. Madey, B.D. Anderson, A.R. Baldwin, T. Chittrakarn, W. Pair-suwan, J.W. Watson, J.J. Kelly, W. Bertozzi, J.M. Finn et al., *Bull. Amer. Phys. Soc.* 30 (1985) 702, AE11
- 1985FO1F Fonte and Insolia, in *Visby* (1985) 63
- 1985FU04 C. Funck, K. Langanke and A. Weiguny, *Phys. Lett.* B152 (1985) 11
- 1985FU05 R.J. Furnstahl, *Phys. Lett.* B152 (1985) 313
- 1985FU1C Fuller, *Phys. Rept.* 127 (1985) 185
- 1985FUZZ R.J. Furnstahl, *Bull. Amer. Phys. Soc.* 30 (1985) 1259, BD5
- 1985GA05 M. Gai, S.K. Korotky, J.M. Manoyan, E.C. Schloemer, B. Shivakumar, S.M. Sterbenz, S.J. Willett, D.A. Bromley and H. Voit, *Phys. Rev. C* 31 (1985) 1255
- 1985GA11 F.A. Gareev, M. Gmitro, S.N. Ershov and J. Cejpek, *Yad. Fiz.* 42 (1985) 20; *Sov. J. Nucl. Phys.* 42 (1985) 11
- 1985GA1E A. Gal, *Nucl. Phys.* A434 (1985) 381
- 1985GA1J M. Gai, *J. Phys. Soc. Jpn. Suppl.* 54 (1985) 470
- 1985GA1M Gazis, Papadopoulos and Xenoulis, in *Visby* (1985) 69
- 1985GA1N Gareev, Gmitro, Ershov and Korovin, in *Leningrad* (1985) 443
- 1985GA1P Gaisser and Stanev, *AIP Conf. Proc.* 126 (1985) 277
- 1985GA1R Gay, Dennis and Fletcher, *Bull. Amer. Phys. Soc.* 30 (1985) 1768
- 1985GH01 M.S. Ghali, M.A. Jadid and H.A. Mavromatis, *J. Phys. (London)* G11 (1985) 489
- 1985GI06 R. Gilman, H.T. Fortune, M.B. Johnson, E.R. Siciliano, H. Toki and A. Wirzba, *Phys. Rev. C* 32 (1985) 349
- 1985GI1G Giannini and Ricco, *Riv. Nuovo Cim.* 8 (1985) 1
- 1985GL01 C.W. Glover, P. Schwandt, H.O. Meyer, W.W. Jacobs, J.R. Hall, M.D. Kaitchuck and R.P. DeVito, *Phys. Rev. C* 31 (1985) 1
- 1985GO01 L.J.B. Goldfarb, *Phys. Lett.* B150 (1985) 62

1985GO1W Gorbatiw, in Leningrad (1985) 197  
 1985GO1Y Golovanova and Iskra, in Leningrad (1985) 421  
 1985GOZN V.Yu. Gonchar, E.V. Inopin, V.E. Mitroshin and V.N. Tarasov, in Leningrad (1985) 203  
 1985GU08 F. Guzman Martinez and R. Reif, Nucl. Phys. A436 (1985) 294  
 1985GU1J K.K. Gudima and V.D. Toneev, Yad. Fiz. 42 (1985) 645; Sov. J. Nucl. Phys. 42 (1985) 409  
 1985HA01 N.H. Hamann. Nucl. Phys. A433 (1985) 198  
 1985HA11 J.S. Hanspal, R.J. Griffiths and N.M. Clarke, Phys. Rev. C31 (1985) 1138  
 1985HA18 S.S. Hanna and J.W. Hugg, Hyperfine Interactions 21 (1985) 59  
 1985HA1J H.J. Hauser, T. Rohwer, F. Hoyler, G. Staudt, S. Abd el-Kariem, P. Grasshoff, H.V. Klapdor, A. Korber, W. Leitner, V. Rapp et al., AIP Conf. Proc. 125 (1985) 701  
 1985HA1R M.J. Harris, D.L. Lambert and V.V. Smith, Astrophys. J. 299 (1985) 375  
 1985HA1X Halderson, Bull. Amer. Phys. Soc. 30 (1985) 705  
 1985HA1Z M.J. Harris, D.L. Lambert and V.V. Smith, Astrophys. J. 292 (1985) 620  
 1985HA22 L.A. Hamel, L. Lessard, H. Jeremie and J. Chauvin, Z. Phys. A321 (1985) 439  
 1985HA38 E.L. Haase and I. Khubeis, Nucl. Instrum. Meth. Phys. Res. B10-11 (1985) 727  
 1985HE08 A.R. Heath and G.T. Garvey, Phys. Rev. C31 (1985) 2190  
 1985HE15 U. Helmbrecht and J.G. Zabolitzky, Nucl. Phys. A442 (1985) 109  
 1985HE1D G.-Z. He and C.-H. Cai, Chin. Phys. 5 (1985) 699  
 1985HO05 J.J. Hogan, J. Asher and D.J. Parker, Phys. Rev. C31 (1985) 477  
 1985HO19 H. Horiuchi, Prog. Theor. Phys. (Kyoto) 73 (1985) 1172  
 1985HO1K Horiuchi, KUNS 750 (1984)  
 1985HO24 R.J.W. Hodgson, Can. J. Phys. 63 (1985) 1274  
 1985HO27 S. Homma, Nucl. Phys. A446 (1985) 241c  
 1985HU04 M.S. Hussein, B.V. Carlson, O. Civitarese and A. Szanto De Toledo, Phys. Rev. Lett. 54 (1985) 2659  
 1985HU1C Hufner, Phys. Rept. 125 (1985) 129  
 1985HY01 M.V. Hynes, A. Picklesimer, P.C. Tandy and R.M. Thaler, Phys. Rev. C31 (1985) 1438  
 1985HY1A Hyde-Wright, Ph.D. Thesis (1985)  
 1985IC01 A. Ichimura and M. Ichimura, Nucl. Phys. A432 (1985) 475

- 1985IK02 H. Ikezoe, N. Shikazono, Y. Tomita, K. Ideno, Y. Sugiyama and E. Takekoshi, Nucl. Phys. A444 (1985) 349
- 1985ISZU B.I. Islamov, V.N. Kadushkin, N.A. Kakurina, G.A. Radyuk, A.N. Sukmanov and I.I. Trinkin, Program and Theses, Proc. 35th Ann. Conf. Nucl. Spectrosc. Struct. At. Nuclei, Leningrad, (1985) 323
- 1985JA06 M.A. Jadid and H.A. Mavromatis, Nucl. Phys. A437 (1985) 309
- 1985JU02 J.W. Jury, J.D. Watson, D. Rowley, T.W. Phillips and J.G. Woodworth, Phys. Rev. C32 (1985) 1817
- 1985KA03 J. Kasagi, B. Remington, A. Galonsky, F. Haas, J.J. Kolata, L. Satkowiak, M. Xapsos, R. Racca and F.W. Prosser, Phys. Rev. C31 (1985) 858; Erratum Phys. Rev. C32 (1985) 1107
- 1985KA1E Kadmenskii and Chuvilskii, in Leningrad (1985) 437, 440
- 1985KA1G Kadmenskii, Furman and Chuvilskii, in Leningrad (1985) 439
- 1985KA1J K. Katori, T. Shimoda, T. Fukuda, S. Shimoura and H. Ogata, J. Phys. Soc. Jpn. 54 (1985) 100
- 1985KA1X Kato, J. Phys. Soc. Jpn. 54 (1985) 174
- 1985KA28 K. Kato, S. Okabe and Y. Abe, Prog. Theor. Phys. 74 (1985) 1053
- 1985KA30 T. Karapiperis, M. Kobayashi and M. Thies, Nucl. Phys. A446 (1985) 657
- 1985KAZQ S.G. Kadmenskii, S.D. Kurgalin and Yu.M. Chuvilskii, in Leningrad (1985) 438
- 1985KE1A Kelly, PP 85-202 (1985)
- 1985KI06 M. Kirchbach, H.-U. Jager and M. Gmitro, Z. Phys. A320 (1985) 689
- 1985KL04 P. Kleinwachter and I. Rotter, Phys. Rev. C32 (1985) 1742
- 1985KO02 V. Koch, G.A. Miller, Phys. Rev. C31 (1985) 602; Erratum Phys. Rev. C32 (1985) 1106
- 1985KO06 J.H. Koch and N. Ohtsuka, Nucl. Phys. A435 (1985) 765
- 1985KO11 M.A. Kovash, R.W. Lourie, W. Pugh, C.E. Hyde-Wright, D.G. Marchlenski, H.R. Suiter, J.C. Brown and R.G. Seyler, Phys. Rev. C31 (1985) 1065
- 1985KO1J Koonin, Lecture Notes in Phys. 219 (1985) 129
- 1985KO2A Kozlovsky, Murphy and Ramaty, Bull. Amer. Phys. Soc. 30 (1985) 745
- 1985KO37 A.M. Kobos, E.D. Cooper, J.I. Johansson and H.S. Sherif, Nucl. Phys. A445 (1985) 605
- 1985KO38 Y. Kondo, B.A. Robson, R. Smith and H.H. Wolter, Phys. Lett. B162 (1985) 39
- 1985KO43 Y. Kondo, B.A. Robson and R. Smith, Nucl. Phys. A437 (1985) 117
- 1985KO44 S. Kowalski, Nucl. Phys. A446 (1985) 363c

- 1985KU1N Kurgalin and Chuvilskii, in Leningrad (1985) 214
- 1985KW02 E. Kwasniewicz and L. Jarczyk, Nucl. Phys. A441 (1985) 77
- 1985LA10 K. Langanke and S.E. Koonin, Nucl. Phys. A439 (1985) 384; Erratum Nucl.Phys. A448 (1986) 764
- 1985LA13 S.T. Lam, W.K. Dawson, S.A. Elbakt, H.W. Fielding, P.W. Green, R.L. Helmer, I.J. van Heerden, A.H. Hussein, S.P. Kwan, G.C. Neilson et al., Phys. Rev. C32 (1985) 76
- 1985LA14 K. Langanke and O.S. van Roosmalen, Phys. Rev. C32 (1985) 163
- 1985LA20 I.A. Lantsev, V.I. Ostroumov, Yu.R. Gismatulin, V.N. Zbarag and A.A. Melentev, Izv. Akad. Nauk. SSSR Ser. Fiz. 49 (1985) 143; Bull. Acad. Sci. USSR Phys. Ser. 49 (1985) 149
- 1985LAZZ C.M. Laymon and D.P. Balamuth, Bull. Amer. Phys. Soc. 30 (1985) 724, CE1
- 1985LE07 M.J. Leitch, J.L. Matthews, W.W. Sapp, C.P. Sargent, S.A. Wood, D.J.S. Findlay, R.O. Owens and B.L. Roberts, Phys. Rev. C31 (1985) 1633
- 1985LE1B Lemaire, Int. Symp. Medium Energy Nucleon and Anti-Nucleon Scattering (1985)
- 1985LE1E Lenz, Lecture Notes in Phys. 234 9(1985) 336
- 1985LE25 M. Lesiak, W. Zipper and J. Czakanski, Acta Phys. Pol. B16 (1985) 775
- 1985LI04 J.A. Liendo, D.L. Gay and N.R. Fletcher, Phys. Rev. C31 (1985) 473
- 1985LI16 J. Lichtenstadt, A.I. Yavin, S. Janouin, P. Birien, G. Bruge, A. Chaumeaux, D. Drake, D. Garreta, D. Legrand, M.C. Lemaire et al., Phys. Rev. C32 (1985) 1096
- 1985LI1B Lindstrom et al., Bull. Amer. Phys. Soc. 30 (1985) 747
- 1985LI1P Lifshitz and Petrov, in Leningrad (1985) 417
- 1985LO1C Lobov, AIP Conf. Proc. 125 (1985) 900
- 1985MA09 J.B. Marston and S.E. Koonin, Phys. Rev. Lett. 54 (1985) 1139
- 1985MA1A G.J. Mathews and R.A. Ward, Rept. Prog. Phys. 48 (1985) 1371
- 1985MA1G J.L. Matthews, AIP Conf. Proc. 133 (1985) 296
- 1985MA1K Masutani, AIP Conf. Proc. 133 (1985) 312
- 1985MA1L Mahalanobis and Bandyopadhyay, Phys. Rev. C31 (1985) 1241
- 1985MA1T Maglione, Vitturi and Pollaroio, in Visby (1985) 44
- 1985MA1X Ma, Wang, Cai and Yu, Commun. Theor. Phys. 4 (1985) 437
- 1985MA21 J.A. Maruhn, K.T.R. Davies and M.R. Strayer, Phys. Rev. C31 (1985) 1289
- 1985MA65 J.P. Mason, Nucl. Instrum. Meth. Phys. Res. A241 (1985) 207
- 1985MAZZ C.J. Martoff, D. Pocanic, L.W. Whitlow, S.S. Hanna, H. Ullrich, S. Cierjacks, M. Furic, T. Petkovic and H.J. Weyer, Bull. Amer. Phys. Soc. 30 (1985) 794, IF7

- 1985MC03 M.A. McMahan, L.G. Moretto, M.L. Padgett, G.J. Wozniak, L.G. Sobotka and M.G. Mustafa, Phys. Rev. Lett. 54 (1985) 1995
- 1985ME14 M.C. Mermaz, Z. Phys. A321 (1985) 613
- 1985MI10 R.E. Mischke, Nucl. Phys. A434 (1985) 505c
- 1985MI11 F. Michel and G. Reidemeister, J. Phys. (London) G11 (1985) 835
- 1985MI1A Minamisono, Hyperfine Interactions 21 (1985) 103
- 1985MI23 T.A. Minelli, A. Pascolini and C. Villi, Nuovo Cim. A90 (1985) 185
- 1985MO08 M. Morjean, J.L. Charvet, J.L. Uzureau, Y. Patin, A. Peghaire, Y. Pranal, L. Sinopoli, A. Billerey, A. Chevarier, N. Chevarier et al., Nucl. Phys. A438 (1985) 547
- 1985MO10 R. Moreh, W.C. Sellyey, D. Sutton and R. Vodhanel, Phys. Rev. C31 (1985) 2314
- 1985MU18 T. Murakami, N. Takahashi, Y.-W. Lui, E. Takada, D.M. Tanner, R.E. Tribble, E. Ungricht and K. Nagatani, Phys. Rev. C32 (1985) 2161
- 1985NA1D Nathan, AIP Conf. Proc. 125 (1985) 142
- 1985NA1E Nandy, Bull. Amer. Phys. Soc. 30 (1985) 1769
- 1985NE1H Negele, Lecture Notes in Phys. 219 (1985) 58
- 1985NI02 M. Nishimura, E. Moya De Guerra and D.W.L. Sprung, Nucl. Phys. A435 (1985) 523
- 1985NI1C Ning, Gao and He, Phys. Energ. Fortis Phys. Nucl. 9 (1985) 101; Chin. Phys. 5 (1985) 899
- 1985NO10 S. Nozawa, K. Kubodera, H. Ohtsubo and H. Nishimura, Prog. Theor. Phys. 74 (1985) 926
- 1985NO1C Nomura, J. Phys. Soc. Jpn. Suppl. 54 (1985) 295
- 1985NO1E J.W. Norbury, P.A. Deutchman and L.W. Townsend, Nucl. Phys. A433 (1985) 691
- 1985OB1B Obenshain et al., Bull. Amer. Phys. Soc. 30 (1985) 768
- 1985OH09 K. Ohta, M. Thies and T.-S.H. Lee, Ann. Phys. (New York) 163 (1985) 420
- 1985OR1G Orihara, Bull. Amer. Phys. Soc. 30 (1985) 115
- 1985OR1H Orihara, AIP Conf. Proc. 124 (1985) 139
- 1985OS06 A. Osman and S.A. Saleh, Acta Phys. Pol. B16 (1985) 865
- 1985OS1C E. Oset and L.L. Salcedo, Nucl. Phys. A443 (1985) 704
- 1985OU01 S. Ouichaoui, H. Beaumevieille, N. Bendjaballah, A.C. Chami, A. Dauchy, B. Chambon, D. Drain and C. Pastor, Nuovo Cim. A86 (1985) 170
- 1985PA08 S.J. Padalino and L.C. Dennis, Phys. Rev. C31 (1985) 1794
- 1985PA11 G. Pantis and I.E. Lagaris, Z. Phys. A321 (1985) 149
- 1985PA14 G. Pantis, K. Ioannides and P. Poirier, Phys. Rev. C32 (1985) 657

- 1985PA27 K.C. Panda, J. Phys. (London) G11 (1985) 1323
- 1985PE10 J.S. Petler, M.S. Islam, R.W. Finlay and F.S. Dietrich, Phys. Rev. C32 (1985) 673
- 1985PE14 F. Petrovich, J.A. Carr, R.J. Philpott, A.W. Carpenter and J. Kelly, Phys. Lett. B165 (1985) 19
- 1985PE1C Petler et al., Proc. 5th Symp. on Neutron Dosimetry, Munich, 1984 (1985) 183
- 1985PH01 R.J. Philpott, Nucl. Phys. A439 (1985) 397
- 1985PI10 A. Picklesimer, J.W. Van Orden and S.J. Wallace, Phys. Rev. C32 (1985) 1312
- 1985PO10 N.A.F.M. Poppelier, L.D. Wood and P.W.M. Glaudemans, Phys. Lett. B157 (1985) 120.
- 1985PO11 D.N. Poenaru, M. Ivascu, A. Sandulescu and W. Greiner, Phys. Rev. C32 (1985) 572
- 1985PO17 L. Potvin, R. Roy, P. Bricault, R. Larue, C. Rioux and R.J. Slobodrian, Can. J. Phys. 63 (1985) 951
- 1985PR02 C.E. Price and G.E. Walker, Phys. Lett. B155 (1985) 17
- 1985PY01 R.E. Pywell, B.L. Berman, J.G. Woodworth, J.W. Jury, K.G. McNeill and M.N. Thompson, Phys. Rev. C32 (1985) 384
- 1985QU02 J.M. Quesada, G. Pollarolo, R.A. Broglia and A. Winther, Nucl. Phys. A442 (1985) 381
- 1985RA06 A. Ray, S. Gil, M. Khandaker, D.D. Leach, D.K. Lock and R. Vandenbosch, Phys. Rev. C31 (1985) 1573
- 1985RA12 W.D.M. Rae, S.C. Allcock, S. Marsh and B.R. Fulton, Phys. Lett. B156 (1985) 167
- 1985RE09 A. Redder, H.W. Becker, J. Gorres, M. Hilgemeier, A. Krauss, C. Rolfs, U. Schroder, H.P. Trautvetter, K. Wolke, T.R. Donoghue et al., Phys. Rev. Lett. 55 (1985) 1262
- 1985RE1C Reisdorf, Lecture Notes in Phys. 219 (1985) 43
- 1985RE1D R.P. Redwine, Nucl. Phys. A434 (1985) 239
- 1985RI01 R. Ritzka, W. Dunnweber, A. Glaesner, W. Hering, H. Puchta and W. Trautmann, Phys. Rev. C31 (1985) 133
- 1985RO08 P. Roussel, N. Alamanos, F. Auger, J. Barrette, B. Berthier, B. Fernandez, L. Papineau, H. Doubre and W. Mittig, Phys. Rev. Lett. 54 (1985) 1779
- 1985RO10 G. Roepke, H. Schulz, L.N. Andronenko, A.A. Kotov, W. Neubert and E.N. Volnin, Phys. Rev. C31 (1985) 1556
- 1985RO17 F. Roig and J. Navarro, Nucl. Phys. A440 (1985) 659
- 1985RO1G D.J. Rowe, Rept. Prog. Phys. 48 (1985) 1419
- 1985RO1J Rotter, J. Phys. (London) G11 (1985) L219
- 1985RO1M Roos, Bull. Amer. Phys. Soc. 30 (1985) 1254



- 1985SA03 D.R. Saroha, N. Malhotra and R.K. Gupta, J. Phys. (London) G11 (1985) L27
- 1985SA09 S. Saad, V.B. Subbotin, K.A. Gridnev and V.M. Semenov, Izv. Akad. Nauk. SSSR Ser. Fiz. 49 (1985) 178; Bull. Acad. Sci. USSR Phys. Ser. 49 (1985) 187
- 1985SA13 Y. Sakuragi, M. Kamimura, M. Yahiro and M. Tanifuji, Phys. Lett. B153 (1985) 372
- 1985SA1D Y. Sakuragi, M. Kamimura, M. Yahiro and Y. Fukushima, J. Phys. Soc. Jpn. 54 (1985) 88
- 1985SA1W Satrazzeri et al., Nuovo Cim. A89 (1985) 333
- 1985SAZZ S. Saini, S.F. Pate, P.H. Kutt, A. Wuosmaa and R.W. Zurmuhle, Bull. Amer. Phys. Soc. 30 (1985) 732
- 1985SE1H Semenov, Omar, Gridnev and Khefter, in Leningrad (1985) 424
- 1985SH1G W.-Q. Shen, W.-M. Qiao, Y.-T. Zhu and W.-L. Zhan, Chin. Phys. 5 (1985) 657
- 1985SH1P N.K. Sherman, W.F. Davidson, S. Raman, W. Delbianco and G. Kajrys, AIP Conf. Proc. 125 (1985) 221
- 1985SH1Q Shen et al., Phys. Energ. Fortis Phys. Nucl. 9 (1985) 332
- 1985SH1R Shalaby, Acta Phys. Slovaca 35 (1985) 148
- 1985SH1T Shen et al., Phys. Energ. Fortis Phys. Nucl. 9 (1985) 611
- 1985SH22 R. Shyam, R.G. Lovas, K.F. Pal, V.K. Sharma and M.A. Nagarajan, J. Phys. (London) G11 (1985) 1199
- 1985SI19 K. Siwek-Wilczynska, R.A. Blue, L.H. Harwood, R.M. Ronningen, H. Utsunomiya, J. Wilczynski and D.J. Morrissey, Phys. Rev. C32 (1985) 1450
- 1985SN1A Snover, AIP Conf. Proc. 125 (1985) 660
- 1985ST1B R.G. Stokstad, Treatise on Heavy-Ion Sci. 3 (1985) 83
- 1985ST20 G.S.F. Stephans, D.G. Kovar, R.V.F. Janssens, G. Rosner, H. Ikezoe, B. Wilkins, D. Henderson, K.T. Lesko, J.J. Kolata, C.K. Gelbke et al., Phys. Lett. B161 (1985) 60
- 1985ST25 Fl. Stancu and D.M. Brink, Phys. Rev. C32 (1985) 1937
- 1985TA06 O. Tanimura and R. Wolf, Phys. Lett. B156 (1985) 146
- 1985TH03 J. Thomas, Y.T. Chen, S. Hinds, K. Langanke, D. Meredith, M. Olson and C.A. Barnes, Phys. Rev. C31 (1985) 1980
- 1985TI05 W. Tiereth, Z. Basrak, N. Bischof, H. Frohlich and H. Voit, Nucl. Phys. A440 (1985) 143
- 1985TO06 M. Tohyama, R. Kaps, D. Masak and U. Mosel, Nucl. Phys. A437 (1985) 739
- 1985TO07 M. Tohyama, Nucl. Phys. A437 (1985) 443
- 1985TO12 J. Toke, R. Bock, G.X. Dai, A. Gobbi, S. Gralla, K.D. Hildenbrand, J. Kuzminski, W.F.J. Muller, A. Olmi, H. Stelzer et al., Nucl. Phys. A440 (1985) 327

- 1985TO17 M. Tohyama, Phys. Lett. B160 (1985) 235
- 1985TO1J Torrisi, Sheng, Rapisarda and Foti, Nuovo Cim. D5 (1985) 164
- 1985TO20 S.V. Tolokonnikov and R.U. Khafizov, Yad. Fiz. 42 (1985) 845; Sov. J. Nucl. Phys. 42 (1985) 536
- 1985TR03 M. Traini and G. Orlandini, Z. Phys. A321 (1985) 479
- 1985TR1D Trefz, Faessler, Dickhoff and Rhoades-Brown, in Visby (1985) 37
- 1985TR1E Trautvetter, Redder and Rolfs, AIP Conf. Proc. 125 (1985) 748
- 1985TU02 R.S. Turley, E.R. Kinney, J.L. Matthews, W.W. Sapp, E.J. Scheidker, R.A. Schumacher, S.A. Wood, G.S. Adams and R.O. Owens, Phys. Lett. B157 (1985) 19
- 1985UD02 T. Udagawa, S.-W. Hong and T. Tamura, Phys. Rev. C32 (1985) 1435
- 1985UT01 H. Utsunomiya, Phys. Rev. C32 (1985) 849
- 1985VD03 A.I. Vdovin, A.V. Golovin and I.I. Loshchakov, Yad. Fiz. 42 (1985) 134; Sov. J. Nucl. Phys. 42 (1985) 84
- 1985VDZX A.I. Vdovin, I.G. Golikov, A.V. Golovin, M.N. Zhukov, I.I. Loshchakov and V.I. Ostroumov, in Leningrad (1985) 268
- 1985VI03 M.F. Vineyard, J. Cook and K.W. Kemper, Phys. Rev. C31 (1985) 879
- 1985VI09 A.C.C. Villari, F.I.A. Almeida and A. Lepine-Szily, Phys. Lett. B165 (1985) 247
- 1985VO1E Voinova-Eliseeva and Mitropolskii, in Leningrad (1985) 251
- 1985VOZZ K.F. Von Reden, W.W. Daehnick, S.A. Dytman, R.D. Rosa, J.D. Brown, C.C. Foster, W.W. Jacobs and J.R. Comfort, Bull. Amer. Phys. Soc. 30 (1985) 701, AE10
- 1985WA02 A.H. Wapstra and G. Audi, Nucl. Phys. A432 (1985) 1
- 1985WA1N T. Walcher, Nucl. Phys. A434 (1985) 343
- 1985WA1R M. Wahlen and T. Yoshinari, Nature 313 (1985) 780
- 1985WA22 S. Wald, S.B. Gazes, C.R. Albiston, Y. Chan, B.G. Harvey, M.J. Murphy, I. Tserruya, R.G. Stokstad, P.J. Countryman, K. Van Bibber et al., Phys. Rev. C32 (1985) 894
- 1985WE09 E. Wesolowski, J. Phys. (London) G11 (1985) 909
- 1985WH01 W.R. Wharton, P.D. Barnes, B. Bassalleck, R.A. Eisenstein, G. Franklin, R. Grace, C. Maher, P. Pile, R. Rieder, J. Szymanski et al., Phys. Rev. C31 (1985) 526
- 1985WI18 J.S. Winfield, N.A. Jelley, W.D.M. Rae and C.L. Woods, Nucl. Phys. A437 (1985) 65
- 1985WIZW S.W. Wissink, C. Olmer, A.D. Bacher, J.D. Brown, M.S. Cantrell, V.R. Cupps, D.L. Friesel, J.A. Gering, W.P. Jones, D.A. Low et al., Bull. Amer. Phys. Soc. 30 (1985) 1160
- 1985WO08 R. Wolf, O. Tanimura, R. Kaps and U. Mosel, Nucl. Phys. A441 (1985) 381
- 1985WO1C Wood et al., Phys. Rev. Lett. 54 (1985) 635

- 1985WU03 J.Q. Wu, G. Bertsch and A.B. Balantekin, Phys. Rev. C32 (1985) 1432
- 1985XI01 L.-H. Xia, C.-Q. Gao, P.-Z. Ning and G.-Z. He, Phys. Rev. C31 (1985) 2128
- 1985YA10 M. Yabe, A. Hosaka, K.-I. Kubo and H. Toki, Prog. Theor. Phys. 73 (1985) 1165
- 1985YA1B Y. Yamamoto and H. Bando, Prog. Theor. Phys. 73 (1985) 905
- 1985YA1C T. Yamada, T. Motoba, K. Ikeda and H. Bando, Prog. Theor. Phys. Suppl. 81 (1985) 104
- 1985YA1H Yamaji and Toyama, J. Phys. Soc. Jpn. 54 (1985) 209
- 1985YA1K Yamamoto and Bando, Suppl. Prog. Theor. Phys. 81 (1985) 9
- 1985YE02 Weilei Ye, Haiji Yuan, Qin Gao, Qingbiao Shen, Jingshang Zhang, Ruizhe Liu and Yingqi Gu, Chin. J. Nucl. Phys. 7 (1985) 166
- 1985YO1B T. Yosshinari and M. Wahlen, Nature 317 (1985) 349
- 1985ZH1E Zhang and Qiu, Phys. Lett. B152 (1985) 153
- 1986AD1B S.K. Adhikari, Phys. Rev. C33 (1986) 471
- 1986AJ01 F. Ajzenberg-Selove, Nucl. Phys. A449 (1986) 1
- 1986ALZZ M.M. Alam and F.B. Malik, Bull. Amer. Phys. Soc. 31 (1986) 770, AG11
- 1986AM1B Amsel, Cohen and Maurel, Nucl. Instrum. Meth. Phys. Res. B14 (1986) 226
- 1986AN40 M. Anikina, A. Golokhvastov, K. Iovchev, S. Khorozov, E. Kuznetsova, J. Lukstins, E. Okonov, T. Ostanevich, V. Toneev, G. Vardenga et al., Phys. Rev. C33 (1986) 895
- 1986AO1A Aoki, J. Phys. Soc. Jpn. Suppl. 55 (1986) 123
- 1986BE2H Betts, Nucl. Phys. A447 (1986) 257c
- 1986BLZZ J. Blocki, M. Dworzecka, S. Drozd, J. Okolowicz and M. Ploszajczak, Bull. Amer. Phys. Soc. 31 (1986) 769, AG5
- 1986BO03 S. Boffi and R. Mirando, Nucl. Phys. A448 (1986) 637
- 1986BR04 G. Bruge, A. Chaumeaux, P. Birien, D.M. Drake, D. Garreta, S. Janouin, D. Legrand, M.C. Lemaire, B. Mayer, J. Pain et al., Phys. Lett. B169 (1986) 14
- 1986BR1U Bracci, Fiorentini and Quarati, Phys. Lett. B167 (1986) 356
- 1986BR1V Brockmann and Oset, Nucl. Phys. A450 (1986) 353c
- 1986BRZY M.E. Brandan, A. Menchaca-Rocha, M. Buenerd, J. Chauvin, P. Desaintignon, G. Duhamel, D. Lebrun, Ph. Martin, G. Perrin and J.Y. Hostachy, Bull. Amer. Phys. Soc. 31 (1986) 839, GJ3
- 1986BRZZ K. Brown, D.P. Balamuth, T. Chapuran, C. Laymon and J. Gorres, Bull. Amer. Phys. Soc. 31 (1986) 786, BI4
- 1986BU02 T.N. Buti, J. Kelly, W. Bertozzi, J.M. Finn, F.W. Hersman, C. Hyde-Wright, M.V. Hynes, M.A. Kovash, S. Kowalski, R.W. Lourie et al., Phys. Rev. C33 (1986) 755

- 1986CH05 C.Y. Cheung and B.D. Keister, Phys. Rev. C33 (1986) 776
- 1986CI01 N. Cindro, R.M. Freeman and F. Haas, Phys. Rev. C33 (1986) 1280
- 1986CS1A L.P. Csernai and J.I. Kapusta, Phys. Rept. 131 (1986) 223
- 1986CZ01 P. Czerski, W.H. Dickhoff, A. Faessler and H. Muther, Phys. Rev. C33 (1986) 1753
- 1986DA1B D.H. Davis and J. Pniewski, Contemp. Phys. 27 (1986) 91
- 1986DA1G Dalitz, Davis and Tovee, Nucl. Phys. A450 (1986) 311c
- 1986DE10 J.P. Delaroche, M.S. Islam and R.W. Finlay, Phys. Rev. C33 (1986) 1826
- 1986DE1G R. de Swiniarski and D.L. Pham, J. Phys. Soc. Jpn. Suppl. 55 (1986) 932
- 1986DHZZ K.S. Dhuga, J.A. Faucett, G.R. Burleson, R.L. Boudrie, W.B. Cottingham, S.J. Greene, C.L. Morris, N. Tanaka, S. Nanda, S.J. Seestrom-Morris et al., Bull. Amer. Phys. Soc. 31 (1986) 801, DH7
- 1986DO1L J.F. Dominy, G. Wallerstein and N.B. Suntzeff, Astrophys. J. 300 (1986) 325
- 1986DR03 P.V. Drumm, O. Karban, A.K. Basak, P.M. Lewis, S. Roman and G.C. Morrison, Nucl. Phys. A448 (1986) 93
- 1986DR04 S. Drozdz, V. Klemt, J. Speth and J. Wambach, Nucl. Phys. A451 (1986) 11
- 1986DU1K Dubus, Margail and Martin, Nucl. Instrum. Meth. Phys. Res. B15 (1986) 559
- 1986ER1A R.A. Eramzhyan, B.S. Ishkhanov, I.M. Kapitonov and V.G. Neudatchin, Phys. Rept. 136 (1986) 229
- 1986FE01 R.W. Ferguson, M.L. Barlett, G.W. Hoffmann, J.A. Marshall, E.C. Milner, G. Pauletta, L. Ray, J.F. Amann, K.W. Jones, J.B. McClelland et al., Phys. Rev. C33 (1986) 239
- 1986FO03 H.T. Fortune, L.C. Bland, C.L. Morris and C.F. Moore, Nucl. Phys. A451 (1986) 735
- 1986FR02 V. Franco, Phys. Rev. C33 (1986) 1120
- 1986FR04 R.M. Freeman, C. Beck, F. Haas, A. Morsad and N. Cindro, Phys. Rev. C33 (1986) 1275
- 1986FR1L Frech and Wolf, Nucl. Instrum. Meth. Phys. Res. B15 (1986) 520
- 1986GA01 Y.K. Gambhir, Z. Phys. A323 (1986) 173
- 1986GL1G Glashausser, J. Phys. Soc. Jpn. Suppl. 55 (1986) 293
- 1986GM03 M. Gmitro, A.A. Ovchinnikova and T.V. Tetereva, Nucl. Phys. A453 (1986) 685
- 1986HA1P Hanna, J. Phys. Soc. Jpn. Suppl. 55 (1986) 528
- 1986HA1Y D. Halderson and P. Ning, Nucl. Phys. A450 (1986) 391c
- 1986HN01 V. Hnizdo, Phys. Lett. B167 (1986) 26
- 1986HO11 S. Homma and H. Tezuka, J. Phys. Soc. Jpn. 55 (1986) 780
- 1986HO1U Horiuchi, Wada and Yabana, KUNS 824 (1986)

- 1986ISZZ M.S. Islam, R.W. Finlay and J.P. Delaroche, Bull. Amer. Phys. Soc. 31 (1986) 854, HH7
- 1986JAZZ J. Janecke, F. Becchetti, P. Lister, A. Nadasen, J. Winfield, D. Friesel and K. Komisarck, Bull. Amer. Phys. Soc. 31 (1986) 784, BH6
- 1986KA05 B. Karaoglu and E.J. Moniz, Phys. Rev. C33 (1986) 974
- 1986KE05 J. Kelly, W. Bertozzi, T.N. Buti, J.M. Finn, F.W. Hersman, M.V. Hynes, C. Hyde-Wright, B.E. Norum, A.D. Bacher, G.T. Emery et al., Phys. Lett. B169 (1986) 157
- 1986KI1K Kishimoto, Nucl. Phys. A450 (1986) 447c
- 1986KU1D Kudo and Miyazaki, J. Phys. Soc. Jpn. Suppl. 55 (1986) 620
- 1986LO1A Love and Klein, J. Phys. Soc. Jpn. Suppl. 55 (1986) 78
- 1986LO1D Lopiano et al., J. Phys. Soc. Jpn. Suppl. 55 (1986) 930
- 1986MA04 C. Mahaux, H. Ngo and G.R. Satchler, Nucl. Phys. A449 (1986) 354
- 1986MA19 J.F. Mateja, A.D. Frawley, L.C. Dennis and K. Sartor, Phys. Rev. C33 (1986) 1649
- 1986MA1W M. May, Nucl. Phys. A450 (1986) 179c
- 1986MA2M Matsuoka et al., J. Phys. Soc. Jpn. Suppl. 55 (1986) 144
- 1986MA48 D.M. Manley, B.L. Berman, W. Bertozzi, J.M. Finn, F.W. Hersman, C.E. Hyde-Wright, M.V. Hynes, J.J. Kelly, M.A. Kovash, S. Kowalski, et al., Phys. Rev. C34 (1986) 1214
- 1986MC02 J.A. McNeil and J.R. Shepard, Phys. Rev. C33 (1986) 1106
- 1986MI1N D.J. Millener, Nucl. Phys. A450 (1986) 199c
- 1986MO1E Z. Moroz, J. Phys. Soc. Jpn. Suppl. 55 (1986) 221
- 1986NA01 Y. Nagashima, J. Schimizu, T. Nakagawa, Y. Fukuchi, W. Yokota, K. Furuno, M. Yamanouchi, S.M. Lee, N.X. Dai, T. Mikumo et al., Phys. Rev. C33 (1986) 176
- 1986NA1H Nathan, Int. Res. Conf. Nucl. Struct., Reactions & Symmetries, Dubrovnik, Yugoslavia; P/86/6/80 (1986)
- 1986NG1A Ngo, Prog. Part. Nucl. Phys. 16 (1986) 139
- 1986NO04 S. Nozawa, K. Kubodera and H. Ohtsubo, Nucl. Phys. A453 (1986) 645
- 1986OH1C Ohnuma et al., J. Phys. Soc. Jpn. Suppl. 55 (1986) 600
- 1986PA05 S.J. Padalino, R.A. Parker and L.C. Dennis, Phys. Rev. C33 (1986) 1805
- 1986PI02 M. Pi, M. Barranco, J. Nemeth, C. Ngo and E. Tomasi, Phys. Lett. B166 (1986) 1
- 1986PO1M Pouliot et al., J. Phys. Soc. Jpn. Suppl. 55 (1986) 990
- 1986PR01 M. Prakash, P. Braun-Munzinger and J. Stachel, Phys. Rev. C33 (1986) 937
- 1986RA1L Rasmussen, Canto and Qiu, Phys. Rev. C33 (1986) 2033
- 1986RO03 R. Rockmore and B. Saghai, Phys. Rev. C33 (1986) 576

1986RO06 H.P. Rood, Phys. Rev. C33 (1986) 1104  
 1986RO1X Rosenthal, Halderson and Tabakin, Bull. Amer. Phys. Soc. 31 (1986) 843  
 1986RR03 P.-G. Reinhard, M. Rufa, J. Maruhn, W. Greiner and J. Friedrich, Z. Phys. A323 (1986) 13  
 1986SA02 M. Sato, S.A. Coon, H.J. Pirner and J.P. Vary, Phys. Rev. C33 (1986) 1062  
 1986SA2P Sakuragi, Kamimura, Yahiro and Tanifuji, INS-Rept.-578 (1986)  
 1986SA2Q Satoh et al., J. Phys. Soc. Jpn. Suppl. 55 (1986) 762  
 1986SA41 J.A. Sawicki, J.A. Davies and T.E. Jackman, Nucl. Instrum. Meth. Phys. Res. B15 (1986) 530  
 1986SH10 S. Shimoura, A. Sakaguchi, T. Shimoda, T. Fukuda, K. Ogura, K. Katori and H. Ogata, Nucl. Phys. A452 (1986) 123  
 1986SH1K S. Shinmura, Nucl. Phys. A450 (1986) 147c  
 1986SH2B Shibata and Fujita, Phys. Lett. B172 (1986) 283  
 1986SI1K Simonius, J. Phys. Soc. Jpn. Suppl. 55 (1986) 523  
 1986SI1L Sie, McKenzie, Smith and Ryan, Nucl. Instrum. Meth. Phys. Res. B15 (1986) 525  
 1986SK01 I. Skwirczynska, A. Budzanowski, L. Freindl, W. Karcz, J. Szmider and R. Wolski, Nucl. Phys. A452 (1986) 432  
 1986SP01 D.A. Sparrow, Phys. Rev. C33 (1986) 287  
 1986ST1J Stock, Phy. Rept. 135 (1986) 259  
 1986ST1N Stocker and Greiner, Phys. Rept. 137 (1986) 277  
 1986STZY S.M. Sterbenz, M. Gai, J.F. Shriner, Jr., P.D. Cottle, D.A. Bromley, M. Morando and R.A. Ricci, Bull. Amer. Phys. Soc. 31 (1986) 839, GJ1  
 1986SU01 Y. Suzuki, Nucl. Phys. A448 (1986) 395  
 1986SZ02 I.M. Szoghy, Q. Haider and R. Ouellet, Nucl. Instrum. Meth. Phys. Res. A242 (1986) 277  
 1986TH01 J. Thomas, Y.T. Chen, S. Hinds, D. Meredith and M. Olson, Phys. Rev. C33 (1986) 1679  
 1986TH1E Thielemann, Nomoto and Yokoi, Astron. Astrophys. 158 (1986) 17  
 1986UT01 H. Utsunomiya, E.C. Deci, R.A. Blue, L.H. Harwood, R.M. Ronningen, K. Siwek-Wilczynska, J. Wilczynski and D.J. Morrissey, Phys. Rev. C33 (1986) 185  
 1986VA10 C.P.M. van Engelen, E.A. Bakkum, R.J. Meijer and R. Kamermans, Phys. Rev. C33 (1986) 1851  
 1986VA1N Van Sen et al., J. Phys. Soc. Jpn. Suppl. 55 (1986) 946

1986VI03 L. Vinet, F. Sebillé, C. Gregoire, B. Remaud and P. Schuck, Phys. Lett. B172 (1986) 17

1986WA08 T. Wada, Prog. Theor. Phys. 75 (1986) 458

1986WA1P Wada, KUNS 796 (1986)

1986WA1T Walker, Nucl. Phys. A450 (1986) 287c

1986WA1U Wada and Horiuchi, J. Phys. Soc. Jpn. Suppl. 55 (1986) 736

1986WE1C G.D. Westfall, Nucl. Phys. A447 (1986) 591c

1986WE1D H.R. Weller, J. Phys. Soc. Jpn. Suppl. 55 (1986) 113

1986WI04 D.H. Wilkinson, Nucl. Phys. A452 (1986) 296

1986WI1P D. Wilkinson, J. Phys. Soc. Jpn. Suppl. 55 (1986) 347

1986YA1F Y. Yamamoto, Prog. Theor. Phys. 75 (1986) 639

1986YA1Q Yamamoto, Nucl. Phys. A450 (1986) 275c

1986YO02 G.R. Young, F.E. Obenshain, F. Plasil, P. Braun-Munzinger, R. Freifelder, P. Paul and J. Stachel, Phys. Rev. C33 (1986) 742

1986ZO1A J. Zofka, Nucl. Phys. A450 (1986) 165c

1987AJ02 F. Ajzenberg-Selove, Nucl. Phys. A475 (1987) 1

1987RA01 S. Raman, C.H. Malarkey, W.T. Milner, C.W. Nestor, Jr. and P.H. Stelson, At. Data Nucl. Data Tables 36 (1987) 1

1988AJ01 F. Ajzenberg-Selove, Nucl. Phys. A490 (1988) 1

1990AJ01 F. Ajzenberg-Selove, Nucl. Phys. A506 (1990) 1

BL83 Unknown Source

