

Table 16.13 from (1993TI07): Energy Levels of  $^{16}\text{O}$  <sup>a</sup>

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
0	$0^+; 0$		stable		5, 7, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 23, 24, 30, 32, 33, 34, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82
$6.0494 \pm 1.0$	$0^+; 0$	$0^+$	$\tau_m = 96 \pm 7$ psec	$\pi$	5, 7, 11, 12, 13, 15, 17, 19, 21, 23, 30, 32, 33, 34, 38, 39, 43, 44, 47, 54, 55, 57, 66, 67, 70, 71, 73, 79, 81
$6.129893 \pm 0.04$	$3^-; 0$		$\tau_m = 26.6 \pm 0.7$ psec; $g = +0.556 \pm 0.004$	$\gamma$	1, 5, 7, 11, 12, 13, 15, 17, 18, 19, 21, 30, 31, 32, 33, 34, 37, 38, 39, 43, 44, 45, 46, 49, 50, 51, 53, 54, 66, 67, 68, 70, 71, 73, 79, 81
$6.9171 \pm 0.6$	$2^+; 0$	$0^+$	$\tau_m = 6.78 \pm 0.19$ fsec	$\gamma$	1, 5, 7, 11, 12, 13, 15, 17, 19, 30, 31, 32, 33, 34, 37, 38, 42, 43, 44, 45, 46, 47, 49, 50, 53, 54, 55, 67, 68, 70, 71, 73, 78, 80
$7.11685 \pm 0.14$	$1^-; 0$		$\tau_m = 12.0 \pm 0.7$ fsec	$\gamma$	1, 5, 7, 11, 12, 13, 17, 30, 31, 32, 33, 34, 37, 38, 39, 42, 43, 44, 46, 47, 50, 66, 67, 68, 70, 71, 73, 81
$8.8719 \pm 0.5$	$2^-; 0$		$\tau_m = 180 \pm 16$ fsec	$\gamma, \alpha$	5, 7, 11, 12, 16, 19, 30, 31, 33, 37, 38, 39, 43, 45, 46, 47, 49, 50, 67, 68, 73, 81
$9.585 \pm 11$	$1^-; 0$	$0^-$	$\Gamma = 420 \pm 20$	$\gamma, \alpha$	7, 9, 11, 12, 30, 38, 39, 45, 46, 47, 49, 50, 54, 55
$9.8445 \pm 0.5$	$2^+; 0$	$2^+{}^b$	$0.625 \pm 0.100$	$\gamma, \alpha$	5, 7, 9, 11, 12, 19, 30, 31, 33, 37, 38, 39, 43, 46, 47, 49, 50, 54, 55, 66, 68, 70, 73, 78, 81
$10.356 \pm 3$	$4^+; 0$	$0^+$	$26 \pm 3$	$\gamma, \alpha$	5, 7, 9, 11, 12, 13, 14, 16, 19, 21, 30, 31, 33, 38, 43, 46, 47, 49, 50, 54, 55, 61, 66, 68, 71, 73, 81
$10.957 \pm 1$	$0^-; 0$		$\tau_m = 8 \pm 5$ fsec		5, 30, 37, 38, 46, 47, 68, 73
$11.080 \pm 3$	$3^+; 0$	$2^+{}^b$	$\Gamma < 12$	$\gamma$	5, 30, 37, 38, 68, 73
$11.0967 \pm 1.6$	$4^+; 0$		$0.28 \pm 0.05$	$\gamma, \alpha$	5, 7, 9, 11, 13, 14, 16, 19, 30, 31, 43, 46, 47, 49, 50, 54, 55, 73

Table 16.13 from (1993TI07): Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
(11.26) <sup>c</sup>	(0 <sup>+</sup> ; 0)		(2500)	( $\alpha$ )	9, 38
11.520 $\pm$ 4	2 <sup>+</sup> ; 0		71 $\pm$ 3	$\gamma, \alpha$	5, 7, 9, 19, 30, 43, 44, 46, 47, 49, 50, 54, 55, 61
11.60 $\pm$ 20	3 <sup>-</sup> ; 0	0 <sup>-</sup>	800 $\pm$ 100	$\alpha$	9, 14, 54, 55
12.049 $\pm$ 2	0 <sup>+</sup> ; 0		1.5 $\pm$ 0.5	$\gamma, \alpha$	9, 19, 23, 30, 43, 46, 47, 49, 50, 54, 55
12.440 $\pm$ 2	1 <sup>-</sup> ; 0		91 $\pm$ 6	$\gamma, p, \alpha$	7, 8, 9, 30, 34, 36, 37, 38, 43, 47, 50, 54, 55
12.530 $\pm$ 1	2 <sup>-</sup> ; 0		(97 $\pm$ 10) $\times 10^{-3}$	$\gamma, p, \alpha$	5, 19, 30, 34, 36, 37, 38, 43, 46, 47, 50, 67
12.796 $\pm$ 4	0 <sup>-</sup> ; 1		40 $\pm$ 4	p	30, 36, 37, 38, 46
12.9686 $\pm$ 0.4	2 <sup>-</sup> ; 1		1.34 $\pm$ 0.04	$\gamma, p, \alpha$	19, 30, 34, 36, 37, 38, 43, 66, 67, 68
13.020 $\pm$ 10	2 <sup>+</sup> ; 0		150 $\pm$ 10	$\gamma, p, \alpha$	7, 9, 43, 46, 47, 49, 50, 54, 55, 61
13.090 $\pm$ 8	1 <sup>-</sup> ; 1		130 $\pm$ 5	$\gamma, p, \alpha$	7, 8, 9, 11, 30, 37, 38, 43, 68
13.129 $\pm$ 10	3 <sup>-</sup> ; 0		110 $\pm$ 30	$\gamma, p, \alpha$	6, 7, 8, 9, 30, 38
13.259 $\pm$ 2	3 <sup>-</sup> ; 1		21 $\pm$ 1	$\gamma, p, \alpha$	7, 8, 9, 30, 36, 37, 38, 43, 46, 66, 67, 68, 70, 72
13.664 $\pm$ 3	1 <sup>+</sup> ; 0		64 $\pm$ 3	$\gamma, p, \alpha$	30, 34, 36, 47
13.869 $\pm$ 20	4 <sup>+</sup> ; 0		89 $\pm$ 2	p, $\alpha$	5, 9, 30, 36, 43, 45, 49, 50, 54, 55
13.980 $\pm$ 2	2 <sup>-</sup>		20 $\pm$ 2	p, $\alpha$	5, 30, 31, 36
14.032 $\pm$ 15	0 <sup>+</sup>		185 $\pm$ 35	$\gamma, \alpha$	9, 43
14.1 $\pm$ 100	3 <sup>-</sup>		750 $\pm$ 200	$\alpha$	9
14.302 $\pm$ 3	4 <sup>(-)</sup>		34 $\pm$ 12		19, 30, 31
14.399 $\pm$ 2	5 <sup>+</sup>		27 $\pm$ 5		5, 12, 19, 30, 31
14.620 $\pm$ 20	4 <sup>(+)</sup>		490 $\pm$ 15	$\alpha$	9, 11
14.660 $\pm$ 20	5 <sup>-</sup>	0 <sup>-</sup>	670 $\pm$ 15	$\alpha$	9, 11, 12, 13, 14, 54, 55
14.8153 $\pm$ 1.6	6 <sup>+</sup> ; 0		70 $\pm$ 8	$\alpha$	5, 9, 11, 19, 30, 31, 49, 50, 54, 55
14.926 $\pm$ 2	2 <sup>+</sup>		54 $\pm$ 5	p, $\alpha$	5, 30, 36, 43
15.097 $\pm$ 5	0 <sup>+</sup>		166 $\pm$ 30	p, $\alpha$	8, 9, 30, 36
15.196 $\pm$ 3	2 <sup>-</sup> ; 0		63 $\pm$ 4	p, $\alpha$	30, 31, 36, 43, 46, 49, 66, 67, 68
15.26 $\pm$ 50	2 <sup>+</sup> ; (0)		300 $\pm$ 100	p, $\alpha$	36, 43, 46, 49
15.408 $\pm$ 2	3 <sup>-</sup> ; 0		132 $\pm$ 7	p, $\alpha$	8, 9, 30, 31, 36, 43, 46, 50, 54, 55, 61, 66, 67, 68
15.785 $\pm$ 5	3 <sup>+</sup>		40 $\pm$ 10		19, 30, 31

Table 16.13 from (1993TI07): Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
15.828 $\pm$ 30	$3^-$		700 $\pm$ 120	$\alpha$	9, 43
16.20 $\pm$ 90	$1^-; 0$		580 $\pm$ 60	$\gamma, p, \alpha$	7, 30, 36
16.209 $\pm$ 2	$1^+; 1$		19 $\pm$ 3	$\gamma, n, p$	30, 31, 34, 35, 36, 41, 43
16.275 $\pm$ 7	$6^+$	$0^+ \text{ }^b$	420 $\pm$ 20	$\alpha$	5, 9, 11, 12, 13, 14, 21, 31, 54, 55, 61
16.352 $\pm$ 8	$(2^+) \text{ }^d$		61 $\pm$ 8	$p, \alpha$	8, 9, 30, 36, 46, 49, 50, 70
16.4423 $\pm$ 1.6	$2^+; 1$		25 $\pm$ 2	$\gamma, n, p, \alpha$	7, 8, 9, 30, 36, 43
16.817 $\pm$ 2	$(3^+; 1) \text{ }^{b,e}$		28 $\pm$ 3	$\gamma, p, \alpha$	19, 30, 34, 36
16.844 $\pm$ 21	$4^+$		570 $\pm$ 60	$\alpha$	9
16.93 $\pm$ 50	$2^+$		$\approx$ 280	$\alpha, \text{}^8\text{Be}$	9, 10
17.09 $\pm$ 40	$1^-; 1$		380 $\pm$ 40	$\gamma, p$	34, 36
17.129 $\pm$ 5	$2^+$		107 $\pm$ 14	$n, p, \alpha$	8, 9
17.140 $\pm$ 10	$1^+; 1$		34 $\pm$ 3	$\gamma, n, p, \alpha$	9, 34, 35, 36, 43
17.197 $\pm$ 17	$2^+$		160 $\pm$ 60	$\alpha, \text{}^8\text{Be}$	5, 9, 10, 31, 38, 46, 49, 50
17.282 $\pm$ 11	$1^-; 1$		78 $\pm$ 5	$\gamma, n, p, \alpha$	8, 34, 35, 36, 41, 43
17.510 $\pm$ 26	$1^-$		180 $\pm$ 60	$\alpha$	9
17.555 $\pm$ 21	$(6^+)$		180 $\pm$ 70	$n, \alpha$	8, 9
17.609 $\pm$ 7	$2^+; (1)$		114 $\pm$ 14	$p, \alpha$	8, 9, 36
17.72	$(0^+, 2^+)$		$\approx$ 75	$p, \alpha, \text{}^8\text{Be}$	9, 10
17.775 $\pm$ 11	$4^-; 0$		45 $\pm$ 7	$p$	19, 43, 44, 46, 49, 50, 67, 68
17.784 $\pm$ 15	$4^+$		400 $\pm$ 40	$n, \alpha, \text{}^8\text{Be}$	8, 9, 10, 43, 54, 55
17.877 $\pm$ 6	$(2^-); 1 \text{ }^b$		24 $\pm$ 3	$\gamma, p, (\alpha)$	34, 36, 41
18.016 $\pm$ 1	$4^+; (0)$		14 $\pm$ 2	$n, p, \alpha, \text{}^8\text{Be}$	8, 9, 10, 19
18.029 $\pm$ 5	$3^{(-)}; 1$		26 $\pm$ 4	$\gamma, n, p, \alpha$	19, 34, 35, 36, 43, 67
18.089 $\pm$ 25	$(0^+)$		288 $\pm$ 44	$(\gamma), n, p, \alpha$	7, 8, 9, 35, 46, 50
18.202 $\pm$ 8	$2^+$		220 $\pm$ 50	$\gamma, p$	36, 43, 46, 50
18.29			$\approx$ 380	$\gamma, p, \alpha$	7, 8, 9
18.404 $\pm$ 12	$5^-$		550 $\pm$ 40	$\alpha$	9
18.430 $\pm$ 15	$2^+; 0$		90 $\pm$ 40	$p$	36, 46, 49, 50
18.484 $\pm$ 6	$(1^-, 2^-)$		35 $\pm$ 6	$p$	36
18.6	$(1^-, 5^-)$		$\approx$ 150	$\alpha$	9
18.6	$(4^+)$		$\approx$ 300	$\alpha, \text{}^8\text{Be}$	9, 10
18.640 $\pm$ 15	$(5^+)$		22 $\pm$ 7	$(n, p)$	5, 19, 43
18.773 $\pm$ 22	$1^-$		215 $\pm$ 45	$p, \alpha$	8, 9
18.785 $\pm$ 6	$4^+$		260 $\pm$ 20	$n, p, \alpha, \text{}^8\text{Be}$	8, 9, 10
18.79 $\pm$ 10	$1^+; 1$		120 $\pm$ 20	$\gamma, p$	34, 36, 43
18.977 $\pm$ 6	$4^-; 1$		8.2 $\pm$ 3.8	$\gamma, p, \alpha$	19, 34, 36, 43, 44, 46, 49, 67, 68

Table 16.13 from (1993TI07): Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
19.001 $\pm$ 24	2 <sup>-</sup> ; 1		420 $\pm$ 50	$\gamma$ , p	34, 36, 43
19.08 $\pm$ 30	2 <sup>+</sup> ; (1)		$\approx$ 120	$\gamma$ , (n), p, $\alpha$	8, 9, 14, 34, 36
19.206 $\pm$ 12	3 <sup>-</sup> ; 1		68 $\pm$ 10		43, 67, 68
19.253 $\pm$ 30	(5 <sup>-</sup> )		50 $\pm$ 45	n, $\alpha$	8, 9
19.257 $\pm$ 9	2 <sup>+</sup> ; (1)		155 $\pm$ 25	$\gamma$ , p, $\alpha$	8, 9, 34, 36
19.319 $\pm$ 14	(6 <sup>+</sup> )		65 $\pm$ 35	p, $\alpha$ , $^8\text{Be}$	8, 9, 10
19.375 $\pm$ 2	4 <sup>+</sup>		23 $\pm$ 4	p, $\alpha$	8, 9
19.47 $\pm$ 30	1 <sup>-</sup> ; 1		200 $\pm$ 70	$\gamma$ , p	34, 36, 43
19.539 $\pm$ 19	2 <sup>+</sup> ; 0		255 $\pm$ 75	n, $\alpha$	5, 8, 9, 46, 50
19.754 $\pm$ 16	2 <sup>+</sup>		290 $\pm$ 50	p, $\alpha$	8, 9
19.808 $\pm$ 11	4 <sup>-</sup> ; 0		32 $\pm$ 4		19, 44, 46, 67, 68
19.895 $\pm$ 7	3; 1		42 $\pm$ 9	$\gamma$ , p, $\alpha$	5, 34, 36
20.055 $\pm$ 13	2 <sup>+</sup> ; 0		400 $\pm$ 32	$\gamma$ , n, p, $\alpha$	7, 8, 9, 49, 50
20.412 $\pm$ 17	(2 <sup>-</sup> , 4 <sup>+</sup> ); 1		190 $\pm$ 20	$\gamma$ , n, p	34, 35, 36, 43, 67, 68
20.510 $\pm$ 0.025	(4 <sup>-</sup> ; 1)	50 $\pm$ 30	$\gamma$		43
20.541 $\pm$ 2	5 <sup>-</sup> ; 1		11 $\pm$ 2	p, $\alpha$	5, 8, 9
20.560 $\pm$ 2	even $\pi$		< 5	p, $\alpha$	8, 9
20.615 $\pm$ 3	even $\pi$		< 10	$\alpha$	9
(20.8)			( $\approx$ 60)	n, p, $\alpha$	8
20.857 $\pm$ 14	7 <sup>-</sup>	0 <sup>-</sup>	900 $\pm$ 60	$\alpha$	9, 11, 12, 13, 14
20.945 $\pm$ 20	1 <sup>-</sup> ; 1		300 $\pm$ 10	$\gamma$ , n, p	34, 35, 36, 43
21.05 $\pm$ 50	(2 <sup>+</sup> ; 0)		298 $\pm$ 43		46, 50
21.052 $\pm$ 6	6 <sup>+</sup>		205 $\pm$ 15	$\alpha$	9
21.175 $\pm$ 15					5
21.50	(1 $\rightarrow$ 4)		120	p	36
21.623 $\pm$ 11	7 <sup>-</sup>		60 $\pm$ 30	n, p, $\alpha$	8, 9
21.648 $\pm$ 3	6 <sup>+</sup>		115 $\pm$ 8	n, $\alpha$	8, 9, 11
21.776 $\pm$ 9	3 <sup>-</sup>		43 $\pm$ 20	n, p, $\alpha$	5, 8, 9
22.04	0 <sup>+</sup>		60	n, d, $\alpha$	8, 25
22.150 $\pm$ 10	1 <sup>-</sup> ; 1		680 $\pm$ 10	$\gamma$ , n, p, d, $\alpha$	14, 24, 26, 29, 34, 35, 36, 40, 41, 42
22.35	2 <sup>+</sup>		175	n, d, $\alpha$	25, 29
22.5 $\pm$ 100	3 <sup>-</sup>		400 $\pm$ 50	p, d, $\alpha$	26, 29, 50
22.65 $\pm$ 30			60	n, $\alpha$ , $^8\text{Be}$	5, 8, 10
22.721 $\pm$ 3	0 <sup>+</sup> ; 2		12.5 $\pm$ 2.5	n, p, d, $\alpha$	8, 9, 23, 26, 29, 70
22.89 $\pm$ 10	1 <sup>-</sup> ; 1		300 $\pm$ 10	$\gamma$ , p, d	24, 26, 34, 36
23.0 $\pm$ 100	6 <sup>+</sup>		$\lesssim$ 500	(d), $\alpha$ , $^8\text{Be}$	10, 11, 29
23.1			$\approx$ 20	(n), d, $\alpha$ , $^8\text{Be}$	9, 10, 25, 29

Table 16.13 from (1993TI07): Energy Levels of  $^{16}\text{O}$  <sup>a</sup> (continued)

$E_x$ (MeV $\pm$ keV)	$J^\pi; T$	$K^\pi$	$\Gamma_{\text{c.m.}}$ or $\tau_m$ (keV)	Decay	Reactions
23.235 $\pm$ 62	(1 <sup>-</sup> ; 1)		560 $\pm$ 150	n, p, d	25, 26, 27, 35, 46
23.51 $\pm$ 30	(5 <sup>-</sup> )		300	p, d, $\alpha$	5, 9, 14, 26, 27, 29, 49, 50
23.879 $\pm$ 6	6 <sup>+</sup>		26 $\pm$ 4	p, $\alpha$ , $^8\text{Be}$	8, 9, 10, 11
24.07 $\pm$ 30	1 <sup>-</sup> ; 1		550 $\pm$ 40	$\gamma$ , p, $^3\text{He}$	17, 34, 36, 46
24.36 $\pm$ 70	(2 <sup>+</sup> , 3 <sup>-</sup> ); 0		424 $\pm$ 45	n, p	35, 50
24.522 $\pm$ 11	2 <sup>+</sup> ; 2		< 50		23, 70
24.76 $\pm$ 50	(2, 4) <sup>+</sup> ; 1		340 $\pm$ 60	$\gamma$ , n, p	34, 35, 36
25.12 $\pm$ 50	1 <sup>-</sup> ; 1		3000 $\pm$ 300	$\gamma$ , p, $^3\text{He}$ , $\alpha$	17, 34, 36, 42, 49
25.50 $\pm$ 150	1 <sup>-</sup> ; 1		1300 $\pm$ 300	$\gamma$	43, 46
25.6	(3 <sup>-</sup> ); 1		450	$^3\text{He}$ , $\alpha$	9, 17
26.0 $\pm$ 100	1 <sup>-</sup> ; (1)		500–1000	$\gamma$ , $^3\text{He}$ , $\alpha$	17
26.363 $\pm$ 62	(2, 4) <sup>+</sup> ; 1		550 $\pm$ 70	$\gamma$ , n, p, $\alpha$	9, 34, 35, 36
27.35 $\pm$ 100	(2, 4) <sup>+</sup> ; 1		830 $\pm$ 110	$\gamma$ , p, $^3\text{He}$ , $\alpha$ , $^8\text{Be}$	17, 34, 36
27.5	(3 <sup>-</sup> ; 0)		$\approx$ 2500	$\gamma$ , $^3\text{He}$	17
28.2	7 <sup>-</sup>		1000	$\alpha$	9, 11
28.6 $\pm$ 200				$\gamma$ , $^3\text{He}$	17
29.0	7 <sup>-</sup>		1000	p, $\alpha$	9, 11
29.8 $\pm$ 100	9 <sup>-</sup> + 8 <sup>+</sup>		500 – 1000	$^3\text{He}$ , $\alpha$	14, 17
31.8 $\pm$ 600				$\gamma$ , $\alpha$	11, 42
34	10 <sup>+</sup> (9 <sup>-</sup> )		2300	$\alpha$	9, 11
35				$\alpha$	11

<sup>a</sup> See also Tables 16.14 and 16.26.

<sup>b</sup> D.J. Millener, private communication.

<sup>c</sup> See (1986AJ04).

<sup>d</sup> See reaction 70 and (1986VO10).

<sup>e</sup> (1983SN03). See also Table 16.22.