

Table 17.6 from (1971AJ02): Resonances in  $^{13}\text{C}(\alpha, \alpha_0)^{13}\text{C}$ ,  $^{13}\text{C}(\alpha, n)^{16}\text{O}$  and  $^{16}\text{O}(n, \alpha)^{13}\text{C}$ 

$E_\alpha$ (MeV $\pm$ keV)	$E_n$ (MeV)	$\Gamma_\alpha/\Gamma$	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi$	$E_x^{\text{a}}$ (MeV)	Refs.
1.063 $\pm$ 4			$2.7 \pm 1$	$\frac{5}{2}^+$	7.170	A
1.340 $\pm$ 4			$\leq 2$	$\frac{5}{2}^+$	7.382	(A, 1969SC04)
1.585 $\pm$ 7			$\leq 4$	$\frac{7}{2}^-$	7.569	(1956RU1A, 1957WA46, 1969SC04)
1.736 $\pm$ 5			22	$\frac{5}{2}^+$	7.684	(1956RU1A, 1957WA46, 1969SC04)
2.080 $\pm$ 20	4.0	0.03	$79 \pm 10$	$\frac{1}{2}^-$	7.947	(B, 1965BA32, 1967SE07)
2.250 $\pm$ 20	4.15	0.05	$71 \pm 8$	$\frac{3}{2}^+$	8.077	(C, 1965BA32, 1967SE07)
2.420 $\pm$ 20	4.25	0.11	$71 \pm 5$	$\frac{3}{2}^-$	8.207	(C, 1965BA32, 1967SE07)
2.603 $\pm$ 5	4.46	0.44	$9 \pm 3$	$\frac{1}{2}^+$	8.347	(D, 1965BA32, 1967SE07)
2.675 $\pm$ 5	4.53	0.08	$4 \pm 3$	$\frac{5}{2}^+$	8.402	(D, 1965BA32, 1967SE07)
2.760 $\pm$ 5	4.59	0.97	$7 \pm 3$	$\frac{7}{2}^+$	8.467	(D, 1965BA32, 1967SE07)
2.805 $\pm$ 5	4.62	0.26	$5 \pm 3$	$\frac{5}{2}^-$	8.502	(D, 1965BA32, 1967SE07)
3.08 $\pm$ 15	4.85	0.06	$50 \pm 3$	$\frac{3}{2}^-$	8.71	(D, 1963DA12, 1965BA32, 1967SE07, 1971BA06)
(3.1)			broad	$\frac{1}{2}^-$	8.7	(1971BA06)
3.305		1.00	6	$\frac{7}{2}^-$	8.884	(1965BA32)
3.33 $\pm$ 15	5.05	0.50	$101 \pm 3$	$\frac{3}{2}^+$	8.90	(D, 1963DA12, 1965BA32, 1967SE07, 1971BA06)
3.42 $\pm$ 15	5.12	0.04	$21 \pm 3$	$\frac{7}{2}^-$	8.97	(D, 1963DA12, 1965BA32, 1967SE07, 1971BA06)
3.67 $\pm$ 15	5.32	0.45	$4 \pm 3$	$\frac{1}{2}^-$	9.16	(1956BO61, 1963DA12, 1967SE07, 1968KE02)
3.69		1.00	3	$\frac{7}{2}^-$	9.18	(1968KE02)
3.72	5.37	0.20	$5.5 \pm 1$	$\frac{5}{2}^+$	9.20	(1956BO61, 1956SC1C, 1963DA12, 1967SE07, 1968KE02)
4.11	5.68	0.85	$15 \pm 1$	$\frac{5}{2}^-$	9.50	(1956BO61, 1956SC1C, 1963DA12, 1967SE07, 1968KE02)
(4.3)			broad	$\frac{3}{2}^-$	(9.6)	(1971BA06)
4.40		0.70	$16 \pm 1$	$\frac{7}{2}^+$	9.72	(1956BO61, 1956SC1C, 1967SE07, 1968KE02, 1971BA06)
	5.92					(1963DA12)
4.42		0.90	61	$\frac{3}{2}^+$	9.74	(1968KE02, 1971BA06)
4.58	6.08	0.18	$12 \pm 1$	$\frac{9}{2}^+$	9.86	(1963DA12, 1967SE07, 1968KE02, 1971BA06)
4.70	6.22	0.78	107	$\frac{5}{2}^+$	9.95	(1963DA12, 1968KE02, 1971BA06)
4.94		0.85	138	$\frac{5}{2}^+$	10.13	(1968KE02)

Table 17.6 from (1971AJ02): Resonances in  $^{13}\text{C}(\alpha, \alpha_0)^{13}\text{C}$ ,  $^{13}\text{C}(\alpha, n)^{16}\text{O}$  and  $^{16}\text{O}(n, \alpha)^{13}\text{C}$  (continued)

$E_\alpha$ (MeV $\pm$ keV)	$E_n$ (MeV)	$\Gamma_\alpha/\Gamma$	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi$	$E_x^{\text{a}}$ (MeV)	Refs.
4.995	6.41	0.15	46	$\frac{7}{2}^-$	10.176	(1963DA12, 1968KE02, 1970RO08, 1971BA06)
5.08	6.59	0.60	122	$\frac{7}{2}^+$	10.24	(1963DA12, 1967SE07, 1968KE02)
5.185				$\frac{5}{2}^+, \frac{7}{2}^-$	10.321	(1968KE02, 1970RO08)
5.317 $\pm$ 10			14 $\pm$ 3		10.422	(1963SP02, 1967SE07, 1968KE02)
5.40			75 $\pm$ 30	$\frac{5}{2}^+, \frac{7}{2}^-$	10.49	(1967SE07, 1968KE02)
5.496 $\pm$ 10	6.81		47 $\pm$ 15	$\frac{7}{2}^-, \frac{9}{2}^+$	10.559	(1963DA12, 1963SP02, 1968KE02, 1970RO08)
5.68		1.00	$\leq 25$	$(\frac{7}{2}^+)$	10.70	(1968KE02)
5.771 $\pm$ 10	7.04		80 $\pm$ 20	$\frac{1}{2}^+, \frac{7}{2}^-$	10.769	(1963DA12, 1963SP02, 1968KE02, 1970RO08)
5.945 $\pm$ 10	7.20		57 $\pm$ 15	$\frac{5}{2}^-$	10.902	(1963DA12, 1963SP02, 1968KE02, 1970RO08)
6.107 $\pm$ 10	7.32		45 $\pm$ 10		11.026	(1963DA12, 1963SP02, 1968KE02)
6.367 $\pm$ 10	7.59		100 $\pm$ 30		11.225	(1963DA12, 1963SP02)
~	(7.79)				(11.47)	(1963DA12)
	6.878 $\pm$ 10	7.90	120 $\pm$ 30		11.615	(1963DA12, 1963SP02)
	7.051 $\pm$ 10	(8.06)	40 $\pm$ 25		11.748	(1963DA12, 1963SP02)
	7.136 $\pm$ 15	8.22	12 $\pm$ 3		11.813	(1963DA12, 1963SP02)
	7.384 $\pm$ 15	8.38			12.002	(1963DA12, 1963SP02)
	7.52 $\pm$ 20		150 $\pm$ 50		12.11	(1963SP02)
	7.736 $\pm$ 15	8.66	100 $\pm$ 30		12.271	(1963DA12, 1963SP02)
	7.88 $\pm$ 20				12.38	(1963SP02)
	7.927 $\pm$ 15				12.417	(1963SP02)
	8.156 $\pm$ 15		75 $\pm$ 30		12.592	(1963SP02)
	8.253 $\pm$ 15		$\approx 5$		12.666	(1963SP02)
	8.44 $\pm$ 25				12.81	(1963SP02)
	8.59 $\pm$ 20		$\gtrsim 150$		12.92	(1963SP02)
	8.72 $\pm$ 20				13.02	(1963SP02)
	8.785 $\pm$ 15		16 $\pm$ 4		13.073	(1963SP02)
	9.319 $\pm$ 15		$\approx 120$		13.481	(1963SP02)

Table 17.6 from (1971AJ02): Resonances in  $^{13}\text{C}(\alpha, \alpha_0)^{13}\text{C}$ ,  $^{13}\text{C}(\alpha, n)^{16}\text{O}$  and  $^{16}\text{O}(n, \alpha)^{13}\text{C}$  (continued)

$E_\alpha$ (MeV $\pm$ keV)	$E_n$ (MeV)	$\Gamma_\alpha/\Gamma$	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi$	$E_x^{\text{a}}$ (MeV)	Refs.
$9.483 \pm 15$			$250 \pm 100$		13.606	(1963SP02)

A: (1953JO1A, 1956RU1A, 1957WA46).

B: (1955SE1A, 1956BO61, 1956RU1A, 1956SC1C, 1957WA46).

C: (1955SE1A, 1956BE98, 1956BO61, 1956RU1A, 1956SC1C, 1957WA46).

D: (1956BE98, 1956BO61, 1956SC1C, 1957WA46).

<sup>a</sup> I am indebted to Dr. C.H. Johnson for a discussion of the nature of many of these states.