

Energy Levels of Light Nuclei $A = 7$

F. Ajzenberg-Selove

University of Pennsylvania, Philadelphia, Pennsylvania 19104-6396

Abstract: An evaluation of $A = 5-10$ was published in *Nuclear Physics A320* (1979), p. 1. This version of $A = 7$ differs from the published version in that we have corrected some errors discovered after the article went to press. Figures and introductory tables have been omitted from this manuscript. [Reference](#) key numbers have been changed to the TUNL/NNDC format.

(References closed 1978)

The original work of Fay Ajzenberg-Selove was supported by the US Department of Energy [DE-FG02-86ER40279]. Later modification by the TUNL Data Evaluation group was supported by the US Department of Energy, Office of High Energy and Nuclear Physics, under: Contract No. DEFG05-88-ER40441 (North Carolina State University); Contract No. DEFG05-91-ER40619 (Duke University).

Table of Contents for $A = 7$

Below is a list of links for items found within the PDF document. Figures from this evaluation have been scanned in and are available on this website or via the link below.

A. Nuclides: [\${}^7\text{n}\$](#) , [\${}^7\text{H}\$](#) , [\${}^7\text{He}\$](#) , [\${}^7\text{Li}\$](#) , [\${}^7\text{Be}\$](#) , [\${}^7\text{B}\$](#)

B. Tables of Recommended Level Energies:

[Table 7.1](#): Energy levels of ${}^7\text{He}$

[Table 7.2](#): Energy levels of ${}^7\text{Li}$

[Table 7.6](#): Energy levels of ${}^7\text{Be}$

C. [References](#)

D. Figures: [\${}^7\text{Li}\$](#) , [\${}^7\text{Be}\$](#) , [Isobar diagram](#)

E. Erratum to the Publication: [PS](#) or [PDF](#)

${}^7\mathbf{n}$
(Not illustrated)

See (1977DE08).

${}^7\mathbf{H}$
(Not illustrated)

A search for ${}^7\mathbf{H}$ in ${}^7\text{Li}(\pi^-, \pi^+){}^7\mathbf{H}$ was unsuccessful (1965GI10). See also (1975BE31, 1977SP1B; theor.).

${}^7\mathbf{He}$
(Fig. 10)

GENERAL: (See also (1974AJ01).)

See (1974IR04, 1974TH01, 1975PN1A, 1976TR1A, 1977DO06, 1977SH1C, 1978DA06).

1. ${}^7\text{Li}(\pi^-, \gamma){}^7\text{He}$ $Q_m = 128.37$

The radiative capture has been observed to the ground state of ${}^7\text{He}$. The (M1) transition is seen $E_\gamma = 126.6$ MeV (1976AL1F). See also (1976TR1A).

2. ${}^7\text{Li}(\text{n}, \text{p}){}^7\text{He}$ $Q_m = -10.42$

At $E_n = 14.8$ MeV a proton group is reported corresponding to ${}^7\text{He}_{\text{g.s.}}$: $\Gamma < 0.2$ MeV (1973LI02). See also (1976KI1D).

Table 7.1: Energy levels of ${}^7\text{He}$

E_x (MeV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
g.s.	$(\frac{3}{2})^-; \frac{3}{2}$	160 ± 30	n^{a}	1, 2, 3, 4

^a Q_0 for ${}^7\text{Li}(\text{t}, {}^3\text{He}){}^7\text{He}$ is -11.18 MeV. This leads to 26.11 ± 0.03 MeV for the atomic mass excess of ${}^7\text{He}$: Q_m for ${}^7\text{He}_{\text{g.s.}} \rightarrow {}^6\text{He} + \text{n}$ is then 0.44 ± 0.03 MeV (1969ST02).

$$3. \text{}^7\text{Li}(t, \text{}^3\text{He})\text{}^7\text{He} \quad Q_m = -11.18$$

The ${}^3\text{He}$ particles to the ground state of ${}^7\text{He}$ have been observed at $E_t = 22$ MeV. The width of the ground state is 160 ± 30 keV; for a radius of 2.2 fm and $l_n = 1$, this width is 0.22 of the Wigner limit. The angular distribution is peaked in the forward direction. No other states of ${}^7\text{He}$ were observed for $E_x < 2.4$ MeV (1967ST04, 1969ST02).

$$4. \text{}^9\text{Be}(\text{}^6\text{Li}, \text{}^8\text{B})\text{}^7\text{He} \quad Q_m = -23.60$$

At $E({}^6\text{Li}) = 80.0$ and 93.3 MeV the ground state of ${}^7\text{He}$ is strongly populated, indicating negative parity, as expected. There is no indication of relatively sharp states of ${}^7\text{He}$ with $E_x \lesssim 10$ MeV (1977WE03, 1977WE1B). See also (1974CE1A).

⁷Li
(Figs. 8 and 10)

GENERAL: (See also (1974AJ01).)

Shell model: (1974KA11, 1975DI04, 1977ST04, 1978BO31).

Collective, rotational or deformed models: (1974BO25, 1976BR26).

Cluster and α -particle models: (1973HO1A, 1974GR24, 1974KA11, 1975KU1H, 1975GR26, 1975MI09, 1975PA11, 1975RO1B, 1977BE50, 1977MI03, 1977SA22, 1978RA09).

Astrophysical questions: (1973BA1H, 1973CA1B, 1973CO1B, 1973IB1A, 1973SM1A, 1973TI1A, 1973TR1B, 1973WE1D, 1974AU1A, 1974CA1C, 1974JA11, 1974KO1C, 1974RE1A, 1974WI1F, 1975AR1E, 1975BR1B, 1975CU1A, 1975KI14, 1975ME1E, 1975NO1D, 1975PR1B, 1975SC1H, 1975TR1A, 1976AU1B, 1976AU1C, 1976BE1C, 1976BO1E, 1976CA1C, 1976CL1A, 1976CO1B, 1976EP1A, 1976GI1C, 1976HA1F, 1976NO1C, 1976RO1J, 1976RO12, 1976SC1E, 1976SI1C, 1976SI1D, 1976VI1A, 1977AU1C, 1977AU1B, 1977BE1P, 1977BO1F, 1977CA1B, 1977KO1J, 1977MA1H, 1977MO1D, 1977MO1E, 1977SC1D, 1977ST1H, 1978AU1C, 1978BY1A, 1978MA1H).

Electromagnetic transitions: (1974CH46, 1974KU06, 1974MU1B, 1976KU07, 1977DO06, 1977ST04, 1978KI08).

Special levels: (1974IR04, 1974KA11, 1974KU06, 1975DI04, 1975LI20, 1976IR1B, 1978BO31).

Applied work: (1976OV1A, 1976PO1C, 1977BR1H, 1977CO1F).

Special reactions: (1973SI38, 1974BA70, 1974BO08, 1974JA11, 1974LA18, 1974QU01, 1975AR14, 1975BA1G, 1975FE1A, 1975KU01, 1975RA14, 1975RA21, 1975ZE01, 1976BE1K, 1976BE67, 1976BO08, 1976BU16, 1976CH28, 1976JA1E, 1976LE1F, 1976MI13, 1976NA11, 1976OS04, 1976RA1C, 1976RO12, 1977FE1B, 1977GE08, 1977GO07, 1977GR1D, 1977KU1D, 1977MO1C, 1977RE08, 1977SH1D, 1977ST34, 1977ST1G, 1977YA1B, 1978BA1J, 1978BI08, 1978DI04, 1978GE1C, 1978GR1F, 1978OT1A, 1978WE1D).

Muon and neutrino capture and reactions: (1974DO1C, 1974EN10, 1974HA1E, 1975FE1B, 1975GE1E, 1977BA1R, 1977CA1E, 1977MU1A, 1978DE15, 1978LE04).

Pion and kaon capture and reactions: (1972BA1C, 1973AL1A, 1973BA1G, 1973GO41, 1973NA20, 1973WI1A, 1974BO1D, 1974CL04, 1974GO04, 1974HU14, 1974LI1D, 1974TA18, 1975BA1L, 1975BA1G, 1975BA1P, 1975BO1B, 1975BU1A, 1975CA19, 1975GI1B, 1975NI1B, 1975PN1A, 1975TA1C, 1975YA02, 1976AL1F, 1976AS1B, 1976BO32, 1976CA23, 1976DO1D, 1976DU1B, 1976DYZY, 1976EN02, 1976GI01, 1976JA1D, 1976NO1D, 1976PI1B, 1976SH01, 1976TR1A, 1977AB09, 1977AL1C, 1977AL21, 1977AM1A, 1977AP1A, 1977BA27, 1977BA51, 1977BA47, 1977BA1M, 1977DO06, 1977HO1B, 1977KI1F, 1977MA35, 1977MC1E, 1977NA08, 1977SH1C, 1977SI03, 1977SP02, 1977SP1B, 1977WA02, 1978AT01, 1978CO16, 1978DA06, 1978EI1A, 1978FI1E, 1978HA1J, 1978HE02, 1978KI08, 1978MA1J, 1978ME05, 1978MO01, 1978OT1A, 1978WA02).

Table 7.2: Energy levels of ${}^7\text{Li}$

E_x (MeV \pm keV)	$J^\pi; T$	τ_m or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
g.s.	$\frac{3}{2}^-; \frac{1}{2}$		stable	1, 6, 12, 13, 16, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39, 41, 42, 43, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59
0.477611 ± 0.012	$\frac{1}{2}^-; \frac{1}{2}$	$\tau_m = 105 \pm 5 \text{ fsec}^a$	γ	1, 6, 12, 13, 17, 19, 20, 21, 22, 24, 28, 31, 33, 34, 35, 36, 39, 41, 45, 46, 48, 50, 52, 53, 54, 55, 56, 57, 58
4.630 ± 9	$\frac{7}{2}^-; \frac{1}{2}$	$\Gamma = 93 \pm 8 \text{ keV}$	t, α	3, 12, 13, 19, 20, 21, 22, 24, 35, 36, 41, 45, 54
6.68 ± 50	$\frac{5}{2}^-; \frac{1}{2}$	875_{-100}^{+200}	t, α	3, 12, 19, 20, 21, 35, 45
7.456 ± 1.5	$\frac{5}{2}^-; \frac{1}{2}$	89 ± 7	n, t, α	2, 3, 7, 11, 12, 13, 19, 21, 24, 33, 36, 45
(9.5)	$(\frac{3}{2}^+); \frac{1}{2}$	(≈ 3700)	n	7
9.67 ± 100	$\frac{7}{2}^-; \frac{1}{2}$	≈ 400	n, t, α	2, 3, 7, 13, 21, 36
9.85	$\frac{3}{2}^-; \frac{1}{2}$	≈ 1200	n, α	7, 11
11.24 ± 30	$\frac{3}{2}^-; \frac{3}{2}$	260 ± 35	n, p	7, 8, 19, 35
17		broad	γ , n	7, 18

^a See Table 7.4 in (1966LA04) and (1966PA11, 1967CA02, 1975GE1D).

Antiproton induced reactions: (1973GO41, 1977BA1W, 1977RO23, 1977WE1E).

Other topics: (1972BA1C, 1974IR04, 1974KU06, 1974SI04, 1975ER09, 1975KU01, 1975KU08, 1975LI20, 1975PN1A, 1976BR26, 1976ES1A, 1976IR1B, 1976KU07, 1976MA04, 1978DA06).

Ground state properties of ${}^7\text{Li}$: (1974DE1E, 1974EN10, 1974KU06, 1974SHYR, 1975BE31, 1975JO1A, 1976BR26, 1976FU06, 1976HA1E, 1977AN21, 1977MA35, 1978AN07, 1978RA09, 1978ZA1D).

$\mu = +3.256424$ (2) nm (1974BE50) and (V. Shirley, private communication);

$Q = -36.6$ (3) mb (V. Shirley, private communication);

$$B(E2: \frac{3}{2}^- \rightarrow \frac{1}{2}^-) = 8.3 \pm 0.6 e^2 \cdot \text{fm}^4 \text{ (1972HA06, 1973HA47);}$$

$$= 7.4 \pm 0.1 e^2 \cdot \text{fm}^4 \text{ (1972BA77) [see also (1973HA47)].}$$

1. ${}^3\text{H}(\alpha, \gamma){}^7\text{Li}$

$$Q_m = 2.467$$

Excitation functions and angular distributions have been studied for $E_\alpha = 0.5$ to 1.9 MeV (1959HO03, 1961GR27). The cross section rises smoothly as expected for a direct capture process: at $E_\alpha = 1.32$ MeV, $\sigma = 3.58 \pm 0.60 \mu\text{b}$ and the corresponding reduced cross section factor $S = 0.064 \pm 0.016 \text{ keV} \cdot \text{b}$ (1961GR27). Cross sections of (1961GR27) are 2 to 2.5 times higher than those of (1959HO03). See (1966LA04) for further comments.

Table 7.3: ${}^7\text{Li}$ levels from ${}^3\text{H} + {}^4\text{He}$

E_x (MeV \pm keV)	J^π	l_α	LS term	R (fm)	θ_α^2 ^a	$\theta_{n_0}^2$	$\theta_{n_1}^2$ ^b	Refs.
4.65 \pm 20	$\frac{7}{2}^-$	3	${}^2\text{F}_{7/2}$	4.0	0.57 \pm 0.04			(1967SP10, 1968IV01)
6.64 \pm 100	$\frac{5}{2}^-$	3	${}^2\text{F}_{5/2}$	4.0	1.36 \pm 0.13	0.000 \pm 0.002		(1967SP10)
6.79 \pm 90	$\frac{5}{2}^-$	3	${}^2\text{F}_{5/2}$	4.4	0.52			(1968IV01)
7.47 \pm 30	$\frac{5}{2}^-$	3	${}^4\text{P}_{5/2}$	4.0	0.011 \pm 0.001	0.26 \pm 0.02		(1967SP10)
9.67 \pm 100	$\frac{7}{2}^-$	3	${}^4\text{D}_{7/2}$	4.0	0.53 \pm 0.22		2.3 \pm 0.7	(1967SP10)

^a $\gamma^2 / (\frac{3}{2} \hbar^2 / \mu a^2)$.

^b To ${}^6\text{Li}^*(2.19)$.

2. ${}^3\text{H}(\alpha, n){}^6\text{Li}$

$$Q_m = -4.7839$$

$$E_b = 2.467$$

The cross section for this reaction has been measured for $E_\alpha = 11$ to 18 MeV: the data show the effect of ${}^7\text{Li}^*(7.46)$ and indicate a broad resonance near $E_\alpha = 16.8$ MeV [${}^7\text{Li}^*(9.6)$]. The level parameters derived from this reaction and from reaction 3 (1967SP10) are displayed in Table 7.3. The yield of ${}^6\text{Li}$ ions at 0° (lab) has also been measured for $E_\alpha = 11.310$ to 11.930 MeV with 2 – 3% accuracy: the data were then reduced to obtain the c.m. differential cross sections at 0° and 180° for the inverse reaction in the energy region corresponding to formation of ${}^7\text{Li}^*(7.46)$ (1977BR21). See also (1976HA1H, 1977BE1M; theor.) and (1975AL1A) for the breakup of ${}^6\text{Li}$.

3. ${}^3\text{H}(\alpha, \alpha){}^3\text{H}$

$$E_b = 2.467$$

The elastic scattering has been studied for $E_\alpha = 3.6$ to 18.2 MeV and $E_t = 7.6$ to 12 MeV. The excitation curves show the effects of ${}^7\text{Li}^*(4.63, 6.68, 7.46, 9.67)$. The derived level parameters are displayed in Table 7.3 (1967SP10, 1968IV01). Angular distributions have been measured for $E_\alpha = 2.13$ to 2.98 MeV (1971CH42) and $E_t = 8.2$ to 12 MeV (1975JA1D). Very

accurate differential cross sections are reported by (1977BR21) for $E_t = 8.507$ to 9.050 and by (1975JA1D; abstract) for $E_t = 7.6$ to 10 MeV. Polarization measurements are reported for $E_t = 6.0$ to 12.3 MeV (1968KE03) and for $E_t = 10.2$ to 11.7 MeV (1976HA17) and 12 to 17 MeV (1978CO1G). (1976HA17) find a polarization extremum ($A_y = -1$) near $E_t = 11.1$ MeV, $\theta_{c.m.} = 95^\circ$ (1976HA17). See also (1974QU01), (1978BR1E) and (1974CL1D, 1974KO03, 1974TE05, 1975AB1C, 1975BA38, 1975CL1B, 1975HE07, 1975KU09, 1975NE1B, 1975PA1B, 1975TA1A, 1975WI1C, 1976HA1G, 1976HA1H, 1977BE50, 1977BE1M, 1978FR02, 1978LE1H; theor.).

4. ${}^4\text{He}(\alpha, p){}^7\text{Li}$ $Q_m = -17.347$

Angular distributions of the p_0 and p_1 groups are reported at $E_\alpha = 39.9 \rightarrow 49.5$ MeV (1977KI12) and 60.2 , 92.4 and 140.0 MeV (1975KI14; p_{0+1}). See also (1974KO1C, 1975KI14; astrophysics) and ${}^8\text{Be}$.

5. ${}^6\text{He}(p, t){}^4\text{He}$ $Q_m = 7.509$ $E_b = 9.975$

See (1971PO1A).

6. ${}^6\text{Li}(n, \gamma){}^7\text{Li}$ $Q_m = 7.251$

Two γ -rays with $E_\gamma = 7247 \pm 2$ and 6769 ± 2 keV are observed corresponding to transitions to ${}^7\text{Li}^*(0, 0.48)$ with branching ratios of (61 ± 3) and $(39 \pm 2)\%$. ${}^7\text{Li}^*(4.63)$ is not involved in the decay [$\lesssim 2\%$] (1967TH05). See (1974AJ01) for the earlier work on Q_0 , for an unpublished measurement of $\sigma_{n,\gamma}$, and for more accurate values of E_γ and branching ratios which have, however, not been published. See also (1974KR1B).

7. ${}^6\text{Li}(n, n){}^6\text{Li}$ $E_b = 7.251$

The total cross section has been measured from $E_n = 4$ eV to 29 MeV: see (1976GAYV). Recent measurements include those of (1975HA1J, 1975HA1M: $E_n = 10$ eV to 10 MeV; preliminary) and (1976KN1C: $E_n = 0.1$ to 3.0 MeV; abstract). See also (1976BI1B). A pronounced resonance occurs at $E_n = 244.5 \pm 1.0$ keV with a peak cross section of 11.20 ± 0.20 b (1977SM1B). [(1975HA1M) report $\sigma_{\text{peak}} = 10.85 \pm 0.10$ b at 244.1 keV.] The elastic contribution is 7.2 b (1961LA1A): see Table 7.4. No other clearly defined resonance is observed although the total cross section exhibits a broad maximum at $E_n \approx 5$ MeV (1976GAYV). The analyzing power is nearly constant for $E_n = 2$ to 5 MeV: a multi-level R -matrix analysis suggests a $\frac{3}{2}^+$ state at

Table 7.4: Resonance parameters for 7.5 – 7.2 MeV levels in ${}^7\text{Li}$ and ${}^7\text{Be}$ ^a

Reaction	${}^6\text{Li} + \text{n}$ ^b	${}^6\text{Li} + \text{p}$ ^c
E_r (keV, lab)	262 ^d	1840
$\Gamma(E_r)$ (keV, c.m.)	154	836
E_λ (keV above g.s.)	7700	7580
$\Gamma_{\text{n,p}}(E_r)$ (keV, c.m.)	118 ^e	798
radius (n, p) in fm	3.94	4.08
$\gamma_{\text{n,p}}^2$ (MeV · fm)	4.85	5.02
$\theta_{\text{n,p}}^2$	0.26	0.28
$\Gamma_\alpha(E_r)$ (keV, c.m.)	36 ^e	38
radius (α) in fm	4.39	4.39
γ_α^2 (MeV · fm)	0.101	0.101
θ_α^2	0.012	0.012

^a These states are believed to have a ${}^4\text{P}_{5/2}$ character, consistent with their large θ_n^2 and θ_p^2 ([1959GA08](#), [1963MC09](#)).

^b ([1959GA08](#)). See also ([1972ME17](#)).

^c ([1963MC09](#)).

^d 245 keV ([1974PO07](#)), 241 keV ([1977BR21](#)), 244.5 ± 1.0 keV ([1977SM1B](#)), 240 keV [see ([1978RE1B](#))].

^e $\Gamma_n = 107$ keV, $\Gamma_\alpha = 43$ keV ([1974FO1B](#), abstract).

$E_n = 2.8$ MeV ($\Gamma_n = 3.5$ MeV) and a $\frac{3}{2}^-$ state at $E_n = 3.5$ MeV ($\Gamma = 7.3$ MeV) ([1975HO01](#)). The coherent scattering length (thermal, bound) is $1.8 \pm 0.25i$ fm ([1973MU14](#)). The spin dependent capture cross section of slow neutrons ($\lambda = 1.074$ Å) is -1170 ± 50 b and the spin dependent scattering length is $(-0.38 \pm 0.05) \times 10^{-12}$ cm ([1978GL01](#)). For angular distributions see ${}^6\text{Li}$ and ([1974HY01](#): σ_{el} at 14.1 MeV).

The excitation function for 3.56 MeV γ -rays exhibits an anomaly, also seen in the (n, p) reaction (reaction 8). The data are well fitted assuming $E_{\text{res}} = 3.50$ and 4.60 MeV [$E_x = 10.25 \pm 0.10$ and 11.19 ± 0.05 MeV], $T = \frac{1}{2}$ and $\frac{3}{2}$, $\Gamma_{\text{c.m.}} = 1.40 \pm 0.10$ and 0.27 ± 0.05 MeV, respectively. Both states have $J^\pi = \frac{3}{2}^-$. The reduced widths for the $T = \frac{3}{2}$ state [${}^7\text{Li}^*(11.19)$] are $\theta_n^2 = 2 \times 10^{-4}$, $\theta_{n'}^2 = 0.16$ [to ${}^6\text{Li}^*(3.56)$] and $\theta_p^2 = 0.09$ ([1969PR04](#)). However, an R -matrix study of ${}^4\text{He}(t, t)$, ${}^6\text{Li}(n, n)$, and ${}^6\text{Li}(n, \alpha)$ data leads to the identification of a $\frac{3}{2}^-$ state at $E_x = 9.85$ MeV, $\Gamma = 1.2$ MeV. The width of ${}^7\text{Li}^*(9.67)$ is 0.4 MeV and there is preliminary evidence for a $\frac{3}{2}^+$ state at 9.5 MeV, $\Gamma = 3.7$ MeV (G.M. Hale, private communication). A broad resonance is suggested at $E_n = 11$ MeV in elastic and inelastic differential cross sections. It would correspond to a state at $E_x = 17$ MeV ([1977NEZX](#); abstract): see also reaction 3 in ${}^7\text{Be}$.

For other measurements see (1974AJ01). See also (1976KN1D, 1978LI1C), (1976LA1C) and (1974TE1B, 1976HA1G, 1977GU04, 1978MA37, 1978ST05; theor.).

$$8. \text{}^6\text{Li}(n, p)\text{}^6\text{He} \qquad Q_m = -2.725 \qquad E_b = 7.251$$

The excitation function, measured from threshold to $E_n = 8.9$ MeV, exhibits an anomaly at $E_n = 4.6$ MeV (1969PR04). The excitation function, at forward angles, of p_0 is approximately constant for $E_n = 4.4$ to 7.25 MeV (1977RO01). See also ${}^6\text{He}$, (1977RI07: $E_n = 800$ MeV) and (1974BO1E, 1976GO12, 1976SL2A).

$$9. \text{}^6\text{Li}(n, d)\text{}^5\text{He} \qquad Q_m = -2.37 \qquad E_b = 7.251$$

The excitation function, at forward angles, of deuterons increases monotonically for $E_n = 5.4$ to 6.8 MeV (1977RO01). See also (1976SL2A) and ${}^5\text{He}$.

$$10. \text{}^6\text{Li}(n, 2n)\text{}^5\text{Li} \qquad Q_m = -5.66 \qquad E_b = 7.251$$

See (1974KO35, 1976GO12).

$$11. \text{}^6\text{Li}(n, \alpha)\text{}^3\text{H} \qquad Q_m = -4.7839 \qquad E_b = 7.251$$

The isotopic thermal cross section is 940 ± 4 b: see (1973MU14). Below 5 keV, the total cross section is given by $\sigma = (149.5/\sqrt{E})$ (eV) + 0.696 b (1970SO1A).

A resonance occurs at $E_n = 245$ keV, with $\sigma_{\max} = 3.0 \pm 0.1$ b (1974PO07), [$E_n \approx 240$ keV, $\sigma_{\max} = 3.36 \pm 0.06$ b: see (1978RE1B)]. [From a study of the inverse reaction, (1977BR21) find $\sigma_{\max} = 3.15$ b at $E_n = 241$ keV.] The resonance is formed by p-waves, $J^\pi = \frac{5}{2}^-$ and has a large neutron width and a small α -width: see Table 7.4 (1959GA08). Above the resonance the cross section decreases monotonically to $E_n = 18$ MeV, except for a slight bump near $E_n \approx 1.8$ MeV: see (1976GAYV, 1978SA19). An S -matrix analysis of the ${}^6\text{Li}(n, t)$ reaction to 3.9 MeV suggests that the first $\frac{3}{2}^-$ excited state of ${}^7\text{Li}$ is located at ≈ 8.87 MeV, $\Gamma = 1.42$ MeV (1978SA19): see, however, reaction 7. See also (1974LE30).

Angular distributions have been measured at many energies: see (1974AJ01) and (1974OV01: 0.1 to 1.8 MeV; also yield) and (1977RO01: 4.71 to 7.25 MeV; and excitation curve at 0° for $E_n = 4.4$ to 7.25 MeV). Cross-section measurements have been reported in abstracts or other preliminary forms by (1974CO1A: $E_n = 1$ to 500 keV), (1976LA1E: 3 to 600 keV), (1975FR1B, 1975FR1C: 3 to 1500 keV), (1976LAZU: 10 to 500 keV), (1974FO1B: 20 to 1700 keV), (1974PO1C: 30 to

600 keV), (1978RE1B: 80 to 470 keV), (1974ST1E, 1975ST1D, 1975ST1E: 964 keV), (1974BA1K, 1974BA1L, 1975BA1M: 2.2 to 9.7 MeV) and (1976BA1K: 10 to 14 MeV). See also (1975HO01).

(1976RA1D; preliminary results) have studied the $(n, \alpha)/(n, t)$ ratio at 0° and 180° for $E_n = 0.5$ eV to 25 keV. This ratio is not equal to 1 above 10 eV: it is suggested that the anisotropy arises from interference between the p-wave resonance at 0.25 MeV and the s-wave contributions which account for the large $1/v$ cross section for this reaction. See also (1975SC1G).

Polarization measurements are reported by (1977KA06) for $E_n = 0.2$ to 2.4 MeV: the data suggest interference between s-waves and the p-wave resonance at 0.25 MeV. Interference between this $\frac{5}{2}^-$ state and a broad $\frac{3}{2}^-$ state 2 MeV higher also appears to contribute. At the higher energies A_y is close to +0.9 near 90° and varies slowly with E_n (1977KA06).

See also (1975SC1J), (1973LI1E, 1974ST1D, 1975HA1H, 1975TA1B, 1978BO1F, 1978PI1A; applied), (1974FO1C, 1974ST1F, 1974TS1A, 1976FO1C, 1976LI1H, 1976SL2A; reviews) and (1974HA1D, 1975HA1G, 1975HA1L, 1976HA1G, 1976HA1H, 1977GU04, 1977LO1C; theor.).

$$12. \text{}^6\text{Li}(p, \pi^+)\text{}^7\text{Li} \quad Q_m = -133.099$$

At $E_p = 600$ MeV, the reaction preferentially excites ${}^7\text{Li}^*(4.63)$. ${}^7\text{Li}^*(0, 0.48, 6.68, 7.46)$ are also populated. Angular distributions have been obtained for the pions to ${}^7\text{Li}^*(0, 0.48, 4.63)$. The $T = \frac{3}{2}$ state at $E_x = 11.24$ MeV is not observed [$d\sigma/d\Omega (10^\circ) < 40$ nb/sr] (1977BA37). See also (1977HO1B).

$$\begin{aligned} 13. \text{(a) } & \text{}^6\text{Li}(d, p)\text{}^7\text{Li} & Q_m &= 5.026 \\ \text{(b) } & \text{}^6\text{Li}(d, np)\text{}^6\text{Li} & Q_m &= -2.22463 \\ \text{(c) } & \text{}^6\text{Li}(d, pt)\text{}^4\text{He} & Q_m &= 2.5592 \end{aligned}$$

Angular distributions of proton groups have been measured for $E_d = 1$ to 15 MeV [see (1966LA04, 1974AJ01)] and at $E_d = 0.118$ to 0.975 MeV (1977EL09; p_0, p_1) and 0.49 to 3.44 MeV (1974MCZS, 1975MC02; p_0, p_1). In addition to ${}^7\text{Li}^*(0, 0.48)$ states with $E_x = 4.630 \pm 0.009$ and 7.464 ± 0.010 MeV, $\Gamma_{c.m.} = 93 \pm 8$ and 91 ± 8 keV are reported (1957BR97, 1960HA14). Ratios of observed θ_n^2 [see Table 7.3 in (1966LA04)] are consistent with assignments ${}^{22}\text{P}$ to ${}^7\text{Li}^*(0, 0.48)$ and ${}^{24}\text{P}$ to ${}^7\text{Li}^*(7.46)$ (1960HA14, 1960MA32); $S = 0.90$ and 1.15 for ${}^7\text{Li}^*(0, 0.48)$ (1967SC29: DWBA analysis). ${}^7\text{Li}^*(0.48)$ has $J = \frac{1}{2}$ since the angular correlation between p_1 and the 0.48 MeV γ -rays is isotropic: see (1955AJ61).

A kinematically complete study of reaction (b) at $E_d = 10$ MeV shows pronounced FSI via ${}^7\text{Li}^*(7.46)$ and possibly ${}^7\text{Li}^*(9.6)$ [$\Gamma = 0.5 \pm 0.1$ MeV] (1971VO07). Reaction (c) strongly involves ${}^7\text{Li}^*(4.63, 7.46)$ (1977MI13; $E_d = 7.5 \rightarrow 10.5$ MeV). See also (1974MI10). See also ${}^8\text{Be}$, (1977GL05, 1977TE1A) and (1975KU27, 1976KU07; theor.).

14. ${}^6\text{Li}(t, d){}^7\text{Li}$ $Q_m = 0.993$

See (1974AJ01).

15. ${}^6\text{Li}(\alpha, {}^3\text{He}){}^7\text{Li}$ $Q_m = -13.327$

Not reported.

16. (a) ${}^6\text{Li}({}^6\text{Li}, p\alpha){}^7\text{Li}$ $Q_m = 3.552$

(b) ${}^6\text{Li}({}^9\text{Be}, {}^8\text{Be}){}^7\text{Li}$ $Q_m = 5.585$

See ${}^{12}\text{C}$ in (1975AJ02) for reaction (a) and ${}^8\text{Be}$, reaction 34 for reaction (b).

17. ${}^7\text{Li}(\gamma, \gamma){}^7\text{Li}$

See Table 7.4 in (1966LA04) [summary of early measurements] for τ_m of ${}^7\text{Li}^*(0.48) = 0.107 \pm 0.005$ psec.

18. (a) ${}^7\text{Li}(\gamma, n){}^6\text{Li}$ $Q_m = -7.251$

(b) ${}^7\text{Li}(\gamma, 2n){}^5\text{Li}$ $Q_m = -12.91$

(c) ${}^7\text{Li}(\gamma, p){}^6\text{He}$ $Q_m = -9.975$

(d) ${}^7\text{Li}(\gamma, pn){}^5\text{He}$ $Q_m = -11.84$

(e) ${}^7\text{Li}(\gamma, d){}^5\text{He}$ $Q_m = -9.62$

(f) ${}^7\text{Li}(\gamma, t){}^4\text{He}$ $Q_m = -2.467$

(g) ${}^7\text{Li}(\gamma, pt){}^3\text{H}$ $Q_m = -22.281$

The total photoneutron cross section rises sharply from 10 MeV to reach a broad plateau at about 15 mb from 14 to 20 MeV, decreases more slowly to about 0.5 mb at 25 MeV and then decreases further to about 0.3 mb at $E_\gamma = 30$ MeV (1976BE1H; monoenergetic photons): there are indications of weak structure throughout the entire region. See also (1975BE1F, 1975BE60). (1977FE05; bremsstrahlung) report differential cross sections for n_{0+1} , n_0 and n_1 , for $E_\gamma = 7$ to 25 MeV. The integrated cross section to 23 MeV is 39 ± 4 MeV · mb for the n_0 transition and 17 ± 4 MeV · mb for the n_1 transition: together these account for 0.4 of the exchange augmented dipole sum of ${}^7\text{Li}$ (1977FE05).

The cross section for the (γ, p) reaction (reaction (c)) shows a maximum at ≈ 15.6 MeV with a width of ≈ 4 MeV: see (1974AJ01). The total cross sections at $E_\gamma = 60$ and 80 MeV for the p_{0+1} groups are, respectively, $43.8 \pm 1.2 \mu\text{b}$ and $11.4 \pm 0.4 \mu\text{b}$. Angular distributions have also been measured (1976MA34). See also (1974DE52, 1974GO04, 1976MUZW) and ${}^6\text{He}$. For polarization of the protons see (1969AN20, 1970TO09).

Reaction (e) has been studied in the giant resonance reaction with $E_{\text{bs}} \lesssim 30$ MeV. Deuteron groups to ${}^5\text{He}_{\text{g.s.}}$ and possibly to the first excited state are reported. States of ${}^7\text{Li}$ with $E_x = 25 - 30$ MeV may be involved when $E_{\text{bs}} = 37$ to 50 MeV is used (1975DE37).

A number of peaks have been reported in reaction (f): see Table 7.5 in (1966LA04): see, however, (1977LE02). See also (1977JU1A). For reaction (g) see (1973KO30). (1974AH03, 1975AH06) have measured the total nuclear photon absorption cross section for *natural* Li from 10 to 210 MeV: some broad structures are observed. For pion production see (1974GO04, 1975AH06). See also (1974BU1A, 1975BR1F, 1977DA1B) and (1978OC1B; theor.).

19. (a) ${}^7\text{Li}(e, e'){}^7\text{Li}^*$
 (b) ${}^7\text{Li}(e, \text{ep}){}^6\text{He}$ $Q_{\text{m}} = -9.975$
 (c) ${}^7\text{Li}(e, \text{et}){}^4\text{He}$ $Q_{\text{m}} = -2.467$
 (d) ${}^7\text{Li}(e, e\pi^+){}^7\text{He}$ $Q_{\text{m}} = -150.77$

The electric form factor measurements for $E_e = 100$ to 600 MeV are well accounted for by a simple harmonic oscillator shell model with a quadrupole contribution described by an undeformed p-shell: $R_{\text{rms}} = 2.39 \pm 0.03$ fm, $|Q| = 42 \pm 2.5$ mb (1967SU1A). From results obtained for $E_e = 24.14$ to 97.19 MeV, $R_{\text{rms}} = 2.35 \pm 0.10$ fm (model independent), 2.29 \pm 0.04 fm (shell model) (1972BU01). A study of the ratio of the electric charge scattering from ${}^6\text{Li}$ and from ${}^7\text{Li}$ as a function of (momentum transfer)² yields $\langle r^2 \rangle_6^{1/2} / \langle r^2 \rangle_7^{1/2} = 1.001 \pm 0.008$. The rms radius of the ground state magnetization density distribution, $\langle r^2 \rangle_{\text{M}}^{1/2} = 2.98 \pm 0.05$ fm. From the ratio of transverse inelastic and elastic cross sections at 180° , $B(\text{M}1\uparrow; 0.48) = 2.50 \pm 0.12 \mu_{\text{N}}^2$. The cross section for the longitudinal excitation of ${}^7\text{Li}^*(0.48)$ has been found from the scattering through angles of 90° to 150° , $B(\text{C}2\uparrow; 0.48) = 7 \pm 4 \text{ fm}^4$. The harmonic oscillator length parameter of the 1p shell is found to be $a_{1\text{p}} = 1.90 \pm 0.03$ fm (1971VA20).

The magnetic form factor has been measured for $E_e = 70$ to 200 MeV. The ratio of the magnetic octupole moment to the dipole moment $\Omega/\mu = 2.30 \pm 0.50 \text{ fm}^2$ (1966RA29).

Inelastic scattering studies show peaks corresponding to ${}^7\text{Li}^*(0, 0.48, 4.63, 6.68, 7.46, 11.24)$: see (1974AJ01) and Table 7.5. At $E_e = 700$ MeV the proton separation spectra (reaction (b)) are similar to those observed in (p, 2p) (1978NA05). See also (1973AN31, 1973KU19). For reaction (c) see (1977LE02). For pion production (reaction (d)) see (1977SH1C).

See also (1973BI1A, 1974DE1E, 1975FA1A) and (1973GA19, 1973HO1A, 1974BE10, 1974GR24, 1974KU06, 1974NA23, 1975GR26, 1975JA1B, 1976DU05, 1977KU12; theor.).

Table 7.5: Levels of ${}^7\text{Li}(e, e'){}^7\text{Li}^*$ ^a

E_x (MeV)	$J^\pi; T$	Γ_{γ_0} (eV)	Type	$\Gamma_{\gamma_0}/\Gamma_W$	Refs.
0.48	$\frac{1}{2}^-; \frac{1}{2}$	$(2.8 \pm 1.6) \times 10^{-7}$	E2	18	(1971VA20)
		$(6.30 \pm 0.31) \times 10^{-3}$	M1	2.8	(1971VA20)
4.63 ± 0.05	$\frac{7}{2}^-; \frac{1}{2}$		E2 ^c		(1963BE26, 1963BE53, 1969HU05)
6.6 ± 0.1 ^b	$\frac{5}{2}^-; \frac{1}{2}$		E2		(1969HU05)
7.5 ± 0.08	$\frac{5}{2}^-; \frac{1}{2}$	0.6 ± 0.3	E2		(1963BA19, 1963BE26)
		0.9 ± 0.4			(1964GR40) ^d

^a For a summary of $B(E2\uparrow)$ measurements, see Table 7.6 in (1966LA04) and ${}^7\text{Li}$, the “GENERAL” section.

^b $\Gamma_{\text{c.m.}} = 875_{-100}^{+200}$ keV (1969HU05).

^c Purely longitudinal (1969HU05).

^d From ${}^7\text{Li}(\gamma, n)$.

20. (a) ${}^7\text{Li}(n, n'){}^7\text{Li}^*$

(b) ${}^7\text{Li}(n, nt){}^4\text{He}$ $Q_m = -2.467$

(c) ${}^7\text{Li}(n, nd){}^5\text{He}$ $Q_m = -9.62$

Angular distributions of neutron groups have been measured at $E_n = 1.5$ to 14 MeV [see (1966LA04, 1974AJ01)] and at $E_n = 2.3$ and 2.8 MeV (1978KN1D; n_0, n_1), 4.0 to 7.5 MeV (1976KN1D, 1976LA1C; n_{0+1}), 7 to 13 MeV (1976BI1B, 1976GL1A; n_{0+1}, n_2), 14.1 MeV (1974HY01; n_{0+1}, n_2 ; 1977HO31; n_{0+1}) and 14.6 MeV (1976MI1C; n_{0+1}). Reaction (b) at $E_n = 14.4$ MeV proceeds primarily via ${}^7\text{Li}^*(4.63)$ although some involvement of ${}^7\text{Li}^*(6.68)$ may also occur (1974AN02). See also (1976RI1A). For reaction (c) see (1978RI02) and reaction 12 in ${}^6\text{Li}$. See also ${}^8\text{Li}$, (1974TU1A, 1977KN1B) and (1977HO1A; theor.).

21. (a) ${}^7\text{Li}(p, p'){}^7\text{Li}^*$

(b) ${}^7\text{Li}(p, 2p){}^6\text{He}$ $Q_m = -9.975$

(c) ${}^7\text{Li}(p, pn){}^6\text{Li}$ $Q_m = -7.251$

(d) ${}^7\text{Li}(p, pd){}^5\text{He}$ $Q_m = -9.62$

(e) ${}^7\text{Li}(p, p\alpha){}^3\text{H}$ $Q_m = -2.467$

(f) ${}^7\text{Li}(p, p2d){}^3\text{H}$ $Q_m = -26.295$

(g) ${}^7\text{Li}(p, d^3\text{He}){}^3\text{H}$ $Q_m = -20.820$

Angular distributions of protons (reaction (a)) have been measured for $E_p = 49.8$ to 155 MeV [see (1974AJ01) – the listing in that review includes a number of unpublished references]. Inelastic

proton groups have been observed corresponding to ${}^7\text{Li}^*(0.48, 4.63, 6.68, 7.46)$ [see (1952AJ38)] as well as to states at $E_x = 5.5 \pm 0.3$ ($\Gamma \approx 0.4$ MeV) and 9.6 ± 0.2 MeV (1965HA17). The width of ${}^7\text{Li}^*(6.7)$ is ≈ 1 MeV (1965HA17). $\tau_m(0.48) = 106 \pm 14$ fsec (1966PA11): see also Table 7.4 in (1966LA04) and (1976DO10: 73 ± 6 fsec). Analysis of the 155 MeV data yields $B(E2\uparrow) = 10.5 \pm 2, 28 \pm 6$ and 4.5 ± 2.3 fm⁴ for ${}^7\text{Li}^*(0.48, 4.63, 6.68)$; $\Gamma(E2\downarrow) = 0.43, 0.025$ and 0.029 μeV (1965JA1A).

A comparison of σ_t for ${}^7\text{Li}(p, p'){}^7\text{Li}^*(0.48)$ and ${}^7\text{Li}(p, n){}^7\text{Be}^*(0.43)$ has been carried out for $E_p = 23$ to 52 MeV: the spin-flip, isospin-flip part of the effective interaction is approximately independent of energy while the pure central part appears to decrease with increasing energy (1967LO07). See also (1974JA1F, 1975LE18, 1977ST04; theor.).

For reaction (b) see (1976BH02, 1977MC1F, 1977RO1E, 1978CH1H, 1978CH1K), (1975JA1B, 1975JA1C; theor.) and ${}^6\text{He}$. For reaction (c) see (1977WA05) and (1974AV02; theor.). For reactions (d, e, f) see (1974CH1J, 1975CH1B). See also (1975SA01; theor.). Reaction (e) proceeds sequentially via ${}^7\text{Li}^*(4.63, 6.68)$ (1970JA17). At $E_p = 100$ MeV, (1977RO02) find $S_\alpha = 0.94 \pm 0.05$, using a DWIA analysis. This value is very close to that predicted by simple LS coupling shell model predictions (1977RO02). See also (1975AN1D: $E_p = 600$ MeV) and (1975RO1B, 1978DE1J). Comparison of the data of reaction (g), at $E_p = 100$ MeV, with the (p, p α) work of (1977RO02) and DWIA indicates a dominance of the quasi-free reaction process $p + \alpha \rightarrow d + {}^3\text{He}$. The derived S_α , in this work, is 1.09 ± 0.11 (1977CO07).

22. ${}^7\text{Li}(d, d'){}^7\text{Li}^*$

Angular distributions have been reported for $E_d = 11.8$ to 28 MeV [see (1974AJ01)] and at $E_d = 1.0$ to 2.6 MeV (1974LO10: d_0) and 3 to 10 MeV (1976AB11; d_0). See also (1974CH58; theor.) and ${}^9\text{Be}$.

23. ${}^7\text{Li}({}^3\text{He}, {}^3\text{He}){}^7\text{Li}$

Angular distributions have been measured at $E({}^3\text{He}) = 11$ MeV (1970SC23; elastic). [Other papers quoted in (1974AJ01) have not been published.] At $E({}^3\text{He}) = 37.5$ MeV, the three-body final states which are most strongly populated are the ${}^3\text{He} + \alpha + t$ and ${}^3\text{He} + d + {}^5\text{He}$ branches. Detection of ${}^3\text{He}$ - t coincidences lead to a most probable momentum for the spectator α -particle of 60 MeV/ c ; the d - ${}^3\text{He}$ breakup results suggest the unlikelihood of deuteron clusters in ${}^7\text{Li}$ (1976WA12).

24. (a) ${}^7\text{Li}(\alpha, \alpha'){}^7\text{Li}^*$

(b) ${}^7\text{Li}(\alpha, 2\alpha){}^3\text{H}$ $Q_m = -2.467$

Angular distributions (reaction (a)) have been reported for $E_{\alpha} = 3.6$ to 29.4 MeV: see (1974AJ01). Reaction (b) has been studied at $E_{\alpha} = 25$ to 64.3 MeV: see (1974AJ01) and (1974MA49). ${}^7\text{Li}^*(4.63)$ is strongly involved in the sequential decay. The population of ${}^7\text{Li}^*(7.46)$ is reported by (1970LA14). See also (1975GR41, 1975VO1B) and (1974BE1J, 1974KA32, 1974KU1A, 1975MI09, 1977BE51, 1977NI1A, 1977SA22; theor.).

25. ${}^7\text{Li}({}^7\text{Li}, {}^7\text{Li}){}^7\text{Li}$

The elastic angular distribution has been studied for $E({}^7\text{Li}) = 4.0$ to 6.5 MeV (1966PI02). See also (1978NO08).

26. ${}^7\text{Li}({}^9\text{Be}, {}^9\text{Be}){}^7\text{Li}$

The elastic angular distribution has been measured at $E({}^7\text{Li}) = 34$ MeV (1977KE09).

27. ${}^7\text{Li}({}^{10}\text{B}, {}^{10}\text{B}){}^7\text{Li}$

See ${}^{10}\text{B}$.

28. (a) ${}^7\text{Li}({}^{12}\text{C}, {}^{12}\text{C}){}^7\text{Li}$
 (b) ${}^7\text{Li}({}^{13}\text{C}, {}^{13}\text{C}){}^7\text{Li}$

The elastic scattering has been studied at $E({}^7\bar{\text{Li}}) = 9$ MeV (1978DR07) and $E({}^7\text{Li}) = 4.5$ to 13 MeV (1976PO02), 20 MeV (1969BE90) [on ${}^{13}\text{C}$] and at 34 [${}^{13}\text{C}$] and 36 [${}^{12}\text{C}$] MeV (1973SC26). The inelastic scattering angular distributions involving ${}^7\text{Li}_{0.48}^* + {}^{12}\text{C}_{\text{g.s.}}$ and ${}^7\text{Li}_{0.48}^* + {}^{12}\text{C}_{4.43}^*$ have been measured at $E({}^7\text{Li}) = 36$ MeV (1973SC26). See also ${}^{12}\text{C}$ in (1975AJ02) and ${}^{13}\text{C}$ in (1976AJ04).

29. ${}^7\text{Li}({}^{16}\text{O}, {}^{16}\text{O}){}^7\text{Li}$

See Table 16.25 in (1977AJ02) and (1976PO02: $E({}^7\text{Li}) = 9.0$ and 13.0 MeV).

30. ${}^7\text{Li}({}^{20}\text{Ne}, {}^{20}\text{Ne}){}^7\text{Li}$

The elastic angular distribution has been measured at $E(^7\text{Li}) = 36 \text{ MeV}$ (1976CO23).

31. $^7\text{Be}(\epsilon)^7\text{Li}$ $Q_m = 0.862$

The decay proceeds to the ground and 0.48 MeV states. The branching ratio to $^7\text{Li}^*(0.48)$ is $(10.32 \pm 0.16)\%$ (1962TA11), $(10.42 \pm 0.18)\%$ (1973PO10), $(10.35 \pm 0.8)\%$ (1974GO26). The weighted mean of the half-life is $53.29 \pm 0.07 \text{ d}$, including a recent value of $53.17 \pm 0.07 \text{ d}$ (1975LA16). See also (1974CR05). Both transitions are superallowed. $\log ft = 3.32$ and 3.55 for the decays to $^7\text{Li}^*(0, 0.48)$ respectively (M.J. Martin, Nuclear Data Project, private communication).

The energy of the γ -ray is $477.593 \pm 0.012 \text{ keV}$ (1971HE20) [$E_x = 477.611 \pm 0.012 \text{ keV}$]. A measurement of the bremsstrahlung spectrum to $^7\text{Li}^*(0.48)$ measured in coincidence with the 478 keV γ -ray leads to a transition of energy of $388 \pm 8 \text{ keV}$ (1972PE05).

See also (1974SA1J), (1974AJ01), (1974VA1C, 1975UL1A; astrophys.) and (1974CH46, 1974KU06, 1975KR14, 1976KU07, 1977AZ02, 1978CH12, 1978SA18; theor.).

32. $^9\text{Be}(\gamma, d)^7\text{Li}$ $Q_m = -16.696$

See ^9Be .

33. $^9\text{Be}(\pi^-, 2n)^7\text{Li}$ $Q_m = 119.864$

The capture of stopped pions has been studied in a kinematically complete experiment by (1977BA51): $^7\text{Li}^*(0, 0.48)$ are weakly populated. Two large peaks are attributed to the excitation of $^7\text{Li}^*(7.46, 10.25)$ [see, however, reaction 11]. The recoil momentum distributions corresponding to these peaks are rather similar and both indicate a strong $L = 0$ component (1977BA51).

34. $^9\text{Be}(n, t)^7\text{Li}$ $Q_m = -10.439$

Angular distributions of the t_0 and t_1 groups are reported at $E_n = 13.99 \text{ MeV}$ (1974PE06). See also (1976DI13, 1977RO01) and ^{10}Be .

35. (a) $^9\text{Be}(p, ^3\text{He})^7\text{Li}$ $Q_m = -11.202$

(b) $^9\text{Be}(p, pd)^7\text{Li}$ $Q_m = -16.696$

At $E_p = 43.7$ MeV angular distributions have been obtained for the ^3He particles corresponding to $^7\text{Li}^*(0, 0.48, 4.63, 7.46)$. The 7.46 MeV state is strongly excited while the mirror state in ^7Be is not appreciably populated in the mirror reaction (see reaction 17 in ^7Be). The angular distribution indicates that the transition to $^7\text{Li}^*(7.46)$ involves both $L = 0$ and 2, with a somewhat dominant $L = 0$ character (1966CE05). The $J^\pi = \frac{3}{2}^-$, $T = \frac{3}{2}$ state is located at $E_x = 11.28 \pm 0.04$ MeV, $\Gamma = 260 \pm 50$ keV (1967MC14). See also (1975HA1K) in reaction 17, ^7Be . For reaction (b) see ^9Be .

36. (a) $^9\text{Be}(d, \alpha)^7\text{Li}$ $Q_m = 7.151$
 (b) $^9\text{Be}(d, t)^4\text{He}^4\text{He}$ $Q_m = 4.684$

Angular distributions have been measured for $E_d = 0.4$ to 27.5 MeV [see (1966LA04, 1974AJ01)] and at $E_d = 0.20$ to 0.50 MeV (1973SZ07; α_0, α_1), 0.22 to 2.50 MeV (1974CH1L; α_0, α_1), 0.6 to 2.2 MeV (1974FR02; α_0, α_1), 0.9 to 2.5 MeV (1976BO45; α_0, α_1), 2.25 to 3.1 MeV (1977SL02; α_0, α_1) and 12.35 and 14.06 MeV (1978TA04; $\alpha_0, \alpha_1, \alpha_2, \alpha_4$). A study at $E_d = 11$ MeV finds $\Gamma_{\text{c.m.}} = 93 \pm 25$ and 80 ± 20 keV, respectively, for $^7\text{Li}^*(4.63, 7.46)$. No evidence was observed for $^7\text{Li}^*(5.5, 8.6, 9.7, 12.5)$ or for the $T = \frac{3}{2}$ state $^7\text{Li}^*(11.25)$ (1966HA09). In a kinematically complete study of reaction (b) at $E_d = 26.3$ MeV, $^7\text{Li}^*(4.6, 6.5 + 7.5, 9.4)$ are strongly excited. No sharp α -decaying states of ^7Li are observed with $10 < E_x < 25$ MeV. Parameters for $^7\text{Li}^*(9.7)$ are $E_x = 9.36 \pm 0.05$ MeV, $\Gamma = 0.8 \pm 0.2$ MeV (1973SO08). See also ^8Be , ^{11}B in (1980AJ01) and (1974SO1C).

37. $^9\text{Be}(t, ^5\text{He})^7\text{Li}$ $Q_m = 0.096$

See (1975VO08).

38. $^9\text{Be}(^3\text{He}, \alpha p)^7\text{Li}$ $Q_m = 1.657$

See (1974AJ01).

39. (a) $^9\text{Be}(^6\text{Li}, ^8\text{Be})^7\text{Li}$ $Q_m = 5.585$
 (b) $^9\text{Be}(^6\text{Li}, 2\alpha)^7\text{Li}$ $Q_m = 5.677$

Angular distributions have been studied (reaction (a)) for $E(^6\text{Li}) = 5.5$ and 6.5 MeV to $^7\text{Li}^*(0, 0.48)$ (1974VO06). See ^{11}B in (1975AJ02) for reaction (b).

40. $^{10}\text{Be}(p, \alpha)^7\text{Li}$ $Q_m = 2.563$

See (1976EP1A; astrophysics).

41. (a) $^{10}\text{B}(n, \alpha)^7\text{Li}$ $Q_m = 2.790$

(b) $^{10}\text{B}(n, t)^4\text{He}^4\text{He}$ $Q_m = 0.3233$

Angular distributions have been studied at $E_n = 0.2$ to 1.25 MeV (1976SE06; α_0, α_1), 13.9 MeV (1978MO09; α_{0+1}, α_2) and 14.4 MeV (1969AN25; α_{0+1}, α_2). $\tau_m(0.48) = 92 \pm 11$ fsec (1967CA02). See also (1974ST1C, 1974TU1A, 1975LA08, 1978ST1H), ^{11}B in (1975AJ02) and (1974HA1D, 1975MU1A, 1978BI1E, 1978DU1E; applications).

42. $^{10}\text{B}(\alpha, ^7\text{Be})^7\text{Li}$ $Q_m = -16.202$

See reaction 20 in ^7Be .

43. $^{11}\text{B}(\gamma, \alpha)^7\text{Li}$ $Q_m = -8.665$

See ^{11}B in (1975AJ02).

44. $^{11}\text{B}(p, p\alpha)^7\text{Li}$ $Q_m = -8.665$

See (1964BA1C).

45. (a) $^{11}\text{B}(\alpha, 2\alpha)^7\text{Li}$ $Q_m = -8.665$

(b) $^{11}\text{B}(\alpha, ^8\text{Be})^7\text{Li}$ $Q_m = -8.757$

For reaction (a) see (1974AJ01). Angular distributions have been measured at $E_\alpha = 28.4$ and 29.0 MeV (1968KA24: to $^7\text{Li}^*(0, 0.48)$ and $^8\text{Be}^*(0, 2.9)$) and at 65 MeV (1976WO11: $^7\text{Li}^*(0, 4.63)$). The angular distributions are quite featureless (1976WO11). At $E_\alpha = 65$ and 72.5 MeV $^7\text{Li}^*(0, 4.64 \pm 0.03)$ are very strongly populated while $^7\text{Li}^*(0.48, 6.68, 7.46)$ are weakly excited (1973WO06, 1974WO1C, 1976WO11). See also (1974WO1D) and (1973SC1B).

46. $^{11}\text{B}(\text{d}, ^6\text{Li})^7\text{Li}$ $Q_{\text{m}} = -7.192$

At $E_{\text{d}} = 19.5$ MeV angular distributions have been measured for the transitions to $^6\text{Li}(0)$ and $^7\text{Li}^*(0, 0.48)$ (1971GU07). See also (1974AJ01).

47. $^{11}\text{B}(^{16}\text{O}, ^{20}\text{Ne})^7\text{Li}$ $Q_{\text{m}} = -3.934$

See reaction 4 in ^{20}Ne (1978AJ03).

48. $^{12}\text{C}(\text{d}, ^7\text{Be})^7\text{Li}$ $Q_{\text{m}} = -17.542$

At $E_{\text{d}} = 39.8$ MeV, angular distributions have been measured for the transitions to $^7\text{Li}(0) + ^7\text{Be}(0)$, $^7\text{Li}^*(0.48) + ^7\text{Be}(0)$, $^7\text{Li}(0) + ^7\text{Be}^*(0.43)$, and $^7\text{Li}^*(0.48) + ^7\text{Be}^*(0.43)$. Asymmetries exceeding 20% are observed in the ratio of the cross sections to $^7\text{Li}(0)$ and $^7\text{Be}(0)$ (1971YO06). See also (1974VA1A).

49. $^{12}\text{C}(^3\text{He}, ^8\text{B})^7\text{Li}$ $Q_{\text{m}} = -22.899$

See (1971DE37). See also (1975PA11; theor.).

50. $^{12}\text{C}(^6\text{Li}, ^{11}\text{C})^7\text{Li}$ $Q_{\text{m}} = -11.471$

At $E(^6\text{Li}) = 36$ MeV, angular distributions have been obtained for the transitions involving $^7\text{Li}_{\text{g.s.}} + ^{11}\text{C}_{\text{g.s.}}$ and $^7\text{Li}_{0.48}^* + ^{11}\text{C}_{\text{g.s.}}$ (1973SC26).

51. $^{13}\text{C}(\text{p}, ^7\text{Be})^7\text{Li}$ $Q_{\text{m}} = -20.264$

At $E_{\text{p}} = 45.0$ MeV an angular distribution has been measured for the transition to $^7\text{Be}(0) + ^7\text{Li}(0)$ (1971BR07).

52. $^{13}\text{C}(\text{d}, ^8\text{Be})^7\text{Li}$ $Q_{\text{m}} = -3.589$

At $E_d = 14.6$ MeV, angular distributions are reported for the transitions to ${}^8\text{Be}(0)$ and ${}^7\text{Li}^*(0, 0.48)$ (1967DE03).

$$53. {}^{13}\text{C}({}^6\text{Li}, {}^{12}\text{C}){}^7\text{Li} \quad Q_m = 2.304$$

At $E({}^6\text{Li}) = 34$ MeV angular distributions have been measured for the transitions involving ${}^7\text{Li}_{\text{g.s.}} + {}^{12}\text{C}_{\text{g.s.}}$, ${}^7\text{Li}_{0.48}^* + {}^{12}\text{C}_{\text{g.s.}}$, ${}^7\text{Li}_{\text{g.s.}} + {}^{12}\text{C}_{4.4}^*$, and ${}^7\text{Li}_{0.48}^* + {}^{12}\text{C}_{4.4}^*$ (1973SC26).

$$54. {}^{14}\text{N}(n, 2\alpha){}^7\text{Li} \quad Q_m = -8.823$$

At $E_n = 14.1$ MeV, ${}^7\text{Li}^*(0, 0.48)$ are produced with about equal probability (1971SC16). At $E_n = 18.2$ MeV, ${}^7\text{Li}^*(4.63)$ may be involved (1976TU04, 1977TU1D).

$$55. {}^{14}\text{N}({}^6\text{Li}, {}^{13}\text{N}){}^7\text{Li} \quad Q_m = -3.303$$

See reaction 38 in ${}^{13}\text{N}$ (1976AJ04).

$$56. {}^{16}\text{O}(\alpha, {}^{13}\text{N}){}^7\text{Li} \quad Q_m = -22.566$$

See reaction 45 in ${}^{13}\text{N}$ (1976AJ04).

$$57. {}^{16}\text{O}({}^6\text{Li}, {}^{15}\text{O}){}^7\text{Li} \quad Q_m = -8.413$$

See reaction 30 in ${}^{15}\text{O}$ (1976AJ04).

$$58. \text{(a) } {}^{17}\text{O}(d, {}^{12}\text{C}){}^7\text{Li} \quad Q_m = -2.582$$

$$\text{(b) } {}^{18}\text{O}(d, {}^{13}\text{C}){}^7\text{Li} \quad Q_m = -5.680$$

$$\text{(c) } {}^{19}\text{F}(d, {}^{14}\text{N}){}^7\text{Li} \quad Q_m = -6.123$$

At $E_d = 14.6$ to 15.0 MeV, angular distributions have been measured for the transitions to ${}^{12}\text{C}(0) + {}^7\text{Li}^*(0, 0.48)$ [reaction (a)], ${}^{13}\text{C}(0) + {}^7\text{Li}^*(0, 0.48)$ [reaction (b)] and ${}^{14}\text{N}(0) + {}^7\text{Li}^*(0, 0.48)$ [reaction (c)] (1967DE03).

$$59. {}^{23}\text{Na}(e, e'){}^7\text{Li} + {}^{16}\text{O} \quad Q_m = -19.701$$

See (1978SA1F).

${}^7\text{Be}$
(Figs. 9 and 10)

GENERAL: (See also (1974AJ01).)

Nuclear models: (1974KA11).

Astrophysical question: (1973BA1H, 1973IB1A, 1973SM1A, 1973TR1C, 1973WE1D, 1974KO1C, 1974PA10, 1974RA09, 1974SH1D, 1975HO1C, 1975KI14, 1975SC1H, 1976BE1C, 1976BO1E, 1976CL1A, 1976CO1B, 1976FU1B, 1976GI1C, 1976HE15, 1976PE1A, 1976RA1C, 1976SI1C, 1976VI1A, 1977AU1B, 1977BA1V, 1977BI1E, 1977GA1C, 1977HA1L, 1977KO1J, 1977MO1E, 1977SC1D, 1977SI1D, 1978ME1D).

Electromagnetic transitions: (1974KU06, 1974MU1B, 1976KU07).

Special levels: (1974IR04, 1974KA11, 1976IR1B).

Applied work: (1976WI1B).

Special reactions: (1974BA70, 1974BO08, 1974DI16, 1974HA11, 1974KA22, 1974PA10, 1974PE1C, 1974RA09, 1974RA11, 1975FU01, 1975HO12, 1975HU10, 1975RA12, 1975RA14, 1975RA21, 1975RA25, 1975RE18, 1975RU09, 1975WI1D, 1975ZE01, 1975ZE03, 1976BE1K, 1976BO08, 1976BU16, 1976CU05, 1976DI01, 1976HE15, 1976HU1D, 1976IN04, 1976LE1F, 1976MA1D, 1976MI13, 1976OS04, 1976RA1C, 1976SI1D, 1976ST11, 1977AR06, 1977AS03, 1977BI1E, 1977GO07, 1977ST34, 1977ST1G, 1977YA1B, 1978BI08, 1978CU01, 1978DI04, 1978GE1C, 1978GR1F, 1978WE1D).

Reactions involving pions and kaons: (1975GI1B, 1976EN02, 1977AL21[†], 1977SP1B, 1977WA02, 1978WA02).

Other topics: (1974DA1B, 1974IR04, 1975PN1A, 1976IR1B).

Ground state properties of ${}^7\text{Be}$: (1975BE31).

Spectroscopic factors (1975HU10)

	P _{3/2}	P _{1/2}
${}^7\text{Be}_{\text{g.s.}}$	0.37	0.35
${}^7\text{Be}^*(0.43)$	0.95	0.00

1. ${}^7\text{Be}(\epsilon){}^7\text{Li}$ $Q_m = 0.862$

The decay is complex: see ${}^7\text{Li}$.

[†] Cross section for ${}^7\text{Li}(\pi^+, \pi^0){}^7\text{Be}$ to ${}^7\text{Be}^*(0, 0.43)$ for $E_\pi = 90$ to 210 MeV (1977AL21).

Table 7.6: Energy levels of ${}^7\text{Be}$

E_x (MeV \pm keV)	$J^\pi; T$	τ or $\Gamma_{\text{c.m.}}$	Decay	Reactions
g.s.	$\frac{3}{2}^-; \frac{1}{2}$	$\tau_{1/2} = 53.29 \pm 0.07$ d	ϵ	1, 2, 4, 5, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35
0.42920 ± 0.10	$\frac{1}{2}^-; \frac{1}{2}$	$\tau_m = 192 \pm 25$ fsec	γ	2, 5, 10, 11, 12, 14, 15, 16, 17, 18, 19, 21, 24, 25, 26, 27, 29, 32, 33, 34, 35
4.57 ± 50	$\frac{7}{2}^-; \frac{1}{2}$	$\Gamma = 175 \pm 7$ keV	${}^3\text{He}, \alpha$	3, 12, 14, 15, 16, 17, 18, 21
6.73 ± 100	$\frac{5}{2}^-; \frac{1}{2}$	1.2 MeV	p, ${}^3\text{He}, \alpha$	3, 9, 10, 14, 17
7.21 ± 60	$\frac{5}{2}^-; \frac{1}{2}$	$\lesssim 0.5$ MeV	p, ${}^3\text{He}, \alpha$	3, 6, 9, 10, 14, 17
9.27 ± 100	$\frac{7}{2}^-; \frac{1}{2}$		p, ${}^3\text{He}, \alpha$	3, 14
9.9	$\frac{3}{2}^-; \frac{1}{2}$	≈ 1.8 MeV	p, ${}^3\text{He}, \alpha$	3, 6
11.01 ± 30	$\frac{3}{2}^-; \frac{3}{2}$	320 ± 30	p, ${}^3\text{He}, \alpha$	3, 6, 14, 17
17	$\frac{1}{2}^-; \frac{1}{2}$	≈ 6.5 MeV	${}^3\text{He}$	3

 2. ${}^4\text{He}({}^3\text{He}, \gamma){}^7\text{Be}$

$$Q_m = 1.586$$

In the range $E_\alpha = 0.38$ to 5.80 MeV the cross section rises from 8×10^{-3} to $4 \mu\text{b}$ (1963PA12, 1969NA24). The capture proceeds mainly by E1, with both s- and d-waves contributing above $E_\alpha = 1$ MeV (1963TO06). The branching ratio γ_1/γ_0 [${}^7\text{Be}^*(0.43)/{}^7\text{Be}(0)$] is approximately constant at 37% for $E_\alpha = 0.57$ to 3.2 MeV (1963PA12, 1969NA24). The zero-energy intercept of the cross-section factor $S = 0.61 \pm 0.07$ keV \cdot b and $(dS/dE)_0 = -(5.8 \pm 0.3) \times 10^{-4}$ b using all the data. If the low-energy data ($E_{\text{c.m.}} \leq 0.7$ MeV) is fitted using a direct capture calculation (1963TO06) the zero-energy intercept of the cross-section factor is $S = 0.51 \pm 0.05$ keV \cdot b and $(dS/dE)_0 = -(2.8 \pm 0.4) \times 10^{-4}$ b (1969NA24). A second-order (in energy) polynomial fit to the low-energy data ($E_{\text{c.m.}} \leq 0.8$ MeV) determines $S = 0.61 \pm 0.07$ keV \cdot b and $(dS/dE)_0 = -(5.8 \pm 0.3) \times 10^{-4}$ b (1969NA24). Recent papers discussing the astrophysical implications of this reaction are (1971BA1A, 1974VA1C, 1976NO1C).

 3. (a) ${}^4\text{He}({}^3\text{He}, {}^3\text{He}){}^4\text{He}$

$$E_b = 1.586$$

 (b) ${}^4\text{He}({}^3\text{He}, \text{p}){}^6\text{Li}$

Table 7.7: ${}^7\text{Be}$ levels ^a from ${}^3\text{He} + {}^4\text{He}$

E_x (MeV \pm keV)	J^π	l_α	LS term	R (fm)	θ_α^2 ^b	θ_p^2	$\theta_{p'}^2$	Refs.
4.57 ± 50	$\frac{7}{2}$	3	${}^2\text{F}_{7/2}$	4.0	0.70 ± 0.04			(1967SP10)
6.73 ± 100	$\frac{5}{2}^-$	3	${}^2\text{F}_{5/2}$	4.0	1.36 ± 0.13	0.000 ± 0.002		(1967SP10)
7.21 ± 60	$\frac{5}{2}^-$	3	${}^4\text{P}_{5/2}$	4.0	0.010 ± 0.001	0.26 ± 0.02		(1967SP10)
9.27 ± 100	$\frac{7}{2}^-$	3	${}^4\text{D}_{7/2}$	4.0	0.70 ± 0.26	$0.29^{+0.09}_{-0.18}$	1.8 ± 0.5	(1967SP10)
10.0 ^c	$\frac{3}{2}^-$	1	(${}^4\text{P}_{3/2}$)					(1967HA07, 1967HA08)
≈ 10.0 ^d	$\frac{1}{2}^-$		(${}^4\text{P}_{1/2}$)					(1967HA07, 1967HA08)
11.00 ± 50 ^e	$\frac{3}{2}^-$	1	(${}^2\text{P}_{3/2}, {}^2\text{D}_{3/2}$)			0.13 ± 0.02 ^f		(1967HA07, 1967HA08)

^a Compare Table 7.10 in (1966LA04).

^b $\gamma^2/(\frac{3}{2}\hbar^2/\mu a^2)$.

^c $\Gamma = 1.8$ MeV.

^d Broad.

^e $\Gamma = 0.4 \pm 0.05$ MeV; $T = \frac{3}{2}$.

^f $\theta_p^{2''}$.

Elastic scattering studies have been reported for $E({}^3\text{He}) = 1.72$ to 140 MeV [see (1974AJ01)] and at $E_\alpha = 22.8$ to 26.4 MeV (1976ZA11) and 65.3 to 102.7 MeV (1973FE1B). The total reaction cross section at $E({}^3\text{He}) = 28$ MeV is 433 ± 10 mb (1977KO09). Polarization measurements have been carried out at $E({}^3\text{He}) = 7.8$ to 13 MeV and $E_\alpha = 4.3$ to 18.5 MeV [see (1974AJ01)], $E({}^3\text{He}) = 18 \rightarrow 32$ MeV (1978LU05), and at $E_\alpha = 24.5$ to 42 MeV (1976BA1L; on ${}^3\bar{\text{He}}$), $E({}^3\bar{\text{He}}) = 38.2$ MeV (1976BIZO) and at $E_\alpha = 98$ MeV (1973FE1B). For an R -matrix analysis of the ${}^2\text{F}_{5/2}$ state at $E_x = 6.73$ MeV, see (1976DO1B).

For $l \leq 4$, only f-wave phase shifts show resonance structure for $E({}^3\text{He}) < 18$ MeV, corresponding to ${}^7\text{Be}^*(4.57, 6.73, 9.27)$: see Table 7.7 (1967SP10). No structure corresponding to ${}^7\text{Be}^*(7.21)$ ($J^\pi = \frac{5}{2}^-$) is seen in the elastic data. The s-wave phase shift is somewhat greater than hard-sphere; the p-wave splitting agrees with (1964BA09, 1967SP10). The decay of ${}^7\text{Be}^*(9.27)$ ($J^\pi = \frac{7}{2}^-$) to ${}^6\text{Li}(0)$ requires f-shell configuration admixture. An estimate of the yield of ground state protons relative to those corresponding to ${}^6\text{Li}^*(2.19)$ yields $\gamma^2(p_0)/\gamma^2(p_1) = (16^{+5}_{-10})\%$ (1967SP10). A phase shift analysis (single-level R -matrix) has been carried out for $E({}^3\text{He}) = 18$ to 32 MeV: the p-wave phase shifts indicate a $\frac{1}{2}^-$ state at $E_x \approx 16.7$ MeV ($E_r = 26.4$ MeV), with $\Gamma = 6.5$ MeV (1978LU05). At higher energies [$E({}^3\text{He}) = 27.2$ to 42.8 MeV] (1969SC16) report that the s- and f-wave phase shifts fall appreciably below the predictions of resonating group calculations, while (1970BR42) see some indication of broad resonant structure at $E({}^3\text{He}) \approx 34$ MeV, in rough qualitative agreement with such calculations. The bremsstrahlung cross section at $E({}^3\text{He}) = 7.4$ MeV is 12.6 ± 3.4 $\mu\text{b}/\text{sr}^2$ (1973FR17).

The differential reaction cross section for reaction (b) has been determined for $E({}^3\text{He}) = 8$ to 18 MeV (1967SP10) and at 28 MeV (1977KO09: d_0, d_1, d_2): resonances are observed corresponding to ${}^7\text{Be}^*(7.21, 9.27)$ in the p_0 yield and to ${}^7\text{Be}^*(9.27)$ in the p_1 yield: see Table 7.7

(1967SP10). A study of the γ -rays from ${}^6\text{Li}^*(3.56)$ (p_2) carried out at $E({}^3\text{He}) = 13.8$ to 18.5 MeV shows the excitation of two $J^\pi = \frac{3}{2}^-$ states at $E_x \approx 10.0$ MeV ($T = \frac{1}{2}$) and 11.00 ± 0.05 MeV ($\Gamma = 400 \pm 50$ keV, $\theta_{p_2}^2 = 0.13 \pm 0.02$, $T = \frac{3}{2}$). The $T = \frac{3}{2}$ resonance is evidenced mainly through interference. There is also some evidence for an extremely broad $J^\pi = \frac{1}{2}^-$ structure at $E_x \gtrsim 10$ MeV (1967HA07, 1967HA08: see also ${}^6\text{Li}(p, p){}^6\text{Li}$). At $E({}^3\text{He}) = 28$ MeV sequential breakup via ${}^6\text{Li}^*(2.19)$ significantly contributes to the reaction mechanism (1977KO09).


See also (1975TO1A, 1978BR1E) and (1974BA40, 1974KO03, 1974TE05, 1975BA05, 1975CL1C, 1975KU09, 1975TA1A, 1977BA1N, 1977BU01, 1977SA1C, 1978LE13; theor.).



The production cross section for ${}^7\text{Be}$ has been measured for $E_\alpha = 39.4$ to 47.4 MeV: it is essentially equal to that for the (α, p) reaction above 43 MeV but is smaller below because of threshold effects. See also (1977RA1B; prelim., $E_\alpha = 400, 600$ and 1000 MeV). For a discussion of the production of ${}^7\text{Li}$ in the galaxy, see (1975KI14, 1977KI12) and reaction 4 in ${}^7\text{Li}$. See also (1974KO1C; astrophys.) and ${}^8\text{Be}$.



Gamma transitions are observed to the ground (γ_0) and to the 0.43 MeV (γ_1) states. The yield shows no evidence of resonance for $E_p = 0.2$ to 1.0 MeV and the branching ratio remains approximately constant at $(62 \pm 5)\%$ to the ground state, 38% to ${}^7\text{Be}^*(0.43)$, $< 4\%$ to ${}^7\text{Be}^*(4.57)$: see (1974AJ01).



Measurements of elastic angular distributions have been reported for $E_p = 0.5$ to 600 MeV: see (1966LA04, 1974AJ01) and ${}^6\text{Li}$. Two resonances are reported at $E_p = 1.84$ and 5 MeV in the elastic yield [${}^7\text{Be}^*(7.21, 9.9)$]. The parameters of the lower resonance are shown in Table 7.4 (1963MC09). The 5 MeV resonance has $\Gamma \approx 1.8$ MeV and appears to also be formed by p-waves: γ_p^2 is then 3 ± 2 MeV \cdot fm. A weak rise near $E_p = 8$ to 9 MeV may indicate a further level, ${}^7\text{Be}^* \approx 13$ MeV (1963HA53). A broad resonance at $E_p = 14$ MeV is suggested by (1977NEZX). Polarization measurements have been carried out for $E_p = 1.2$ to 155 MeV [see (1974AJ01)], at $E_p = 32$ MeV (1976MOZF: p_1, p_2). A phase shift analysis for $E_p = 0.5$ to 5.6 MeV shows that only ${}^2\text{S}$, ${}^4\text{S}$ and ${}^4\text{P}$ are involved. The ${}^4\text{P}_{5/2}$ phase resonates at $E_p = 1.8$ MeV, and the broad

resonance at 5 MeV can be reproduced equally well by either ${}^4P_{3/2}$ or ${}^4P_{1/2}$: tensor polarization measurements are necessary to distinguish between the two (1969PE22). An R -matrix analysis of the ${}^2F_{5/2}$ state at $E_x = 6.73$ MeV is reported by (1976DO1B).

The reaction cross section for formation of ${}^6\text{Li}^*(2.19)$ has been measured for $E_p = 3.6$ to 9.40 MeV: a broad resonance indicates the presence of a state with $E_x \approx 10$ MeV, $\Gamma = 1.8$ MeV, $J^\pi = (\frac{3}{2}, \frac{5}{2})^-$, $T = \frac{1}{2}$ (1967HA07, 1967HA08). The cross-section and angular distributions of p_2 (${}^6\text{Li}^*(3.56)$) for $E_p = 4.26$ to 9.40 MeV is analyzed in terms of two $J^\pi = \frac{3}{2}^-$ states at $E_x \approx 10$ and 11 MeV: see reaction 3 (1967HA07, 1967HA08). The total cross section for formation of ${}^6\text{Li}^*(3.56)$ decreases slowly with energy for $E_p = 24.3$ to 46.4 MeV (1968AU06). The reaction cross section has been measured for $E_p = 25.0$ to 48 MeV by (1976SOZW).

For reaction (b) see ${}^5\text{He}$ and (1977NA16). For reaction (c) see ${}^6\text{Li}$ and the polarization measurements of (1974DU10) and (1976DU1C) at $E_p = 40$ and 19.4 MeV, respectively. See also (1977FR1F, 1978FR1D), (1977MC1C; applied) and (1975BA05, 1977BIIE, 1978MA37; theor.).

$$7. {}^6\text{Li}(p, n){}^6\text{Be} \qquad Q_m = -5.070 \qquad E_b = 5.606$$

The yield of neutrons increases approximately monotonically from threshold to $E_p = 14.3$ MeV (1964BA16). For polarization measurements at $E_p = 30$ and 50 MeV, see (1969RO20). See also ${}^6\text{Be}$.

$$8. {}^6\text{Li}(p, d){}^5\text{Li} \qquad Q_m = -3.44 \qquad E_b = 5.606$$

See ${}^5\text{Li}$.

$$9. {}^6\text{Li}(p, \alpha){}^3\text{He} \qquad Q_m = 4.0201 \qquad E_b = 5.606$$

Over the range $E_p = 25$ to 50 keV, the cross section rises from 0.8 to 72 μb : in the formula $\sigma \approx E^{-1}e^{-B/\sqrt{E}}$, $B = 90 \pm 6$ keV $^{1/2}$ (1967FI05). Cross-section measurements for $E_p = 62$ to 188 keV show deviation from an s-wave Gamow plot above ≈ 130 keV (1966GE11). Using cross-section measurements at $E_p = 151$ and 317 keV, as well as the (1966GE11) data (1971SP05) calculate $S(0) = 3.0$ MeV \cdot b. See also (1978EL1A: $E_p = 0.1$ to 1.0 MeV).

At higher energies the cross section exhibits a broad, low maximum near $E_p = 1$ MeV and a pronounced resonance at $E_p = 1.85$ MeV (1951BA79, 1956MA91) and (1977LI01: $\Gamma < 0.5$ MeV; $E_p = 1.0$ to 2.6 MeV). No other structure is reported up to $E_p = 5.6$ MeV: see (1974AJ01). Measurements between $E_p = 0.4$ and 3.4 MeV show that the polarizations are generally large and positive. The $E_p = 1.9$ MeV resonance appears in A_1 and A_2 (1968BR18).

Angular distributions have been reported for $E_p = 0.15$ to 16 MeV [see (1974AJ01)] and at $E_p = 0.5$ to 1.82 MeV (1974JO08), 1.0 to 2.0 MeV (1977LI01), 25.5 to 45 MeV (1974SC24) and

45 MeV (1971BR12). Angular distributions at $E_p = 8$ to 18.5 MeV have been analyzed using a finite-range multi-interaction DWBA formalism. The analysis leads to reduced widths of 0.69 for $\alpha + d$ in a relative s-state, 0.04 for $\alpha + d$ in a relative d-state and 0.44 for ${}^3\text{He} + t$ in a relative s-state (1973WE07). A polarization measurement is reported at $E({}^6\text{Li}) = 16.8$ MeV (1976FI1B).

See (1971BR12) for a discussion of the search for excited states of ${}^3\text{He}$. See also (1974VA33), (1978PR1B; applied) and (1973LI23, 1975CL1C, 1975WI1C; theor.).

10. ${}^6\text{Li}(d, n){}^7\text{Be}$ $Q_m = 3.382$

Angular distributions of the n_0 and n_1 groups have been measured at $E_d = 0.24$ to 3.5 MeV [see (1974AJ01)] and at $E_d = 0.204$ to 0.873 MeV (1977EL09) and 15.25 MeV (1975AZ02).

The n - γ correlations are isotropic, indicating $J^\pi = \frac{1}{2}^-$ for ${}^7\text{Be}^*(0.43)$ (1956NE13). Broad maxima are observed in the ratio of low-energy to high-energy neutrons at $E_d = 4.2$ and 5.1 MeV [${}^7\text{Be}^*(6.5, 7.2)$, $\Gamma_{c.m.} = 1.2$ and 0.5 MeV, respectively] (1957SL01). See also (1974MCZS, 1975MC02, 1977GL05) in ${}^8\text{Be}$.

11. ${}^6\text{Li}({}^3\text{He}, d){}^7\text{Be}$ $Q_m = 0.113$

Angular distributions of the d_0 and d_1 groups to ${}^7\text{Be}^*(0, 0.43)$ have been measured at $E_d = 8, 10, 14$ and 18 MeV: all the distributions show an $l = 1$ maximum at small angles. The DWBA analysis leads to a ratio of spectroscopic factors S^*/S [for ${}^7\text{Be}^*(0.43)/{}^7\text{Be}(0)$] = 1.55, in fair agreement with other measurements (1968LU02).

12. ${}^6\text{Li}(\alpha, t){}^7\text{Be}$ $Q_m = -14.208$

Angular distributions of t_0, t_1 and t_2 have been reported at $E_\alpha = 40$ to 46 MeV: see (1974AJ01). [Some of the reported work is unpublished.]

13. ${}^6\text{Li}({}^6\text{Li}, \alpha n){}^7\text{Be}$ $Q_m = 1.908$

See (1977RU06) and ${}^{12}\text{C}$ in (1980AJ01).

14. ${}^7\text{Li}(p, n){}^7\text{Be}$ $Q_m = -1.644$

$E_{\text{thresh.}} = 1880.59 \pm 0.08$ keV [recommended by (1970RO07)]. The excitation energy of ${}^7\text{Be}^*(0.43)$ is 429.20 ± 0.10 keV (1972BO02); $\tau_m = 192 \pm 25$ fsec (1966PA11). [(1976DO10) report 136 ± 10 fsec.] Angular distributions are reported at $E_p = 1.9$ to 50 MeV [see (1974AJ01)] and at 2.1 to 3.8 MeV (1974BU16: n_0), 3.1 to 4.9 MeV (1976BR42: n_1), 14.9 and 17.8 MeV (1974AR05: n_0, n_1 (not resolved at the lower energy)), 15.1 to 26 MeV (1976PO06: n_0, n_1), and $24.8, 35.0$ and 45.0 MeV (1977SC37: n_0, n_1). (1976PO06) also report the population of ${}^7\text{Be}^*(4.55, 6.51, 7.19, 10.79)$. See also (1977RI07: $E_p = 800$ MeV) and (1974AJ01).

See also (1976RO10, 1977LO10), (1973RY03, 1974JA1M, 1976NE1B, 1976WA1E, 1978GO1E; applied), (1977ME1C; theor.) and ${}^8\text{Be}$.

$$15. {}^7\text{Li}({}^3\text{He}, t){}^7\text{Be} \quad Q_m = -0.880$$

Angular distributions have been measured at $E({}^3\text{He}) = 3.0$ to 4.0 MeV (1969OR01: t_0, t_1). See also (1974AJ01). The width of ${}^7\text{Be}^*(4.57)$, $\Gamma_{\text{c.m.}} = 175 \pm 7$ keV (1971PI06). See also (1974LO1B).

$$16. {}^7\text{Li}({}^6\text{Li}, {}^6\text{He}){}^7\text{Be} \quad Q_m = -4.369$$

See (1974AJ01).

$$17. {}^9\text{Be}(p, t){}^7\text{Be} \quad Q_m = -12.083$$

Angular distributions of tritons have been measured at $E_p = 43.7$ MeV (1965DE08, 1966CE05, 1968BR23: ${}^7\text{Be}^*(0, 0.43, 4.57, 6.51, 11.01)$) and 46 MeV (1967VE01: ${}^7\text{Be}^*(0 + 0.43, 4.57, 6.51, 10.69)$). The 11 MeV state has $E_x = 11.01 \pm 0.04$ MeV (1968BR23), $\Gamma = 298 \pm 25$ keV, $J^\pi = \frac{3}{2}^-$, $T = \frac{3}{2}$ [the J^π, T assignments are based on the similarity of the angular distribution to that in the (p, ${}^3\text{He}$) reaction to ${}^7\text{Li}^*(11.13)$] (1965DE08). The ratio of the cross section for formation of ${}^7\text{Be}^*(0.43)$ to that for formation of ${}^7\text{Li}^*(0.48)$ [in the (p, ${}^3\text{He}$) mirror reaction] has been measured for $E_p = 14.8$ to 27 MeV (1975HA1K).

$$18. {}^{10}\text{B}(p, \alpha){}^7\text{Be} \quad Q_m = 1.146$$

Angular distributions have been measured for $E_p = 2.8$ to 7.0 MeV (1964JE01). See also (1966YO1A), (1974AJ01) and ${}^{11}\text{C}$ in (1975AJ02).

$$19. {}^{10}\text{B}({}^3\text{He}, {}^6\text{Li}){}^7\text{Be} \quad Q_m = -2.874$$

At $E(^3\text{He}) = 30.0$ MeV angular distributions have been obtained for the transitions to $^7\text{Be}^*(0, 0.43) + ^6\text{Li}^*(0, 2.19)$: see (1970DE12, 1972OH01).

$$20. \ ^{10}\text{B}(\alpha, ^7\text{Li})^7\text{Be} \quad Q_m = -16.202$$

At $E_\alpha = 45.6$ MeV (1969FO06) have measured the angular distributions of the ^7Li and of the ^7Be ions, corresponding to the ground state transitions. At a given angle the intensities of the two ions are the same, implying that the wave functions of the ground states of ^7Li and ^7Be are very similar (1969FO06).

$$21. \ ^{10}\text{B}(^7\text{Li}, ^{10}\text{Be})^7\text{Be} \quad Q_m = -1.418$$

See (1977KO27).

$$22. \ ^{11}\text{B}(\text{d}, ^6\text{He})^7\text{Be} \quad Q_m = 11.560$$

See (1974AJ01).

$$23. \ ^{11}\text{B}(^3\text{He}, ^7\text{Li})^7\text{Be} \quad Q_m = -7.079$$

See (1971RO1A).

$$24. \ ^{12}\text{C}(\text{p}, ^6\text{Li})^7\text{Be} \quad Q_m = -22.568$$

Angular distributions have been measured at $E_p = 36.0, 40.7, 45.0, 50.0$ and 56.8 MeV (1971BR07, 1971HO25; $^7\text{Be}^*(0 + 0.43)$) and 51.9 MeV (1976KA14; $^7\text{Be}^*(0, 0.43)$). See also (1978KU02; theor.).

$$25. \ ^{12}\text{C}(\text{d}, ^7\text{Li})^7\text{Be} \quad Q_m = -17.542$$

At $E_d = 39.8$ MeV angular distributions have been measured for the transitions $^7\text{Li}(0) + ^7\text{Be}(0)$, $^7\text{Li}^*(0.48) + ^7\text{Be}(0)$, $^7\text{Li}(0) + ^7\text{Be}^*(0.43)$ and $^7\text{Li}^*(0.48) + ^7\text{Be}^*(0.43)$. The ratios of the $^7\text{Li}(0)$ and $^7\text{Be}(0)$ cross sections show asymmetries exceeding 20% (1971YO06). See also (1974VA1A).

26. $^{12}\text{C}(^3\text{He}, ^8\text{Be})^7\text{Be}$ $Q_m = -5.781$

Angular distributions have been obtained at $E(^3\text{He}) = 25.5$ to 29 MeV (1976PI10: $^7\text{Be}^*(0, 0.43)$) and 28 and 30 MeV (1970DE12: $^7\text{Be}^*(0, 0.43) + ^8\text{Be}^*(0, 2.9)$). See also (1974AJ01), (1976PA07), (1973OG1A), (1974DO03; theor.) and ^{15}O in (1976AJ04).

27. $^{12}\text{C}(\alpha, ^9\text{Be})^7\text{Be}$ $Q_m = -24.693$

At $E_\alpha = 42$ MeV, angular distributions have been measured to $^7\text{Be}^*(0, 0.43) + ^9\text{Be}(0)$ (1972RU03).

28. $^{13}\text{C}(\text{p}, ^7\text{Li})^7\text{Be}$ $Q_m = -20.264$

At $E_p = 45.0$ MeV the angular distribution has been measured for the transition to $^7\text{Li}(0) + ^7\text{Be}(0)$ (1971BR07).

29. $^{14}\text{N}(^3\text{He}, ^{10}\text{B})^7\text{Be}$ $Q_m = -10.027$

See (1976RO04).

30. $^{14}\text{N}(^6\text{Li}, ^{13}\text{C})^7\text{Be}$ $Q_m = -1.944$

See ^{13}C in (1976AJ04).

31. $^{16}\text{O}(\text{p}, ^{10}\text{B})^7\text{Be}$ $Q_m = -25.270$

See (1974AJ01).

32. $^{16}\text{O}(^3\text{He}, ^{12}\text{C})^7\text{Be}$ $Q_m = -5.576$

Angular distributions are reported at $E(^3\text{He}) = 30$ MeV (1970DE12: to $^{12}\text{C}^*(0, 4.4, 7.7, 9.6) + ^7\text{Be}^*(0, 0.43)$). See also (1974AJ01).

33. $^{16}\text{O}(\alpha, ^{13}\text{C})^7\text{Be}$ $Q_m = -21.207$

At $E_\alpha = 42$ MeV, angular distributions have been obtained for the transitions to $^7\text{Be}^*(0, 0.43) + ^{13}\text{C}(0)$ (1972RU03).

34. $^{19}\text{F}(\text{d}, ^{14}\text{C})^7\text{Be}$ $Q_m = -7.142$

The angular distributions to $^7\text{Be}^*(0 + 0.43) + ^{14}\text{C}(0)$ has been measured at $E_d = 14.9$ MeV (1967DE03).

35. (a) $^{19}\text{F}(^3\text{He}, ^{15}\text{N})^7\text{Be}$ $Q_m = -2.428$

(b) $^{20}\text{Ne}(^3\text{He}, ^{16}\text{O})^7\text{Be}$ $Q_m = -3.145$

(1970DE12) have studied at $E(^3\text{He}) = 30$ MeV the angular distributions to $^{15}\text{N}(0) + ^7\text{Be}^*(0, 0.43)$ and to $^{16}\text{O}^*(0, 6.06 + 6.13) + ^7\text{Be}^*(0, 0.43)$.

^7B

(Fig. 10)

GENERAL

See also (1974DA1B, 1974IR04, 1975BE31, 1975BE56, 1976IR1B, 1977SP1B).

1. $^{10}\text{B}(^3\text{He}, ^6\text{He})^7\text{B}$ $Q_m = -18.55$

A ^6He group corresponding to the unbound ground state of ^7B has been identified at $E(^3\text{He}) = 50$ MeV: $M - A (^7\text{B}) = 27.94 \pm 0.10$, $\Gamma = 1.4 \pm 0.2$ MeV. The isobaric quartet mass law would predict $M - A = 27.76 \pm 0.17$ MeV. ^7B is unbound with respect to $^6\text{Be} + \text{p}$ ($Q = 2.27$), $^5\text{Li} + 2\text{p}$ ($Q = 1.68$), $^4\text{He} + 3\text{p}$ ($Q = 3.65$). The expected single-particle width is $\Gamma = 0.64$ MeV: it is suggested that the two-proton and three-proton decays make an appreciable contribution to the width (1967MC14). See also (1974AJ01) and (1969ST02).

References

(Closed 1978)

References are arranged and designated by the year of publication followed by the first two letters of the first-mentioned author's name and then by two additional characters. Most of the references appear in the National Nuclear Data Center files (Nuclear Science References Database) and have NNDC key numbers. Otherwise, TUNL key numbers were assigned with the last two characters of the form 1A, 1B, etc. In response to many requests for more informative citations, we have, when possible, included up to ten authors per paper and added the authors' initials.

- 1951BA79 S. Bashkin and H.T. Richards, Phys. Rev. 84 (1951) 1124
1952AJ38 F. Ajzenberg and T. Lauritsen, Rev. Mod. Phys. 24 (1952) 321
1955AJ61 F. Ajzenberg and T. Lauritsen, Rev. Mod. Phys. 27 (1955) 77
1956MA91 J.B. Marion, G. Weber and F.S. Mozer, Phys. Rev. 104 (1956) 1402
1956NE13 G.C. Neilson and J.B. Warren, Phys. Rev. 103 (1956) 1758
1957BR97 C.P. Browne, Bull. Amer. Phys. Soc. 2 (1957) 350, N3
1957SL01 J.C. Slattery, R.A. Chapman and T.W. Bonner, Phys. Rev. 108 (1957) 809
1959GA08 F. Gabbard, R.H. Davis and T.W. Bonner, Phys. Rev. 114 (1959) 201
1959HO03 H.D. Holmgren and R.L. Johnston, Phys. Rev. 113 (1959) 1556
1960HA14 E.W. Hamburger and J.R. Cameron, Phys. Rev. 117 (1960) 781
1960MA32 R.D. Macfarlane and J.B. French, Rev. Mod. Phys. 32 (1960) 567
1961GR27 G.M. Griffiths, R.A. Morrow, P.J. Riley and J.B. Warren, Can. J. Phys. 39 (1961) 1397
1961LA1A Lane, Langsdorf, Monahan and Elwyn, Ann. Phys. 12 (1961) 135
1962TA11 J.G.V. Taylor and J.S. Merritt, Can. J. Phys. 40 (1962) 926
1963BA19 W.C. Barber, J. Goldemberg, G.A. Peterson and Y. Torizuka, Nucl. Phys. 41 (1963) 461; Erratum Nucl. Phys. 47 (1963) 527
1963BE26 M. Bernheim and G.R. Bishop, Phys. Lett. 5 (1963) 294
1963BE53 M. Bernheim and G.R. Bishop, J. Phys. 24 (1963) 970
1963HA53 W.D. Harrison and A.B. Whitehead, Phys. Rev. 132 (1963) 2607
1963MC09 J.A. McCray, Phys. Rev. 130 (1963) 2034
1963PA12 P.D. Parker and R.W. Kavanagh, Phys. Rev. 131 (1963) 2578
1963TO06 T.A. Tombrello and P.D. Parker, Phys. Rev. 131 (1963) 2582
1964BA09 A.C.L. Barnard, C.M. Jones and G.C. Phillips, Nucl. Phys. 50 (1964) 629
1964BA16 J.K. Bair, C.M. Jones and H.B. Willard, Nucl. Phys. 53 (1964) 209
1964BA1C Balashov, Boyarkina and Rotter, Nucl. Phys. 59 (1964) 417

- 1964GR40 L. Green and D.J. Donahue, Phys. Rev. 135 (1964) B701
- 1964JE01 J.G. Jenkin, L.G. Earwaker and E.W. Titterton, Nucl. Phys. 50 (1964) 516
- 1965DE08 C. Detraz, J. Cerny and R.H. Pehl, Phys. Rev. Lett. 14 (1965) 708
- 1965GI10 L. Gilly, M. Jean, R. Meunier, M. Spighel, J.P. Stroot and P. Duteil, Phys. Lett. 19 (1965) 335
- 1965HA17 D. Hasselgren, P.U. Renberg, O. Sundberg and G. Tibell, Nucl. Phys. 69 (1965) 81
- 1965JA1A Jacmart, Cahiers Phys. (France) 19 (1965) 1
- 1966CE05 J. Cerny, C. Detraz and R.H. Pehl, Phys. Rev. 152 (1966) 950
- 1966GE11 W. Gemeinhardt, D. Kamke and C. von Rhoneck, Z. Phys. 197 (1966) 58
- 1966HA09 E.T. Hazzard, F. Ajzenberg-Selove and P.V. Hewka, Nucl. Phys. 75 (1966) 592; Erratum Nucl. Phys. 89 (1966) 706
- 1966LA04 T. Lauritsen and F. Ajzenberg-Selove, Nucl. Phys. 78 (1966) 1
- 1966PA11 P. Paul, J.B. Thomas and S.S. Hanna, Phys. Rev. 147 (1966) 774
- 1966PI02 L.L. Pinsonneault and J.M. Blair, Phys. Rev. 141 (1966) 961
- 1966RA29 R.E. Rand, R. Frosch and M.R. Yearian, Phys. Rev. 144 (1966) 859; Erratum Phys. Rev. 148 (1966) 1246
- 1966YO1A Young et al., Nucl. Instrum. Meth. Phys. Res. 44 (1966) 109
- 1967CA02 A.L. Catz and S. Amiel, Nucl. Phys. A92 (1967) 222
- 1967DE03 L.J. Denes and W.W. Daehnick, Phys. Rev. 154 (1967) 928
- 1967FI05 O. Fiedler and P. Kunze, Nucl. Phys. A96 (1967) 513
- 1967HA07 W.D. Harrison, Nucl. Phys. A92 (1967) 253
- 1967HA08 W.D. Harrison, Nucl. Phys. A92 (1967) 260
- 1967LO07 P.J. Locard, S.M. Austin and W. Benenson, Phys. Rev. Lett. 19 (1967) 1141
- 1967MC14 R.L. McGrath, J. Cerny and E. Norbeck, Phys. Rev. Lett. 19 (1967) 1442
- 1967SC29 J.P. Schiffer, G.C. Morrison, R.H. Siemssen and B. Zeidman, Phys. Rev. 164 (1967) 1274
- 1967SP10 R.J. Spiger and T.A. Tombrello, Phys. Rev. 163 (1967) 964
- 1967ST04 R.H. Stokes and P.G. Young, Phys. Rev. Lett. 18 (1967) 611
- 1967SU1A L.R. Suelzle, M.R. Yearian and H. Crannell, Phys. Rev. 162 (1967) 992; Erratum Phys. Rev. 168 (1968) 1414
- 1967TH05 G.E. Thomas, D.E. Blatchley and L.M. Bollinger, Nucl. Instrum. Meth. 56 (1967) 325
- 1967VE01 J.W. Verba, H. Willmes, R.F. Carlson, I. Slaus, J.R. Richardson and E.L. Petersen, Phys. Rev. 153 (1967) 1127

- 1968AU06 S.M. Austin, P.J. Locard, W. Benenson and G.M. Crawley, Phys. Rev. 176 (1968) 1227
- 1968BR18 L. Brown and C. Petitjean, Nucl. Phys. A117 (1968) 343
- 1968BR23 H. Brunnader, J.C. Hardy and J. Cerny, Phys. Rev. 174 (1968) 1247
- 1968IV01 M. Ivanovich, P.G. Young and G.G. Ohlsen, Nucl. Phys. A110 (1968) 441
- 1968KA24 S. Kakigi, N. Fujiwara, K. Fukunaga, D.-C. Nguyen, S. Yamashita and T. Yanabu, J. Phys. Soc. Jpn. 25 (1968) 1214
- 1968KE03 P.W. Keaton, Jr., D.D. Armstrong and L.R. Veaser, Phys. Rev. Lett. 20 (1968) 1392
- 1968LU02 H. Ludecke, T. Wan-Tjin, H. Werner and J. Zimmerer, Nucl. Phys. A109 (1968) 676
- 1969AN20 Y.P. Antufev, Y.V. Zhebrovskii, L.Y. Kolesnikov, V.S. Kuzmenko, I.I. Miroshnichenko, A.L. Rubashkin and P.V. Sorokin, Yad. Fiz. 9 (1969) 680; Sov. J. Nucl. Phys. 9 (1969) 394
- 1969AN25 B. Antolkovic, J. Hudomalj, B. Janko, G. Paic and M. Turk, Nucl. Phys. A139 (1969) 10
- 1969BE90 K. Bethge, C.M. Fou and R.W. Zurmu, Nucl. Phys. A123 (1969) 521
- 1969FO06 H.T. Fortune, A. Richter and B. Zeidman, Phys. Lett. B30 (1969) 175
- 1969HU05 R.M. Hutcheon and H.S. Caplan, Nucl. Phys. A127 (1969) 417
- 1969NA24 K. Nagatani, M.R. Dwarakanath and D. Ashery, Nucl. Phys. A128 (1969) 325
- 1969OR01 H. Orihara, T. Nakagawa, H. Ueno, T. Tohei, T. Yamaya, Y. Nakagome, M. Baba and S. Morita, Nucl. Phys. A139 (1969) 226
- 1969PE22 C. Petitjean, L. Brown and R.G. Seyler, Nucl. Phys. A129 (1969) 209
- 1969PR04 G. Presser, R. Bass and K. Kruger, Nucl. Phys. A131 (1969) 679
- 1969RO20 L.P. Robertson, R.C. Hanna, K. Ramavataram, D.W. Devins, T.A. Hodges, Z.J. Moroz, S.J. Hoey and D.J. Plummer, Nucl. Phys. A134 (1969) 545
- 1969SC16 P. Schwandt, B.W. Ridley, S. Hayakawa, L. Put and J.J. Kraushaar, Phys. Lett. B30 (1969) 30
- 1969ST02 R.H. Stokes and P.G. Young, Phys. Rev. 178 (1969) 2024
- 1970BR42 R.E. Brown, E.E. Gross and A. van der Woude, Phys. Rev. Lett. 25 (1970) 1346
- 1970DE12 C. Detraz, H.H. Duhm and H. Hafner, Nucl. Phys. A147 (1970) 488
- 1970JA17 M. Jain, P.G. Roos, H.G. Pugh and H.D. Holmgren, Nucl. Phys. A153 (1970) 49
- 1970LA14 J.M. Lambert, P.A. Treado, L.A. Beach, R.B. Theus and E.L. Petersen, Nucl. Phys. A152 (1970) 516
- 1970RO07 M.L. Roush, L.A. West and J.B. Marion, Nucl. Phys. A147 (1970) 235
- 1970SC23 G. Schekliniski, U. Strobusch and B. Goel, Nucl. Phys. A153 (1970) 97

- 1970SO1A Sowerby, Patrick, Uttley and Diment, *J. Nucl. Energy* 24 (1970) 323
- 1970TO09 S.G. Tonapetyan, O.G. Konovalov, A.I. Derebchinskii, A.A. Zybalov, V.M. Khvorostyan, N.V. Goncharov and V.A. Goldshtein, *Pisma Zh. Eksp. Teor. Fiz.* 11 (1970) 165; *JETP Lett.* 11 (1970) 101
- 1971BA1A Barnes, *Advances in Nucl. Phys.* 4 (1971) 133
- 1971BR07 K.H. Bray, M. Jain, K.S. Jayaraman, G. LoBianco, W.T.H. Van Oers and Y.I. Wu, *Nucl. Phys.* A163 (1971) 649
- 1971BR12 K.H. Bray, S.N. Bunker, M. Jain, K.S. Jayaraman, G.A. Moss, W.T.H. van Oers, D.O. Wells and Y.I. Wu, *Phys. Rev.* C3 (1971) 1771
- 1971CH42 L.S. Chuang, *Nucl. Phys.* A174 (1971) 399
- 1971DE37 C. Detraz, C.D. Zafiratos, C.E. Moss and C.S. Zaidins, *Nucl. Phys.* A177 (1971) 258
- 1971GU07 H.H. Gutbrod, H. Yoshida and R. Bock, *Nucl. Phys.* A165 (1971) 240
- 1971HE20 R.G. Helmer, R.C. Greenwood and R.J. Gehrke, *Nucl. Instrum. Meth.* 96 (1971) 173
- 1971HO25 A.B. Holman, J.-L. Perrenoud, J.C. Young, M.B. Epstein and B.T. Wright, *Nucl. Phys.* A174 (1971) 161
- 1971PI06 C.J. Piluso, R.H. Spear, K.W. Carter, D.C. Kean and F.C. Barker, *Aust. J. Phys.* 24 (1971) 459
- 1971PO1A Popic, Stepanic and Stanojevic, *Fizika* 4 (1971) 40
- 1971RO1A Robson and Richter, *Ann. Phys.* 63 (1971) 261
- 1971SC16 G. Schmidt, J. Mosner and J. Schintlmeister, *Nucl. Phys.* A173 (1971) 449
- 1971SP05 H. Spinka, T. Tombrello and H. Winkler, *Nucl. Phys.* A164 (1971) 1; Erratum *Nucl. Phys.* A196 (1972) 634
- 1971VA20 G.J.C. van Niftrik, L. Lapikas, H. de Vries and G. Box, *Nucl. Phys.* A174 (1971) 173
- 1971VO07 W. von Witsch, M. Ivanovich, V.A. Otte, D. Rendic and G.C. Phillips, *Nucl. Phys.* A172 (1971) 633
- 1971YO06 J.C. Young, A.B. Holman, I. Slaus and T.A. Cahill, *Phys. Lett.* B37 (1971) 377
- 1972BA1C Bamberger et al., *Proc. Int. Conf. on Few Particle Problems in Nucl. Interaction*, Los Angeles, 1972 (1972) 182
- 1972BA77 A. Bamberger, G. Jansen, B. Povh, D. Schwalm and U. Smilansky, *Nucl. Phys.* A194 (1972) 193
- 1972BO02 G.J. Bock, E.A. Samworth, J.W. Olness and E.K. Warburton, *Phys. Rev.* C5 (1972) 284
- 1972BU01 F.A. Bumiller, F.R. Buskirk, J.N. Dyer and W.A. Monson, *Phys. Rev.* C5 (1972) 391
- 1972HA06 O. Hausser, A.B. McDonald, T.K. Alexander, A.J. Ferguson and R.E. Warner, *Phys. Lett.* B38 (1972) 75

- 1972ME17 J.W. Meadows and J.F. Whalen, Nucl. Sci. Eng. 48 (1972) 221
- 1972OH01 I.K. Oh, C.S. Zaidins, C.D. Zafiratos and S.I. Hayakawa, Nucl. Phys. A178 (1972) 497
- 1972PE05 B.I. Persson and S.E. Koonin, Phys. Rev. C5 (1972) 1443
- 1972RU03 C. Rudy, R. Vandenbosch, P. Russo and W.J. Braithwaite, Nucl. Phys. A188 (1972) 430.
- 1973AL1A Allardyce et al., Rept. RL-73-038, Rutherford High Energy Lab. (1973)
- 1973AN31 Y.P. Antufev, V.L. Agranovich, V.S. Kuzmenko and P.V. Sorokin, Pisma Zh. Eksp. Teor. Fiz. 18 (1973) 501; JETP Lett. 18 (1973) 294
- 1973BA1G Backenstoss et al., Nucl. Phys. B66 (1973) 125
- 1973BA1H Bahcall, in Munich, 2 (1973) 682
- 1973BI1A Bishop, in Munich, 2 (1973) 460
- 1973CA1B Cameron, Explosive Nucleosynthesis (1973) 3
- 1973CO1B Colgate, Explosive Nucleosynthesis (1973) 248
- 1973FE1B Fetscher, Kernf. Karlsruhe, Rept. No. KFK EXT. 3/73 1 (1973)
- 1973FR17 B. Frois, J. Birchall, C.R. Lamontagne, U. von Moellendorff, R. Roy and R.J. Slobodrian, Phys. Rev. C8 (1973) 2132
- 1973GA19 S. Gamba, G. Ricco and G. Rottigni, Nucl. Phys. A213 (1973) 383
- 1973GO41 Y.P. Gorin, S.P. Denisov, S.V. Donskov, R.N. Krasnokutskii, A.I. Petrukhin, Y.D. Prokoshkin and D.A. Stoyanova, Yad. Fiz. 18 (1973) 336; Sov. J. Nucl. Phys. 18 (1974) 173
- 1973HA47 O. Hausser, A.B. McDonald, T.K. Alexander, A.J. Ferguson and R.E. Warner, Nucl. Phys. A212 (1973) 613
- 1973HO1A Hole and Hansteen, Phys. Norvegica 7 (1973) 101
- 1973IB1A Iben, Astrophys. J. 185 (1973) 209
- 1973KO30 E.A. Kotikov and E.D. Makhnovskii, Yad. Fiz. 18 (1973) 245; Sov. J. Nucl. Phys. 18 (1974) 125
- 1973KU19 E.L. Kuplennikov, N.G. Afanasev, V.A. Goldshtein, V.I. Ogurtsov and V.G. Vlasenko, Yad. Fiz. 18 (1973) 20; Sov. J. Nucl. Phys. 18 (1974) 10
- 1973LI02 R.H. Lindsay, W. Toews and J.J. Veit, Nucl. Phys. A199 (1973) 513
- 1973LI1E Lippincott, Pitner and Kellogg, Trans. Amer. Nucl. Soc. 17 (1973) 494
- 1973LI23 T.K. Lim, Phys. Lett. B47 (1973) 397
- 1973MU14 S.F. Mughabghab and D.I. Garber, BNL 325, 3rd Edition, Vol. 1 (1973)

- 1973NA20 V.S. Nadezhdin, N.I. Petrov, V.I. Satarov and I.K. Vzorov, *Yad. Fiz.* 17 (1973) 1134; *Sov. J. Nucl. Phys.* 17 (1973) 590
- 1973OG1A Ogloblin, *Sov. J. Part. Nucl.* 3 (1973) 467
- 1973PO10 W.P. Poenitz and A. Devolpi, *Int. J. Appl. Radiat. Isotop.* 24 (1973) 471
- 1973RY03 T.B. Ryves, *J. Nucl. Energy* 27 (1973) 365
- 1973SC1B Scott, in *Munich*, 2 (1973) 216
- 1973SC26 P. Schumacher, N. Ueta, H.H. Duhm, K.-I. Kubo and W.J. Klages, *Nucl. Phys.* A212 (1973) 573
- 1973SI38 J. Sieminska and K. Soltynski, *Acta Phys. Pol.* B4 (1973) 639
- 1973SM1A Smith, Sackmann and Despain, *Explosive Nucleosynthesis* (1973) 168
- 1973SO08 M.A.A. Sonnemans, J.C. Waal and R. Van Dantzig, *Phys. Rev. Lett.* 31 (1973) 1359
- 1973SZ07 S. Szegedi, *Acta Phys. Acad. Sci. Hung.* 34 (1973) 215
- 1973TI1A Tinsley, *Explosive Nucleosynthesis* (1973) 22
- 1973TR1B Truran, *Cosmochemistry*; Ed., Cameron (1973) 23
- 1973TR1C Truran, *Space Sci. Rev.* 15 (1973) 23
- 1973WE07 M.F. Werby, M.B. Greenfield, K.W. Kemper, D.L. McShan and S. Edwards, *Phys. Rev.* C8 (1973) 106
- 1973WE1D Webber, Lezniak, Kish and Damle, *Astrophys. Space Sci.* 24 (1973) 17
- 1973WI1A Wilkin et al., *Nucl. Phys.* B62 (1973) 61
- 1973WO06 G.J. Wozniak, N.A. Jelley and J. Cerny, *Phys. Rev. Lett.* 31 (1973) 607
- 1974AH03 J. Ahrens, H.B. Eppler, H. Gimm, M. Kroning, P. Riehn, A. Zieger and B. Ziegler, *Phys. Lett.* B52 (1974) 43
- 1974AJ01 F. Ajzenberg-Selove and T. Lauritsen, *Nucl. Phys.* A227 (1974) 1
- 1974AN02 B. Antolkovic, *Nucl. Phys.* A219 (1974) 332
- 1974AR05 U.R. Arifkhanov, M. Gulyamov, B.I. Islamov, M. Kayumov and E. Ergashov, *Yad. Fiz.* 19 (1974) 25; *Sov. J. Nucl. Phys.* 19 (1974) 12
- 1974AU1A Audouze and Tinsley, *Astrophys. J.* 192 (1974) 487
- 1974AV02 G.V. Avakov, E.S. Belyaeva and E.I. Dolinsky, *Nucl. Phys.* A220 (1974) 205
- 1974BA1K Bartle, *Bull. Amer. Phys. Soc.* 19 (1974) 111
- 1974BA1L Bartle, *Bull. Amer. Phys. Soc.* 19 (1974) 507
- 1974BA40 S. Barshay, C.B. Dover and J.P. Vary, *Phys. Lett.* B51 (1974) 5
- 1974BA70 G. Baroni, S. Di Liberto, S. Petrera and G. Romano, *Nucl. Phys.* A231 (1974) 521
- 1974BE10 J. Bernabeu and J. Ros, *Nucl. Phys.* A220 (1974) 1

- 1974BE1J Becker, Joffily, Beccaria and Baron, Nucl. Phys. A221 (1974) 475
- 1974BE50 A. Beckmann, K.D. Boklen and D. Elke, Z. Phys. 270 (1974) 173
- 1974BO08 V.I. Bogatin, V.K. Bondarev, V.F. Litvin, O.V. Lozhkin, N.A. Perfilov, Y.P. Yakovlev and V.P. Bochinn, Yad. Fiz. 19 (1974) 32; Sov. J. Nucl. Phys. 19 (1974) 16
- 1974BO1D Bolotov et al., Yad. Fiz. 20 (1974) 949
- 1974BO1E Bormann, Neuert and Scobel, IAEA, STI/DOC/10/156 (1974) 87
- 1974BO25 M. Bouten and M.-C. Bouten, Lett. Nuovo Cim. 10 (1974) 161
- 1974BU16 C.A. Burke, M.T. Lunnnon and H.W. Lefevre, Phys. Rev. C10 (1974) 1299
- 1974BU1A Bulow and Forkman, IAEA, STI/DOC/10/156 (1974) 475
- 1974CA1C Canal, Astrophys. J. 189 (1974) 531
- 1974CE1A Cerny, in Nashville, Vol. 2 (1974) 483
- 1974CH1J Chang and Bhowmik, Bull. Amer. Phys. Soc. 19 (1974) 1022
- 1974CH1L Chiang et al., Acta Phys. Sin. (China) 23 (1974) 362
- 1974CH46 M. Chemtob and S. Furui, Nucl. Phys. A233 (1974) 435
- 1974CH58 I.P. Chernov, B.I. Kuznetsov, V.V. Kozyr and V.A. Matusevich, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 2530; Bull. Acad. Sci. USSR Phys. Ser. 38 (1974) 58
- 1974CL04 A.S. Clough, G.K. Turner, B.W. Allardyce, C.J. Batty, D.J. Baugh, W.J. McDonald, R.A.J. Riddle, L.H. Watson, M.E. Cage, G.J. Pyle et al., Nucl. Phys. B76 (1974) 15
- 1974CL1D D. Clement, E.W. Schmid and A.G. Teufel, Phys. Lett. B49 (1974) 308
- 1974CO1A Coates, Hunt and Uttley, NSRD, IAEA STI/PUB/371 (1974) 105
- 1974CR05 P.J. Cressy, Jr., Nucl. Sci. Eng. 55 (1974) 450
- 1974DA1B Davis et al., Lett. Nuovo Cim. 10 (1974) 139
- 1974DE1E De Jager, De Vries and De Vries, At. Data Nucl. Data Tables 14 (1974) 479
- 1974DE52 V.P. Denisov and I.Y. Chubukov, Yad. Fiz. 20 (1974) 1106; Sov. J. Nucl. Phys. 20 (1975) 579
- 1974DI16 V. di Napoli and M.L. Terranova, J. Inorg. Nucl. Chem. 36 (1974) 3633
- 1974DO03 E.I. Dolinskii, V.V. Turovtsev and R. Yarmukhamedov, Yad. Fiz. 19 (1974) 1003; Sov. J. Nucl. Phys. 19 (1975) 514
- 1974DO1C T.W. Donnelly, D. Hitlin, M. Schwartz, J.D. Walecka and S.J. Wiesner, Phys. Lett. B49 (1974) 8
- 1974DU10 J.L. Durand, J. Arvieux, C. Perrin and G. Perrin, Phys. Lett. B53 (1974) 57
- 1974EN10 R. Engfer, H. Schneuwly, J.L. Vuilleumier, H.K. Walter and A. Zehnder, At. Data Nucl. Data Tables 14 (1974) 509
- 1974FO1B Fort and Marquette, NSRD, IAEA STI/PUB/371 (1974) 113

1974FO1C Fort, NSRD, IAEA STI/PUB/371 (1974) 119
1974FR02 E. Friedland, H.W. Alberts and J.C. van Staden, Z. Phys. 267 (1974) 97
1974GO04 N.V. Goncharov, S.G. Tonapetyan and V.M. Khvorostyan, Yad. Fiz. 19 (1974) 21;
Sov. J. Nucl. Phys. 19 (1974) 10
1974GO26 I.W. Goodier, J.L. Makepeace and A. Williams, Int. J. Appl. Radiat. Isotop. 25 (1974)
373
1974GR24 Z. Gromadzki and J.V. Noble, Phys. Lett. B51 (1974) 9
1974HA11 D.L. Hanson, R.G. Stokstad, K.A. Erb, C. Olmer and D.A. Bromley, Phys. Rev. C9
(1974) 929
1974HA1D Harms and Moniz, Nucl. Instrum. Meth. 122 (1974) 567
1974HA1E Haff and Tombrello, BAP-1 (1974)
1974HU14 J. Hufner, L. Tauscher and C. Wilkin, Nucl. Phys. A231 (1974) 455
1974HY01 M. Hyakutake, M. Sonoda, A. Katase, Y. Wakuta, M. Matoba, H. Tawara and I. Fujita,
J. Nucl. Sci. Tech. 11 (1974) 407
1974IR04 J.M. Irvine, G.S. Mani and M. Vallieres, Czech. J. Phys. B24 (1974) 1269
1974JA11 W.W. Jacobs, D. Bodansky, D. Chamberlin and D.L. Oberg, Phys. Rev. C9 (1974)
2134
1974JA1F Jackson, Prog. in Phys. 37 (1974) 55
1974JA1M James, Morgan, Norton and Fletcher, Bull. Amer. Phys. Soc. 19 (1974) 550
1974JO08 G.P. Johnston and D.G. Sargood, Nucl. Phys. A224 (1974) 349
1974KA11 S.G. Kadenskii, A.A. Martynov and Y.I. Kharitonov, Yad. Fiz. 19 (1974) 529; Sov.
J. Nucl. Phys. 19 (1974) 267
1974KA22 P.J. Karol, Phys. Rev. C10 (1974) 150
1974KA32 D. Kamke, Z. Phys. 271 (1974) 367
1974KO03 J.A. Koepke, R.E. Brown, Y.C. Tang and D.R. Thompson, Phys. Rev. C9 (1974) 823
1974KO1C Kozlovsky and Ramaty, Astron. Astrophys. 34 (1974) 477
1974KO35 E. Kondaiah, J. Phys. (London) 7A (1974) 1457
1974KR1B Kraushaar and Bunting, Bull. Amer. Phys. Soc. 19 (1974) 529
1974KU06 N. Kumar, Nucl. Phys. A225 (1974) 221
1974KU1A Kudo and Honda, Prog. Theor. Phys. 51 (1974) 1259
1974LA18 H. Laumer, S.M. Austin and L.M. Panggabean, Phys. Rev. C10 (1974) 1045
1974LE30 A. Lejeune and R. Sartor, J. Phys. (Paris) 35 (1974) 895
1974LI1D Lieb et al., Bull. Amer. Phys. Soc. 19 (1974) 594

- 1974LO10 J.M. Lombaard and E. Friedland, *Z. Phys.* 268 (1974) 413
- 1974LO1B Lorenzen and Brune, IAEA, STI/DOC/10/156 (1974) 325
- 1974MA49 S. Matsuki, S. Yamashita, N. Fujiwara, K. Fukunaga, D.C. Nguyen and T. Yanabu, *Bull. Inst. Chem. Res. Kyoto Univ.* 52 (1974) 202
- 1974MCZS C.R. McClenahan, Thesis, Northwestern Univ. (1974); ANL-8088 (1974)
- 1974MI10 D. Miljanic, J. Hudomalj, G.S. Mutchler, E. Andrade and G.C. Phillips, *Phys. Lett.* B50 (1974) 330
- 1974MU1B Mukhopadhyay and Cannata, *Bull. Amer. Phys. Soc.* 19 (1974) 475
- 1974NA23 I.M. Narodetskii and I.L. Grach, *Pisma Zh. Eksp. Teor. Fiz.* 19 (1974) 698; *JETP Lett.* 19 (1974) 360
- 1974OV01 J.C. Overley, R.M. Sealock and D.H. Ehlers, *Nucl. Phys.* A221 (1974) 573
- 1974PA10 L.M. Panggabean, S.M. Austin and H. Laumer, *Phys. Rev.* C10 (1974) 1605
- 1974PE06 J.P. Perroud and C. Sellem, *Nucl. Phys.* A227 (1974) 330
- 1974PE1C Peterson et al., *Bull. Amer. Phys. Soc.* 19 (1974) 1003
- 1974PO07 W.P. Poenitz, *Z. Phys.* 268 (1974) 359
- 1974PO1C Poenitz and Meadows, NSRD, IAEA STI/PUB/371 (1974) 95
- 1974QU01 J.L. Quebert, B. Frois, L. Marquez, G. Sousbie, R. Ost, K. Bethge and G. Gruber, *Phys. Rev. Lett.* 32 (1974) 1136; *Erratum Phys. Rev. Lett.* 32 (1974) 1396
- 1974RA09 G.M. Raisbeck and F. Yiou, *Phys. Rev.* C9 (1974) 1385
- 1974RA11 J.R. Radin, A.R. Smith and N. Little, *Phys. Rev.* C9 (1974) 1718
- 1974RE1A Reeves, *Ann. Rev. Astron. Astrophys.* 12 (1974) 437
- 1974SA1J Sanjeevaiah and Sanjeevaiah, *Proc. Int. Symp. Radiation Phys.*, Calcutta, 1974 (1977) 23
- 1974SC24 K. Schenk, M. Morike, G. Staudt, P. Turek and D. Clement, *Phys. Lett.* B52 (1974) 36
- 1974SH1D Shaviv, *Astron. Astrophys.* 35 (1974) 385
- 1974SHYR V.S. Shirley and C.M. Lederer, LBL-3450 (1974)
- 1974SI04 B. Singh, *Nucl. Phys.* A219 (1974) 621
- 1974SO1C Sonnemans, Thesis, IKO, Amsterdam (1974)
- 1974ST1C Stolovy, Namenson, Walker and Smith, *Bull. Amer. Phys. Soc.* 19 (1974) 529
- 1974ST1D Steiner and Tobias, *Nucl. Fusion* 14 (1974) 153
- 1974ST1E Stephany and Knoll, *Trans. Amer. Nucl. Soc.* 18 (1974) 329
- 1974ST1F Stewart, NSRD, IAEA STI/PUB/371 (1974) 149

- 1974TA18 L. Tauscher and W. Schneider, Z. Phys. 271 (1974) 409
- 1974TE05 A.G. Teufel, Nucl. Phys. A235 (1974) 19
- 1974TE1B A.G. Teufel and K. Wildermuth, Nucl. Phys. A230 (1974) 70
- 1974TH01 C. Thibault and R. Klapisch, Phys. Rev. C9 (1974) 793
- 1974TS1A Tsukada, NSRD, IAEA STI/PUB/371 (1974) 15
- 1974TU1A Turk, Antolkovic, Dolenc and Winterhalter, Proc. 1973 Gaussig Conf., ZFK-271 (1974) 115
- 1974VA1A Vander Molen, Becchetti and Janecke, Proc. Conf. Reactions between Complex Nuclei, Vol. 1 (1974) 36
- 1974VA1C Vasilev, Kocharov and Levkovskii, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 1827
- 1974VA33 M. Varnagy, J. Csikai, J. Szabo and S. Szegedi, J. Banhalmi, Nucl. Instrum. Meth. 119 (1974) 451
- 1974VO06 P.L. Von Behren, E. Norbeck and G.L. Payne, Phys. Rev. C10 (1974) 550
- 1974WI1F Williams and Edmunds, Sci. Prog. 61 (1974) 323
- 1974WO1C Wozniak, LBL-2999 (1974)
- 1974WO1D Wozniak, Jelley and Cerny, Nucl. Instrum. Meth. 120 (1974) 29
- 1975AB1C Abulaffio and Peres, Nucl. Cross Sections and Tech., Pt. III, Washington, D.C., 1975 (1975) 701
- 1975AH06 J. Ahrens, H. Borchert, K.H. Czock, H.B. Eppler, H. Gimm, H. Gundrum, M. Kroning, P. Riehn, G. Sita Ram, A. Zieger et al., Nucl. Phys. A251 (1975) 479
- 1975AJ02 F. Ajzenberg-Selove, Nucl. Phys. A248 (1975) 1
- 1975AL1A Allas et al., Few Body Problems, Quebec, 1974 (1975) 422
- 1975AN1D Anne et al., Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 307
- 1975AR14 A.G. Artyukh, V.V. Volkov, G.F. Gridnev and V.L. Mikheev, Izv. Akad. Nauk SSSR Ser. Fiz. 39 (1975) 2; Bull. Acad. Sci. USSR Phys. Ser. 39 (1975) 1
- 1975AR1E Arnould and Norgaard, Astron. Astrophys. 42 (1976) 55
- 1975AZ02 S.A. Azimov, U.R. Arifkhanov, M. Gulyamov, B.I. Islamov, T. Iskhakov, A.M. Mukhamedzhanov, E. Ergashov, Y.I. Faizullaev and R. Yarmukhamedov, Yad. Fiz. 22 (1975) 225; Sov. J. Nucl. Phys. 22 (1976) 115
- 1975BA05 S. Barshay, C.B. Dover and J.P. Vary, Phys. Rev. C11 (1975) 360
- 1975BA1G Baldin, AIP Conf. Proc. 26 (1975) 621
- 1975BA1L Batty, Czech. J. Phys. 25 (1975) 286
- 1975BA1M Bartle, Nucl. Cross Sections and Tech., Pt. II, Washington, D.C., 1975 (1975) 688
- 1975BA1P Baldin et al., Yad. Fiz. 21 (1975) 1008

- 1975BA38 A.G. Baryshnikov and L.D. Blokhintsev, *J. Phys. (London)* G1 (1975) L43
- 1975BE1F Berman and Fultz, *Rev. Mod. Phys.* 47 (1975) 713
- 1975BE31 M. Beiner, R.J. Lombard and D. Mas, *Nucl. Phys.* A249 (1975) 1
- 1975BE56 W. Benenson, *Nukleonika (Poland)* 20 (1975) 775
- 1975BE60 B.L. Berman, *At. Data Nucl. Data Tables* 15 (1975) 319
- 1975BO1B V.N. Bolotov, V.V. Isakov, V.A. Kachanov, D.B. Kakauridze, V.M. Kutysin, Yu.D. Prokoshkin, E.A. Razuvaev and V.K. Semenov, *Nucl. Phys.* B85 (1975) 158
- 1975BR1B Brault and Muller, *Solar Phys.* 41 (1975) 43
- 1975BR1F Brown, *At. Data Nucl. Data Tables* 15 (1975) 111
- 1975BU1A Bugg, *Few Body Problems, Quebec, 1974* (1975) 267
- 1975CA19 S. Calzavara and L.H. Schick, *Phys. Rev.* C12 (1975) 507
- 1975CH1B Chang and Bhowmik, *Clustering Phenom. in Nucl., II, ORO-4856-26* (1975) 317
- 1975CL1B Clement and Schmid, *Clustering Phenom. in Nucl., II, ORO-4856-26* (1975) 148
- 1975CL1C Clement, Kanellopoulos and Wildermuth, *Acta Phys. Austriaca* 42 (1975) 29
- 1975CU1A Culver and Ianna, *Astrophys. J.* 195 (1975) L37
- 1975DE37 V.P. Denisov and I.Y. Chubukov, *Yad. Fiz.* 22 (1975) 897; *Sov. J. Nucl. Phys.* 22 (1976) 466
- 1975DI04 H. Dirim, J.P. Elliott and J.A. Evans, *Nucl. Phys.* A244 (1975) 301
- 1975ER09 K.M. Erokhin, N.V. Orlova, Y.F. Smirnov and K.V. Shitikova, *Yad. Fiz.* 22 (1975) 1102; *Sov. J. Nucl. Phys.* 22 (1975) 574
- 1975FA1A Fagg, *Rev. Mod. Phys.* 47 (1975) 683
- 1975FE1A Feather, *Commun. Roy. Soc. Edinburgh (Phys. Sci.)* 2 (1975) 19
- 1975FE1B Feinberg, *AIP Conf. Proc.* 26 (1975) 468
- 1975FR1B Friesenhahn et al., *Bull. Amer. Phys. Soc.* 20 (1975) 144
- 1975FR1C Friesenhahn et al., *Nucl. Cross Sections and Tech., Pt. I, Washington, D.C., 1975* (1975) 232
- 1975FU01 C.B. Fulmer and D.A. Goldberg, *Phys. Rev.* C11 (1975) 50
- 1975GE1D Georgieva and Toumbev, *Doklady Bolgarskoi Akad. Nauk* 28 (1975) 609
- 1975GE1E Gershtein, Folomeshkin, Khlopov and Eramzhyan, *Yad. Fiz.* 22 (1975) 157
- 1975GI1B Gibson et al., *Bull. Amer. Phys. Soc.* 20 (1975) 1193
- 1975GR26 Z. Gromadzki and J.V. Noble, *Nucl. Phys.* A251 (1975) 105
- 1975GR41 K.A. Gridnev and A.A. Ogloblin, *Fiz. Elem. Chastits At. Yad. (USSR)* 6 (1975) 393; *Sov. J. Part. Nucl.* 6 (1976) 158

1975HA1G Hale, Bull. Amer. Phys. Soc. 20 (1975) 148
 1975HA1H Hahn, Wechter and Voigt, Nucl. Instrum. Meth. 123 (1975) 111
 1975HA1J Harvey and Hill, Bull. Amer. Phys. Soc. 20 (1975) 145
 1975HA1K Hansen, Dietrich, Koopman and Madsen, Bull. Amer. Phys. Soc. 20 (1975) 626
 1975HA1L Hale, Nucl. Cross Sections and Tech., Pt. I, Washington, D.C., 1975 (1975) 302
 1975HA1M Harvey and Hill, Nucl. Cross Sections and Tech., Pt. I, Washington, D.C., 1975 (1975) 244
 1975HE07 A.C. Heemskerck, L.P. Kok and M. De Roo, Nucl. Phys. A244 (1975) 15
 1975HO01 R.J. Holt, F.W.K. Firk, G.T. Hickey and R. Nath, Nucl. Phys. A237 (1975) 111
 1975HO12 R. Holub, A.F. Zeller, H.S. Plendl and R.J. de Meijer, Nucl. Phys. A246 (1975) 515
 1975HO1C Hoyle, Astrophys. J. 197 (1975) L127
 1975HU10 G.M. Hudson, K.W. Kemper, G.E. Moore and M.E. Williams, Phys. Rev. C12 (1975) 474
 1975JA1B Jain and Jain, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 301
 1975JA1C Jain and Jain, Few Body Problems, Quebec, 1974 (1975) 775
 1975JA1D Jarmie et al., Bull. Amer. Phys. Soc. 20 (1975) 596
 1975JO1A Johansson and Rosengren, J. Phys. F5 (1975) L15
 1975KI14 King et al., Phys. Rev. Lett. 35 (1975) 988
 1975KR14 S. Krol and S. Szpikowski, Acta Phys. Pol. B6 (1975) 409
 1975KU01 D. Kurath and D.J. Millener, Nucl. Phys. A238 (1975) 269
 1975KU08 K.-I. Kubo, Nucl. Phys. A246 (1975) 246
 1975KU09 V.I. Kukuljin, V.G. Neudatchin and Y.F. Smirnov, Nucl. Phys. A245 (1975) 429
 1975KU1H Kudo and Honda, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 321
 1975KU27 N. Kumar and S.K. Soni, Indian J. Pure Appl. Phys. 13 (1975) 826
 1975LA08 G.P. Lamaze, A.D. Carlson and M.M. Meier, Nucl. Sci. Eng. 56 (1975) 94
 1975LA16 F. Lagoutine, JLegrand and C. Bac, Int. J. Appl. Radiat. Isotop. 26 (1975) 131
 1975LE18 E.B. Levshin and A.D. Fursa, Yad. Fiz. 21 (1975) 531; Sov. J. Nucl. Phys. 21 (1975) 278
 1975LI20 D.L. Lin and M.Y. Chen, Nucl. Phys. A251 (1975) 457
 1975MC02 C.R. McClenahan and R.E. Segel, Phys. Rev. C11 (1975) 370
 1975ME1E Meneguizzi and Reeves, Astron. Astrophys. 40 (1975) 91, 99
 1975MI09 B. Mithra and R. Laverriere, Phys. Lett. B58 (1975) 17
 1975MU1A Muller, Henkelmann and Boroffka, Nucl. Instrum. Meth. 129 (1975) 557

- 1975NE1B Neudatchin, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 205
- 1975NI1B Nichitiu, Few Body Problems, Quebec, 1974 (1975) 90
- 1975NO1D Norgaard and Arnould, Astron. Astrophys. 40 (1975) 331
- 1975PA11 G.L. Payne and R.R. Carlson, Phys. Rev. C12 (1975) 1260
- 1975PA1B Partridge, Brown, Tang and Thompson, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 225
- 1975PN1A Pniewski and Zakrzewski, Nukleonika (Poland) 20 (1975) 43
- 1975PR1B Preszler, Kish, Iezniak and Webber, Bull. Amer. Phys. Soc. 20 (1975) 711
- 1975RA12 G.M. Raisbeck and F. Yiou, Phys. Rev. Lett. 35 (1975) 155
- 1975RA14 G.M. Raisbeck, J. Lestringuez and F. Yiou, Phys. Lett. B57 (1975) 186
- 1975RA21 G.M. Raisbeck, P. Boerstling, R. Klapisch and T.D. Thomas, Phys. Rev. C12 (1975) 527
- 1975RA25 G.M. Raisbeck and F. Yiou, Phys. Rev. C12 (1975) 915
- 1975RE18 S. Regnier, P. Paillard and G. Simonoff, C. R. Acad. Sci. (Paris) B280 (1975) 513
- 1975RO1B Roos and Chant, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 242, 265
- 1975RU09 C.R. Rudy and N.T. Porile, Phys. Lett. B59 (1975) 240
- 1975SA01 Y. Sakamoto, P. Cuer and F. Takeuchi, Phys. Rev. C11 (1975) 668
- 1975SC1G Schroeder, McGarry, de Leeuw and de Leeuw-Gierts, Bull. Amer. Phys. Soc. 20 (1975) 145
- 1975SC1H J.M. Scalo, K.H. Despain and R.K. Ulrich, Astrophys. J. 196 (1975) 805
- 1975SC1J Schroeder, McGarry, de Leeuw-Gierts and de Leeuw, Nucl. Cross Sections and Tech., Pt. I, Washington, D.C. 1975 (1975) 240
- 1975ST1D Stephany and Knoll, Bull. Amer. Phys. Soc. 20 (1975) 144
- 1975ST1E Stephany and Knoll, Nucl. Cross Sections and Tech., Pt. I, Washington, D.C., 1975 (1975) 236
- 1975TA1A Tang and Thompson, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 119
- 1975TA1B Takeuchi, Takayasu, Uchida and Nakano, Int. J. Appl. Radiat. Isotop. 26 (1975) 736
- 1975TA1C Tauscher, AIP Conf. Proc. 26 (1975) 541
- 1975TO1A Tombrello, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 167
- 1975TR1A Trimble, Rev. Mod. Phys. 47 (1975) 877
- 1975UL1A Ulrich, Science 190 (1975) 619
- 1975VO08 W. von Oertzen and E.R. Flynn, Ann. Phys. 95 (1975) 326
- 1975VO1B von Oertzen and Bohlen, Phys. Rept. 19 (1975) 1

- 1975WI1C Wildermuth, Clustering Phenom. in Nucl., II, ORO-4856-26 (1975) 89
- 1975WI1D Williams-Norton et al., Bull. Amer. Phys. Soc. 20 (1975) 1191
- 1975YA02 Y.-Y. Yam, Phys. Rev. C11 (1975) 73
- 1975ZE01 A.M. Zebelman, A.M. Poskanzer, J.D. Bowman, R.G. Sextro and V.E. Viola, Jr., Phys. Rev. C11 (1975) 1280
- 1975ZE03 A.F. Zeller, G.R. Choppin, H.S. Plendl and C.I. Delaune, Phys. Rev. C12 (1975) 124
- 1976AB11 S.N. Abramovich, B.Y. Guzhovskii, B.M. Dzyuba, A.G. Zvenigorodskii, S.V. Trusillo and G.N. Sleptsov, Izv. Akad. Nauk SSSR Ser. Fiz. 40 (1976) 842; Bull. Acad. Sci. USSR Phys. Ser. 40 (1976) 129
- 1976AJ04 F. Ajzenberg-Selove, Nucl. Phys. A268 (1976) 1
- 1976AL1F Alder et al., Meson-Nucl. Phys., 1976 (1976) 158
- 1976AS1B Aslanides, Meson-Nucl. Phys., 1976 (1976) 204
- 1976AU1B Audouze and Lequeux, Astron. Astrophys. 49 (1976) 133
- 1976AU1C Audouze, Meneguzzi and Reeves, Spallation Nucl. Reactions and Their Applications; Eds., Shen and Merker (1976) 113
- 1976BA1K Bartle, Gebbie and Hollas, Lowell Conf., CONF-760715-P2 (1976) 1342
- 1976BA1L Bacher et al., Polarization, Zurich, 1975 (1976) 583
- 1976BE1C Beaudet, J. Royal Astron. Soc. Canada 70 (1976) 247
- 1976BE1H Berman, Preprint UCRL-78482 (1976)
- 1976BE1K Bertini, Spallation Nucl. Reactions and Their Applications; Eds., Shen and Merker (1976) 27
- 1976BE67 B.N. Belyaev, V.D. Domkin, Y.G. Korobulin and L.M. Krizhanskii, Yad. Fiz. 24 (1976) 1177; Sov. J. Nucl. Phys. 24 (1976) 617
- 1976BH02 R.K. Bhowmik, C.C. Chang, J.-P. Didelez and H.D. Holmgren, Phys. Rev. C13 (1976) 2105
- 1976BI1B Bilpuch et al., Lowell Conf., 760715-P2 (1976) 1309
- 1976BIZO E.K. Biegert, D.P. May, S.D. Baker and C.W. Towsley, Bull. Amer. Phys. Soc. 21 (1976) 990, CF3
- 1976BO08 V.I. Bogatin, V.F. Litvin, O.V. Lozhkin, N.A. Perfilov and Y.P. Yakovlev, Nucl. Phys. A260 (1976) 446
- 1976BO1E Boesgaard, Pub. Astron. Soc. Pac. 88 (1976) 353
- 1976BO32 J.E. Bolger, W.J. Braithwaite, J.J. Kraushaar, J. McGill, C.F. Moore, C.L. Morris, R.J. Peterson, R.A. Ristinen, G. Smith, L.E. Smith et al., Phys. Rev. Lett. 37 (1976) 1206
- 1976BO45 I.I. Bondouk, F. Asfour and F. Machali, Rev. Roum. Phys. 21 (1976) 775

- 1976BR26 F. Brut and S. Jang, *Phys. Rev. C*14 (1976) 1638
- 1976BR42 J.D. Brandenberger, F.D. Snyder, J.D. Dawson, T.W. Burrows and F.D. Mcdaniel, *Nucl. Instrum. Meth.* 138 (1976) 321
- 1976BU16 M. Buenerd, C.K. Gelbke, B.G. Harvey, D.L. Hendrie, J. Mahoney, A. Menchaca-Rocha, C. Olmer and D.K. Scott, *Phys. Rev. Lett.* 37 (1976) 1191
- 1976CA1C Catchpole and Feast, *Monthly Notices Roy. Astron. Soc.* 175 (1976) 501
- 1976CA23 A.S. Carroll, I-H. Chiang, C.B. Dover, T.F. Kycia, K.K. Li, P.O. Mazur, D.N. Michael, P.M. Mockett, D.C. Rahm and R. Rubinstein, *Phys. Rev. C*14 (1976) 635
- 1976CH28 A. Chevarier, N. Chevarier, A. Demeyer, P. Martin and P. de Saintignon, *Nucl. Phys.* A274 (1976) 223
- 1976CL1A Clayton and Dwek, *Astrophys. J.* 206 (1976) L59
- 1976CO1B Colgate, Audouze and Fowler, OAP-458 (1976)
- 1976CO23 M.E. Cobern, D.J. Pisano and P.D. Parker, *Phys. Rev. C*14 (1976) 491
- 1976CU05 J.B. Cumming, R.W. Stoenner and P.E. Haustein, *Phys. Rev. C*14 (1976) 1554
- 1976DI01 V. di Napoli, G. Rosa, F. Salvetti, M.L. Terranova, H.G. de Carvalho, J.B. Martins and O.A.P. Tavares, *J. Inorg. Nucl. Chem.* 38 (1976) 1
- 1976DI13 F.S. Dietrich, L.F. Hansen and R.P. Koopman, *Nucl. Sci. Eng.* 61 (1976) 267
- 1976DO10 V.T. Dorobantu, S. Apostolescu, P.S. Vertes and R. Macrin, *Rev. Roum. Phys.* 21 (1976) 967
- 1976DO1B Dodder, *Polarization, Zurich, 1975* (1976) 167
- 1976DO1D Dover, *Meson-Nucl. Phys.*, 1976 (1976) 249
- 1976DU05 J. Dubach, J.H. Koch and T.W. Donnelly, *Nucl. Phys.* A271 (1976) 279
- 1976DU1B Dumbrajs, *Meson-Nucl. Phys.*, 1976 (1976) 192
- 1976DU1C Durand et al., *Polarization, Zurich, 1975* (1976) 577
- 1976DYZY S.A. Dytman, J.F. Amann, P.D. Barnes, J.N. Craig, K.G.R. Doss, R.A. Eisenstein, J.D. Sherman, W.R. Wharton, R.J. Peterson, G. Burleson et al., *Bull. Amer. Phys. Soc.* 21 (1976) 998, DE3
- 1976EN02 H.D. Engelhardt, C.W. Lewis and H. Ullrich, *Nucl. Phys.* A258 (1976) 480
- 1976EP1A Epsteain, Arnett and Schramm, *Astrophys. J. Suppl.* 31 (1976) 111
- 1976ES1A Esmael, *Nuovo Cim.* A35 (1976) 419
- 1976FI1B Fick, *Polarization, Zurich, 1975* (1976) 357
- 1976FO1C Fowler, *Lowell Conf.*, CONF-760715-P1 (1976) 611
- 1976FU06 G.H. Fuller, *J. Phys. Chem. Ref. Data* 5 (1976) 835
- 1976FU1B Fukui, Enge and Beaujean, *Z. Phys.* A277 (1976) 99

- 1976GAYV D.I. Garber and R.R. Kinsey, BNL 325, 3rd Edition, Vol. 2 (1976)
- 1976GI01 W.R. Gibbs, B.F. Gibson, A.T. Hess, G.J. Stephenson, Jr. and W.B. Kaufmann, Phys. Rev. Lett. 36 (1976) 85
- 1976GI1C Ginzburg and Ptjskin, Rev. Mod. Phys. 48 (1976) 161
- 1976GL1A Glendinning et al., Bull. Amer. Phys. Soc. 21 (1976) 536
- 1976GO12 G.-H. Goritz and U. Mosel, Z. Phys. A277 (1976) 243
- 1976HA17 R.A. Hardekopf, G.G. Ohlsen, R. V. Poore and N. Jarmie, Phys. Rev. C13 (1976) 2127
- 1976HA1E Hautot, Atti Fond. Giorgio Ronchi (Italy) 31 (1976) 373
- 1976HA1F Hainebach, Schramm and Blake, Astrophys. J. 205 (1976) 920
- 1976HA1G Hale and Dodder, Lowell Conf., CONF-760715-P2 (1976) 1459
- 1976HA1H Hale and Dodder, Polarization, Zurich, 1975 (1976) 581
- 1976HE15 H.R. Heydegger, A.L. Turkevich, A. Van Ginneken and P.H. Walpole, Phys. Rev. C14 (1976) 1506
- 1976HU1D Hudis, Spallation Nucl. Reactions and Their Applications; Eds., Shen and Merker (1976) 9
- 1976IN04 T. Inoue and S. Tanaka, J. Inorg. Nucl. Chem. 38 (1976) 1425
- 1976IR1B Irvine et al., Ann. Phys. 102 (1976) 129
- 1976JA1D Jain, Pramana 5 (1976) 226
- 1976JA1E Jacobsson and Kullberg, Phys. Scr. 13 (1976) 327
- 1976KA14 S. Kato, S. Kubono, T. Yamaya, H. Endo, K. Takimoto, K. Fujii, J. Schimizu, N. Takahashi, Y. Iwasaki and J. Kasagi, Phys. Lett. B62 (1976) 153
- 1976KI1D King et al., Lowell Conf., CONF-760715-P2 (1976) 1344
- 1976KN1C Knitter and Budtz-Jorgensen, Lowell Conf., CONF-760715-P2 (1976) 1387
- 1976KN1D Knox, White and Lane, Lowell Conf., CONF-760715-P2 (1976) 1307
- 1976KU07 N. Kumar and O. Prakash, Z. Phys. A278 (1976) 105
- 1976LA1C Lane, White and Knox, Lowell Conf., CONF-760715-P2 (1976) 1042
- 1976LA1E Lamaze, Wasson, Schrack and Carlson, Lowell Conf., CONF-760715-P2 (1976) 1341
- 1976LAZU G.P. Lamaze, O.A. Wasson and R.A. Schrack, Bull. Amer. Phys. Soc. 21 (1976) 535, BF14
- 1976LE1F Lefort, Rept. Prog. 39 (1976) 129
- 1976LI1H Liskien, Lowell Conf., CONF-760715-P2 (1976) 1110
- 1976MA04 F. Malaguti and P.E. Hodgson, Nucl. Phys. A257 (1976) 37
- 1976MA1D Martins, Tavares, Terranova and Di Napoli, Nucl. Instrum. Meth. 131 (1976) 569

- 1976MA34 J.L. Matthews, D.J.S. Findlay, S.N. Gardiner and R.O. Owens, Nucl. Phys. A267 (1976) 51
- 1976MI13 T. Mikumo, I. Kohno, K. Katori, T. Motobayashi, S. Nakajima, M. Yoshie and H. Kamitsubo, Phys. Rev. C14 (1976) 1458
- 1976MI1C Miljanic, Pecar, Rendic and Tomas, Lowell Conf., CONF-760715-P2 (1976) 1343
- 1976MOZF J.M. Moss, D.R. Brown and W.D. Cornelius, Bull. Amer. Phys. Soc. 21 (1976) 990, CF5
- 1976MUZW J.J. Murphy II, Y.M. Shin, D.M. Skopik and E.L. Tomusiak, Bull. Amer. Phys. Soc. 21 (1976) 516, AG5
- 1976NA11 M.N. Namboodiri, E.T. Chulick and J.B. Natowitz, Nucl. Phys. A263 (1976) 491
- 1976NE1B Nelson, Purser, von Behren and Newson, Lowell Conf., CONF-760715-P2 (1976) 1475
- 1976NO1C Norgaard and Fricke, Astron. Astrophys. 49 (1976) 337
- 1976NO1D Noble, Meson-Nucl. Phys., 1976 (1976) 221
- 1976OS04 R. Ost, N.E. Sanderson, S. Mordechai, J.B.A. England, B.R. Fulton, J.M. Nelson and G.C. Morrison, Nucl. Phys. A265 (1976) 142
- 1976OV1A Overley and Lefevre, Bull. Amer. Phys. Soc. 21 (1976) 1344
- 1976PA07 A.J. Pape and S.S. Markowitz, Phys. Rev. C13 (1976) 2116
- 1976PE1A C. Perron, Phys. Rev. C14 (1976) 1108
- 1976PI10 D.J. Pisano and P.D. Parker, Phys. Rev. C14 (1976) 475
- 1976PI1B Pilkuhn, Schlaile and Zoyko, Meson-Nucl. Phys., 1976 (1976) 194
- 1976PO02 J.E. Poling, E. Norbeck and R.R. Carlson, Phys. Rev. C13 (1976) 648
- 1976PO06 C.H. Poppe, J.D. Anderson, J.C. Davis, S.M. Grimes and C. Wong, Phys. Rev. C14 (1976) 438
- 1976PO1C Pomorski, Karcz and Jarzmik, Nukleonika 21 (1976) 1089
- 1976RA1C Raisbeck and Yiou, Spallation Nucl. Reactions and Their Applications; Eds., Shen and Merker (1976) 83
- 1976RA1D Raman, Hill, Halperin and Harvey, Lowell Conf., CONF-760715-P2 (1976) 1340
- 1976RI1A Risser, Oliver, von Behren and Phillips, Lowell Conf., CONF-760715-P2 (1976) 1308
- 1976RO04 R.G.H. Robertson, W. Benenson, E. Kashy and D. Mueller, Phys. Rev. C13 (1976) 1018
- 1976RO10 J.L. Romero, F.P. Brady and J.A. Jungerman, Nucl. Instrum. Meth. 134 (1976) 537
- 1976RO12 C.T. Roche, R.G. Clark, G.J. Mathews and V.E. Viola, Jr., Phys. Rev. C14 (1976) 410
- 1976RO1J Ross and Aller, Science 191 (1976) 1223

- 1976SC1E Scalo, *Astrophys. J.* 206 (1976) 795
- 1976SE06 R.M. Sealock and J.C. Overley, *Phys. Rev. C*13 (1976) 2149
- 1976SH01 Y. Shamaï, J. Alster, D. Ashery, S. Cochavi, M.A. Moinester, A.I. Yavin, E.D. Arthur and D.M. Drake, *Phys. Rev. Lett.* 36 (1976) 82
- 1976SI1C Simpson, *Bull. Amer. Phys. Soc.* 21 (1976) 602
- 1976SI1D Silberberg, Tsao and Shapiro, *Spallation Nucl. Reactions and Their Applications*; Eds., Shen and Merker (1976) 49
- 1976SL2A I. Slaus, *Lowell Conf., CONF-760715-P1* (1976) 272
- 1976SOZW A.M. Sourkes, D.K. Hasell, M.S. De Jong, T. Nasr, R.F. Carlson, A.J. Cox and D.J. Margaziotis, *Bull. Amer. Phys. Soc.* 21 (1976) 987, CD10
- 1976ST11 W.F. Steele, P.A. Smith, J.E. Finck and G.M. Crawley, *Nucl. Phys.* A266 (1976) 424
- 1976TR1A Truol, *Meson-Nucl. Phys.*, 1976 (1976) 581
- 1976TU04 M. Turk, B. Antolkovic and D. Winterhalter, *Nucl. Phys.* A270 (1976) 381
- 1976VI1A Vidal-Quadras et al., *Nuovo Cim.* B34 (1976) 380
- 1976WA12 R.E. Warner, G.C. Ball, W.G. Davies, A.J. Ferguson and J.S. Forster, *Nucl. Phys.* A269 (1976) 286
- 1976WA1E Watson, McKee, Randell and Roberts, *Bull. Amer. Phys. Soc.* 21 (1976) 110
- 1976WI1B Winiger, Huber, Halter and Michaud, *Tellus* 28 (1976) 434
- 1976WO11 G.J. Wozniak, D.P. Stahel, J. Cerny and N.A. Jelley, *Phys. Rev. C*14 (1976) 815
- 1976ZA11 N.I. Zaika, A.V. Mokhnach, V.S. Semenov, V.P. Tokarev, V.A. Shitjuk and P.L. Shmarin, *Ukr. Fiz. Zh.* 21 (1976) 1677
- 1977AB09 B.M. Abramov, I.A. Dukhovskoi, V.V. Kishkurno, L.A. Kondratyuk, A.P. Krutenkova, V.V. Kulikov, M.A. Matsyuk, I.A. Radkevich, E.N. Turdakina, V.S. Fedorets et al., *Pisma Zh. Eksp. Teor. Fiz.* 25 (1977) 123; *JETP Lett.* 25 (1977) 111
- 1977AJ02 F. Ajzenberg-Selove, *Nucl. Phys.* A281 (1977) 1
- 1977AL1C Alder et al., *Helv. Phys. Acta* 50 (1977) 197
- 1977AL21 A. Altman, J. Alster, D. Ashery, I. Navon, H.J. Pfeiffer, H.K. Walter, E.A. Hermes and F.W. Schleputz, *Phys. Rev. Lett.* 39 (1977) 864
- 1977AM1A Amann et al., *Bull. Amer. Phys. Soc.* 22 (1977) 525
- 1977AN21 I. Angeli and M. Csatlos, *Nucl. Phys.* A288 (1977) 480
- 1977AP1A Apokin et al., *Yad. Fiz.* 25 (1977) 555
- 1977AR06 A.G. Artukh, G.F. Gridnev, V.L. Mikheev and V.V. Volkov, *Nucl. Phys.* A283 (1977) 350

- 1977AS03 V.M. Asaturyan, E.O. Grigoryan, G.A. Vartapetyan, A.S. Danagulyan, N.A. Demekhina and A.G. Khudaverdyan, *Yad. Fiz.* 25 (1977) 1133; *Sov. J. Nucl. Phys.* 25 (1977) 601
- 1977AU1B Austin, MSUCL-254 (1977)
- 1977AU1C Austin and King, *Nature* 269 (1977) 782
- 1977AZ02 G. Azuelos and J.E. Kitching, *Nucl. Phys.* A285 (1977) 19
- 1977BA1M Bassalleck et al., *Proc., Zurich-Sin* (1977) 35
- 1977BA1N D. Baye, J. Deenen and Y. Salmon, *Nucl. Phys.* A289 (1977) 511
- 1977BA1R Bardin et al., *Proc., Zurich-Sin* (1977) 342
- 1977BA1V Bahcall, *AIP Conf. Proc.* 37 (1977) 53
- 1977BA1W Backenstoss, *Acta Phys. Austriaca Suppl.* 18 (1977) 593
- 1977BA27 C.J. Batty, S.F. Biagi, M. Blecher, R.A.J. Riddle, B.L. Roberts, J.D. Davies, G.J. Pyle, G.T.A. Squier and D.M. Asbury, *Nucl. Phys.* A282 (1977) 487
- 1977BA37 T. Bauer, R. Beurtey, A. Boudard, G. Bruge, A. Chaumeaux, P. Couvert, H.H. Duham, D. Garreta, M. Matoba, Y. Terrien et al., *Phys. Lett.* B69 (1977) 433
- 1977BA47 Y.A. Batusov, L. Vizireva, V.B. Kovacheva, P. Cuer, J.P. Massue, F. Mirsalikhova, V.M. Sidorov and K.M. Chernev, *Yad. Fiz.* 26 (1977) 249; *Sov. J. Nucl. Phys.* 26 (1977) 129
- 1977BA51 B. Bassalleck, W.-D. Klotz, F. Takeutchi, H. Ullrich and M. Furic, *Phys. Rev.* C16 (1977) 1526
- 1977BE1M Beck, Mihailovoc, Nagarajan and Polusak, *Fiz. Suppl.* 9 (1977) 7
- 1977BE1P Beaudet and Yahil, *Astrophys. J.* 218 (1977) 253
- 1977BE50 F. Becker and I. Strykowski, *Nucl. Phys.* A289 (1977) 425
- 1977BE51 F. Becker and I. Strykowski, *Nucl. Phys.* A289 (1977) 446
- 1977BI1E Biegert, Baker, Dodder and Hale, *Bull. Amer. Phys. Soc.* 22 (1977) 994
- 1977BO1F Boesgaard, Heacox and Conti, *Astrophys. J.* 214 (1977) 124
- 1977BR1H Brown, Blitz and Anbar, *Int. J. Mass Spectrom. Ion Phys.* 25 (1977) 167
- 1977BR21 R.E. Brown, G.G. Ohlsen, R.F. Haglund, Jr. and N. Jarmie, *Phys. Rev.* C16 (1977) 513
- 1977BU01 B. Buck, H. Friedrich and C. Wheatley, *Nucl. Phys.* A275 (1977) 246
- 1977CA1B Canal, Isern and Sanahuja, *Astrophys. J.* 214 (1977) 189
- 1977CA1E Carter et al., *Proc., Zurich-Sin* (1977) 318
- 1977CO07 A.A. Cowley, P.G. Roos, N.S. Chant, R. Woody, III, H.D. Holmgren and D.A. Goldberg, *Phys. Rev.* C15 (1977) 1650

- 1977CO1F Cox and Pourmansoori, *Int. J. Appl. Rad. Isotopes* 28 (1977) 235
- 1977DA1B Davydov, Naumov and Shcherbachenko, *INDC(CCP)-104/LN* (1977)
- 1977DE08 C. Detraz, *Phys. Lett. B*66 (1977) 333
- 1977DO06 G.E. Dogotar, R.A. Eramzhyan, H.R. Kissener and R.A. Sakaev, *Nucl. Phys. A*282 (1977) 474
- 1977EL09 A.J. Elwyn, R.E. Holland, C.N. Davids, L. Meyer-Schutzmeister, J.E. Monahan, F.P. Mooring and W. Ray, Jr., *Phys. Rev. C*16 (1977) 1744
- 1977FE05 H. Ferdinande, N.K. Sherman, K.H. Lokan and C.K. Ross, *Can. J. Phys.* 55 (1977) 428
- 1977FE1B Feshbach, *High Energy Phys. Nucl. Struct., Zurich, 1977* (1977) 291
- 1977FR1F Frankel et al., *Proc., Zurich-Sin* (1977) 209
- 1977GA1C Garcia-Munoz, Mason and Simpson, *Astrophys. J.* 217 (1977) 859
- 1977GE08 C.K. Gelbke, D.K. Scott, M. Bini, D.L. Hendrie, J.L. Laville, J. Mahoney, M.C. Mer-maz and C. Olmer, *Phys. Lett. B*70 (1977) 415
- 1977GL05 M. Glor, H.P. Nagele, G. Morgan, R. Neff, H. Rudin and F. Seiler, *Nucl. Phys. A*286 (1977) 31
- 1977GO07 J. Gosset, H.H. Gutbrod, W.G. Meyer, A.M. Poskanzer, A. Sandoval, R. Stock and G.D. Westfall, *Phys. Rev. C*16 (1977) 629
- 1977GR1D Grabisch, Beaujean, Scherzer and Enge, *Nucl. Instrum. Meth.* 147 (1977) 263
- 1977GU04 M.C. Gupta and C.S. Shastry, *Phys. Rev. C*15 (1977) 1244; *Erratum Phys. Rev. C*16 (1977) 2458
- 1977HA1L Hagen, Fisher and Ormes, *Astrophys. J.* 212 (1977) 262
- 1977HO1A Hogue, Newson, Purser and Gould, *Bull. Amer. Phys. Soc.* 22 (1977) 632
- 1977HO1B Hoistad, *High Energy Phys. Nucl. Struct., Zurich, 1977* (1977) 215
- 1977HO31 D. Holland and A.J. Cox, *J. Phys. (London)* G3 (1977) 1431
- 1977JU1A Junghans et al., in *Tokyo* (1977) 143
- 1977KA06 M. Karim and J.C. Overlay, *Phys. Rev. C*15 (1977) 467
- 1977KE09 K.W. Kemper, G.E. Moore, R.J. Puigh and R.L. White, *Phys. Rev. C*15 (1977) 1726
- 1977KI12 C.H. King, S.M. Austin, H.H. Rossner and W.S. Chien, *Phys. Rev. C*16 (1977) 1712
- 1977KI1F Kilian, *High Energy Phys. Nucl. Struct., Zurich, 1977* (1977) 91
- 1977KN1B Knox, White and Lane, *Bull. Amer. Phys. Soc.* 22 (1977) 631
- 1977KO09 J.A. Koepke and R.E. Brown, *Phys. Rev. C*16 (1977) 18
- 1977KO1J Kozlovsky and Ramaty, *Astrophys. Lett.* 19 (1977) 19
- 1977KO27 W. Kohler, G. Gruber, A. Steinhauser and K. Bethge, *Nucl. Phys. A*290 (1977) 233

- 1977KU12 E.L. Kuplennikov, V.A. Goldshtein, N.G. Afanasev and V.G. Vlasenko, *Yad. Fiz.* 25 (1977) 1129; *Sov. J. Nucl. Phys.* 25 (1977) 599
- 1977KU1D R. Kullberg, K. Kristiansson, B. Lindkvist and I. Otterlund, *Nucl. Phys.* A280 (1977) 491
- 1977LE02 M.K. Leung, J.J. Murphy,II, Y.M. Shin and D.M. Skopik, *Can. J. Phys.* 55 (1977) 252
- 1977LI01 C.-S. Lin, W.-S. Hou, M. Wen and J.-C. Chou, *Nucl. Phys.* A275 (1977) 93
- 1977LO10 M.A. Lone, C.B. Bigham, J.S. Fraser, H.R. Schneider, T.K. Alexander, A.J. Ferguson and A.B. McDonald, *Nucl. Instrum. Meth.* 143 (1977) 331
- 1977LO1C Lobov and Danilyan, *Izv. Akad. Nauk SSSR Ser. Fiz.* 41 (1977) 1548
- 1977MA1H Mason, Garcia-Munoz and Simpson, *Bull. Amer. Phys. Soc.* 22 (1977) 567
- 1977MA35 V.B. Mandelzweig, *Nucl. Phys.* A292 (1977) 333
- 1977MC1C McNally, *Bull. Amer. Phys. Soc.* 22 (1977) 581
- 1977MC1E K.W. McVoy, *Nucl. Phys.* A276 (1977) 491
- 1977MC1F McCarthy, *AIP Conf. Proc.* 36 (1977) 1
- 1977ME1C Meadows, *ANL/NDM-25* (1977)
- 1977MI03 M.V. Mihailovic and M. Poljsak, *Phys. Lett.* B66 (1977) 209
- 1977MI13 D. Miljanic, E. Andrade, J. Hudomalj-Gabitzsch, G.S. Mutchler and G.C. Phillips, *Nucl. Phys.* A290 (1977) 27
- 1977MO1C Moyle, Glagola, Matthews and Viola, *Bull. Amer. Phys. Soc.* 22 (1977) 998
- 1977MO1D Montmerle, *Astrophys. J.* 217 (1977) 878
- 1977MO1E Montmerle, *Astrophys. J.* 218 (1977) 263
- 1977MU1A Mukhopadhyay, *Phys. Rept.* C30 (1977) 1
- 1977NA08 V.S. Nadezhdin, N.I. Petrov, V.I. Satarov and I.I. Vzorov, *Yad. Fiz.* 25 (1977) 490; *Sov. J. Nucl. Phys.* 25 (1977) 263
- 1977NA16 V.S. Nadezhdin, N.I. Petrov and V.I. Satarov, *Yad. Fiz.* 26 (1977) 230; *Sov. J. Nucl. Phys.* 26 (1977) 119
- 1977NEZX C.E. Nelson, P. Von Behren, T.B. Clegg, E.J. Ludwig and S. Tonsfeldt, *Bull. Amer. Phys. Soc.* 22 (1977) 551, BJ1
- 1977NI1A Nishioka, Saito and Yasuno, *Proc. Int. Conf. Nucl. Struct., Tokyo* (1977); *J. Phys. Soc. Jpn. Suppl.* 44 (1978) 239
- 1977RA1B Raisbeck, Yiou and Quechon, *Proc., Zurich-Sin* (1977) 182
- 1977RE08 H. Reiss, H.V. Klapdor, G. Rosner, J.L.C. Ford, Jr. and S.T. Thornton, *Nucl. Phys.* A283 (1977) 149

- 1977RI07 P.J. Riley, C.W. Bjork, C.R. Newsom, M.L. Evans, G. Glass, J.C. Hiebert, M. Jain, R.A. Kenefick, L.C. Northcliffe, B.E. Bonner et al., Phys. Lett. B68 (1977) 217
- 1977RO01 E. Rosario-Garcia and R.E. Benenson, Nucl. Phys. A275 (1977) 453
- 1977RO02 P.G. Roos, N.S. Chant, A.A. Cowley, D.A. Goldberg, H.D. Holmgren and R. Woody, III, Phys. Rev. C15 (1977) 69
- 1977RO1E Roos, AIP Conf. Proc. 37 (1977) 32
- 1977RO23 P. Roberson, T. King, R. Kunselman, J. Miller, R.J. Powers, P.D. Barnes, R.A. Eisenstein, R.B. Sutton, W.C. Lam, C.R. Cox et al., Phys. Rev. C16 (1977) 1945
- 1977RU06 L. Ruby, R.V. Pyle and Y.C. Wong, Nucl. Sci. Eng. 63 (1977) 197
- 1977SA1C Saito, Prog. Theor. Phys. Suppl. 62 (1977) 11
- 1977SA22 S. Saito, H. Nishioka and M. Yasuno, Prog. Theor. Phys. 58 (1977) 190
- 1977SC1D Schramm and Wagoner, Ann. Rev. Nucl. Sci. 27 (1977) 37
- 1977SC37 S.D. Schery, L.E. Young, R.R. Doering, S.M. Austin and R.K. Bhowmik, Nucl. Instrum. Meth. 147 (1977) 399
- 1977SH1C Shoda et al., Proc. Int. Conf. Nucl. Struct., Tokyo (1977); J. Phys. Soc. Jpn. Suppl. 44 (1978) 482
- 1977SH1D Shimoda et al., in Tokyo (1977) 703
- 1977SI03 R.R. Silbar, Phys. Rev. C15 (1977) 1158
- 1977SI1D Silberberg and Tsao, Astrophys. J. Suppl. 35 (1977) 129
- 1977SL02 I. Sledzinska, A. Saganek, Z. Wilhelmi and B. Zwieglinski, Acta Phys. Pol. B8 (1977) 227
- 1977SM1B Smith, Quentner, Havel and Whalen, ANL/NDM-29 (1977)
- 1977SP02 D.A. Sparrow, Nucl. Phys. A276 (1977) 365
- 1977SP1B Spencer, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 153
- 1977ST04 D. Stanley, L. Vankataraman, W. Wilson and F. Petrovich, Nucl. Phys. A275 (1977) 519
- 1977ST1G Steiner, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 261
- 1977ST1H Starrfield, Trjran and Sparks, CNO Isotopes in Astrophys.; Ed., J. Audouze (1977) 49
- 1977ST34 R.G. Stokstad, M.N. Namboodiri, E.T. Chulick, J.B. Natowitz and D.L. Hanson, Phys. Rev. C16 (1977) 2249
- 1977TE1A Terrien, in Tokyo (1977) 843
- 1977TU1D Turk and Antolkovic, Fiz. Suppl. 9 (1977) 49
- 1977WA02 J. Warszawski and N. Auerbach, Nucl. Phys. A276 (1977) 402

- 1977WA05 C.N. Waddell, E.M. Diener, R.G. Allas, L.A. Beach, R.O. Bondelid, E.L. Petersen, A.G. Pieper, R.B. Theus, C.C. Chang and N.S. Chant, Nucl. Phys. A281 (1977) 418
- 1977WE03 R.B. Weisenmiller, N.A. Jelley, D. Ashery, K.H. Wilcox, G.J. Wozniak, M.S. Zisman and J. Cerny, Nucl. Phys. A280 (1977) 217
- 1977WE1B R.B. Weisenmiller, Thesis, Univ. of California, Berkeley (1976); LBL-5077 (1977)
- 1977WE1E Welsh, High Energy Phys. Nucl. Struct., Zurich, 1977 (1977) 95
- 1977YA1B Yakovlev, Fiz. Elem. Chastits At. Yad. (USSR) 8 (1977) 255
- 1978AJ03 F. Ajzenberg-Selove, Nucl. Phys. A300 (1978) 1
- 1978AN07 I. Angeli and M. Csatlos, Atomki Kozlem. 20 (1978) 1
- 1978AT01 M. Atarashi, K. Hira and H. Narumi, Prog. Theor. Phys. 60 (1978) 209
- 1978AU1C Austin, Bull. Amer. Phys. Soc. 23 (1978) 609
- 1978BA1J Back et al., Bull. Amer. Phys. Soc. 23 (1978) 958
- 1978BI08 R. Billerey, C. Cerruti, A. Chevarier, N. Chevarier and A. Demeyer, Z. Phys. A285 (1978) 389
- 1978BI1E Biersack, Fink, Henkelmann and Muller, Nucl. Instrum. Meth. 149 (1978) 93
- 1978BO1F Born and Paul, Atomkernergie 31 (1978) 57
- 1978BO31 M. Bouten, E. Flerackers and M.C. Bouten, Nucl. Phys. A307 (1978) 413
- 1978BR1E Brown, 3rd Int. Conf. on Clustering Aspects of Nucl. Struct. Nucl. Reactions, Winnipeg (1978)
- 1978BY1A Byrnak, Nuovo Cim. A44 (1978) 1
- 1978CH12 M.H. Chen and B. Crasemann, Phys. Rev. Lett. 40 (1978) 1423
- 1978CH1H Chrien et al., Proc., Cluster, Winnipeg (1978) D5
- 1978CH1K Chrien et al., Bull. Amer. Phys. Soc. 23 (1978) 81
- 1978CO16 J.C. Comiso, E.A. Wadlinger, H.J. Ziock, K.O.H. Ziock and K.P. Ziock, Phys. Lett. B78 (1978) 31
- 1978CO1G Correll et al., Bull. Amer. Phys. Soc. 23 (1978) 602
- 1978CU01 J.B. Cumming, P.E. Haustein, T.J. Ruth and G.J. Virtes, Phys. Rev. C17 (1978) 1632
- 1978DA06 R.H. Dalitz and A. Gal, J. Phys. (London) G4 (1978) 889
- 1978DE15 P. Desgrolard, P.A.M. Guichon and J. Joseph, Nuovo Cim. A43 (1978) 475
- 1978DE1J Devaux et al., Proc., Cluster, Winnipeg (1978) D4
- 1978DI04 S. Di Liberto, F. Meddi, G. Romano, G. Rosa and C. Sgarbi, Nucl. Phys. A296 (1978) 519
- 1978DR07 W. Dreves, P. Zupranski, P. Egelhof, D. Kassen, E. Steffens, W. Weiss and D. Fick, Phys. Lett. B78 (1978) 36

- 1978DU1E Duffey et al., Bull. Amer. Phys. Soc. 23 (1978) 558
- 1978EI1A Eisenstein et al., Bull. Amer. Phys. Soc. 23 (1978) 80
- 1978EL1A Elwyn et al., Bull. Amer. Phys. Soc. 23 (1978) 97
- 1978FI1E Fick, 3rd Int. Conf. on Clustering Aspects of Nucl. Struct. Nucl. Reactions, Winnipeg (1978)
- 1978FR02 H. Friedrich, Nucl. Phys. A294 (1978) 81
- 1978FR1D S. Frankel, W. Frati, G. Blanpied, G.W. Hoffmann, T. Kozlowski, C. Morris, H.A. Thiessen, O. Van Dyck, R. Ridge and C. Whitten, Phys. Rev. C18 (1978) 1375
- 1978GE1C Gelbke et al., Phys. Rept. C42 (1978) 311
- 1978GL01 H. Glattli, A. Abragam, G.L. Bacchella, M. Fourmond, P. Meriel, J. Piesvaux and M. Pinot, Phys. Rev. Lett. 40 (1978) 748
- 1978GO1E Goulding et al., Bull. Amer. Phys. Soc. 23 (1978) 558
- 1978GR1F Green and Korteling, Proc., Cluster, Winnipeg (1978) 89
- 1978HA1J Hatsuda and Sakamoto, Lett. Nuovo Cim. 21 (1978) 551
- 1978HE02 J.C. Herrera, J.J. Kolata, H.W. Kraner, C.L. Wang, R. Allen, D. Gockley, M.A. Hasan, A. Kanofsky and G. Lazo, Phys. Rev. Lett. 40 (1978) 158
- 1978KI08 H.R. Kissener, G.E. Dogotar, R.A. Eramzhyan and R.A. Sakaev, Nucl. Phys. A302 (1978) 523
- 1978KN1D Knox et al., Bull. Amer. Phys. Soc. 23 (1978) 942
- 1978KU02 Y. Kudo, T. Honda and H. Horie, Prog. Theor. Phys. 59 (1978) 101
- 1978LE04 H.C. Lee, Nucl. Phys. A294 (1978) 473
- 1978LE13 M. LeMere and Y.C. Tang, Phys. Rev. C18 (1978) 1114
- 1978LE1H Le Mere and Tang, Proc., Cluster, Winnipeg (1978) A21
- 1978LI1C Lisowski et al., Bull. Amer. Phys. Soc. 23 (1978) 635
- 1978LU05 Y.-W. Lui, O. Karban, A.K. Basak, C.O. Blyth, J.M. Nelson and S. Roman, Nucl. Phys. A297 (1978) 189
- 1978MA1H Mathews and Viola, Bull. Amer. Phys. Soc. 23 (1978) 67
- 1978MA1J H.B. Mathis and Meng Ta-Chung, Phys. Rev. C18 (1978) 952
- 1978MA37 Z. Majka, Phys. Lett. B76 (1978) 161
- 1978ME05 G. Mechttersheimer, G. Buche, U. Klein, W. Kluge, H. Matthay, D. Munchmeyer and A. Moline, Phys. Lett. B73 (1978) 115
- 1978ME1D Meyer, Nature 272 (1978) 675
- 1978MO01 C.L. Morris, R.L. Boudrie, J.J. Kraushaar, R.J. Peterson, R.A. Ristinen, G.R. Smith, J.E. Bolger, W.J. Braithwaite, C.F. Moore and L.E. Smith, Phys. Rev. C17 (1978) 227

- 1978MO09 M. Morike, G. Staudt and F. Weng, Z. Phys. A287 (1978) 211
- 1978NA05 K. Nakamura, S. Hiramatsu, T. Kamae, H. Muramatsu, N. Izutsu and Y. Watase, Nucl. Phys. A296 (1978) 431
- 1978NO08 E. Norbeck, M.D. Strathman and D.A. Fox, Phys. Rev. C18 (1978) 1275
- 1978OC1B O'Connell, Dressler and MacDonald, Bull. Amer. Phys. Soc. 23 (1978) 507
- 1978OT1A Otteson et al., Proc., Cluster, Winnipeg (1978) D13
- 1978PI1A Pimentel and Do Amaral, Nucl. Instrum. Meth. 148 (1978) 199
- 1978PR1B Pretorius and Peisach, Nucl. Instrum. Meth. 149 (1978) 69
- 1978RA09 K.S. Rao and R. Sridhar, Phys. Scr. 17 (1978) 557
- 1978RE1B Renner et al., Bull. Amer. Phys. Soc. 23 (1978) 526
- 1978RI02 P.J. Riley, C.W. Bjork, C.R. Newsom, R.A. Kenefick, M.L. Evans, G. Glass, J. Hiebert, M. Jain, L.C. Northcliffe, B.E. Bonner et al., Phys. Rev. C17 (1978) 1881
- 1978SA18 H. Sanjeeviah and B. Sanjeevaiah, Phys. Rev. C18 (1978) 974
- 1978SA19 R. Sartor, Phys. Rev. C18 (1978) 1035
- 1978SA1F Sandorfi, Proc., Cluster, Winnipeg (1978)
- 1978ST05 D.J. Stubeda, M. LeMere and Y.C. Tang, Phys. Rev. C17 (1978) 447
- 1978ST1H Stelts et al., Bull. Amer. Phys. Soc. 23 (1978) 526
- 1978TA04 S. Tanaka, J. Phys. Soc. Jpn. 44 (1978) 1405
- 1978WA02 J. Warszawski, A. Gal and J.M. Eisenberg, Nucl. Phys. A294 (1978) 321
- 1978WE1D Wessels et al., Nucl. Instrum. Meth. 141 (1977) 157
- 1978ZA1D Zalm, Van Hienen and Glaudemans, Z. Phys. A287 (1978) 255
- 1980AJ01 F. Ajzenberg-Selove and C.L. Busch, Nucl. Phys. A336 (1980) 1

